



# Main Compartment - G2

10'x16K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	178	9 1/8	505	13 5/8	934	18 1/8	1,445
1/4	2	4 3/4	185	9 1/4	516	13 3/4	947	18 1/4	1,460
3/8	4	4 7/8	193	9 3/8	526	13 7/8	960	18 3/8	1,475
1/2	6	5	200	9 1/2	537	14	974	18 1/2	1,490
5/8	8	5 1/8	208	9 5/8	548	14 1/8	987	18 5/8	1,506
3/4	11	5 1/4	216	9 3/4	559	14 1/4	1,001	18 3/4	1,521
7/8	14	5 3/8	224	9 7/8	570	14 3/8	1,014	18 7/8	1,536
1	17	5 1/2	232	10	581	14 1/2	1,027	19	1,552
1 1/8	20	5 5/8	240	10 1/8	592	14 5/8	1,041	19 1/8	1,568
1 1/4	24	5 3/4	248	10 1/4	604	14 3/4	1,055	19 1/4	1,583
1 3/8	28	5 7/8	257	10 3/8	615	14 7/8	1,068	19 3/8	1,599
1 1/2	32	6	265	10 1/2	626	15	1,082	19 1/2	1,615
1 5/8	36	6 1/8	274	10 5/8	638	15 1/8	1,096	19 5/8	1,630
1 3/4	40	6 1/4	282	10 3/4	649	15 1/4	1,110	19 3/4	1,646
1 7/8	45	6 3/8	291	10 7/8	661	15 3/8	1,124	19 7/8	1,662
2	49	6 1/2	300	11	673	15 1/2	1,138	20	1,678
2 1/8	54	6 5/8	309	11 1/8	685	15 5/8	1,152	20 1/8	1,694
2 1/4	59	6 3/4	318	11 1/4	696	15 3/4	1,166	20 1/4	1,710
2 3/8	64	6 7/8	327	11 3/8	708	15 7/8	1,180	20 3/8	1,726
2 1/2	69	7	336	11 1/2	720	16	1,194	20 1/2	1,742
2 5/8	75	7 1/8	345	11 5/8	732	16 1/8	1,209	20 5/8	1,758
2 3/4	80	7 1/4	355	11 3/4	744	16 1/4	1,223	20 3/4	1,774
2 7/8	86	7 3/8	364	11 7/8	757	16 3/8	1,237	20 7/8	1,790
3	92	7 1/2	374	12	769	16 1/2	1,252	21	1,807
3 1/8	97	7 5/8	383	12 1/8	781	16 5/8	1,266	21 1/8	1,823
3 1/4	104	7 3/4	393	12 1/4	794	16 3/4	1,281	21 1/4	1,839
3 3/8	110	7 7/8	403	12 3/8	806	16 7/8	1,295	21 3/8	1,856
3 1/2	116	8	413	12 1/2	819	17	1,310	21 1/2	1,872
3 5/8	122	8 1/8	423	12 5/8	831	17 1/8	1,325	21 5/8	1,889
3 3/4	129	8 1/4	433	12 3/4	844	17 1/4	1,340	21 3/4	1,905
3 7/8	136	8 3/8	443	12 7/8	857	17 3/8	1,354	21 7/8	1,922
4	142	8 1/2	453	13	869	17 1/2	1,369	22	1,939
4 1/8	149	8 5/8	463	13 1/8	882	17 5/8	1,384	22 1/8	1,955
4 1/4	156	8 3/4	473	13 1/4	895	17 3/4	1,399	22 1/4	1,972
4 3/8	163	8 7/8	484	13 3/8	908	17 7/8	1,414	22 3/8	1,989
4 1/2	171	9	494	13 1/2	921	18	1,429	22 1/2	2,006



# Main Compartment - G2

10'x16K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,022	27 1/8	2,657	31 5/8	3,340	36 1/8	4,063	40 5/8	4,818
22 3/4	2,039	27 1/4	2,676	31 3/4	3,359	36 1/4	4,083	40 3/4	4,840
22 7/8	2,056	27 3/8	2,694	31 7/8	3,379	36 3/8	4,104	40 7/8	4,861
23	2,073	27 1/2	2,712	32	3,399	36 1/2	4,124	41	4,882
23 1/8	2,090	27 5/8	2,731	32 1/8	3,418	36 5/8	4,145	41 1/8	4,904
23 1/4	2,107	27 3/4	2,749	32 1/4	3,438	36 3/4	4,166	41 1/4	4,925
23 3/8	2,125	27 7/8	2,768	32 3/8	3,458	36 7/8	4,186	41 3/8	4,947
23 1/2	2,142	28	2,786	32 1/2	3,478	37	4,207	41 1/2	4,968
23 5/8	2,159	28 1/8	2,805	32 5/8	3,497	37 1/8	4,228	41 5/8	4,990
23 3/4	2,176	28 1/4	2,824	32 3/4	3,517	37 1/4	4,249	41 3/4	5,011
23 7/8	2,194	28 3/8	2,842	32 7/8	3,537	37 3/8	4,270	41 7/8	5,033
24	2,211	28 1/2	2,861	33	3,557	37 1/2	4,290	42	5,055
24 1/8	2,228	28 5/8	2,880	33 1/8	3,577	37 5/8	4,311	42 1/8	5,076
24 1/4	2,246	28 3/4	2,899	33 1/4	3,597	37 3/4	4,332	42 1/4	5,098
24 3/8	2,263	28 7/8	2,917	33 3/8	3,617	37 7/8	4,353	42 3/8	5,119
24 1/2	2,281	29	2,936	33 1/2	3,637	38	4,374	42 1/2	5,141
24 5/8	2,298	29 1/8	2,955	33 5/8	3,657	38 1/8	4,395	42 5/8	5,163
24 3/4	2,316	29 1/4	2,974	33 3/4	3,677	38 1/4	4,416	42 3/4	5,185
24 7/8	2,333	29 3/8	2,993	33 7/8	3,697	38 3/8	4,437	42 7/8	5,206
25	2,351	29 1/2	3,012	34	3,717	38 1/2	4,458	43	5,228
25 1/8	2,369	29 5/8	3,031	34 1/8	3,737	38 5/8	4,479	43 1/8	5,250
25 1/4	2,386	29 3/4	3,050	34 1/4	3,757	38 3/4	4,500	43 1/4	5,271
25 3/8	2,404	29 7/8	3,069	34 3/8	3,777	38 7/8	4,521	43 3/8	5,293
25 1/2	2,422	30	3,088	34 1/2	3,798	39	4,542	43 1/2	5,315
25 5/8	2,440	30 1/8	3,108	34 5/8	3,818	39 1/8	4,563	43 5/8	5,337
25 3/4	2,458	30 1/4	3,127	34 3/4	3,838	39 1/4	4,584	43 3/4	5,359
25 7/8	2,476	30 3/8	3,146	34 7/8	3,858	39 3/8	4,605	43 7/8	5,381
26	2,494	30 1/2	3,165	35	3,879	39 1/2	4,627	44	5,402
26 1/8	2,512	30 5/8	3,184	35 1/8	3,899	39 5/8	4,648	44 1/8	5,424
26 1/4	2,530	30 3/4	3,204	35 1/4	3,919	39 3/4	4,669	44 1/4	5,446
26 3/8	2,548	30 7/8	3,223	35 3/8	3,940	39 7/8	4,690	44 3/8	5,468
26 1/2	2,566	31	3,243	35 1/2	3,960	40	4,712	44 1/2	5,490
26 5/8	2,584	31 1/8	3,262	35 5/8	3,981	40 1/8	4,733	44 5/8	5,512
26 3/4	2,602	31 1/4	3,281	35 3/4	4,001	40 1/4	4,754	44 3/4	5,534
26 7/8	2,621	31 3/8	3,301	35 7/8	4,022	40 3/8	4,775	44 7/8	5,556
27	2,639	31 1/2	3,320	36	4,042	40 1/2	4,797	45	5,578



# Main Compartment - G2

10'x16K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	5,600	49 5/8	6,402	54 1/8	7,217	58 5/8	8,040	63 1/8	8,865
45 1/4	5,622	49 3/4	6,424	54 1/4	7,240	58 3/4	8,063	63 1/4	8,887
45 3/8	5,644	49 7/8	6,447	54 3/8	7,262	58 7/8	8,086	63 3/8	8,910
45 1/2	5,666	50	6,469	54 1/2	7,285	59	8,109	63 1/2	8,933
45 5/8	5,688	50 1/8	6,492	54 5/8	7,308	59 1/8	8,131	63 5/8	8,956
45 3/4	5,710	50 1/4	6,514	54 3/4	7,331	59 1/4	8,154	63 3/4	8,979
45 7/8	5,732	50 3/8	6,537	54 7/8	7,354	59 3/8	8,177	63 7/8	9,002
46	5,754	50 1/2	6,559	55	7,376	59 1/2	8,200	64	9,025
46 1/8	5,777	50 5/8	6,582	55 1/8	7,399	59 5/8	8,223	64 1/8	9,047
46 1/4	5,799	50 3/4	6,604	55 1/4	7,422	59 3/4	8,246	64 1/4	9,070
46 3/8	5,821	50 7/8	6,627	55 3/8	7,445	59 7/8	8,269	64 3/8	9,093
46 1/2	5,843	51	6,649	55 1/2	7,468	60	8,292	64 1/2	9,116
46 5/8	5,865	51 1/8	6,672	55 5/8	7,491	60 1/8	8,315	64 5/8	9,139
46 3/4	5,887	51 1/4	6,695	55 3/4	7,513	60 1/4	8,338	64 3/4	9,162
46 7/8	5,910	51 3/8	6,717	55 7/8	7,536	60 3/8	8,361	64 7/8	9,184
47	5,932	51 1/2	6,740	56	7,559	60 1/2	8,384	65	9,207
47 1/8	5,954	51 5/8	6,763	56 1/8	7,582	60 5/8	8,406	65 1/8	9,230
47 1/4	5,976	51 3/4	6,785	56 1/4	7,605	60 3/4	8,429	65 1/4	9,253
47 3/8	5,999	51 7/8	6,808	56 3/8	7,628	60 7/8	8,452	65 3/8	9,276
47 1/2	6,021	52	6,830	56 1/2	7,651	61	8,475	65 1/2	9,299
47 5/8	6,043	52 1/8	6,853	56 5/8	7,673	61 1/8	8,498	65 5/8	9,321
47 3/4	6,066	52 1/4	6,876	56 3/4	7,696	61 1/4	8,521	65 3/4	9,344
47 7/8	6,088	52 3/8	6,899	56 7/8	7,719	61 3/8	8,544	65 7/8	9,367
48	6,110	52 1/2	6,921	57	7,742	61 1/2	8,567	66	9,390
48 1/8	6,133	52 5/8	6,944	57 1/8	7,765	61 5/8	8,590	66 1/8	9,412
48 1/4	6,155	52 3/4	6,967	57 1/4	7,788	61 3/4	8,613	66 1/4	9,435
48 3/8	6,177	52 7/8	6,989	57 3/8	7,811	61 7/8	8,636	66 3/8	9,458
48 1/2	6,200	53	7,012	57 1/2	7,834	62	8,658	66 1/2	9,481
48 5/8	6,222	53 1/8	7,035	57 5/8	7,857	62 1/8	8,681	66 5/8	9,503
48 3/4	6,244	53 1/4	7,057	57 3/4	7,879	62 1/4	8,704	66 3/4	9,526
48 7/8	6,267	53 3/8	7,080	57 7/8	7,902	62 3/8	8,727	66 7/8	9,549
49	6,289	53 1/2	7,103	58	7,925	62 1/2	8,750	67	9,572
49 1/8	6,312	53 5/8	7,126	58 1/8	7,948	62 5/8	8,773	67 1/8	9,594
49 1/4	6,334	53 3/4	7,148	58 1/4	7,971	62 3/4	8,796	67 1/4	9,617
49 3/8	6,357	53 7/8	7,171	58 3/8	7,994	62 7/8	8,819	67 3/8	9,640
49 1/2	6,379	54	7,194	58 1/2	8,017	63	8,842	67 1/2	9,663



# Main Compartment - G2

10'x16K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	9,685	72 1/8	10,496	76 5/8	11,290	81 1/8	12,063	85 5/8	12,806
67 3/4	9,708	72 1/4	10,518	76 3/4	11,312	81 1/4	12,084	85 3/4	12,827
67 7/8	9,731	72 3/8	10,540	76 7/8	11,334	81 3/8	12,105	85 7/8	12,847
68	9,753	72 1/2	10,563	77	11,356	81 1/2	12,126	86	12,867
68 1/8	9,776	72 5/8	10,585	77 1/8	11,377	81 5/8	12,147	86 1/8	12,887
68 1/4	9,799	72 3/4	10,607	77 1/4	11,399	81 3/4	12,168	86 1/4	12,907
68 3/8	9,821	72 7/8	10,630	77 3/8	11,421	81 7/8	12,189	86 3/8	12,927
68 1/2	9,844	73	10,652	77 1/2	11,443	82	12,210	86 1/2	12,947
68 5/8	9,866	73 1/8	10,674	77 5/8	11,464	82 1/8	12,231	86 5/8	12,967
68 3/4	9,889	73 1/4	10,696	77 3/4	11,486	82 1/4	12,252	86 3/4	12,987
68 7/8	9,912	73 3/8	10,718	77 7/8	11,507	82 3/8	12,273	86 7/8	13,007
69	9,934	73 1/2	10,741	78	11,529	82 1/2	12,293	87	13,027
69 1/8	9,957	73 5/8	10,763	78 1/8	11,551	82 5/8	12,314	87 1/8	13,047
69 1/4	9,979	73 3/4	10,785	78 1/4	11,572	82 3/4	12,335	87 1/4	13,067
69 3/8	10,002	73 7/8	10,807	78 3/8	11,594	82 7/8	12,356	87 3/8	13,086
69 1/2	10,025	74	10,829	78 1/2	11,615	83	12,377	87 1/2	13,106
69 5/8	10,047	74 1/8	10,851	78 5/8	11,637	83 1/8	12,397	87 5/8	13,126
69 3/4	10,070	74 1/4	10,873	78 3/4	11,658	83 1/4	12,418	87 3/4	13,146
69 7/8	10,092	74 3/8	10,896	78 7/8	11,680	83 3/8	12,439	87 7/8	13,165
70	10,115	74 1/2	10,918	79	11,701	83 1/2	12,459	88	13,185
70 1/8	10,137	74 5/8	10,940	79 1/8	11,723	83 5/8	12,480	88 1/8	13,205
70 1/4	10,160	74 3/4	10,962	79 1/4	11,744	83 3/4	12,500	88 1/4	13,224
70 3/8	10,182	74 7/8	10,984	79 3/8	11,765	83 7/8	12,521	88 3/8	13,244
70 1/2	10,205	75	11,006	79 1/2	11,787	84	12,542	88 1/2	13,263
70 5/8	10,227	75 1/8	11,028	79 5/8	11,808	84 1/8	12,562	88 5/8	13,283
70 3/4	10,250	75 1/4	11,050	79 3/4	11,830	84 1/4	12,583	88 3/4	13,302
70 7/8	10,272	75 3/8	11,072	79 7/8	11,851	84 3/8	12,603	88 7/8	13,322
71	10,294	75 1/2	11,094	80	11,872	84 1/2	12,624	89	13,341
71 1/8	10,317	75 5/8	11,116	80 1/8	11,893	84 5/8	12,644	89 1/8	13,361
71 1/4	10,339	75 3/4	11,137	80 1/4	11,915	84 3/4	12,664	89 1/4	13,380
71 3/8	10,362	75 7/8	11,159	80 3/8	11,936	84 7/8	12,685	89 3/8	13,399
71 1/2	10,384	76	11,181	80 1/2	11,957	85	12,705	89 1/2	13,418
71 5/8	10,406	76 1/8	11,203	80 5/8	11,978	85 1/8	12,725	89 5/8	13,438
71 3/4	10,429	76 1/4	11,225	80 3/4	11,999	85 1/4	12,746	89 3/4	13,457
71 7/8	10,451	76 3/8	11,247	80 7/8	12,021	85 3/8	12,766	89 7/8	13,476
72	10,474	76 1/2	11,269	81	12,042	85 1/2	12,786	90	13,495



# Main Compartment - G2

10'x16K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	13,514	94 5/8	14,179	99 1/8	14,793	103 5/8	15,346	108 1/8	15,827
90 1/4	13,534	94 3/4	14,197	99 1/4	14,810	103 3/4	15,361	108 1/4	15,839
90 3/8	13,553	94 7/8	14,215	99 3/8	14,826	103 7/8	15,375	108 3/8	15,851
90 1/2	13,572	95	14,233	99 1/2	14,842	104	15,389	108 1/2	15,863
90 5/8	13,591	95 1/8	14,250	99 5/8	14,858	104 1/8	15,404	108 5/8	15,875
90 3/4	13,610	95 1/4	14,268	99 3/4	14,874	104 1/4	15,418	108 3/4	15,887
90 7/8	13,628	95 3/8	14,286	99 7/8	14,890	104 3/8	15,432	108 7/8	15,899
91	13,647	95 1/2	14,303	100	14,906	104 1/2	15,446	109	15,911
91 1/8	13,666	95 5/8	14,321	100 1/8	14,922	104 5/8	15,460	109 1/8	15,923
91 1/4	13,685	95 3/4	14,338	100 1/4	14,938	104 3/4	15,474	109 1/4	15,934
91 3/8	13,704	95 7/8	14,355	100 3/8	14,953	104 7/8	15,488	109 3/8	15,946
91 1/2	13,723	96	14,373	100 1/2	14,969	105	15,502	109 1/2	15,957
91 5/8	13,741	96 1/8	14,390	100 5/8	14,985	105 1/8	15,515	109 5/8	15,969
91 3/4	13,760	96 1/4	14,407	100 3/4	15,001	105 1/4	15,529	109 3/4	15,980
91 7/8	13,779	96 3/8	14,425	100 7/8	15,016	105 3/8	15,543	109 7/8	15,991
92	13,797	96 1/2	14,442	101	15,032	105 1/2	15,556	110	16,002
92 1/8	13,816	96 5/8	14,459	101 1/8	15,047	105 5/8	15,570	110 1/8	16,014
92 1/4	13,834	96 3/4	14,476	101 1/4	15,063	105 3/4	15,583	110 1/4	16,025
92 3/8	13,853	96 7/8	14,493	101 3/8	15,078	105 7/8	15,597	110 3/8	16,036
92 1/2	13,871	97	14,510	101 1/2	15,093	106	15,610	110 1/2	16,046
92 5/8	13,890	97 1/8	14,527	101 5/8	15,109	106 1/8	15,623	110 5/8	16,057
92 3/4	13,908	97 1/4	14,544	101 3/4	15,124	106 1/4	15,636	110 3/4	16,068
92 7/8	13,926	97 3/8	14,561	101 7/8	15,139	106 3/8	15,650	110 7/8	16,079
93	13,945	97 1/2	14,578	102	15,154	106 1/2	15,663	111	16,089
93 1/8	13,963	97 5/8	14,595	102 1/8	15,169	106 5/8	15,676	111 1/8	16,100
93 1/4	13,981	97 3/4	14,612	102 1/4	15,184	106 3/4	15,689	111 1/4	16,110
93 3/8	14,000	97 7/8	14,628	102 3/8	15,199	106 7/8	15,702	111 3/8	16,121
93 1/2	14,018	98	14,645	102 1/2	15,214	107	15,714	111 1/2	16,131
93 5/8	14,036	98 1/8	14,662	102 5/8	15,229	107 1/8	15,727	111 5/8	16,141
93 3/4	14,054	98 1/4	14,678	102 3/4	15,244	107 1/4	15,740	111 3/4	16,151
93 7/8	14,072	98 3/8	14,695	102 7/8	15,259	107 3/8	15,753	111 7/8	16,161
94	14,090	98 1/2	14,711	103	15,274	107 1/2	15,765	112	16,171
94 1/8	14,108	98 5/8	14,728	103 1/8	15,288	107 5/8	15,778	112 1/8	16,181
94 1/4	14,126	98 3/4	14,744	103 1/4	15,303	107 3/4	15,790	112 1/4	16,191
94 3/8	14,144	98 7/8	14,761	103 3/8	15,317	107 7/8	15,802	112 3/8	16,200
94 1/2	14,162	99	14,777	103 1/2	15,332	108	15,815	112 1/2	16,210



# Main Compartment - G2

10'x16K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	16,220	117 1/8	16,498
112 3/4	16,229	117 1/4	16,504
112 7/8	16,238	117 3/8	16,509
113	16,248	117 1/2	16,514
113 1/8	16,257	117 5/8	16,520
113 1/4	16,266	117 3/4	16,525
113 3/8	16,275	117 7/8	16,530
113 1/2	16,284	118	16,534
113 5/8	16,293	118 1/8	16,539
113 3/4	16,301	118 1/4	16,544
113 7/8	16,310	118 3/8	16,548
114	16,319	118 1/2	16,552
114 1/8	16,327	118 5/8	16,556
114 1/4	16,335	118 3/4	16,560
114 3/8	16,344	118 7/8	16,563
114 1/2	16,352	119	16,567
114 5/8	16,360	119 1/8	16,570
114 3/4	16,368	119 1/4	16,573
114 7/8	16,376	119 3/8	16,575
115	16,383	119 1/2	16,578
115 1/8	16,391	119 5/8	16,580
115 1/4	16,398	119 3/4	16,582
115 3/8	16,406	119 7/8	16,583
115 1/2	16,413	120	16,584
115 5/8	16,420		
115 3/4	16,428		
115 7/8	16,435		
116	16,441		
116 1/8	16,448		
116 1/4	16,455		
116 3/8	16,461		
116 1/2	16,468		
116 5/8	16,474		
116 3/4	16,480		
116 7/8	16,486		
117	16,492		