



Main Compartment - G2

10'x25K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	282	9 1/8	790	13 5/8	1,448	18 1/8	2,224
1/4	3	4 3/4	294	9 1/4	807	13 3/4	1,468	18 1/4	2,247
3/8	6	4 7/8	305	9 3/8	823	13 7/8	1,489	18 3/8	2,270
1/2	10	5	317	9 1/2	840	14	1,509	18 1/2	2,293
5/8	14	5 1/8	329	9 5/8	857	14 1/8	1,529	18 5/8	2,316
3/4	18	5 1/4	342	9 3/4	874	14 1/4	1,550	18 3/4	2,340
7/8	23	5 3/8	354	9 7/8	891	14 3/8	1,570	18 7/8	2,363
1	28	5 1/2	367	10	908	14 1/2	1,591	19	2,386
1 1/8	33	5 5/8	379	10 1/8	925	14 5/8	1,611	19 1/8	2,410
1 1/4	39	5 3/4	392	10 1/4	942	14 3/4	1,632	19 1/4	2,433
1 3/8	45	5 7/8	405	10 3/8	960	14 7/8	1,653	19 3/8	2,457
1 1/2	51	6	418	10 1/2	977	15	1,674	19 1/2	2,481
1 5/8	58	6 1/8	432	10 5/8	995	15 1/8	1,695	19 5/8	2,505
1 3/4	65	6 1/4	445	10 3/4	1,013	15 1/4	1,716	19 3/4	2,528
1 7/8	72	6 3/8	459	10 7/8	1,030	15 3/8	1,737	19 7/8	2,552
2	79	6 1/2	473	11	1,048	15 1/2	1,759	20	2,576
2 1/8	87	6 5/8	486	11 1/8	1,067	15 5/8	1,780	20 1/8	2,600
2 1/4	95	6 3/4	500	11 1/4	1,085	15 3/4	1,801	20 1/4	2,625
2 3/8	103	6 7/8	514	11 3/8	1,103	15 7/8	1,823	20 3/8	2,649
2 1/2	111	7	529	11 1/2	1,121	16	1,844	20 1/2	2,673
2 5/8	119	7 1/8	543	11 5/8	1,140	16 1/8	1,866	20 5/8	2,697
2 3/4	128	7 1/4	558	11 3/4	1,158	16 1/4	1,888	20 3/4	2,722
2 7/8	137	7 3/8	572	11 7/8	1,177	16 3/8	1,910	20 7/8	2,746
3	146	7 1/2	587	12	1,196	16 1/2	1,932	21	2,771
3 1/8	156	7 5/8	602	12 1/8	1,215	16 5/8	1,954	21 1/8	2,795
3 1/4	165	7 3/4	617	12 1/4	1,234	16 3/4	1,976	21 1/4	2,820
3 3/8	175	7 7/8	632	12 3/8	1,253	16 7/8	1,998	21 3/8	2,845
3 1/2	185	8	647	12 1/2	1,272	17	2,020	21 1/2	2,870
3 5/8	195	8 1/8	663	12 5/8	1,291	17 1/8	2,042	21 5/8	2,894
3 3/4	205	8 1/4	678	12 3/4	1,310	17 1/4	2,065	21 3/4	2,919
3 7/8	216	8 3/8	694	12 7/8	1,330	17 3/8	2,087	21 7/8	2,944
4	226	8 1/2	710	13	1,349	17 1/2	2,110	22	2,969
4 1/8	237	8 5/8	726	13 1/8	1,369	17 5/8	2,133	22 1/8	2,994
4 1/4	248	8 3/4	742	13 1/4	1,389	17 3/4	2,155	22 1/4	3,020
4 3/8	259	8 7/8	758	13 3/8	1,408	17 7/8	2,178	22 3/8	3,045
4 1/2	270	9	774	13 1/2	1,428	18	2,201	22 1/2	3,070



Main Compartment - G2

10'x25K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,096	27 1/8	4,048	31 5/8	5,067	36 1/8	6,142	40 5/8	7,263
22 3/4	3,121	27 1/4	4,075	31 3/4	5,096	36 1/4	6,173	40 3/4	7,294
22 7/8	3,146	27 3/8	4,103	31 7/8	5,125	36 3/8	6,203	40 7/8	7,326
23	3,172	27 1/2	4,130	32	5,155	36 1/2	6,234	41	7,358
23 1/8	3,198	27 5/8	4,158	32 1/8	5,184	36 5/8	6,264	41 1/8	7,390
23 1/4	3,223	27 3/4	4,185	32 1/4	5,213	36 3/4	6,295	41 1/4	7,422
23 3/8	3,249	27 7/8	4,213	32 3/8	5,243	36 7/8	6,326	41 3/8	7,453
23 1/2	3,275	28	4,241	32 1/2	5,272	37	6,357	41 1/2	7,485
23 5/8	3,301	28 1/8	4,269	32 5/8	5,301	37 1/8	6,388	41 5/8	7,517
23 3/4	3,327	28 1/4	4,297	32 3/4	5,331	37 1/4	6,418	41 3/4	7,549
23 7/8	3,353	28 3/8	4,325	32 7/8	5,360	37 3/8	6,449	41 7/8	7,581
24	3,379	28 1/2	4,353	33	5,390	37 1/2	6,480	42	7,613
24 1/8	3,405	28 5/8	4,381	33 1/8	5,420	37 5/8	6,511	42 1/8	7,645
24 1/4	3,431	28 3/4	4,409	33 1/4	5,449	37 3/4	6,542	42 1/4	7,677
24 3/8	3,457	28 7/8	4,437	33 3/8	5,479	37 7/8	6,573	42 3/8	7,709
24 1/2	3,483	29	4,465	33 1/2	5,509	38	6,604	42 1/2	7,741
24 5/8	3,510	29 1/8	4,493	33 5/8	5,538	38 1/8	6,635	42 5/8	7,773
24 3/4	3,536	29 1/4	4,521	33 3/4	5,568	38 1/4	6,666	42 3/4	7,805
24 7/8	3,562	29 3/8	4,550	33 7/8	5,598	38 3/8	6,697	42 7/8	7,837
25	3,589	29 1/2	4,578	34	5,628	38 1/2	6,728	43	7,869
25 1/8	3,615	29 5/8	4,606	34 1/8	5,658	38 5/8	6,760	43 1/8	7,902
25 1/4	3,642	29 3/4	4,635	34 1/4	5,688	38 3/4	6,791	43 1/4	7,934
25 3/8	3,669	29 7/8	4,663	34 3/8	5,718	38 7/8	6,822	43 3/8	7,966
25 1/2	3,695	30	4,692	34 1/2	5,748	39	6,853	43 1/2	7,998
25 5/8	3,722	30 1/8	4,720	34 5/8	5,778	39 1/8	6,885	43 5/8	8,031
25 3/4	3,749	30 1/4	4,749	34 3/4	5,808	39 1/4	6,916	43 3/4	8,063
25 7/8	3,776	30 3/8	4,778	34 7/8	5,838	39 3/8	6,947	43 7/8	8,095
26	3,803	30 1/2	4,806	35	5,869	39 1/2	6,979	44	8,128
26 1/8	3,830	30 5/8	4,835	35 1/8	5,899	39 5/8	7,010	44 1/8	8,160
26 1/4	3,857	30 3/4	4,864	35 1/4	5,929	39 3/4	7,042	44 1/4	8,192
26 3/8	3,884	30 7/8	4,893	35 3/8	5,959	39 7/8	7,073	44 3/8	8,225
26 1/2	3,911	31	4,922	35 1/2	5,990	40	7,105	44 1/2	8,257
26 5/8	3,938	31 1/8	4,951	35 5/8	6,020	40 1/8	7,136	44 5/8	8,290
26 3/4	3,966	31 1/4	4,980	35 3/4	6,051	40 1/4	7,168	44 3/4	8,322
26 7/8	3,993	31 3/8	5,009	35 7/8	6,081	40 3/8	7,199	44 7/8	8,355
27	4,020	31 1/2	5,038	36	6,112	40 1/2	7,231	45	8,387



Main Compartment - G2

10'x25K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	8,420	49 5/8	9,604	54 1/8	10,807	58 5/8	12,021	63 1/8	13,237
45 1/4	8,452	49 3/4	9,637	54 1/4	10,841	58 3/4	12,055	63 1/4	13,271
45 3/8	8,485	49 7/8	9,670	54 3/8	10,874	58 7/8	12,089	63 3/8	13,305
45 1/2	8,518	50	9,704	54 1/2	10,908	59	12,122	63 1/2	13,338
45 5/8	8,550	50 1/8	9,737	54 5/8	10,942	59 1/8	12,156	63 5/8	13,372
45 3/4	8,583	50 1/4	9,770	54 3/4	10,975	59 1/4	12,190	63 3/4	13,406
45 7/8	8,615	50 3/8	9,804	54 7/8	11,009	59 3/8	12,224	63 7/8	13,440
46	8,648	50 1/2	9,837	55	11,043	59 1/2	12,258	64	13,473
46 1/8	8,681	50 5/8	9,870	55 1/8	11,076	59 5/8	12,291	64 1/8	13,507
46 1/4	8,714	50 3/4	9,903	55 1/4	11,110	59 3/4	12,325	64 1/4	13,541
46 3/8	8,746	50 7/8	9,937	55 3/8	11,144	59 7/8	12,359	64 3/8	13,574
46 1/2	8,779	51	9,970	55 1/2	11,177	60	12,393	64 1/2	13,608
46 5/8	8,812	51 1/8	10,003	55 5/8	11,211	60 1/8	12,427	64 5/8	13,642
46 3/4	8,845	51 1/4	10,037	55 3/4	11,245	60 1/4	12,460	64 3/4	13,675
46 7/8	8,878	51 3/8	10,070	55 7/8	11,278	60 3/8	12,494	64 7/8	13,709
47	8,910	51 1/2	10,104	56	11,312	60 1/2	12,528	65	13,743
47 1/8	8,943	51 5/8	10,137	56 1/8	11,346	60 5/8	12,562	65 1/8	13,776
47 1/4	8,976	51 3/4	10,170	56 1/4	11,380	60 3/4	12,596	65 1/4	13,810
47 3/8	9,009	51 7/8	10,204	56 3/8	11,413	60 7/8	12,629	65 3/8	13,844
47 1/2	9,042	52	10,237	56 1/2	11,447	61	12,663	65 1/2	13,877
47 5/8	9,075	52 1/8	10,271	56 5/8	11,481	61 1/8	12,697	65 5/8	13,911
47 3/4	9,108	52 1/4	10,304	56 3/4	11,514	61 1/4	12,731	65 3/4	13,945
47 7/8	9,141	52 3/8	10,338	56 7/8	11,548	61 3/8	12,764	65 7/8	13,978
48	9,174	52 1/2	10,371	57	11,582	61 1/2	12,798	66	14,012
48 1/8	9,207	52 5/8	10,405	57 1/8	11,616	61 5/8	12,832	66 1/8	14,045
48 1/4	9,240	52 3/4	10,438	57 1/4	11,649	61 3/4	12,866	66 1/4	14,079
48 3/8	9,273	52 7/8	10,472	57 3/8	11,683	61 7/8	12,900	66 3/8	14,113
48 1/2	9,306	53	10,505	57 1/2	11,717	62	12,933	66 1/2	14,146
48 5/8	9,339	53 1/8	10,539	57 5/8	11,751	62 1/8	12,967	66 5/8	14,180
48 3/4	9,372	53 1/4	10,572	57 3/4	11,785	62 1/4	13,001	66 3/4	14,213
48 7/8	9,405	53 3/8	10,606	57 7/8	11,818	62 3/8	13,035	66 7/8	14,247
49	9,438	53 1/2	10,639	58	11,852	62 1/2	13,068	67	14,280
49 1/8	9,471	53 5/8	10,673	58 1/8	11,886	62 5/8	13,102	67 1/8	14,314
49 1/4	9,505	53 3/4	10,706	58 1/4	11,920	62 3/4	13,136	67 1/4	14,347
49 3/8	9,538	53 7/8	10,740	58 3/8	11,953	62 7/8	13,170	67 3/8	14,381
49 1/2	9,571	54	10,774	58 1/2	11,987	63	13,203	67 1/2	14,414



Main Compartment - G2

10'x25K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	14,448	72 1/8	15,645	76 5/8	16,819	81 1/8	17,963	85 5/8	19,067
67 3/4	14,481	72 1/4	15,678	76 3/4	16,852	81 1/4	17,995	85 3/4	19,097
67 7/8	14,515	72 3/8	15,711	76 7/8	16,884	81 3/8	18,026	85 7/8	19,127
68	14,548	72 1/2	15,744	77	16,916	81 1/2	18,057	86	19,157
68 1/8	14,582	72 5/8	15,776	77 1/8	16,948	81 5/8	18,088	86 1/8	19,187
68 1/4	14,615	72 3/4	15,809	77 1/4	16,980	81 3/4	18,119	86 1/4	19,217
68 3/8	14,648	72 7/8	15,842	77 3/8	17,012	81 7/8	18,150	86 3/8	19,247
68 1/2	14,682	73	15,875	77 1/2	17,044	82	18,181	86 1/2	19,277
68 5/8	14,715	73 1/8	15,908	77 5/8	17,077	82 1/8	18,212	86 5/8	19,306
68 3/4	14,749	73 1/4	15,941	77 3/4	17,109	82 1/4	18,243	86 3/4	19,336
68 7/8	14,782	73 3/8	15,974	77 7/8	17,141	82 3/8	18,274	86 7/8	19,366
69	14,815	73 1/2	16,006	78	17,173	82 1/2	18,305	87	19,395
69 1/8	14,849	73 5/8	16,039	78 1/8	17,205	82 5/8	18,336	87 1/8	19,425
69 1/4	14,882	73 3/4	16,072	78 1/4	17,236	82 3/4	18,367	87 1/4	19,455
69 3/8	14,915	73 7/8	16,105	78 3/8	17,268	82 7/8	18,398	87 3/8	19,484
69 1/2	14,949	74	16,137	78 1/2	17,300	83	18,429	87 1/2	19,514
69 5/8	14,982	74 1/8	16,170	78 5/8	17,332	83 1/8	18,460	87 5/8	19,543
69 3/4	15,015	74 1/4	16,203	78 3/4	17,364	83 1/4	18,490	87 3/4	19,572
69 7/8	15,048	74 3/8	16,235	78 7/8	17,396	83 3/8	18,521	87 7/8	19,602
70	15,082	74 1/2	16,268	79	17,428	83 1/2	18,552	88	19,631
70 1/8	15,115	74 5/8	16,301	79 1/8	17,459	83 5/8	18,582	88 1/8	19,660
70 1/4	15,148	74 3/4	16,333	79 1/4	17,491	83 3/4	18,613	88 1/4	19,689
70 3/8	15,181	74 7/8	16,366	79 3/8	17,523	83 7/8	18,643	88 3/8	19,719
70 1/2	15,215	75	16,398	79 1/2	17,554	84	18,674	88 1/2	19,748
70 5/8	15,248	75 1/8	16,431	79 5/8	17,586	84 1/8	18,704	88 5/8	19,777
70 3/4	15,281	75 1/4	16,463	79 3/4	17,618	84 1/4	18,735	88 3/4	19,806
70 7/8	15,314	75 3/8	16,496	79 7/8	17,649	84 3/8	18,765	88 7/8	19,835
71	15,347	75 1/2	16,528	80	17,681	84 1/2	18,796	89	19,864
71 1/8	15,380	75 5/8	16,561	80 1/8	17,712	84 5/8	18,826	89 1/8	19,893
71 1/4	15,413	75 3/4	16,593	80 1/4	17,744	84 3/4	18,856	89 1/4	19,921
71 3/8	15,446	75 7/8	16,625	80 3/8	17,775	84 7/8	18,887	89 3/8	19,950
71 1/2	15,480	76	16,658	80 1/2	17,807	85	18,917	89 1/2	19,979
71 5/8	15,513	76 1/8	16,690	80 5/8	17,838	85 1/8	18,947	89 5/8	20,008
71 3/4	15,546	76 1/4	16,723	80 3/4	17,869	85 1/4	18,977	89 3/4	20,036
71 7/8	15,579	76 3/8	16,755	80 7/8	17,901	85 3/8	19,007	89 7/8	20,065
72	15,612	76 1/2	16,787	81	17,932	85 1/2	19,037	90	20,094



Main Compartment - G2

10'x25K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	20,122	94 5/8	21,117	99 1/8	22,039	103 5/8	22,876	108 1/8	23,608
90 1/4	20,151	94 3/4	21,143	99 1/4	22,064	103 3/4	22,898	108 1/4	23,627
90 3/8	20,179	94 7/8	21,170	99 3/8	22,088	103 7/8	22,919	108 3/8	23,646
90 1/2	20,207	95	21,197	99 1/2	22,112	104	22,941	108 1/2	23,664
90 5/8	20,236	95 1/8	21,223	99 5/8	22,137	104 1/8	22,963	108 5/8	23,683
90 3/4	20,264	95 1/4	21,249	99 3/4	22,161	104 1/4	22,984	108 3/4	23,701
90 7/8	20,292	95 3/8	21,276	99 7/8	22,185	104 3/8	23,006	108 7/8	23,719
91	20,321	95 1/2	21,302	100	22,209	104 1/2	23,027	109	23,737
91 1/8	20,349	95 5/8	21,328	100 1/8	22,233	104 5/8	23,048	109 1/8	23,755
91 1/4	20,377	95 3/4	21,355	100 1/4	22,257	104 3/4	23,069	109 1/4	23,773
91 3/8	20,405	95 7/8	21,381	100 3/8	22,281	104 7/8	23,091	109 3/8	23,791
91 1/2	20,433	96	21,407	100 1/2	22,305	105	23,112	109 1/2	23,808
91 5/8	20,461	96 1/8	21,433	100 5/8	22,328	105 1/8	23,132	109 5/8	23,826
91 3/4	20,489	96 1/4	21,459	100 3/4	22,352	105 1/4	23,153	109 3/4	23,843
91 7/8	20,517	96 3/8	21,485	100 7/8	22,376	105 3/8	23,174	109 7/8	23,861
92	20,545	96 1/2	21,511	101	22,399	105 1/2	23,195	110	23,878
92 1/8	20,572	96 5/8	21,536	101 1/8	22,423	105 5/8	23,215	110 1/8	23,895
92 1/4	20,600	96 3/4	21,562	101 1/4	22,446	105 3/4	23,236	110 1/4	23,912
92 3/8	20,628	96 7/8	21,588	101 3/8	22,469	105 7/8	23,256	110 3/8	23,929
92 1/2	20,655	97	21,613	101 1/2	22,492	106	23,277	110 1/2	23,946
92 5/8	20,683	97 1/8	21,639	101 5/8	22,516	106 1/8	23,297	110 5/8	23,962
92 3/4	20,710	97 1/4	21,664	101 3/4	22,539	106 1/4	23,317	110 3/4	23,979
92 7/8	20,738	97 3/8	21,690	101 7/8	22,562	106 3/8	23,337	110 7/8	23,995
93	20,765	97 1/2	21,715	102	22,585	106 1/2	23,357	111	24,012
93 1/8	20,793	97 5/8	21,741	102 1/8	22,607	106 5/8	23,377	111 1/8	24,028
93 1/4	20,820	97 3/4	21,766	102 1/4	22,630	106 3/4	23,397	111 1/4	24,044
93 3/8	20,847	97 7/8	21,791	102 3/8	22,653	106 7/8	23,417	111 3/8	24,060
93 1/2	20,874	98	21,816	102 1/2	22,676	107	23,436	111 1/2	24,076
93 5/8	20,901	98 1/8	21,841	102 5/8	22,698	107 1/8	23,456	111 5/8	24,092
93 3/4	20,929	98 1/4	21,866	102 3/4	22,721	107 1/4	23,475	111 3/4	24,107
93 7/8	20,956	98 3/8	21,891	102 7/8	22,743	107 3/8	23,494	111 7/8	24,123
94	20,983	98 1/2	21,916	103	22,765	107 1/2	23,514	112	24,138
94 1/8	21,010	98 5/8	21,941	103 1/8	22,788	107 5/8	23,533	112 1/8	24,153
94 1/4	21,036	98 3/4	21,965	103 1/4	22,810	107 3/4	23,552	112 1/4	24,168
94 3/8	21,063	98 7/8	21,990	103 3/8	22,832	107 7/8	23,571	112 3/8	24,184
94 1/2	21,090	99	22,015	103 1/2	22,854	108	23,590	112 1/2	24,198



Main Compartment - G2

10'x25K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	24,213	117 1/8	24,648
112 3/4	24,228	117 1/4	24,657
112 7/8	24,242	117 3/8	24,666
113	24,257	117 1/2	24,675
113 1/8	24,271	117 5/8	24,683
113 1/4	24,285	117 3/4	24,691
113 3/8	24,299	117 7/8	24,699
113 1/2	24,313	118	24,706
113 5/8	24,327	118 1/8	24,714
113 3/4	24,340	118 1/4	24,721
113 7/8	24,354	118 3/8	24,728
114	24,367	118 1/2	24,734
114 1/8	24,380	118 5/8	24,741
114 1/4	24,393	118 3/4	24,747
114 3/8	24,406	118 7/8	24,752
114 1/2	24,419	119	24,758
114 5/8	24,431	119 1/8	24,763
114 3/4	24,444	119 1/4	24,768
114 7/8	24,456	119 3/8	24,772
115	24,468	119 1/2	24,776
115 1/8	24,480	119 5/8	24,779
115 1/4	24,492	119 3/4	24,782
115 3/8	24,504	119 7/8	24,784
115 1/2	24,515	120	24,785
115 5/8	24,526		
115 3/4	24,537		
115 7/8	24,548		
116	24,559		
116 1/8	24,570		
116 1/4	24,580		
116 3/8	24,591		
116 1/2	24,601		
116 5/8	24,611		
116 3/4	24,620		
116 7/8	24,630		
117	24,639		