



Main Compartment - G2

10'x28K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	327	9 1/8	912	13 5/8	1,668	18 1/8	2,557
1/4	4	4 3/4	340	9 1/4	931	13 3/4	1,691	18 1/4	2,584
3/8	7	4 7/8	354	9 3/8	950	13 7/8	1,715	18 3/8	2,610
1/2	11	5	367	9 1/2	969	14	1,738	18 1/2	2,637
5/8	16	5 1/8	381	9 5/8	989	14 1/8	1,761	18 5/8	2,663
3/4	21	5 1/4	396	9 3/4	1,008	14 1/4	1,785	18 3/4	2,690
7/8	26	5 3/8	410	9 7/8	1,028	14 3/8	1,808	18 7/8	2,717
1	32	5 1/2	424	10	1,047	14 1/2	1,832	19	2,743
1 1/8	38	5 5/8	439	10 1/8	1,067	14 5/8	1,855	19 1/8	2,770
1 1/4	45	5 3/4	454	10 1/4	1,087	14 3/4	1,879	19 1/4	2,797
1 3/8	52	5 7/8	469	10 3/8	1,107	14 7/8	1,903	19 3/8	2,824
1 1/2	59	6	484	10 1/2	1,127	15	1,927	19 1/2	2,852
1 5/8	67	6 1/8	499	10 5/8	1,148	15 1/8	1,951	19 5/8	2,879
1 3/4	75	6 1/4	515	10 3/4	1,168	15 1/4	1,975	19 3/4	2,906
1 7/8	83	6 3/8	531	10 7/8	1,189	15 3/8	2,000	19 7/8	2,933
2	92	6 1/2	546	11	1,209	15 1/2	2,024	20	2,961
2 1/8	101	6 5/8	562	11 1/8	1,230	15 5/8	2,049	20 1/8	2,988
2 1/4	110	6 3/4	579	11 1/4	1,251	15 3/4	2,073	20 1/4	3,016
2 3/8	119	6 7/8	595	11 3/8	1,272	15 7/8	2,098	20 3/8	3,044
2 1/2	129	7	611	11 1/2	1,293	16	2,123	20 1/2	3,072
2 5/8	139	7 1/8	628	11 5/8	1,314	16 1/8	2,148	20 5/8	3,099
2 3/4	149	7 1/4	645	11 3/4	1,335	16 1/4	2,173	20 3/4	3,127
2 7/8	159	7 3/8	661	11 7/8	1,357	16 3/8	2,198	20 7/8	3,155
3	170	7 1/2	678	12	1,378	16 1/2	2,223	21	3,183
3 1/8	180	7 5/8	696	12 1/8	1,400	16 5/8	2,248	21 1/8	3,211
3 1/4	191	7 3/4	713	12 1/4	1,422	16 3/4	2,273	21 1/4	3,240
3 3/8	203	7 7/8	730	12 3/8	1,444	16 7/8	2,299	21 3/8	3,268
3 1/2	214	8	748	12 1/2	1,466	17	2,324	21 1/2	3,296
3 5/8	226	8 1/8	766	12 5/8	1,488	17 1/8	2,350	21 5/8	3,325
3 3/4	238	8 1/4	783	12 3/4	1,510	17 1/4	2,375	21 3/4	3,353
3 7/8	250	8 3/8	801	12 7/8	1,532	17 3/8	2,401	21 7/8	3,382
4	262	8 1/2	820	13	1,555	17 1/2	2,427	22	3,411
4 1/8	275	8 5/8	838	13 1/8	1,577	17 5/8	2,453	22 1/8	3,439
4 1/4	287	8 3/4	856	13 1/4	1,600	17 3/4	2,479	22 1/4	3,468
4 3/8	300	8 7/8	875	13 3/8	1,623	17 7/8	2,505	22 3/8	3,497
4 1/2	313	9	893	13 1/2	1,645	18	2,531	22 1/2	3,526



Main Compartment - G2

10'x28K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,555	27 1/8	4,643	31 5/8	5,806	36 1/8	7,032	40 5/8	8,309
22 3/4	3,584	27 1/4	4,674	31 3/4	5,839	36 1/4	7,067	40 3/4	8,345
22 7/8	3,613	27 3/8	4,706	31 7/8	5,873	36 3/8	7,102	40 7/8	8,381
23	3,642	27 1/2	4,737	32	5,906	36 1/2	7,137	41	8,417
23 1/8	3,672	27 5/8	4,769	32 1/8	5,939	36 5/8	7,172	41 1/8	8,454
23 1/4	3,701	27 3/4	4,800	32 1/4	5,973	36 3/4	7,207	41 1/4	8,490
23 3/8	3,730	27 7/8	4,832	32 3/8	6,006	36 7/8	7,242	41 3/8	8,526
23 1/2	3,760	28	4,863	32 1/2	6,040	37	7,277	41 1/2	8,562
23 5/8	3,789	28 1/8	4,895	32 5/8	6,074	37 1/8	7,312	41 5/8	8,599
23 3/4	3,819	28 1/4	4,927	32 3/4	6,107	37 1/4	7,347	41 3/4	8,635
23 7/8	3,849	28 3/8	4,959	32 7/8	6,141	37 3/8	7,382	41 7/8	8,671
24	3,878	28 1/2	4,991	33	6,175	37 1/2	7,417	42	8,708
24 1/8	3,908	28 5/8	5,023	33 1/8	6,208	37 5/8	7,453	42 1/8	8,744
24 1/4	3,938	28 3/4	5,055	33 1/4	6,242	37 3/4	7,488	42 1/4	8,781
24 3/8	3,968	28 7/8	5,087	33 3/8	6,276	37 7/8	7,523	42 3/8	8,817
24 1/2	3,998	29	5,119	33 1/2	6,310	38	7,559	42 1/2	8,854
24 5/8	4,028	29 1/8	5,151	33 5/8	6,344	38 1/8	7,594	42 5/8	8,890
24 3/4	4,058	29 1/4	5,184	33 3/4	6,378	38 1/4	7,629	42 3/4	8,927
24 7/8	4,088	29 3/8	5,216	33 7/8	6,412	38 3/8	7,665	42 7/8	8,963
25	4,119	29 1/2	5,248	34	6,446	38 1/2	7,700	43	9,000
25 1/8	4,149	29 5/8	5,281	34 1/8	6,480	38 5/8	7,736	43 1/8	9,037
25 1/4	4,179	29 3/4	5,313	34 1/4	6,514	38 3/4	7,771	43 1/4	9,073
25 3/8	4,210	29 7/8	5,346	34 3/8	6,549	38 7/8	7,807	43 3/8	9,110
25 1/2	4,240	30	5,378	34 1/2	6,583	39	7,843	43 1/2	9,147
25 5/8	4,271	30 1/8	5,411	34 5/8	6,617	39 1/8	7,878	43 5/8	9,184
25 3/4	4,302	30 1/4	5,443	34 3/4	6,652	39 1/4	7,914	43 3/4	9,220
25 7/8	4,332	30 3/8	5,476	34 7/8	6,686	39 3/8	7,950	43 7/8	9,257
26	4,363	30 1/2	5,509	35	6,720	39 1/2	7,986	44	9,294
26 1/8	4,394	30 5/8	5,542	35 1/8	6,755	39 5/8	8,021	44 1/8	9,331
26 1/4	4,425	30 3/4	5,575	35 1/4	6,789	39 3/4	8,057	44 1/4	9,368
26 3/8	4,456	30 7/8	5,608	35 3/8	6,824	39 7/8	8,093	44 3/8	9,405
26 1/2	4,487	31	5,641	35 1/2	6,858	40	8,129	44 1/2	9,442
26 5/8	4,518	31 1/8	5,674	35 5/8	6,893	40 1/8	8,165	44 5/8	9,479
26 3/4	4,549	31 1/4	5,707	35 3/4	6,928	40 1/4	8,201	44 3/4	9,516
26 7/8	4,580	31 3/8	5,740	35 7/8	6,963	40 3/8	8,237	44 7/8	9,553
27	4,611	31 1/2	5,773	36	6,997	40 1/2	8,273	45	9,590



Main Compartment - G2

10'x28K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	9,627	49 5/8	10,975	54 1/8	12,344	58 5/8	13,725	63 1/8	15,109
45 1/4	9,664	49 3/4	11,013	54 1/4	12,382	58 3/4	13,763	63 1/4	15,147
45 3/8	9,701	49 7/8	11,050	54 3/8	12,420	58 7/8	13,802	63 3/8	15,186
45 1/2	9,738	50	11,088	54 1/2	12,459	59	13,840	63 1/2	15,224
45 5/8	9,775	50 1/8	11,126	54 5/8	12,497	59 1/8	13,879	63 5/8	15,262
45 3/4	9,812	50 1/4	11,164	54 3/4	12,535	59 1/4	13,917	63 3/4	15,301
45 7/8	9,849	50 3/8	11,202	54 7/8	12,574	59 3/8	13,956	63 7/8	15,339
46	9,887	50 1/2	11,240	55	12,612	59 1/2	13,994	64	15,377
46 1/8	9,924	50 5/8	11,278	55 1/8	12,650	59 5/8	14,033	64 1/8	15,416
46 1/4	9,961	50 3/4	11,315	55 1/4	12,688	59 3/4	14,071	64 1/4	15,454
46 3/8	9,998	50 7/8	11,353	55 3/8	12,727	59 7/8	14,109	64 3/8	15,492
46 1/2	10,036	51	11,391	55 1/2	12,765	60	14,148	64 1/2	15,531
46 5/8	10,073	51 1/8	11,429	55 5/8	12,803	60 1/8	14,186	64 5/8	15,569
46 3/4	10,110	51 1/4	11,467	55 3/4	12,842	60 1/4	14,225	64 3/4	15,607
46 7/8	10,148	51 3/8	11,505	55 7/8	12,880	60 3/8	14,263	64 7/8	15,646
47	10,185	51 1/2	11,543	56	12,918	60 1/2	14,302	65	15,684
47 1/8	10,223	51 5/8	11,581	56 1/8	12,957	60 5/8	14,340	65 1/8	15,722
47 1/4	10,260	51 3/4	11,619	56 1/4	12,995	60 3/4	14,379	65 1/4	15,761
47 3/8	10,297	51 7/8	11,657	56 3/8	13,034	60 7/8	14,417	65 3/8	15,799
47 1/2	10,335	52	11,695	56 1/2	13,072	61	14,456	65 1/2	15,837
47 5/8	10,372	52 1/8	11,733	56 5/8	13,110	61 1/8	14,494	65 5/8	15,875
47 3/4	10,410	52 1/4	11,772	56 3/4	13,149	61 1/4	14,532	65 3/4	15,914
47 7/8	10,447	52 3/8	11,810	56 7/8	13,187	61 3/8	14,571	65 7/8	15,952
48	10,485	52 1/2	11,848	57	13,225	61 1/2	14,609	66	15,990
48 1/8	10,523	52 5/8	11,886	57 1/8	13,264	61 5/8	14,648	66 1/8	16,028
48 1/4	10,560	52 3/4	11,924	57 1/4	13,302	61 3/4	14,686	66 1/4	16,067
48 3/8	10,598	52 7/8	11,962	57 3/8	13,341	61 7/8	14,725	66 3/8	16,105
48 1/2	10,635	53	12,000	57 1/2	13,379	62	14,763	66 1/2	16,143
48 5/8	10,673	53 1/8	12,038	57 5/8	13,418	62 1/8	14,801	66 5/8	16,181
48 3/4	10,711	53 1/4	12,077	57 3/4	13,456	62 1/4	14,840	66 3/4	16,219
48 7/8	10,748	53 3/8	12,115	57 7/8	13,494	62 3/8	14,878	66 7/8	16,258
49	10,786	53 1/2	12,153	58	13,533	62 1/2	14,917	67	16,296
49 1/8	10,824	53 5/8	12,191	58 1/8	13,571	62 5/8	14,955	67 1/8	16,334
49 1/4	10,862	53 3/4	12,229	58 1/4	13,610	62 3/4	14,994	67 1/4	16,372
49 3/8	10,899	53 7/8	12,268	58 3/8	13,648	62 7/8	15,032	67 3/8	16,410
49 1/2	10,937	54	12,306	58 1/2	13,687	63	15,070	67 1/2	16,448



Main Compartment - G2

10'x28K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	16,486	72 1/8	17,848	76 5/8	19,186	81 1/8	20,489	85 5/8	21,747
67 3/4	16,524	72 1/4	17,886	76 3/4	19,222	81 1/4	20,524	85 3/4	21,781
67 7/8	16,562	72 3/8	17,923	76 7/8	19,259	81 3/8	20,560	85 7/8	21,816
68	16,601	72 1/2	17,961	77	19,296	81 1/2	20,596	86	21,850
68 1/8	16,639	72 5/8	17,998	77 1/8	19,332	81 5/8	20,631	86 1/8	21,884
68 1/4	16,677	72 3/4	18,036	77 1/4	19,369	81 3/4	20,666	86 1/4	21,918
68 3/8	16,715	72 7/8	18,073	77 3/8	19,406	81 7/8	20,702	86 3/8	21,952
68 1/2	16,753	73	18,111	77 1/2	19,442	82	20,737	86 1/2	21,986
68 5/8	16,791	73 1/8	18,148	77 5/8	19,479	82 1/8	20,773	86 5/8	22,020
68 3/4	16,829	73 1/4	18,185	77 3/4	19,515	82 1/4	20,808	86 3/4	22,054
68 7/8	16,867	73 3/8	18,223	77 7/8	19,552	82 3/8	20,843	86 7/8	22,087
69	16,905	73 1/2	18,260	78	19,588	82 1/2	20,879	87	22,121
69 1/8	16,942	73 5/8	18,297	78 1/8	19,624	82 5/8	20,914	87 1/8	22,155
69 1/4	16,980	73 3/4	18,335	78 1/4	19,661	82 3/4	20,949	87 1/4	22,189
69 3/8	17,018	73 7/8	18,372	78 3/8	19,697	82 7/8	20,984	87 3/8	22,222
69 1/2	17,056	74	18,409	78 1/2	19,733	83	21,019	87 1/2	22,256
69 5/8	17,094	74 1/8	18,446	78 5/8	19,770	83 1/8	21,054	87 5/8	22,289
69 3/4	17,132	74 1/4	18,484	78 3/4	19,806	83 1/4	21,089	87 3/4	22,323
69 7/8	17,170	74 3/8	18,521	78 7/8	19,842	83 3/8	21,124	87 7/8	22,356
70	17,208	74 1/2	18,558	79	19,878	83 1/2	21,159	88	22,390
70 1/8	17,246	74 5/8	18,595	79 1/8	19,915	83 5/8	21,194	88 1/8	22,423
70 1/4	17,283	74 3/4	18,632	79 1/4	19,951	83 3/4	21,229	88 1/4	22,457
70 3/8	17,321	74 7/8	18,669	79 3/8	19,987	83 7/8	21,264	88 3/8	22,490
70 1/2	17,359	75	18,706	79 1/2	20,023	84	21,299	88 1/2	22,523
70 5/8	17,397	75 1/8	18,743	79 5/8	20,059	84 1/8	21,333	88 5/8	22,556
70 3/4	17,434	75 1/4	18,780	79 3/4	20,095	84 1/4	21,368	88 3/4	22,589
70 7/8	17,472	75 3/8	18,817	79 7/8	20,131	84 3/8	21,403	88 7/8	22,622
71	17,510	75 1/2	18,854	80	20,167	84 1/2	21,437	89	22,655
71 1/8	17,548	75 5/8	18,891	80 1/8	20,203	84 5/8	21,472	89 1/8	22,688
71 1/4	17,585	75 3/4	18,928	80 1/4	20,239	84 3/4	21,507	89 1/4	22,721
71 3/8	17,623	75 7/8	18,965	80 3/8	20,274	84 7/8	21,541	89 3/8	22,754
71 1/2	17,660	76	19,002	80 1/2	20,310	85	21,576	89 1/2	22,787
71 5/8	17,698	76 1/8	19,039	80 5/8	20,346	85 1/8	21,610	89 5/8	22,820
71 3/4	17,736	76 1/4	19,076	80 3/4	20,382	85 1/4	21,644	89 3/4	22,852
71 7/8	17,773	76 3/8	19,112	80 7/8	20,417	85 3/8	21,679	89 7/8	22,885
72	17,811	76 1/2	19,149	81	20,453	85 1/2	21,713	90	22,918



Main Compartment - G2

10'x28K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	22,950	94 5/8	24,086	99 1/8	25,141	103 5/8	26,098	108 1/8	26,939
90 1/4	22,983	94 3/4	24,116	99 1/4	25,169	103 3/4	26,123	108 1/4	26,960
90 3/8	23,015	94 7/8	24,147	99 3/8	25,197	103 7/8	26,148	108 3/8	26,982
90 1/2	23,048	95	24,177	99 1/2	25,224	104	26,173	108 1/2	27,003
90 5/8	23,080	95 1/8	24,207	99 5/8	25,252	104 1/8	26,198	108 5/8	27,024
90 3/4	23,112	95 1/4	24,238	99 3/4	25,280	104 1/4	26,223	108 3/4	27,045
90 7/8	23,145	95 3/8	24,268	99 7/8	25,307	104 3/8	26,247	108 7/8	27,066
91	23,177	95 1/2	24,298	100	25,335	104 1/2	26,272	109	27,087
91 1/8	23,209	95 5/8	24,328	100 1/8	25,362	104 5/8	26,296	109 1/8	27,107
91 1/4	23,241	95 3/4	24,358	100 1/4	25,390	104 3/4	26,320	109 1/4	27,128
91 3/8	23,273	95 7/8	24,388	100 3/8	25,417	104 7/8	26,345	109 3/8	27,148
91 1/2	23,305	96	24,417	100 1/2	25,444	105	26,369	109 1/2	27,169
91 5/8	23,337	96 1/8	24,447	100 5/8	25,472	105 1/8	26,393	109 5/8	27,189
91 3/4	23,369	96 1/4	24,477	100 3/4	25,499	105 1/4	26,417	109 3/4	27,209
91 7/8	23,401	96 3/8	24,507	100 7/8	25,526	105 3/8	26,440	109 7/8	27,229
92	23,432	96 1/2	24,536	101	25,552	105 1/2	26,464	110	27,248
92 1/8	23,464	96 5/8	24,566	101 1/8	25,579	105 5/8	26,488	110 1/8	27,268
92 1/4	23,496	96 3/4	24,595	101 1/4	25,606	105 3/4	26,511	110 1/4	27,288
92 3/8	23,527	96 7/8	24,624	101 3/8	25,633	105 7/8	26,535	110 3/8	27,307
92 1/2	23,559	97	24,654	101 1/2	25,659	106	26,558	110 1/2	27,326
92 5/8	23,590	97 1/8	24,683	101 5/8	25,686	106 1/8	26,581	110 5/8	27,346
92 3/4	23,622	97 1/4	24,712	101 3/4	25,712	106 1/4	26,604	110 3/4	27,365
92 7/8	23,653	97 3/8	24,741	101 7/8	25,739	106 3/8	26,628	110 7/8	27,384
93	23,684	97 1/2	24,770	102	25,765	106 1/2	26,650	111	27,402
93 1/8	23,716	97 5/8	24,799	102 1/8	25,791	106 5/8	26,673	111 1/8	27,421
93 1/4	23,747	97 3/4	24,828	102 1/4	25,817	106 3/4	26,696	111 1/4	27,440
93 3/8	23,778	97 7/8	24,857	102 3/8	25,843	106 7/8	26,719	111 3/8	27,458
93 1/2	23,809	98	24,885	102 1/2	25,869	107	26,741	111 1/2	27,476
93 5/8	23,840	98 1/8	24,914	102 5/8	25,895	107 1/8	26,764	111 5/8	27,494
93 3/4	23,871	98 1/4	24,943	102 3/4	25,921	107 1/4	26,786	111 3/4	27,512
93 7/8	23,902	98 3/8	24,971	102 7/8	25,946	107 3/8	26,808	111 7/8	27,530
94	23,933	98 1/2	25,000	103	25,972	107 1/2	26,830	112	27,548
94 1/8	23,963	98 5/8	25,028	103 1/8	25,997	107 5/8	26,852	112 1/8	27,566
94 1/4	23,994	98 3/4	25,056	103 1/4	26,023	107 3/4	26,874	112 1/4	27,583
94 3/8	24,025	98 7/8	25,084	103 3/8	26,048	107 7/8	26,896	112 3/8	27,600
94 1/2	24,055	99	25,113	103 1/2	26,073	108	26,917	112 1/2	27,617



Main Compartment - G2

10'x28K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	27,635	117 1/8	28,137
112 3/4	27,651	117 1/4	28,147
112 7/8	27,668	117 3/8	28,157
113	27,685	117 1/2	28,167
113 1/8	27,701	117 5/8	28,177
113 1/4	27,717	117 3/4	28,186
113 3/8	27,733	117 7/8	28,195
113 1/2	27,749	118	28,204
113 5/8	27,765	118 1/8	28,213
113 3/4	27,781	118 1/4	28,221
113 7/8	27,796	118 3/8	28,229
114	27,812	118 1/2	28,236
114 1/8	27,827	118 5/8	28,244
114 1/4	27,842	118 3/4	28,251
114 3/8	27,857	118 7/8	28,257
114 1/2	27,871	119	28,264
114 5/8	27,886	119 1/8	28,270
114 3/4	27,900	119 1/4	28,275
114 7/8	27,914	119 3/8	28,280
115	27,928	119 1/2	28,285
115 1/8	27,942	119 5/8	28,289
115 1/4	27,956	119 3/4	28,292
115 3/8	27,969	119 7/8	28,294
115 1/2	27,983	120	28,296
115 5/8	27,996		
115 3/4	28,009		
115 7/8	28,021		
116	28,034		
116 1/8	28,046		
116 1/4	28,058		
116 3/8	28,070		
116 1/2	28,082		
116 5/8	28,093		
116 3/4	28,104		
116 7/8	28,115		
117	28,126		