



Main Compartment - G2

10'x30K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	352	9 1/8	981	13 5/8	1,792	18 1/8	2,745
1/4	4	4 3/4	366	9 1/4	1,001	13 3/4	1,817	18 1/4	2,773
3/8	8	4 7/8	381	9 3/8	1,022	13 7/8	1,841	18 3/8	2,801
1/2	12	5	396	9 1/2	1,042	14	1,866	18 1/2	2,829
5/8	17	5 1/8	411	9 5/8	1,063	14 1/8	1,891	18 5/8	2,858
3/4	23	5 1/4	426	9 3/4	1,084	14 1/4	1,916	18 3/4	2,887
7/8	28	5 3/8	441	9 7/8	1,105	14 3/8	1,942	18 7/8	2,915
1	35	5 1/2	457	10	1,126	14 1/2	1,967	19	2,944
1 1/8	42	5 5/8	473	10 1/8	1,147	14 5/8	1,992	19 1/8	2,973
1 1/4	49	5 3/4	489	10 1/4	1,169	14 3/4	2,018	19 1/4	3,002
1 3/8	56	5 7/8	505	10 3/8	1,190	14 7/8	2,044	19 3/8	3,031
1 1/2	64	6	521	10 1/2	1,212	15	2,069	19 1/2	3,060
1 5/8	72	6 1/8	537	10 5/8	1,233	15 1/8	2,095	19 5/8	3,089
1 3/4	81	6 1/4	554	10 3/4	1,255	15 1/4	2,121	19 3/4	3,118
1 7/8	90	6 3/8	571	10 7/8	1,277	15 3/8	2,147	19 7/8	3,147
2	99	6 1/2	588	11	1,299	15 1/2	2,173	20	3,177
2 1/8	108	6 5/8	605	11 1/8	1,322	15 5/8	2,200	20 1/8	3,206
2 1/4	118	6 3/4	622	11 1/4	1,344	15 3/4	2,226	20 1/4	3,236
2 3/8	128	6 7/8	640	11 3/8	1,367	15 7/8	2,252	20 3/8	3,266
2 1/2	139	7	658	11 1/2	1,389	16	2,279	20 1/2	3,295
2 5/8	149	7 1/8	675	11 5/8	1,412	16 1/8	2,306	20 5/8	3,325
2 3/4	160	7 1/4	693	11 3/4	1,435	16 1/4	2,332	20 3/4	3,355
2 7/8	171	7 3/8	711	11 7/8	1,458	16 3/8	2,359	20 7/8	3,385
3	183	7 1/2	730	12	1,481	16 1/2	2,386	21	3,415
3 1/8	194	7 5/8	748	12 1/8	1,504	16 5/8	2,413	21 1/8	3,445
3 1/4	206	7 3/4	767	12 1/4	1,528	16 3/4	2,440	21 1/4	3,475
3 3/8	218	7 7/8	785	12 3/8	1,551	16 7/8	2,467	21 3/8	3,506
3 1/2	231	8	804	12 1/2	1,575	17	2,495	21 1/2	3,536
3 5/8	243	8 1/8	823	12 5/8	1,598	17 1/8	2,522	21 5/8	3,566
3 3/4	256	8 1/4	843	12 3/4	1,622	17 1/4	2,550	21 3/4	3,597
3 7/8	269	8 3/8	862	12 7/8	1,646	17 3/8	2,577	21 7/8	3,628
4	282	8 1/2	881	13	1,670	17 1/2	2,605	22	3,658
4 1/8	296	8 5/8	901	13 1/8	1,694	17 5/8	2,633	22 1/8	3,689
4 1/4	309	8 3/4	921	13 1/4	1,719	17 3/4	2,660	22 1/4	3,720
4 3/8	323	8 7/8	941	13 3/8	1,743	17 7/8	2,688	22 3/8	3,751
4 1/2	337	9	961	13 1/2	1,767	18	2,716	22 1/2	3,782



Main Compartment - G2

10'x30K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,813	27 1/8	4,977	31 5/8	6,221	36 1/8	7,532	40 5/8	8,897
22 3/4	3,844	27 1/4	5,010	31 3/4	6,257	36 1/4	7,569	40 3/4	8,935
22 7/8	3,875	27 3/8	5,044	31 7/8	6,292	36 3/8	7,606	40 7/8	8,974
23	3,906	27 1/2	5,078	32	6,328	36 1/2	7,644	41	9,012
23 1/8	3,938	27 5/8	5,111	32 1/8	6,364	36 5/8	7,681	41 1/8	9,051
23 1/4	3,969	27 3/4	5,145	32 1/4	6,400	36 3/4	7,718	41 1/4	9,090
23 3/8	4,001	27 7/8	5,179	32 3/8	6,435	36 7/8	7,756	41 3/8	9,129
23 1/2	4,032	28	5,213	32 1/2	6,471	37	7,793	41 1/2	9,167
23 5/8	4,064	28 1/8	5,247	32 5/8	6,507	37 1/8	7,831	41 5/8	9,206
23 3/4	4,095	28 1/4	5,281	32 3/4	6,543	37 1/4	7,868	41 3/4	9,245
23 7/8	4,127	28 3/8	5,315	32 7/8	6,579	37 3/8	7,906	41 7/8	9,284
24	4,159	28 1/2	5,349	33	6,615	37 1/2	7,944	42	9,323
24 1/8	4,191	28 5/8	5,383	33 1/8	6,651	37 5/8	7,981	42 1/8	9,362
24 1/4	4,223	28 3/4	5,418	33 1/4	6,687	37 3/4	8,019	42 1/4	9,401
24 3/8	4,255	28 7/8	5,452	33 3/8	6,724	37 7/8	8,057	42 3/8	9,440
24 1/2	4,287	29	5,486	33 1/2	6,760	38	8,095	42 1/2	9,479
24 5/8	4,319	29 1/8	5,521	33 5/8	6,796	38 1/8	8,132	42 5/8	9,518
24 3/4	4,352	29 1/4	5,555	33 3/4	6,833	38 1/4	8,170	42 3/4	9,557
24 7/8	4,384	29 3/8	5,590	33 7/8	6,869	38 3/8	8,208	42 7/8	9,596
25	4,416	29 1/2	5,625	34	6,905	38 1/2	8,246	43	9,635
25 1/8	4,449	29 5/8	5,659	34 1/8	6,942	38 5/8	8,284	43 1/8	9,674
25 1/4	4,481	29 3/4	5,694	34 1/4	6,978	38 3/4	8,322	43 1/4	9,713
25 3/8	4,514	29 7/8	5,729	34 3/8	7,015	38 7/8	8,360	43 3/8	9,752
25 1/2	4,546	30	5,763	34 1/2	7,052	39	8,398	43 1/2	9,792
25 5/8	4,579	30 1/8	5,798	34 5/8	7,088	39 1/8	8,436	43 5/8	9,831
25 3/4	4,612	30 1/4	5,833	34 3/4	7,125	39 1/4	8,475	43 3/4	9,870
25 7/8	4,645	30 3/8	5,868	34 7/8	7,162	39 3/8	8,513	43 7/8	9,910
26	4,678	30 1/2	5,903	35	7,199	39 1/2	8,551	44	9,949
26 1/8	4,711	30 5/8	5,938	35 1/8	7,235	39 5/8	8,589	44 1/8	9,988
26 1/4	4,744	30 3/4	5,974	35 1/4	7,272	39 3/4	8,628	44 1/4	10,028
26 3/8	4,777	30 7/8	6,009	35 3/8	7,309	39 7/8	8,666	44 3/8	10,067
26 1/2	4,810	31	6,044	35 1/2	7,346	40	8,704	44 1/2	10,107
26 5/8	4,843	31 1/8	6,079	35 5/8	7,383	40 1/8	8,743	44 5/8	10,146
26 3/4	4,877	31 1/4	6,115	35 3/4	7,420	40 1/4	8,781	44 3/4	10,186
26 7/8	4,910	31 3/8	6,150	35 7/8	7,457	40 3/8	8,820	44 7/8	10,225
27	4,943	31 1/2	6,186	36	7,495	40 1/2	8,858	45	10,265



Main Compartment - G2

10'x30K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	10,304	49 5/8	11,744	54 1/8	13,207	58 5/8	14,682	63 1/8	16,160
45 1/4	10,344	49 3/4	11,785	54 1/4	13,248	58 3/4	14,723	63 1/4	16,201
45 3/8	10,384	49 7/8	11,825	54 3/8	13,289	58 7/8	14,764	63 3/8	16,242
45 1/2	10,423	50	11,866	54 1/2	13,329	59	14,805	63 1/2	16,283
45 5/8	10,463	50 1/8	11,906	54 5/8	13,370	59 1/8	14,846	63 5/8	16,324
45 3/4	10,503	50 1/4	11,946	54 3/4	13,411	59 1/4	14,887	63 3/4	16,365
45 7/8	10,542	50 3/8	11,987	54 7/8	13,452	59 3/8	14,928	63 7/8	16,406
46	10,582	50 1/2	12,027	55	13,493	59 1/2	14,969	64	16,447
46 1/8	10,622	50 5/8	12,068	55 1/8	13,534	59 5/8	15,010	64 1/8	16,488
46 1/4	10,662	50 3/4	12,108	55 1/4	13,575	59 3/4	15,051	64 1/4	16,528
46 3/8	10,702	50 7/8	12,149	55 3/8	13,616	59 7/8	15,092	64 3/8	16,569
46 1/2	10,741	51	12,189	55 1/2	13,657	60	15,134	64 1/2	16,610
46 5/8	10,781	51 1/8	12,230	55 5/8	13,698	60 1/8	15,175	64 5/8	16,651
46 3/4	10,821	51 1/4	12,270	55 3/4	13,739	60 1/4	15,216	64 3/4	16,692
46 7/8	10,861	51 3/8	12,311	55 7/8	13,779	60 3/8	15,257	64 7/8	16,733
47	10,901	51 1/2	12,352	56	13,820	60 1/2	15,298	65	16,774
47 1/8	10,941	51 5/8	12,392	56 1/8	13,861	60 5/8	15,339	65 1/8	16,815
47 1/4	10,981	51 3/4	12,433	56 1/4	13,902	60 3/4	15,380	65 1/4	16,856
47 3/8	11,021	51 7/8	12,473	56 3/8	13,943	60 7/8	15,421	65 3/8	16,897
47 1/2	11,061	52	12,514	56 1/2	13,984	61	15,462	65 1/2	16,938
47 5/8	11,101	52 1/8	12,555	56 5/8	14,025	61 1/8	15,503	65 5/8	16,978
47 3/4	11,141	52 1/4	12,595	56 3/4	14,066	61 1/4	15,544	65 3/4	17,019
47 7/8	11,181	52 3/8	12,636	56 7/8	14,107	61 3/8	15,585	65 7/8	17,060
48	11,221	52 1/2	12,677	57	14,148	61 1/2	15,626	66	17,101
48 1/8	11,261	52 5/8	12,718	57 1/8	14,189	61 5/8	15,667	66 1/8	17,142
48 1/4	11,302	52 3/4	12,758	57 1/4	14,230	61 3/4	15,708	66 1/4	17,183
48 3/8	11,342	52 7/8	12,799	57 3/8	14,271	61 7/8	15,749	66 3/8	17,223
48 1/2	11,382	53	12,840	57 1/2	14,312	62	15,790	66 1/2	17,264
48 5/8	11,422	53 1/8	12,880	57 5/8	14,353	62 1/8	15,831	66 5/8	17,305
48 3/4	11,462	53 1/4	12,921	57 3/4	14,394	62 1/4	15,873	66 3/4	17,346
48 7/8	11,503	53 3/8	12,962	57 7/8	14,436	62 3/8	15,914	66 7/8	17,387
49	11,543	53 1/2	13,003	58	14,477	62 1/2	15,955	67	17,427
49 1/8	11,583	53 5/8	13,044	58 1/8	14,518	62 5/8	15,996	67 1/8	17,468
49 1/4	11,623	53 3/4	13,084	58 1/4	14,559	62 3/4	16,037	67 1/4	17,509
49 3/8	11,664	53 7/8	13,125	58 3/8	14,600	62 7/8	16,078	67 3/8	17,549
49 1/2	11,704	54	13,166	58 1/2	14,641	63	16,119	67 1/2	17,590



Main Compartment - G2

10'x30K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	17,631	72 1/8	19,086	76 5/8	20,515	81 1/8	21,907	85 5/8	23,252
67 3/4	17,672	72 1/4	19,126	76 3/4	20,554	81 1/4	21,945	85 3/4	23,289
67 7/8	17,712	72 3/8	19,166	76 7/8	20,593	81 3/8	21,983	85 7/8	23,325
68	17,753	72 1/2	19,206	77	20,632	81 1/2	22,021	86	23,362
68 1/8	17,794	72 5/8	19,246	77 1/8	20,671	81 5/8	22,059	86 1/8	23,398
68 1/4	17,834	72 3/4	19,286	77 1/4	20,710	81 3/4	22,097	86 1/4	23,434
68 3/8	17,875	72 7/8	19,326	77 3/8	20,749	81 7/8	22,135	86 3/8	23,471
68 1/2	17,915	73	19,366	77 1/2	20,788	82	22,172	86 1/2	23,507
68 5/8	17,956	73 1/8	19,406	77 5/8	20,827	82 1/8	22,210	86 5/8	23,543
68 3/4	17,997	73 1/4	19,446	77 3/4	20,866	82 1/4	22,248	86 3/4	23,580
68 7/8	18,037	73 3/8	19,486	77 7/8	20,905	82 3/8	22,286	86 7/8	23,616
69	18,078	73 1/2	19,526	78	20,944	82 1/2	22,323	87	23,652
69 1/8	18,118	73 5/8	19,565	78 1/8	20,983	82 5/8	22,361	87 1/8	23,688
69 1/4	18,159	73 3/4	19,605	78 1/4	21,022	82 3/4	22,399	87 1/4	23,724
69 3/8	18,199	73 7/8	19,645	78 3/8	21,061	82 7/8	22,436	87 3/8	23,760
69 1/2	18,240	74	19,685	78 1/2	21,100	83	22,474	87 1/2	23,796
69 5/8	18,280	74 1/8	19,725	78 5/8	21,138	83 1/8	22,511	87 5/8	23,832
69 3/4	18,321	74 1/4	19,764	78 3/4	21,177	83 1/4	22,549	87 3/4	23,868
69 7/8	18,361	74 3/8	19,804	78 7/8	21,216	83 3/8	22,586	87 7/8	23,903
70	18,401	74 1/2	19,844	79	21,255	83 1/2	22,623	88	23,939
70 1/8	18,442	74 5/8	19,883	79 1/8	21,293	83 5/8	22,661	88 1/8	23,975
70 1/4	18,482	74 3/4	19,923	79 1/4	21,332	83 3/4	22,698	88 1/4	24,010
70 3/8	18,523	74 7/8	19,963	79 3/8	21,370	83 7/8	22,735	88 3/8	24,046
70 1/2	18,563	75	20,002	79 1/2	21,409	84	22,772	88 1/2	24,081
70 5/8	18,603	75 1/8	20,042	79 5/8	21,447	84 1/8	22,810	88 5/8	24,117
70 3/4	18,644	75 1/4	20,081	79 3/4	21,486	84 1/4	22,847	88 3/4	24,152
70 7/8	18,684	75 3/8	20,121	79 7/8	21,524	84 3/8	22,884	88 7/8	24,188
71	18,724	75 1/2	20,160	80	21,563	84 1/2	22,921	89	24,223
71 1/8	18,764	75 5/8	20,200	80 1/8	21,601	84 5/8	22,958	89 1/8	24,258
71 1/4	18,805	75 3/4	20,239	80 1/4	21,639	84 3/4	22,995	89 1/4	24,293
71 3/8	18,845	75 7/8	20,279	80 3/8	21,678	84 7/8	23,032	89 3/8	24,329
71 1/2	18,885	76	20,318	80 1/2	21,716	85	23,068	89 1/2	24,364
71 5/8	18,925	76 1/8	20,357	80 5/8	21,754	85 1/8	23,105	89 5/8	24,399
71 3/4	18,965	76 1/4	20,397	80 3/4	21,792	85 1/4	23,142	89 3/4	24,434
71 7/8	19,006	76 3/8	20,436	80 7/8	21,831	85 3/8	23,179	89 7/8	24,469
72	19,046	76 1/2	20,475	81	21,869	85 1/2	23,215	90	24,504



Main Compartment - G2

10'x30K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	24,538	94 5/8	25,753	99 1/8	26,882	103 5/8	27,908	108 1/8	28,809
90 1/4	24,573	94 3/4	25,786	99 1/4	26,912	103 3/4	27,935	108 1/4	28,832
90 3/8	24,608	94 7/8	25,818	99 3/8	26,942	103 7/8	27,961	108 3/8	28,855
90 1/2	24,642	95	25,851	99 1/2	26,972	104	27,988	108 1/2	28,878
90 5/8	24,677	95 1/8	25,883	99 5/8	27,001	104 1/8	28,015	108 5/8	28,900
90 3/4	24,712	95 1/4	25,915	99 3/4	27,031	104 1/4	28,041	108 3/4	28,923
90 7/8	24,746	95 3/8	25,948	99 7/8	27,061	104 3/8	28,067	108 7/8	28,945
91	24,781	95 1/2	25,980	100	27,090	104 1/2	28,094	109	28,968
91 1/8	24,815	95 5/8	26,012	100 1/8	27,120	104 5/8	28,120	109 1/8	28,990
91 1/4	24,849	95 3/4	26,044	100 1/4	27,149	104 3/4	28,146	109 1/4	29,012
91 3/8	24,884	95 7/8	26,076	100 3/8	27,178	104 7/8	28,172	109 3/8	29,034
91 1/2	24,918	96	26,108	100 1/2	27,207	105	28,198	109 1/2	29,055
91 5/8	24,952	96 1/8	26,140	100 5/8	27,236	105 1/8	28,223	109 5/8	29,077
91 3/4	24,986	96 1/4	26,172	100 3/4	27,265	105 1/4	28,249	109 3/4	29,099
91 7/8	25,020	96 3/8	26,203	100 7/8	27,294	105 3/8	28,275	109 7/8	29,120
92	25,054	96 1/2	26,235	101	27,323	105 1/2	28,300	110	29,141
92 1/8	25,088	96 5/8	26,266	101 1/8	27,352	105 5/8	28,325	110 1/8	29,162
92 1/4	25,122	96 3/4	26,298	101 1/4	27,380	105 3/4	28,351	110 1/4	29,183
92 3/8	25,156	96 7/8	26,329	101 3/8	27,409	105 7/8	28,376	110 3/8	29,204
92 1/2	25,189	97	26,361	101 1/2	27,438	106	28,401	110 1/2	29,225
92 5/8	25,223	97 1/8	26,392	101 5/8	27,466	106 1/8	28,426	110 5/8	29,245
92 3/4	25,257	97 1/4	26,423	101 3/4	27,494	106 1/4	28,450	110 3/4	29,266
92 7/8	25,290	97 3/8	26,454	101 7/8	27,522	106 3/8	28,475	110 7/8	29,286
93	25,324	97 1/2	26,485	102	27,551	106 1/2	28,500	111	29,306
93 1/8	25,357	97 5/8	26,516	102 1/8	27,579	106 5/8	28,524	111 1/8	29,326
93 1/4	25,390	97 3/4	26,547	102 1/4	27,607	106 3/4	28,548	111 1/4	29,346
93 3/8	25,424	97 7/8	26,578	102 3/8	27,634	106 7/8	28,573	111 3/8	29,366
93 1/2	25,457	98	26,609	102 1/2	27,662	107	28,597	111 1/2	29,386
93 5/8	25,490	98 1/8	26,639	102 5/8	27,690	107 1/8	28,621	111 5/8	29,405
93 3/4	25,523	98 1/4	26,670	102 3/4	27,717	107 1/4	28,645	111 3/4	29,424
93 7/8	25,556	98 3/8	26,701	102 7/8	27,745	107 3/8	28,669	111 7/8	29,444
94	25,589	98 1/2	26,731	103	27,772	107 1/2	28,692	112	29,463
94 1/8	25,622	98 5/8	26,761	103 1/8	27,800	107 5/8	28,716	112 1/8	29,482
94 1/4	25,655	98 3/4	26,792	103 1/4	27,827	107 3/4	28,739	112 1/4	29,500
94 3/8	25,688	98 7/8	26,822	103 3/8	27,854	107 7/8	28,763	112 3/8	29,519
94 1/2	25,721	99	26,852	103 1/2	27,881	108	28,786	112 1/2	29,537



Main Compartment - G2

10'x30K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	29,556	117 1/8	30,096
112 3/4	29,574	117 1/4	30,107
112 7/8	29,592	117 3/8	30,118
113	29,609	117 1/2	30,128
113 1/8	29,627	117 5/8	30,139
113 1/4	29,645	117 3/4	30,149
113 3/8	29,662	117 7/8	30,159
113 1/2	29,679	118	30,168
113 5/8	29,696	118 1/8	30,177
113 3/4	29,713	118 1/4	30,186
113 7/8	29,730	118 3/8	30,195
114	29,746	118 1/2	30,203
114 1/8	29,762	118 5/8	30,211
114 1/4	29,778	118 3/4	30,218
114 3/8	29,794	118 7/8	30,225
114 1/2	29,810	119	30,232
114 5/8	29,826	119 1/8	30,239
114 3/4	29,841	119 1/4	30,244
114 7/8	29,856	119 3/8	30,250
115	29,872	119 1/2	30,255
115 1/8	29,886	119 5/8	30,259
115 1/4	29,901	119 3/4	30,263
115 3/8	29,915	119 7/8	30,265
115 1/2	29,930	120	30,267
115 5/8	29,944		
115 3/4	29,958		
115 7/8	29,971		
116	29,985		
116 1/8	29,998		
116 1/4	30,011		
116 3/8	30,024		
116 1/2	30,036		
116 5/8	30,049		
116 3/4	30,061		
116 7/8	30,073		
117	30,084		