



Main Compartment - G2

10'x32K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	373	9 1/8	1,041	13 5/8	1,900	18 1/8	2,908
1/4	5	4 3/4	389	9 1/4	1,062	13 3/4	1,926	18 1/4	2,938
3/8	8	4 7/8	404	9 3/8	1,084	13 7/8	1,952	18 3/8	2,968
1/2	13	5	420	9 1/2	1,106	14	1,978	18 1/2	2,998
5/8	18	5 1/8	436	9 5/8	1,128	14 1/8	2,005	18 5/8	3,028
3/4	24	5 1/4	452	9 3/4	1,150	14 1/4	2,032	18 3/4	3,058
7/8	30	5 3/8	468	9 7/8	1,172	14 3/8	2,058	18 7/8	3,088
1	37	5 1/2	485	10	1,194	14 1/2	2,085	19	3,119
1 1/8	44	5 5/8	502	10 1/8	1,217	14 5/8	2,112	19 1/8	3,149
1 1/4	52	5 3/4	519	10 1/4	1,239	14 3/4	2,139	19 1/4	3,180
1 3/8	60	5 7/8	536	10 3/8	1,262	14 7/8	2,166	19 3/8	3,210
1 1/2	68	6	553	10 1/2	1,285	15	2,193	19 1/2	3,241
1 5/8	77	6 1/8	571	10 5/8	1,308	15 1/8	2,221	19 5/8	3,272
1 3/4	86	6 1/4	588	10 3/4	1,331	15 1/4	2,248	19 3/4	3,303
1 7/8	95	6 3/8	606	10 7/8	1,355	15 3/8	2,276	19 7/8	3,334
2	105	6 1/2	624	11	1,378	15 1/2	2,303	20	3,365
2 1/8	115	6 5/8	642	11 1/8	1,402	15 5/8	2,331	20 1/8	3,396
2 1/4	126	6 3/4	661	11 1/4	1,425	15 3/4	2,359	20 1/4	3,428
2 3/8	136	6 7/8	679	11 3/8	1,449	15 7/8	2,387	20 3/8	3,459
2 1/2	147	7	698	11 1/2	1,473	16	2,415	20 1/2	3,490
2 5/8	159	7 1/8	717	11 5/8	1,497	16 1/8	2,443	20 5/8	3,522
2 3/4	170	7 1/4	736	11 3/4	1,522	16 1/4	2,472	20 3/4	3,554
2 7/8	182	7 3/8	755	11 7/8	1,546	16 3/8	2,500	20 7/8	3,585
3	194	7 1/2	774	12	1,570	16 1/2	2,529	21	3,617
3 1/8	207	7 5/8	794	12 1/8	1,595	16 5/8	2,557	21 1/8	3,649
3 1/4	219	7 3/4	814	12 1/4	1,620	16 3/4	2,586	21 1/4	3,681
3 3/8	232	7 7/8	834	12 3/8	1,645	16 7/8	2,615	21 3/8	3,713
3 1/2	245	8	854	12 1/2	1,670	17	2,643	21 1/2	3,745
3 5/8	258	8 1/8	874	12 5/8	1,695	17 1/8	2,672	21 5/8	3,777
3 3/4	272	8 1/4	894	12 3/4	1,720	17 1/4	2,702	21 3/4	3,809
3 7/8	286	8 3/8	915	12 7/8	1,745	17 3/8	2,731	21 7/8	3,842
4	300	8 1/2	935	13	1,771	17 1/2	2,760	22	3,874
4 1/8	314	8 5/8	956	13 1/8	1,796	17 5/8	2,789	22 1/8	3,907
4 1/4	329	8 3/4	977	13 1/4	1,822	17 3/4	2,819	22 1/4	3,939
4 3/8	343	8 7/8	998	13 3/8	1,848	17 7/8	2,848	22 3/8	3,972
4 1/2	358	9	1,019	13 1/2	1,874	18	2,878	22 1/2	4,005



Main Compartment - G2

10'x32K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	4,038	27 1/8	5,268	31 5/8	6,583	36 1/8	7,967	40 5/8	9,409
22 3/4	4,070	27 1/4	5,304	31 3/4	6,621	36 1/4	8,007	40 3/4	9,450
22 7/8	4,103	27 3/8	5,339	31 7/8	6,658	36 3/8	8,046	40 7/8	9,490
23	4,137	27 1/2	5,375	32	6,696	36 1/2	8,086	41	9,531
23 1/8	4,170	27 5/8	5,410	32 1/8	6,734	36 5/8	8,125	41 1/8	9,572
23 1/4	4,203	27 3/4	5,446	32 1/4	6,771	36 3/4	8,165	41 1/4	9,613
23 3/8	4,236	27 7/8	5,482	32 3/8	6,809	36 7/8	8,204	41 3/8	9,654
23 1/2	4,270	28	5,518	32 1/2	6,847	37	8,244	41 1/2	9,695
23 5/8	4,303	28 1/8	5,554	32 5/8	6,885	37 1/8	8,283	41 5/8	9,736
23 3/4	4,336	28 1/4	5,590	32 3/4	6,923	37 1/4	8,323	41 3/4	9,777
23 7/8	4,370	28 3/8	5,626	32 7/8	6,961	37 3/8	8,363	41 7/8	9,818
24	4,404	28 1/2	5,662	33	6,999	37 1/2	8,402	42	9,859
24 1/8	4,437	28 5/8	5,698	33 1/8	7,037	37 5/8	8,442	42 1/8	9,900
24 1/4	4,471	28 3/4	5,734	33 1/4	7,076	37 3/4	8,482	42 1/4	9,941
24 3/8	4,505	28 7/8	5,770	33 3/8	7,114	37 7/8	8,522	42 3/8	9,982
24 1/2	4,539	29	5,807	33 1/2	7,152	38	8,562	42 1/2	10,023
24 5/8	4,573	29 1/8	5,843	33 5/8	7,191	38 1/8	8,602	42 5/8	10,065
24 3/4	4,607	29 1/4	5,880	33 3/4	7,229	38 1/4	8,642	42 3/4	10,106
24 7/8	4,641	29 3/8	5,916	33 7/8	7,267	38 3/8	8,682	42 7/8	10,147
25	4,676	29 1/2	5,953	34	7,306	38 1/2	8,722	43	10,188
25 1/8	4,710	29 5/8	5,989	34 1/8	7,344	38 5/8	8,762	43 1/8	10,230
25 1/4	4,744	29 3/4	6,026	34 1/4	7,383	38 3/4	8,802	43 1/4	10,271
25 3/8	4,779	29 7/8	6,063	34 3/8	7,422	38 7/8	8,842	43 3/8	10,313
25 1/2	4,813	30	6,099	34 1/2	7,460	39	8,883	43 1/2	10,354
25 5/8	4,848	30 1/8	6,136	34 5/8	7,499	39 1/8	8,923	43 5/8	10,395
25 3/4	4,883	30 1/4	6,173	34 3/4	7,538	39 1/4	8,963	43 3/4	10,437
25 7/8	4,917	30 3/8	6,210	34 7/8	7,577	39 3/8	9,003	43 7/8	10,478
26	4,952	30 1/2	6,247	35	7,616	39 1/2	9,044	44	10,520
26 1/8	4,987	30 5/8	6,284	35 1/8	7,654	39 5/8	9,084	44 1/8	10,562
26 1/4	5,022	30 3/4	6,321	35 1/4	7,693	39 3/4	9,125	44 1/4	10,603
26 3/8	5,057	30 7/8	6,359	35 3/8	7,732	39 7/8	9,165	44 3/8	10,645
26 1/2	5,092	31	6,396	35 1/2	7,772	40	9,206	44 1/2	10,686
26 5/8	5,127	31 1/8	6,433	35 5/8	7,811	40 1/8	9,246	44 5/8	10,728
26 3/4	5,162	31 1/4	6,471	35 3/4	7,850	40 1/4	9,287	44 3/4	10,770
26 7/8	5,197	31 3/8	6,508	35 7/8	7,889	40 3/8	9,327	44 7/8	10,812
27	5,233	31 1/2	6,545	36	7,928	40 1/2	9,368	45	10,853



Main Compartment - G2

10'x32K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	10,895	49 5/8	12,415	54 1/8	13,959	58 5/8	15,516	63 1/8	17,076
45 1/4	10,937	49 3/4	12,458	54 1/4	14,002	58 3/4	15,559	63 1/4	17,119
45 3/8	10,979	49 7/8	12,501	54 3/8	14,045	58 7/8	15,603	63 3/8	17,162
45 1/2	11,021	50	12,543	54 1/2	14,089	59	15,646	63 1/2	17,206
45 5/8	11,063	50 1/8	12,586	54 5/8	14,132	59 1/8	15,689	63 5/8	17,249
45 3/4	11,105	50 1/4	12,629	54 3/4	14,175	59 1/4	15,733	63 3/4	17,292
45 7/8	11,146	50 3/8	12,671	54 7/8	14,218	59 3/8	15,776	63 7/8	17,335
46	11,188	50 1/2	12,714	55	14,261	59 1/2	15,819	64	17,379
46 1/8	11,230	50 5/8	12,757	55 1/8	14,304	59 5/8	15,863	64 1/8	17,422
46 1/4	11,272	50 3/4	12,800	55 1/4	14,348	59 3/4	15,906	64 1/4	17,465
46 3/8	11,315	50 7/8	12,842	55 3/8	14,391	59 7/8	15,949	64 3/8	17,508
46 1/2	11,357	51	12,885	55 1/2	14,434	60	15,993	64 1/2	17,552
46 5/8	11,399	51 1/8	12,928	55 5/8	14,477	60 1/8	16,036	64 5/8	17,595
46 3/4	11,441	51 1/4	12,971	55 3/4	14,520	60 1/4	16,079	64 3/4	17,638
46 7/8	11,483	51 3/8	13,014	55 7/8	14,564	60 3/8	16,123	64 7/8	17,681
47	11,525	51 1/2	13,056	56	14,607	60 1/2	16,166	65	17,724
47 1/8	11,567	51 5/8	13,099	56 1/8	14,650	60 5/8	16,209	65 1/8	17,768
47 1/4	11,609	51 3/4	13,142	56 1/4	14,693	60 3/4	16,253	65 1/4	17,811
47 3/8	11,652	51 7/8	13,185	56 3/8	14,737	60 7/8	16,296	65 3/8	17,854
47 1/2	11,694	52	13,228	56 1/2	14,780	61	16,340	65 1/2	17,897
47 5/8	11,736	52 1/8	13,271	56 5/8	14,823	61 1/8	16,383	65 5/8	17,940
47 3/4	11,779	52 1/4	13,314	56 3/4	14,866	61 1/4	16,426	65 3/4	17,983
47 7/8	11,821	52 3/8	13,357	56 7/8	14,910	61 3/8	16,470	65 7/8	18,026
48	11,863	52 1/2	13,400	57	14,953	61 1/2	16,513	66	18,069
48 1/8	11,906	52 5/8	13,443	57 1/8	14,996	61 5/8	16,556	66 1/8	18,113
48 1/4	11,948	52 3/4	13,486	57 1/4	15,039	61 3/4	16,600	66 1/4	18,156
48 3/8	11,990	52 7/8	13,529	57 3/8	15,083	61 7/8	16,643	66 3/8	18,199
48 1/2	12,033	53	13,572	57 1/2	15,126	62	16,686	66 1/2	18,242
48 5/8	12,075	53 1/8	13,615	57 5/8	15,169	62 1/8	16,729	66 5/8	18,285
48 3/4	12,118	53 1/4	13,658	57 3/4	15,213	62 1/4	16,773	66 3/4	18,328
48 7/8	12,160	53 3/8	13,701	57 7/8	15,256	62 3/8	16,816	66 7/8	18,371
49	12,203	53 1/2	13,744	58	15,299	62 1/2	16,859	67	18,414
49 1/8	12,245	53 5/8	13,787	58 1/8	15,343	62 5/8	16,903	67 1/8	18,457
49 1/4	12,288	53 3/4	13,830	58 1/4	15,386	62 3/4	16,946	67 1/4	18,500
49 3/8	12,330	53 7/8	13,873	58 3/8	15,429	62 7/8	16,989	67 3/8	18,543
49 1/2	12,373	54	13,916	58 1/2	15,473	63	17,033	67 1/2	18,586



Main Compartment - G2

10'x32K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	18,629	72 1/8	20,165	76 5/8	21,673	81 1/8	23,143	85 5/8	24,564
67 3/4	18,672	72 1/4	20,207	76 3/4	21,714	81 1/4	23,183	85 3/4	24,603
67 7/8	18,715	72 3/8	20,249	76 7/8	21,756	81 3/8	23,224	85 7/8	24,641
68	18,758	72 1/2	20,292	77	21,797	81 1/2	23,264	86	24,680
68 1/8	18,800	72 5/8	20,334	77 1/8	21,838	81 5/8	23,304	86 1/8	24,718
68 1/4	18,843	72 3/4	20,376	77 1/4	21,880	81 3/4	23,344	86 1/4	24,757
68 3/8	18,886	72 7/8	20,418	77 3/8	21,921	81 7/8	23,384	86 3/8	24,795
68 1/2	18,929	73	20,460	77 1/2	21,962	82	23,424	86 1/2	24,833
68 5/8	18,972	73 1/8	20,503	77 5/8	22,003	82 1/8	23,464	86 5/8	24,872
68 3/4	19,015	73 1/4	20,545	77 3/4	22,045	82 1/4	23,503	86 3/4	24,910
68 7/8	19,058	73 3/8	20,587	77 7/8	22,086	82 3/8	23,543	86 7/8	24,948
69	19,100	73 1/2	20,629	78	22,127	82 1/2	23,583	87	24,986
69 1/8	19,143	73 5/8	20,671	78 1/8	22,168	82 5/8	23,623	87 1/8	25,024
69 1/4	19,186	73 3/4	20,713	78 1/4	22,209	82 3/4	23,663	87 1/4	25,062
69 3/8	19,229	73 7/8	20,755	78 3/8	22,250	82 7/8	23,702	87 3/8	25,100
69 1/2	19,271	74	20,797	78 1/2	22,291	83	23,742	87 1/2	25,138
69 5/8	19,314	74 1/8	20,839	78 5/8	22,332	83 1/8	23,781	87 5/8	25,176
69 3/4	19,357	74 1/4	20,881	78 3/4	22,373	83 1/4	23,821	87 3/4	25,214
69 7/8	19,399	74 3/8	20,923	78 7/8	22,414	83 3/8	23,860	87 7/8	25,252
70	19,442	74 1/2	20,965	79	22,454	83 1/2	23,900	88	25,290
70 1/8	19,485	74 5/8	21,007	79 1/8	22,495	83 5/8	23,939	88 1/8	25,327
70 1/4	19,527	74 3/4	21,049	79 1/4	22,536	83 3/4	23,979	88 1/4	25,365
70 3/8	19,570	74 7/8	21,090	79 3/8	22,577	83 7/8	24,018	88 3/8	25,403
70 1/2	19,613	75	21,132	79 1/2	22,617	84	24,057	88 1/2	25,440
70 5/8	19,655	75 1/8	21,174	79 5/8	22,658	84 1/8	24,097	88 5/8	25,477
70 3/4	19,698	75 1/4	21,216	79 3/4	22,699	84 1/4	24,136	88 3/4	25,515
70 7/8	19,740	75 3/8	21,257	79 7/8	22,739	84 3/8	24,175	88 7/8	25,552
71	19,783	75 1/2	21,299	80	22,780	84 1/2	24,214	89	25,590
71 1/8	19,825	75 5/8	21,341	80 1/8	22,820	84 5/8	24,253	89 1/8	25,627
71 1/4	19,868	75 3/4	21,382	80 1/4	22,861	84 3/4	24,292	89 1/4	25,664
71 3/8	19,910	75 7/8	21,424	80 3/8	22,901	84 7/8	24,331	89 3/8	25,701
71 1/2	19,953	76	21,466	80 1/2	22,942	85	24,370	89 1/2	25,738
71 5/8	19,995	76 1/8	21,507	80 5/8	22,982	85 1/8	24,409	89 5/8	25,775
71 3/4	20,038	76 1/4	21,549	80 3/4	23,022	85 1/4	24,448	89 3/4	25,812
71 7/8	20,080	76 3/8	21,590	80 7/8	23,063	85 3/8	24,486	89 7/8	25,849
72	20,122	76 1/2	21,632	81	23,103	85 1/2	24,525	90	25,886



Main Compartment - G2

10'x32K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	25,923	94 5/8	27,207	99 1/8	28,400	103 5/8	29,485	108 1/8	30,440
90 1/4	25,960	94 3/4	27,241	99 1/4	28,432	103 3/4	29,514	108 1/4	30,464
90 3/8	25,996	94 7/8	27,276	99 3/8	28,464	103 7/8	29,542	108 3/8	30,488
90 1/2	26,033	95	27,310	99 1/2	28,495	104	29,570	108 1/2	30,512
90 5/8	26,069	95 1/8	27,344	99 5/8	28,527	104 1/8	29,598	108 5/8	30,536
90 3/4	26,106	95 1/4	27,378	99 3/4	28,558	104 1/4	29,626	108 3/4	30,560
90 7/8	26,142	95 3/8	27,412	99 7/8	28,589	104 3/8	29,654	108 7/8	30,584
91	26,179	95 1/2	27,446	100	28,620	104 1/2	29,682	109	30,607
91 1/8	26,215	95 5/8	27,480	100 1/8	28,652	104 5/8	29,710	109 1/8	30,631
91 1/4	26,251	95 3/4	27,514	100 1/4	28,683	104 3/4	29,737	109 1/4	30,654
91 3/8	26,288	95 7/8	27,548	100 3/8	28,713	104 7/8	29,765	109 3/8	30,677
91 1/2	26,324	96	27,582	100 1/2	28,744	105	29,792	109 1/2	30,700
91 5/8	26,360	96 1/8	27,615	100 5/8	28,775	105 1/8	29,819	109 5/8	30,723
91 3/4	26,396	96 1/4	27,649	100 3/4	28,806	105 1/4	29,847	109 3/4	30,746
91 7/8	26,432	96 3/8	27,683	100 7/8	28,836	105 3/8	29,874	109 7/8	30,769
92	26,468	96 1/2	27,716	101	28,867	105 1/2	29,900	110	30,791
92 1/8	26,504	96 5/8	27,749	101 1/8	28,897	105 5/8	29,927	110 1/8	30,814
92 1/4	26,539	96 3/4	27,783	101 1/4	28,927	105 3/4	29,954	110 1/4	30,836
92 3/8	26,575	96 7/8	27,816	101 3/8	28,958	105 7/8	29,981	110 3/8	30,858
92 1/2	26,611	97	27,849	101 1/2	28,988	106	30,007	110 1/2	30,880
92 5/8	26,646	97 1/8	27,882	101 5/8	29,018	106 1/8	30,033	110 5/8	30,902
92 3/4	26,682	97 1/4	27,915	101 3/4	29,048	106 1/4	30,060	110 3/4	30,923
92 7/8	26,717	97 3/8	27,948	101 7/8	29,078	106 3/8	30,086	110 7/8	30,945
93	26,753	97 1/2	27,981	102	29,107	106 1/2	30,112	111	30,966
93 1/8	26,788	97 5/8	28,014	102 1/8	29,137	106 5/8	30,138	111 1/8	30,988
93 1/4	26,823	97 3/4	28,046	102 1/4	29,167	106 3/4	30,164	111 1/4	31,009
93 3/8	26,858	97 7/8	28,079	102 3/8	29,196	106 7/8	30,189	111 3/8	31,030
93 1/2	26,894	98	28,111	102 1/2	29,225	107	30,215	111 1/2	31,050
93 5/8	26,929	98 1/8	28,144	102 5/8	29,255	107 1/8	30,240	111 5/8	31,071
93 3/4	26,964	98 1/4	28,176	102 3/4	29,284	107 1/4	30,266	111 3/4	31,091
93 7/8	26,999	98 3/8	28,208	102 7/8	29,313	107 3/8	30,291	111 7/8	31,112
94	27,033	98 1/2	28,241	103	29,342	107 1/2	30,316	112	31,132
94 1/8	27,068	98 5/8	28,273	103 1/8	29,371	107 5/8	30,341	112 1/8	31,152
94 1/4	27,103	98 3/4	28,305	103 1/4	29,400	107 3/4	30,366	112 1/4	31,172
94 3/8	27,138	98 7/8	28,337	103 3/8	29,428	107 7/8	30,390	112 3/8	31,192
94 1/2	27,172	99	28,369	103 1/2	29,457	108	30,415	112 1/2	31,211



Main Compartment - G2

10'x32K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	31,230	117 1/8	31,803
112 3/4	31,250	117 1/4	31,815
112 7/8	31,269	117 3/8	31,827
113	31,288	117 1/2	31,838
113 1/8	31,306	117 5/8	31,849
113 1/4	31,325	117 3/4	31,860
113 3/8	31,343	117 7/8	31,870
113 1/2	31,361	118	31,880
113 5/8	31,379	118 1/8	31,890
113 3/4	31,397	118 1/4	31,899
113 7/8	31,415	118 3/8	31,909
114	31,432	118 1/2	31,917
114 1/8	31,450	118 5/8	31,926
114 1/4	31,467	118 3/4	31,934
114 3/8	31,484	118 7/8	31,941
114 1/2	31,500	119	31,949
114 5/8	31,517	119 1/8	31,955
114 3/4	31,533	119 1/4	31,962
114 7/8	31,550	119 3/8	31,967
115	31,565	119 1/2	31,972
115 1/8	31,581	119 5/8	31,977
115 1/4	31,597	119 3/4	31,981
115 3/8	31,612	119 7/8	31,984
115 1/2	31,627	120	31,986
115 5/8	31,642		
115 3/4	31,657		
115 7/8	31,671		
116	31,686		
116 1/8	31,700		
116 1/4	31,714		
116 3/8	31,727		
116 1/2	31,740		
116 5/8	31,754		
116 3/4	31,766		
116 7/8	31,779		
117	31,791		