



# Main Compartment - G2

10'x35K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	411	9 1/8	1,143	13 5/8	2,084	18 1/8	3,187
1/4	5	4 3/4	428	9 1/4	1,166	13 3/4	2,113	18 1/4	3,220
3/8	9	4 7/8	445	9 3/8	1,190	13 7/8	2,141	18 3/8	3,253
1/2	14	5	462	9 1/2	1,214	14	2,170	18 1/2	3,285
5/8	20	5 1/8	479	9 5/8	1,238	14 1/8	2,199	18 5/8	3,318
3/4	26	5 1/4	497	9 3/4	1,262	14 1/4	2,228	18 3/4	3,351
7/8	33	5 3/8	515	9 7/8	1,287	14 3/8	2,258	18 7/8	3,385
1	41	5 1/2	533	10	1,311	14 1/2	2,287	19	3,418
1 1/8	49	5 5/8	552	10 1/8	1,336	14 5/8	2,316	19 1/8	3,451
1 1/4	57	5 3/4	570	10 1/4	1,361	14 3/4	2,346	19 1/4	3,485
1 3/8	66	5 7/8	589	10 3/8	1,386	14 7/8	2,376	19 3/8	3,518
1 1/2	75	6	608	10 1/2	1,411	15	2,406	19 1/2	3,552
1 5/8	85	6 1/8	627	10 5/8	1,436	15 1/8	2,435	19 5/8	3,585
1 3/4	95	6 1/4	647	10 3/4	1,462	15 1/4	2,466	19 3/4	3,619
1 7/8	105	6 3/8	666	10 7/8	1,487	15 3/8	2,496	19 7/8	3,653
2	116	6 1/2	686	11	1,513	15 1/2	2,526	20	3,687
2 1/8	127	6 5/8	706	11 1/8	1,539	15 5/8	2,556	20 1/8	3,721
2 1/4	138	6 3/4	726	11 1/4	1,565	15 3/4	2,587	20 1/4	3,756
2 3/8	150	6 7/8	746	11 3/8	1,591	15 7/8	2,617	20 3/8	3,790
2 1/2	162	7	767	11 1/2	1,617	16	2,648	20 1/2	3,824
2 5/8	175	7 1/8	788	11 5/8	1,643	16 1/8	2,679	20 5/8	3,859
2 3/4	187	7 1/4	809	11 3/4	1,670	16 1/4	2,710	20 3/4	3,893
2 7/8	200	7 3/8	830	11 7/8	1,697	16 3/8	2,741	20 7/8	3,928
3	214	7 1/2	851	12	1,724	16 1/2	2,772	21	3,963
3 1/8	227	7 5/8	872	12 1/8	1,750	16 5/8	2,804	21 1/8	3,997
3 1/4	241	7 3/4	894	12 1/4	1,778	16 3/4	2,835	21 1/4	4,032
3 3/8	255	7 7/8	916	12 3/8	1,805	16 7/8	2,866	21 3/8	4,067
3 1/2	270	8	938	12 1/2	1,832	17	2,898	21 1/2	4,102
3 5/8	284	8 1/8	960	12 5/8	1,860	17 1/8	2,930	21 5/8	4,138
3 3/4	299	8 1/4	982	12 3/4	1,887	17 1/4	2,962	21 3/4	4,173
3 7/8	314	8 3/8	1,005	12 7/8	1,915	17 3/8	2,994	21 7/8	4,208
4	330	8 1/2	1,027	13	1,943	17 1/2	3,026	22	4,244
4 1/8	346	8 5/8	1,050	13 1/8	1,971	17 5/8	3,058	22 1/8	4,279
4 1/4	362	8 3/4	1,073	13 1/4	1,999	17 3/4	3,090	22 1/4	4,315
4 3/8	378	8 7/8	1,096	13 3/8	2,027	17 7/8	3,122	22 3/8	4,351
4 1/2	394	9	1,119	13 1/2	2,056	18	3,155	22 1/2	4,386



# Main Compartment - G2

10'x35K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	4,422	27 1/8	5,767	31 5/8	7,202	36 1/8	8,713	40 5/8	10,285
22 3/4	4,458	27 1/4	5,805	31 3/4	7,243	36 1/4	8,756	40 3/4	10,330
22 7/8	4,494	27 3/8	5,844	31 7/8	7,284	36 3/8	8,799	40 7/8	10,374
23	4,530	27 1/2	5,883	32	7,325	36 1/2	8,842	41	10,419
23 1/8	4,567	27 5/8	5,922	32 1/8	7,367	36 5/8	8,885	41 1/8	10,463
23 1/4	4,603	27 3/4	5,961	32 1/4	7,408	36 3/4	8,928	41 1/4	10,508
23 3/8	4,639	27 7/8	6,000	32 3/8	7,449	36 7/8	8,971	41 3/8	10,552
23 1/2	4,676	28	6,039	32 1/2	7,490	37	9,014	41 1/2	10,597
23 5/8	4,712	28 1/8	6,078	32 5/8	7,532	37 1/8	9,058	41 5/8	10,642
23 3/4	4,749	28 1/4	6,118	32 3/4	7,573	37 1/4	9,101	41 3/4	10,686
23 7/8	4,786	28 3/8	6,157	32 7/8	7,615	37 3/8	9,144	41 7/8	10,731
24	4,822	28 1/2	6,196	33	7,656	37 1/2	9,188	42	10,776
24 1/8	4,859	28 5/8	6,236	33 1/8	7,698	37 5/8	9,231	42 1/8	10,821
24 1/4	4,896	28 3/4	6,275	33 1/4	7,740	37 3/4	9,274	42 1/4	10,866
24 3/8	4,933	28 7/8	6,315	33 3/8	7,782	37 7/8	9,318	42 3/8	10,910
24 1/2	4,970	29	6,355	33 1/2	7,823	38	9,361	42 1/2	10,955
24 5/8	5,007	29 1/8	6,394	33 5/8	7,865	38 1/8	9,405	42 5/8	11,000
24 3/4	5,045	29 1/4	6,434	33 3/4	7,907	38 1/4	9,449	42 3/4	11,045
24 7/8	5,082	29 3/8	6,474	33 7/8	7,949	38 3/8	9,492	42 7/8	11,090
25	5,119	29 1/2	6,514	34	7,991	38 1/2	9,536	43	11,135
25 1/8	5,157	29 5/8	6,554	34 1/8	8,033	38 5/8	9,580	43 1/8	11,181
25 1/4	5,194	29 3/4	6,594	34 1/4	8,075	38 3/4	9,624	43 1/4	11,226
25 3/8	5,232	29 7/8	6,634	34 3/8	8,117	38 7/8	9,667	43 3/8	11,271
25 1/2	5,270	30	6,674	34 1/2	8,160	39	9,711	43 1/2	11,316
25 5/8	5,308	30 1/8	6,715	34 5/8	8,202	39 1/8	9,755	43 5/8	11,361
25 3/4	5,345	30 1/4	6,755	34 3/4	8,244	39 1/4	9,799	43 3/4	11,406
25 7/8	5,383	30 3/8	6,795	34 7/8	8,287	39 3/8	9,843	43 7/8	11,452
26	5,421	30 1/2	6,836	35	8,329	39 1/2	9,887	44	11,497
26 1/8	5,459	30 5/8	6,876	35 1/8	8,371	39 5/8	9,931	44 1/8	11,542
26 1/4	5,498	30 3/4	6,917	35 1/4	8,414	39 3/4	9,975	44 1/4	11,588
26 3/8	5,536	30 7/8	6,957	35 3/8	8,457	39 7/8	10,019	44 3/8	11,633
26 1/2	5,574	31	6,998	35 1/2	8,499	40	10,064	44 1/2	11,679
26 5/8	5,613	31 1/8	7,039	35 5/8	8,542	40 1/8	10,108	44 5/8	11,724
26 3/4	5,651	31 1/4	7,079	35 3/4	8,585	40 1/4	10,152	44 3/4	11,769
26 7/8	5,689	31 3/8	7,120	35 7/8	8,627	40 3/8	10,197	44 7/8	11,815
27	5,728	31 1/2	7,161	36	8,670	40 1/2	10,241	45	11,861



# Main Compartment - G2

10'x35K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	11,906	49 5/8	13,564	54 1/8	15,246	58 5/8	16,943	63 1/8	18,644
45 1/4	11,952	49 3/4	13,610	54 1/4	15,293	58 3/4	16,991	63 1/4	18,691
45 3/8	11,997	49 7/8	13,657	54 3/8	15,340	58 7/8	17,038	63 3/8	18,738
45 1/2	12,043	50	13,703	54 1/2	15,387	59	17,085	63 1/2	18,785
45 5/8	12,089	50 1/8	13,750	54 5/8	15,434	59 1/8	17,132	63 5/8	18,832
45 3/4	12,134	50 1/4	13,796	54 3/4	15,481	59 1/4	17,180	63 3/4	18,879
45 7/8	12,180	50 3/8	13,843	54 7/8	15,529	59 3/8	17,227	63 7/8	18,927
46	12,226	50 1/2	13,889	55	15,576	59 1/2	17,274	64	18,974
46 1/8	12,272	50 5/8	13,936	55 1/8	15,623	59 5/8	17,321	64 1/8	19,021
46 1/4	12,318	50 3/4	13,982	55 1/4	15,670	59 3/4	17,369	64 1/4	19,068
46 3/8	12,363	50 7/8	14,029	55 3/8	15,717	59 7/8	17,416	64 3/8	19,115
46 1/2	12,409	51	14,076	55 1/2	15,764	60	17,463	64 1/2	19,162
46 5/8	12,455	51 1/8	14,122	55 5/8	15,811	60 1/8	17,510	64 5/8	19,209
46 3/4	12,501	51 1/4	14,169	55 3/4	15,858	60 1/4	17,558	64 3/4	19,256
46 7/8	12,547	51 3/8	14,216	55 7/8	15,905	60 3/8	17,605	64 7/8	19,303
47	12,593	51 1/2	14,262	56	15,952	60 1/2	17,652	65	19,350
47 1/8	12,639	51 5/8	14,309	56 1/8	16,000	60 5/8	17,699	65 1/8	19,397
47 1/4	12,685	51 3/4	14,356	56 1/4	16,047	60 3/4	17,746	65 1/4	19,445
47 3/8	12,731	51 7/8	14,403	56 3/8	16,094	60 7/8	17,794	65 3/8	19,492
47 1/2	12,777	52	14,449	56 1/2	16,141	61	17,841	65 1/2	19,539
47 5/8	12,823	52 1/8	14,496	56 5/8	16,188	61 1/8	17,888	65 5/8	19,586
47 3/4	12,869	52 1/4	14,543	56 3/4	16,235	61 1/4	17,935	65 3/4	19,633
47 7/8	12,915	52 3/8	14,590	56 7/8	16,282	61 3/8	17,983	65 7/8	19,680
48	12,962	52 1/2	14,637	57	16,330	61 1/2	18,030	66	19,727
48 1/8	13,008	52 5/8	14,683	57 1/8	16,377	61 5/8	18,077	66 1/8	19,774
48 1/4	13,054	52 3/4	14,730	57 1/4	16,424	61 3/4	18,124	66 1/4	19,821
48 3/8	13,100	52 7/8	14,777	57 3/8	16,471	61 7/8	18,172	66 3/8	19,867
48 1/2	13,146	53	14,824	57 1/2	16,518	62	18,219	66 1/2	19,914
48 5/8	13,193	53 1/8	14,871	57 5/8	16,566	62 1/8	18,266	66 5/8	19,961
48 3/4	13,239	53 1/4	14,918	57 3/4	16,613	62 1/4	18,313	66 3/4	20,008
48 7/8	13,285	53 3/8	14,965	57 7/8	16,660	62 3/8	18,360	66 7/8	20,055
49	13,332	53 1/2	15,012	58	16,707	62 1/2	18,408	67	20,102
49 1/8	13,378	53 5/8	15,059	58 1/8	16,754	62 5/8	18,455	67 1/8	20,149
49 1/4	13,424	53 3/4	15,105	58 1/4	16,802	62 3/4	18,502	67 1/4	20,196
49 3/8	13,471	53 7/8	15,152	58 3/8	16,849	62 7/8	18,549	67 3/8	20,243
49 1/2	13,517	54	15,199	58 1/2	16,896	63	18,596	67 1/2	20,289



# Main Compartment - G2

10'x35K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	20,336	72 1/8	22,011	76 5/8	23,655	81 1/8	25,259	85 5/8	26,809
67 3/4	20,383	72 1/4	22,057	76 3/4	23,700	81 1/4	25,303	85 3/4	26,851
67 7/8	20,430	72 3/8	22,103	76 7/8	23,746	81 3/8	25,346	85 7/8	26,893
68	20,477	72 1/2	22,149	77	23,791	81 1/2	25,390	86	26,935
68 1/8	20,523	72 5/8	22,195	77 1/8	23,836	81 5/8	25,434	86 1/8	26,977
68 1/4	20,570	72 3/4	22,241	77 1/4	23,881	81 3/4	25,477	86 1/4	27,019
68 3/8	20,617	72 7/8	22,287	77 3/8	23,926	81 7/8	25,521	86 3/8	27,061
68 1/2	20,664	73	22,333	77 1/2	23,971	82	25,565	86 1/2	27,103
68 5/8	20,710	73 1/8	22,379	77 5/8	24,016	82 1/8	25,608	86 5/8	27,144
68 3/4	20,757	73 1/4	22,425	77 3/4	24,060	82 1/4	25,652	86 3/4	27,186
68 7/8	20,804	73 3/8	22,471	77 7/8	24,105	82 3/8	25,695	86 7/8	27,228
69	20,850	73 1/2	22,517	78	24,150	82 1/2	25,739	87	27,270
69 1/8	20,897	73 5/8	22,563	78 1/8	24,195	82 5/8	25,782	87 1/8	27,311
69 1/4	20,944	73 3/4	22,609	78 1/4	24,240	82 3/4	25,825	87 1/4	27,353
69 3/8	20,990	73 7/8	22,654	78 3/8	24,284	82 7/8	25,868	87 3/8	27,394
69 1/2	21,037	74	22,700	78 1/2	24,329	83	25,912	87 1/2	27,436
69 5/8	21,083	74 1/8	22,746	78 5/8	24,374	83 1/8	25,955	87 5/8	27,477
69 3/4	21,130	74 1/4	22,792	78 3/4	24,418	83 1/4	25,998	87 3/4	27,518
69 7/8	21,176	74 3/8	22,837	78 7/8	24,463	83 3/8	26,041	87 7/8	27,559
70	21,223	74 1/2	22,883	79	24,507	83 1/2	26,084	88	27,601
70 1/8	21,269	74 5/8	22,929	79 1/8	24,552	83 5/8	26,127	88 1/8	27,642
70 1/4	21,316	74 3/4	22,974	79 1/4	24,596	83 3/4	26,170	88 1/4	27,683
70 3/8	21,362	74 7/8	23,020	79 3/8	24,641	83 7/8	26,213	88 3/8	27,724
70 1/2	21,409	75	23,065	79 1/2	24,685	84	26,256	88 1/2	27,765
70 5/8	21,455	75 1/8	23,111	79 5/8	24,730	84 1/8	26,299	88 5/8	27,806
70 3/4	21,502	75 1/4	23,157	79 3/4	24,774	84 1/4	26,341	88 3/4	27,847
70 7/8	21,548	75 3/8	23,202	79 7/8	24,818	84 3/8	26,384	88 7/8	27,887
71	21,594	75 1/2	23,247	80	24,862	84 1/2	26,427	89	27,928
71 1/8	21,641	75 5/8	23,293	80 1/8	24,907	84 5/8	26,469	89 1/8	27,969
71 1/4	21,687	75 3/4	23,338	80 1/4	24,951	84 3/4	26,512	89 1/4	28,009
71 3/8	21,733	75 7/8	23,384	80 3/8	24,995	84 7/8	26,555	89 3/8	28,050
71 1/2	21,780	76	23,429	80 1/2	25,039	85	26,597	89 1/2	28,090
71 5/8	21,826	76 1/8	23,474	80 5/8	25,083	85 1/8	26,639	89 5/8	28,131
71 3/4	21,872	76 1/4	23,520	80 3/4	25,127	85 1/4	26,682	89 3/4	28,171
71 7/8	21,918	76 3/8	23,565	80 7/8	25,171	85 3/8	26,724	89 7/8	28,211
72	21,964	76 1/2	23,610	81	25,215	85 1/2	26,766	90	28,252



# Main Compartment - G2

10'x35K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	28,292	94 5/8	29,694	99 1/8	30,998	103 5/8	32,185	108 1/8	33,229
90 1/4	28,332	94 3/4	29,732	99 1/4	31,033	103 3/4	32,216	108 1/4	33,256
90 3/8	28,372	94 7/8	29,769	99 3/8	31,067	103 7/8	32,247	108 3/8	33,283
90 1/2	28,412	95	29,807	99 1/2	31,102	104	32,278	108 1/2	33,309
90 5/8	28,452	95 1/8	29,844	99 5/8	31,136	104 1/8	32,309	108 5/8	33,335
90 3/4	28,492	95 1/4	29,881	99 3/4	31,171	104 1/4	32,339	108 3/4	33,361
90 7/8	28,532	95 3/8	29,919	99 7/8	31,205	104 3/8	32,370	108 7/8	33,387
91	28,571	95 1/2	29,956	100	31,239	104 1/2	32,400	109	33,413
91 1/8	28,611	95 5/8	29,993	100 1/8	31,273	104 5/8	32,430	109 1/8	33,439
91 1/4	28,651	95 3/4	30,030	100 1/4	31,307	104 3/4	32,461	109 1/4	33,464
91 3/8	28,690	95 7/8	30,067	100 3/8	31,341	104 7/8	32,491	109 3/8	33,490
91 1/2	28,730	96	30,104	100 1/2	31,374	105	32,521	109 1/2	33,515
91 5/8	28,769	96 1/8	30,140	100 5/8	31,408	105 1/8	32,550	109 5/8	33,540
91 3/4	28,808	96 1/4	30,177	100 3/4	31,441	105 1/4	32,580	109 3/4	33,565
91 7/8	28,848	96 3/8	30,214	100 7/8	31,475	105 3/8	32,610	109 7/8	33,590
92	28,887	96 1/2	30,250	101	31,508	105 1/2	32,639	110	33,615
92 1/8	28,926	96 5/8	30,287	101 1/8	31,541	105 5/8	32,668	110 1/8	33,639
92 1/4	28,965	96 3/4	30,323	101 1/4	31,575	105 3/4	32,698	110 1/4	33,664
92 3/8	29,004	96 7/8	30,359	101 3/8	31,608	105 7/8	32,727	110 3/8	33,688
92 1/2	29,043	97	30,396	101 1/2	31,641	106	32,756	110 1/2	33,712
92 5/8	29,082	97 1/8	30,432	101 5/8	31,673	106 1/8	32,785	110 5/8	33,736
92 3/4	29,121	97 1/4	30,468	101 3/4	31,706	106 1/4	32,813	110 3/4	33,760
92 7/8	29,159	97 3/8	30,504	101 7/8	31,739	106 3/8	32,842	110 7/8	33,783
93	29,198	97 1/2	30,540	102	31,771	106 1/2	32,871	111	33,807
93 1/8	29,237	97 5/8	30,575	102 1/8	31,804	106 5/8	32,899	111 1/8	33,830
93 1/4	29,275	97 3/4	30,611	102 1/4	31,836	106 3/4	32,927	111 1/4	33,853
93 3/8	29,314	97 7/8	30,647	102 3/8	31,868	106 7/8	32,955	111 3/8	33,876
93 1/2	29,352	98	30,682	102 1/2	31,900	107	32,983	111 1/2	33,899
93 5/8	29,390	98 1/8	30,718	102 5/8	31,933	107 1/8	33,011	111 5/8	33,921
93 3/4	29,428	98 1/4	30,753	102 3/4	31,964	107 1/4	33,039	111 3/4	33,944
93 7/8	29,467	98 3/8	30,788	102 7/8	31,996	107 3/8	33,066	111 7/8	33,966
94	29,505	98 1/2	30,824	103	32,028	107 1/2	33,094	112	33,988
94 1/8	29,543	98 5/8	30,859	103 1/8	32,060	107 5/8	33,121	112 1/8	34,010
94 1/4	29,581	98 3/4	30,894	103 1/4	32,091	107 3/4	33,148	112 1/4	34,032
94 3/8	29,618	98 7/8	30,929	103 3/8	32,122	107 7/8	33,176	112 3/8	34,054
94 1/2	29,656	99	30,963	103 1/2	32,154	108	33,203	112 1/2	34,075



# Main Compartment - G2

10'x35K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	34,096	117 1/8	34,726
112 3/4	34,117	117 1/4	34,739
112 7/8	34,138	117 3/8	34,751
113	34,159	117 1/2	34,764
113 1/8	34,180	117 5/8	34,776
113 1/4	34,200	117 3/4	34,788
113 3/8	34,220	117 7/8	34,799
113 1/2	34,240	118	34,810
113 5/8	34,260	118 1/8	34,821
113 3/4	34,279	118 1/4	34,831
113 7/8	34,299	118 3/8	34,841
114	34,318	118 1/2	34,851
114 1/8	34,337	118 5/8	34,860
114 1/4	34,356	118 3/4	34,869
114 3/8	34,374	118 7/8	34,877
114 1/2	34,393	119	34,885
114 5/8	34,411	119 1/8	34,893
114 3/4	34,429	119 1/4	34,900
114 7/8	34,447	119 3/8	34,906
115	34,464	119 1/2	34,912
115 1/8	34,481	119 5/8	34,917
115 1/4	34,498	119 3/4	34,921
115 3/8	34,515	119 7/8	34,924
115 1/2	34,532	120	34,926
115 5/8	34,548		
115 3/4	34,565		
115 7/8	34,580		
116	34,596		
116 1/8	34,612		
116 1/4	34,627		
116 3/8	34,642		
116 1/2	34,656		
116 5/8	34,671		
116 3/4	34,685		
116 7/8	34,699		
117	34,712		