



Main Compartment - G2

10'x40K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	476	9 1/8	1,323	13 5/8	2,408	18 1/8	3,679
1/4	6	4 3/4	496	9 1/4	1,350	13 3/4	2,441	18 1/4	3,716
3/8	11	4 7/8	516	9 3/8	1,377	13 7/8	2,474	18 3/8	3,754
1/2	17	5	536	9 1/2	1,405	14	2,508	18 1/2	3,792
5/8	23	5 1/8	556	9 5/8	1,433	14 1/8	2,541	18 5/8	3,830
3/4	31	5 1/4	576	9 3/4	1,461	14 1/4	2,575	18 3/4	3,868
7/8	39	5 3/8	597	9 7/8	1,489	14 3/8	2,608	18 7/8	3,906
1	47	5 1/2	618	10	1,517	14 1/2	2,642	19	3,944
1 1/8	57	5 5/8	640	10 1/8	1,546	14 5/8	2,676	19 1/8	3,982
1 1/4	66	5 3/4	661	10 1/4	1,574	14 3/4	2,710	19 1/4	4,021
1 3/8	77	5 7/8	683	10 3/8	1,603	14 7/8	2,744	19 3/8	4,059
1 1/2	87	6	705	10 1/2	1,632	15	2,779	19 1/2	4,098
1 5/8	99	6 1/8	727	10 5/8	1,661	15 1/8	2,813	19 5/8	4,137
1 3/4	110	6 1/4	749	10 3/4	1,691	15 1/4	2,848	19 3/4	4,176
1 7/8	122	6 3/8	772	10 7/8	1,720	15 3/8	2,882	19 7/8	4,215
2	135	6 1/2	795	11	1,750	15 1/2	2,917	20	4,254
2 1/8	148	6 5/8	818	11 1/8	1,780	15 5/8	2,952	20 1/8	4,293
2 1/4	161	6 3/4	841	11 1/4	1,810	15 3/4	2,987	20 1/4	4,332
2 3/8	175	6 7/8	865	11 3/8	1,840	15 7/8	3,023	20 3/8	4,372
2 1/2	189	7	888	11 1/2	1,870	16	3,058	20 1/2	4,411
2 5/8	203	7 1/8	912	11 5/8	1,900	16 1/8	3,094	20 5/8	4,451
2 3/4	218	7 1/4	937	11 3/4	1,931	16 1/4	3,129	20 3/4	4,491
2 7/8	233	7 3/8	961	11 7/8	1,962	16 3/8	3,165	20 7/8	4,531
3	248	7 1/2	986	12	1,993	16 1/2	3,201	21	4,570
3 1/8	264	7 5/8	1,010	12 1/8	2,024	16 5/8	3,237	21 1/8	4,611
3 1/4	280	7 3/4	1,035	12 1/4	2,055	16 3/4	3,273	21 1/4	4,651
3 3/8	296	7 7/8	1,060	12 3/8	2,086	16 7/8	3,309	21 3/8	4,691
3 1/2	313	8	1,086	12 1/2	2,118	17	3,346	21 1/2	4,731
3 5/8	330	8 1/8	1,111	12 5/8	2,150	17 1/8	3,382	21 5/8	4,772
3 3/4	347	8 1/4	1,137	12 3/4	2,181	17 1/4	3,419	21 3/4	4,812
3 7/8	365	8 3/8	1,163	12 7/8	2,213	17 3/8	3,456	21 7/8	4,853
4	383	8 1/2	1,189	13	2,245	17 1/2	3,492	22	4,894
4 1/8	401	8 5/8	1,216	13 1/8	2,278	17 5/8	3,529	22 1/8	4,935
4 1/4	419	8 3/4	1,242	13 1/4	2,310	17 3/4	3,567	22 1/4	4,976
4 3/8	438	8 7/8	1,269	13 3/8	2,343	17 7/8	3,604	22 3/8	5,017
4 1/2	457	9	1,296	13 1/2	2,375	18	3,641	22 1/2	5,058



Main Compartment - G2

10'x40K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	5,099	27 1/8	6,643	31 5/8	8,291	36 1/8	10,024	40 5/8	11,827
22 3/4	5,140	27 1/4	6,688	31 3/4	8,338	36 1/4	10,073	40 3/4	11,878
22 7/8	5,182	27 3/8	6,732	31 7/8	8,385	36 3/8	10,123	40 7/8	11,929
23	5,223	27 1/2	6,777	32	8,433	36 1/2	10,172	41	11,980
23 1/8	5,265	27 5/8	6,822	32 1/8	8,480	36 5/8	10,221	41 1/8	12,031
23 1/4	5,307	27 3/4	6,867	32 1/4	8,527	36 3/4	10,271	41 1/4	12,082
23 3/8	5,348	27 7/8	6,911	32 3/8	8,574	36 7/8	10,320	41 3/8	12,133
23 1/2	5,390	28	6,956	32 1/2	8,622	37	10,370	41 1/2	12,184
23 5/8	5,432	28 1/8	7,001	32 5/8	8,669	37 1/8	10,419	41 5/8	12,235
23 3/4	5,474	28 1/4	7,046	32 3/4	8,717	37 1/4	10,469	41 3/4	12,286
23 7/8	5,516	28 3/8	7,092	32 7/8	8,765	37 3/8	10,519	41 7/8	12,338
24	5,559	28 1/2	7,137	33	8,812	37 1/2	10,568	42	12,389
24 1/8	5,601	28 5/8	7,182	33 1/8	8,860	37 5/8	10,618	42 1/8	12,440
24 1/4	5,644	28 3/4	7,228	33 1/4	8,908	37 3/4	10,668	42 1/4	12,492
24 3/8	5,686	28 7/8	7,273	33 3/8	8,956	37 7/8	10,718	42 3/8	12,543
24 1/2	5,729	29	7,319	33 1/2	9,004	38	10,768	42 1/2	12,595
24 5/8	5,771	29 1/8	7,364	33 5/8	9,052	38 1/8	10,818	42 5/8	12,646
24 3/4	5,814	29 1/4	7,410	33 3/4	9,100	38 1/4	10,868	42 3/4	12,698
24 7/8	5,857	29 3/8	7,456	33 7/8	9,148	38 3/8	10,918	42 7/8	12,749
25	5,900	29 1/2	7,501	34	9,196	38 1/2	10,968	43	12,801
25 1/8	5,943	29 5/8	7,547	34 1/8	9,244	38 5/8	11,018	43 1/8	12,853
25 1/4	5,986	29 3/4	7,593	34 1/4	9,293	38 3/4	11,068	43 1/4	12,904
25 3/8	6,029	29 7/8	7,639	34 3/8	9,341	38 7/8	11,118	43 3/8	12,956
25 1/2	6,073	30	7,685	34 1/2	9,390	39	11,169	43 1/2	13,008
25 5/8	6,116	30 1/8	7,732	34 5/8	9,438	39 1/8	11,219	43 5/8	13,060
25 3/4	6,160	30 1/4	7,778	34 3/4	9,487	39 1/4	11,269	43 3/4	13,112
25 7/8	6,203	30 3/8	7,824	34 7/8	9,535	39 3/8	11,320	43 7/8	13,163
26	6,247	30 1/2	7,871	35	9,584	39 1/2	11,370	44	13,215
26 1/8	6,291	30 5/8	7,917	35 1/8	9,633	39 5/8	11,421	44 1/8	13,267
26 1/4	6,334	30 3/4	7,964	35 1/4	9,681	39 3/4	11,471	44 1/4	13,319
26 3/8	6,378	30 7/8	8,010	35 3/8	9,730	39 7/8	11,522	44 3/8	13,371
26 1/2	6,422	31	8,057	35 1/2	9,779	40	11,573	44 1/2	13,423
26 5/8	6,466	31 1/8	8,104	35 5/8	9,828	40 1/8	11,623	44 5/8	13,475
26 3/4	6,511	31 1/4	8,150	35 3/4	9,877	40 1/4	11,674	44 3/4	13,528
26 7/8	6,555	31 3/8	8,197	35 7/8	9,926	40 3/8	11,725	44 7/8	13,580
27	6,599	31 1/2	8,244	36	9,975	40 1/2	11,776	45	13,632



Main Compartment - G2

10'x40K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	13,684	49 5/8	15,583	54 1/8	17,510	58 5/8	19,454	63 1/8	21,401
45 1/4	13,736	49 3/4	15,636	54 1/4	17,564	58 3/4	19,508	63 1/4	21,455
45 3/8	13,789	49 7/8	15,689	54 3/8	17,618	58 7/8	19,562	63 3/8	21,509
45 1/2	13,841	50	15,743	54 1/2	17,672	59	19,616	63 1/2	21,563
45 5/8	13,893	50 1/8	15,796	54 5/8	17,726	59 1/8	19,670	63 5/8	21,617
45 3/4	13,946	50 1/4	15,849	54 3/4	17,780	59 1/4	19,724	63 3/4	21,671
45 7/8	13,998	50 3/8	15,903	54 7/8	17,833	59 3/8	19,778	63 7/8	21,725
46	14,051	50 1/2	15,956	55	17,887	59 1/2	19,832	64	21,779
46 1/8	14,103	50 5/8	16,009	55 1/8	17,941	59 5/8	19,887	64 1/8	21,833
46 1/4	14,155	50 3/4	16,063	55 1/4	17,995	59 3/4	19,941	64 1/4	21,887
46 3/8	14,208	50 7/8	16,116	55 3/8	18,049	59 7/8	19,995	64 3/8	21,941
46 1/2	14,261	51	16,169	55 1/2	18,103	60	20,049	64 1/2	21,995
46 5/8	14,313	51 1/8	16,223	55 5/8	18,157	60 1/8	20,103	64 5/8	22,049
46 3/4	14,366	51 1/4	16,276	55 3/4	18,211	60 1/4	20,157	64 3/4	22,102
46 7/8	14,418	51 3/8	16,330	55 7/8	18,265	60 3/8	20,211	64 7/8	22,156
47	14,471	51 1/2	16,383	56	18,319	60 1/2	20,265	65	22,210
47 1/8	14,524	51 5/8	16,437	56 1/8	18,373	60 5/8	20,319	65 1/8	22,264
47 1/4	14,576	51 3/4	16,490	56 1/4	18,427	60 3/4	20,373	65 1/4	22,318
47 3/8	14,629	51 7/8	16,544	56 3/8	18,481	60 7/8	20,428	65 3/8	22,372
47 1/2	14,682	52	16,597	56 1/2	18,535	61	20,482	65 1/2	22,426
47 5/8	14,735	52 1/8	16,651	56 5/8	18,589	61 1/8	20,536	65 5/8	22,480
47 3/4	14,788	52 1/4	16,705	56 3/4	18,643	61 1/4	20,590	65 3/4	22,533
47 7/8	14,840	52 3/8	16,758	56 7/8	18,697	61 3/8	20,644	65 7/8	22,587
48	14,893	52 1/2	16,812	57	18,751	61 1/2	20,698	66	22,641
48 1/8	14,946	52 5/8	16,866	57 1/8	18,805	61 5/8	20,752	66 1/8	22,695
48 1/4	14,999	52 3/4	16,919	57 1/4	18,859	61 3/4	20,806	66 1/4	22,749
48 3/8	15,052	52 7/8	16,973	57 3/8	18,913	61 7/8	20,860	66 3/8	22,802
48 1/2	15,105	53	17,027	57 1/2	18,967	62	20,914	66 1/2	22,856
48 5/8	15,158	53 1/8	17,080	57 5/8	19,021	62 1/8	20,968	66 5/8	22,910
48 3/4	15,211	53 1/4	17,134	57 3/4	19,075	62 1/4	21,022	66 3/4	22,964
48 7/8	15,264	53 3/8	17,188	57 7/8	19,129	62 3/8	21,077	66 7/8	23,017
49	15,317	53 1/2	17,241	58	19,183	62 1/2	21,131	67	23,071
49 1/8	15,370	53 5/8	17,295	58 1/8	19,237	62 5/8	21,185	67 1/8	23,125
49 1/4	15,424	53 3/4	17,349	58 1/4	19,291	62 3/4	21,239	67 1/4	23,178
49 3/8	15,477	53 7/8	17,403	58 3/8	19,346	62 7/8	21,293	67 3/8	23,232
49 1/2	15,530	54	17,457	58 1/2	19,400	63	21,347	67 1/2	23,286



Main Compartment - G2

10'x40K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	23,339	72 1/8	25,257	76 5/8	27,142	81 1/8	28,979	85 5/8	30,757
67 3/4	23,393	72 1/4	25,310	76 3/4	27,193	81 1/4	29,030	85 3/4	30,805
67 7/8	23,447	72 3/8	25,363	76 7/8	27,245	81 3/8	29,080	85 7/8	30,853
68	23,500	72 1/2	25,416	77	27,297	81 1/2	29,130	86	30,901
68 1/8	23,554	72 5/8	25,468	77 1/8	27,348	81 5/8	29,180	86 1/8	30,950
68 1/4	23,607	72 3/4	25,521	77 1/4	27,400	81 3/4	29,230	86 1/4	30,998
68 3/8	23,661	72 7/8	25,574	77 3/8	27,451	81 7/8	29,280	86 3/8	31,046
68 1/2	23,714	73	25,627	77 1/2	27,503	82	29,330	86 1/2	31,094
68 5/8	23,768	73 1/8	25,679	77 5/8	27,554	82 1/8	29,380	86 5/8	31,142
68 3/4	23,821	73 1/4	25,732	77 3/4	27,606	82 1/4	29,430	86 3/4	31,190
68 7/8	23,875	73 3/8	25,785	77 7/8	27,657	82 3/8	29,480	86 7/8	31,238
69	23,928	73 1/2	25,837	78	27,709	82 1/2	29,529	87	31,285
69 1/8	23,982	73 5/8	25,890	78 1/8	27,760	82 5/8	29,579	87 1/8	31,333
69 1/4	24,035	73 3/4	25,942	78 1/4	27,811	82 3/4	29,629	87 1/4	31,381
69 3/8	24,088	73 7/8	25,995	78 3/8	27,862	82 7/8	29,678	87 3/8	31,428
69 1/2	24,142	74	26,047	78 1/2	27,914	83	29,728	87 1/2	31,476
69 5/8	24,195	74 1/8	26,100	78 5/8	27,965	83 1/8	29,777	87 5/8	31,523
69 3/4	24,248	74 1/4	26,152	78 3/4	28,016	83 1/4	29,827	87 3/4	31,571
69 7/8	24,302	74 3/8	26,204	78 7/8	28,067	83 3/8	29,876	87 7/8	31,618
70	24,355	74 1/2	26,257	79	28,118	83 1/2	29,926	88	31,665
70 1/8	24,408	74 5/8	26,309	79 1/8	28,169	83 5/8	29,975	88 1/8	31,712
70 1/4	24,461	74 3/4	26,361	79 1/4	28,220	83 3/4	30,024	88 1/4	31,759
70 3/8	24,515	74 7/8	26,414	79 3/8	28,271	83 7/8	30,073	88 3/8	31,807
70 1/2	24,568	75	26,466	79 1/2	28,322	84	30,123	88 1/2	31,854
70 5/8	24,621	75 1/8	26,518	79 5/8	28,373	84 1/8	30,172	88 5/8	31,900
70 3/4	24,674	75 1/4	26,570	79 3/4	28,423	84 1/4	30,221	88 3/4	31,947
70 7/8	24,727	75 3/8	26,622	79 7/8	28,474	84 3/8	30,270	88 7/8	31,994
71	24,780	75 1/2	26,674	80	28,525	84 1/2	30,319	89	32,041
71 1/8	24,833	75 5/8	26,726	80 1/8	28,576	84 5/8	30,368	89 1/8	32,088
71 1/4	24,887	75 3/4	26,778	80 1/4	28,626	84 3/4	30,416	89 1/4	32,134
71 3/8	24,940	75 7/8	26,830	80 3/8	28,677	84 7/8	30,465	89 3/8	32,181
71 1/2	24,993	76	26,882	80 1/2	28,727	85	30,514	89 1/2	32,227
71 5/8	25,046	76 1/8	26,934	80 5/8	28,778	85 1/8	30,563	89 5/8	32,274
71 3/4	25,098	76 1/4	26,986	80 3/4	28,828	85 1/4	30,611	89 3/4	32,320
71 7/8	25,151	76 3/8	27,038	80 7/8	28,879	85 3/8	30,660	89 7/8	32,366
72	25,204	76 1/2	27,090	81	28,929	85 1/2	30,708	90	32,412



Main Compartment - G2

10'x40K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	32,458	94 5/8	34,068	99 1/8	35,567	103 5/8	36,933	108 1/8	38,136
90 1/4	32,504	94 3/4	34,111	99 1/4	35,607	103 3/4	36,968	108 1/4	38,167
90 3/8	32,550	94 7/8	34,155	99 3/8	35,647	103 7/8	37,004	108 3/8	38,197
90 1/2	32,596	95	34,198	99 1/2	35,686	104	37,040	108 1/2	38,228
90 5/8	32,642	95 1/8	34,241	99 5/8	35,726	104 1/8	37,075	108 5/8	38,258
90 3/4	32,688	95 1/4	34,283	99 3/4	35,765	104 1/4	37,110	108 3/4	38,288
90 7/8	32,734	95 3/8	34,326	99 7/8	35,805	104 3/8	37,145	108 7/8	38,318
91	32,779	95 1/2	34,369	100	35,844	104 1/2	37,180	109	38,348
91 1/8	32,825	95 5/8	34,412	100 1/8	35,883	104 5/8	37,215	109 1/8	38,378
91 1/4	32,870	95 3/4	34,454	100 1/4	35,922	104 3/4	37,250	109 1/4	38,407
91 3/8	32,916	95 7/8	34,497	100 3/8	35,961	104 7/8	37,285	109 3/8	38,436
91 1/2	32,961	96	34,539	100 1/2	36,000	105	37,319	109 1/2	38,466
91 5/8	33,006	96 1/8	34,581	100 5/8	36,038	105 1/8	37,353	109 5/8	38,495
91 3/4	33,051	96 1/4	34,623	100 3/4	36,077	105 1/4	37,388	109 3/4	38,523
91 7/8	33,096	96 3/8	34,665	100 7/8	36,115	105 3/8	37,422	109 7/8	38,552
92	33,141	96 1/2	34,707	101	36,154	105 1/2	37,456	110	38,581
92 1/8	33,186	96 5/8	34,749	101 1/8	36,192	105 5/8	37,489	110 1/8	38,609
92 1/4	33,231	96 3/4	34,791	101 1/4	36,230	105 3/4	37,523	110 1/4	38,637
92 3/8	33,276	96 7/8	34,833	101 3/8	36,268	105 7/8	37,557	110 3/8	38,665
92 1/2	33,321	97	34,874	101 1/2	36,306	106	37,590	110 1/2	38,693
92 5/8	33,365	97 1/8	34,916	101 5/8	36,344	106 1/8	37,623	110 5/8	38,720
92 3/4	33,410	97 1/4	34,957	101 3/4	36,382	106 1/4	37,656	110 3/4	38,748
92 7/8	33,454	97 3/8	34,999	101 7/8	36,419	106 3/8	37,689	110 7/8	38,775
93	33,499	97 1/2	35,040	102	36,457	106 1/2	37,722	111	38,802
93 1/8	33,543	97 5/8	35,081	102 1/8	36,494	106 5/8	37,755	111 1/8	38,829
93 1/4	33,587	97 3/4	35,122	102 1/4	36,531	106 3/4	37,788	111 1/4	38,856
93 3/8	33,631	97 7/8	35,163	102 3/8	36,568	106 7/8	37,820	111 3/8	38,882
93 1/2	33,675	98	35,204	102 1/2	36,605	107	37,852	111 1/2	38,908
93 5/8	33,719	98 1/8	35,245	102 5/8	36,642	107 1/8	37,884	111 5/8	38,935
93 3/4	33,763	98 1/4	35,285	102 3/4	36,679	107 1/4	37,916	111 3/4	38,961
93 7/8	33,807	98 3/8	35,326	102 7/8	36,715	107 3/8	37,948	111 7/8	38,986
94	33,851	98 1/2	35,366	103	36,752	107 1/2	37,980	112	39,012
94 1/8	33,894	98 5/8	35,407	103 1/8	36,788	107 5/8	38,011	112 1/8	39,037
94 1/4	33,938	98 3/4	35,447	103 1/4	36,825	107 3/4	38,043	112 1/4	39,062
94 3/8	33,982	98 7/8	35,487	103 3/8	36,861	107 7/8	38,074	112 3/8	39,087
94 1/2	34,025	99	35,527	103 1/2	36,897	108	38,105	112 1/2	39,112



Main Compartment - G2

10'x40K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	39,137	117 1/8	39,865
112 3/4	39,161	117 1/4	39,880
112 7/8	39,185	117 3/8	39,895
113	39,209	117 1/2	39,909
113 1/8	39,233	117 5/8	39,923
113 1/4	39,256	117 3/4	39,937
113 3/8	39,280	117 7/8	39,950
113 1/2	39,303	118	39,963
113 5/8	39,326	118 1/8	39,975
113 3/4	39,348	118 1/4	39,987
113 7/8	39,371	118 3/8	39,999
114	39,393	118 1/2	40,010
114 1/8	39,415	118 5/8	40,021
114 1/4	39,437	118 3/4	40,031
114 3/8	39,458	118 7/8	40,041
114 1/2	39,479	119	40,050
114 5/8	39,500	119 1/8	40,059
114 3/4	39,521	119 1/4	40,067
114 7/8	39,542	119 3/8	40,074
115	39,562	119 1/2	40,081
115 1/8	39,582	119 5/8	40,087
115 1/4	39,602	119 3/4	40,092
115 3/8	39,621	119 7/8	40,096
115 1/2	39,641	120	40,098
115 5/8	39,660		
115 3/4	39,678		
115 7/8	39,697		
116	39,715		
116 1/8	39,733		
116 1/4	39,750		
116 3/8	39,768		
116 1/2	39,785		
116 5/8	39,801		
116 3/4	39,818		
116 7/8	39,834		
117	39,849		