



Main Compartment - G2

10'x15K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	156	9 1/8	445	13 5/8	826	18 1/8	1,280
1/4	2	4 3/4	162	9 1/4	454	13 3/4	838	18 1/4	1,294
3/8	3	4 7/8	169	9 3/8	464	13 7/8	849	18 3/8	1,308
1/2	5	5	176	9 1/2	473	14	861	18 1/2	1,321
5/8	7	5 1/8	183	9 5/8	483	14 1/8	873	18 5/8	1,335
3/4	10	5 1/4	190	9 3/4	493	14 1/4	885	18 3/4	1,349
7/8	12	5 3/8	197	9 7/8	503	14 3/8	897	18 7/8	1,362
1	15	5 1/2	204	10	512	14 1/2	909	19	1,376
1 1/8	18	5 5/8	211	10 1/8	522	14 5/8	921	19 1/8	1,390
1 1/4	21	5 3/4	218	10 1/4	532	14 3/4	933	19 1/4	1,404
1 3/8	24	5 7/8	225	10 3/8	542	14 7/8	945	19 3/8	1,418
1 1/2	28	6	233	10 1/2	553	15	958	19 1/2	1,432
1 5/8	31	6 1/8	240	10 5/8	563	15 1/8	970	19 5/8	1,446
1 3/4	35	6 1/4	248	10 3/4	573	15 1/4	982	19 3/4	1,460
1 7/8	39	6 3/8	256	10 7/8	583	15 3/8	995	19 7/8	1,474
2	43	6 1/2	264	11	594	15 1/2	1,007	20	1,489
2 1/8	47	6 5/8	271	11 1/8	604	15 5/8	1,020	20 1/8	1,503
2 1/4	51	6 3/4	279	11 1/4	615	15 3/4	1,032	20 1/4	1,517
2 3/8	56	6 7/8	287	11 3/8	625	15 7/8	1,045	20 3/8	1,531
2 1/2	61	7	295	11 1/2	636	16	1,057	20 1/2	1,546
2 5/8	65	7 1/8	304	11 5/8	647	16 1/8	1,070	20 5/8	1,560
2 3/4	70	7 1/4	312	11 3/4	657	16 1/4	1,083	20 3/4	1,575
2 7/8	75	7 3/8	320	11 7/8	668	16 3/8	1,096	20 7/8	1,589
3	80	7 1/2	329	12	679	16 1/2	1,109	21	1,604
3 1/8	85	7 5/8	337	12 1/8	690	16 5/8	1,122	21 1/8	1,618
3 1/4	91	7 3/4	346	12 1/4	701	16 3/4	1,135	21 1/4	1,633
3 3/8	96	7 7/8	354	12 3/8	712	16 7/8	1,148	21 3/8	1,648
3 1/2	101	8	363	12 1/2	723	17	1,161	21 1/2	1,662
3 5/8	107	8 1/8	372	12 5/8	734	17 1/8	1,174	21 5/8	1,677
3 3/4	113	8 1/4	381	12 3/4	746	17 1/4	1,187	21 3/4	1,692
3 7/8	119	8 3/8	390	12 7/8	757	17 3/8	1,200	21 7/8	1,707
4	125	8 1/2	399	13	768	17 1/2	1,213	22	1,722
4 1/8	131	8 5/8	408	13 1/8	780	17 5/8	1,227	22 1/8	1,736
4 1/4	137	8 3/4	417	13 1/4	791	17 3/4	1,240	22 1/4	1,751
4 3/8	143	8 7/8	426	13 3/8	803	17 7/8	1,253	22 3/8	1,766
4 1/2	149	9	436	13 1/2	814	18	1,267	22 1/2	1,781



Main Compartment - G2

10'x15K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,796	27 1/8	2,364	31 5/8	2,976	36 1/8	3,625	40 5/8	4,303
22 3/4	1,812	27 1/4	2,381	31 3/4	2,994	36 1/4	3,643	40 3/4	4,323
22 7/8	1,827	27 3/8	2,397	31 7/8	3,011	36 3/8	3,662	40 7/8	4,342
23	1,842	27 1/2	2,414	32	3,029	36 1/2	3,680	41	4,361
23 1/8	1,857	27 5/8	2,430	32 1/8	3,047	36 5/8	3,699	41 1/8	4,380
23 1/4	1,872	27 3/4	2,447	32 1/4	3,064	36 3/4	3,717	41 1/4	4,400
23 3/8	1,888	27 7/8	2,464	32 3/8	3,082	36 7/8	3,736	41 3/8	4,419
23 1/2	1,903	28	2,480	32 1/2	3,100	37	3,755	41 1/2	4,438
23 5/8	1,919	28 1/8	2,497	32 5/8	3,117	37 1/8	3,773	41 5/8	4,458
23 3/4	1,934	28 1/4	2,514	32 3/4	3,135	37 1/4	3,792	41 3/4	4,477
23 7/8	1,949	28 3/8	2,530	32 7/8	3,153	37 3/8	3,810	41 7/8	4,496
24	1,965	28 1/2	2,547	33	3,171	37 1/2	3,829	42	4,516
24 1/8	1,980	28 5/8	2,564	33 1/8	3,189	37 5/8	3,848	42 1/8	4,535
24 1/4	1,996	28 3/4	2,581	33 1/4	3,207	37 3/4	3,867	42 1/4	4,555
24 3/8	2,012	28 7/8	2,598	33 3/8	3,224	37 7/8	3,885	42 3/8	4,574
24 1/2	2,027	29	2,614	33 1/2	3,242	38	3,904	42 1/2	4,594
24 5/8	2,043	29 1/8	2,631	33 5/8	3,260	38 1/8	3,923	42 5/8	4,613
24 3/4	2,059	29 1/4	2,648	33 3/4	3,278	38 1/4	3,942	42 3/4	4,633
24 7/8	2,074	29 3/8	2,665	33 7/8	3,296	38 3/8	3,961	42 7/8	4,652
25	2,090	29 1/2	2,682	34	3,314	38 1/2	3,980	43	4,672
25 1/8	2,106	29 5/8	2,699	34 1/8	3,332	38 5/8	3,998	43 1/8	4,691
25 1/4	2,122	29 3/4	2,716	34 1/4	3,350	38 3/4	4,017	43 1/4	4,711
25 3/8	2,138	29 7/8	2,734	34 3/8	3,369	38 7/8	4,036	43 3/8	4,730
25 1/2	2,154	30	2,751	34 1/2	3,387	39	4,055	43 1/2	4,750
25 5/8	2,170	30 1/8	2,768	34 5/8	3,405	39 1/8	4,074	43 5/8	4,770
25 3/4	2,186	30 1/4	2,785	34 3/4	3,423	39 1/4	4,093	43 3/4	4,789
25 7/8	2,202	30 3/8	2,802	34 7/8	3,441	39 3/8	4,112	43 7/8	4,809
26	2,218	30 1/2	2,820	35	3,460	39 1/2	4,131	44	4,828
26 1/8	2,234	30 5/8	2,837	35 1/8	3,478	39 5/8	4,150	44 1/8	4,848
26 1/4	2,250	30 3/4	2,854	35 1/4	3,496	39 3/4	4,169	44 1/4	4,868
26 3/8	2,267	30 7/8	2,872	35 3/8	3,514	39 7/8	4,188	44 3/8	4,888
26 1/2	2,283	31	2,889	35 1/2	3,533	40	4,208	44 1/2	4,907
26 5/8	2,299	31 1/8	2,906	35 5/8	3,551	40 1/8	4,227	44 5/8	4,927
26 3/4	2,315	31 1/4	2,924	35 3/4	3,569	40 1/4	4,246	44 3/4	4,947
26 7/8	2,332	31 3/8	2,941	35 7/8	3,588	40 3/8	4,265	44 7/8	4,967
27	2,348	31 1/2	2,959	36	3,606	40 1/2	4,284	45	4,986



Main Compartment - G2

10'x15K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	5,006	49 5/8	5,727	54 1/8	6,461	58 5/8	7,201	63 1/8	7,944
45 1/4	5,026	49 3/4	5,747	54 1/4	6,481	58 3/4	7,222	63 1/4	7,964
45 3/8	5,046	49 7/8	5,768	54 3/8	6,502	58 7/8	7,243	63 3/8	7,985
45 1/2	5,066	50	5,788	54 1/2	6,522	59	7,263	63 1/2	8,005
45 5/8	5,085	50 1/8	5,808	54 5/8	6,543	59 1/8	7,284	63 5/8	8,026
45 3/4	5,105	50 1/4	5,828	54 3/4	6,563	59 1/4	7,304	63 3/4	8,047
45 7/8	5,125	50 3/8	5,849	54 7/8	6,584	59 3/8	7,325	63 7/8	8,067
46	5,145	50 1/2	5,869	55	6,604	59 1/2	7,346	64	8,088
46 1/8	5,165	50 5/8	5,889	55 1/8	6,625	59 5/8	7,366	64 1/8	8,108
46 1/4	5,185	50 3/4	5,910	55 1/4	6,645	59 3/4	7,387	64 1/4	8,129
46 3/8	5,205	50 7/8	5,930	55 3/8	6,666	59 7/8	7,408	64 3/8	8,149
46 1/2	5,225	51	5,950	55 1/2	6,686	60	7,428	64 1/2	8,170
46 5/8	5,245	51 1/8	5,970	55 5/8	6,707	60 1/8	7,449	64 5/8	8,190
46 3/4	5,265	51 1/4	5,991	55 3/4	6,728	60 1/4	7,469	64 3/4	8,211
46 7/8	5,285	51 3/8	6,011	55 7/8	6,748	60 3/8	7,490	64 7/8	8,232
47	5,305	51 1/2	6,032	56	6,769	60 1/2	7,511	65	8,252
47 1/8	5,325	51 5/8	6,052	56 1/8	6,789	60 5/8	7,531	65 1/8	8,273
47 1/4	5,345	51 3/4	6,072	56 1/4	6,810	60 3/4	7,552	65 1/4	8,293
47 3/8	5,365	51 7/8	6,093	56 3/8	6,830	60 7/8	7,573	65 3/8	8,314
47 1/2	5,385	52	6,113	56 1/2	6,851	61	7,593	65 1/2	8,334
47 5/8	5,405	52 1/8	6,133	56 5/8	6,872	61 1/8	7,614	65 5/8	8,355
47 3/4	5,425	52 1/4	6,154	56 3/4	6,892	61 1/4	7,634	65 3/4	8,375
47 7/8	5,445	52 3/8	6,174	56 7/8	6,913	61 3/8	7,655	65 7/8	8,396
48	5,465	52 1/2	6,195	57	6,933	61 1/2	7,676	66	8,416
48 1/8	5,485	52 5/8	6,215	57 1/8	6,954	61 5/8	7,696	66 1/8	8,437
48 1/4	5,505	52 3/4	6,235	57 1/4	6,975	61 3/4	7,717	66 1/4	8,457
48 3/8	5,525	52 7/8	6,256	57 3/8	6,995	61 7/8	7,738	66 3/8	8,478
48 1/2	5,545	53	6,276	57 1/2	7,016	62	7,758	66 1/2	8,498
48 5/8	5,566	53 1/8	6,297	57 5/8	7,036	62 1/8	7,779	66 5/8	8,519
48 3/4	5,586	53 1/4	6,317	57 3/4	7,057	62 1/4	7,799	66 3/4	8,539
48 7/8	5,606	53 3/8	6,338	57 7/8	7,078	62 3/8	7,820	66 7/8	8,560
49	5,626	53 1/2	6,358	58	7,098	62 1/2	7,841	67	8,580
49 1/8	5,646	53 5/8	6,379	58 1/8	7,119	62 5/8	7,861	67 1/8	8,600
49 1/4	5,666	53 3/4	6,399	58 1/4	7,139	62 3/4	7,882	67 1/4	8,621
49 3/8	5,687	53 7/8	6,420	58 3/8	7,160	62 7/8	7,902	67 3/8	8,641
49 1/2	5,707	54	6,440	58 1/2	7,181	63	7,923	67 1/2	8,662



Main Compartment - G2

10'x15K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	8,682	72 1/8	9,412	76 5/8	10,126	81 1/8	10,820	85 5/8	11,488
67 3/4	8,703	72 1/4	9,432	76 3/4	10,146	81 1/4	10,839	85 3/4	11,506
67 7/8	8,723	72 3/8	9,452	76 7/8	10,165	81 3/8	10,858	85 7/8	11,524
68	8,743	72 1/2	9,472	77	10,185	81 1/2	10,877	86	11,542
68 1/8	8,764	72 5/8	9,492	77 1/8	10,204	81 5/8	10,896	86 1/8	11,560
68 1/4	8,784	72 3/4	9,512	77 1/4	10,224	81 3/4	10,915	86 1/4	11,578
68 3/8	8,805	72 7/8	9,532	77 3/8	10,243	81 7/8	10,933	86 3/8	11,596
68 1/2	8,825	73	9,552	77 1/2	10,263	82	10,952	86 1/2	11,614
68 5/8	8,845	73 1/8	9,572	77 5/8	10,282	82 1/8	10,971	86 5/8	11,632
68 3/4	8,866	73 1/4	9,592	77 3/4	10,302	82 1/4	10,990	86 3/4	11,650
68 7/8	8,886	73 3/8	9,612	77 7/8	10,321	82 3/8	11,009	86 7/8	11,668
69	8,906	73 1/2	9,632	78	10,341	82 1/2	11,027	87	11,686
69 1/8	8,927	73 5/8	9,652	78 1/8	10,360	82 5/8	11,046	87 1/8	11,703
69 1/4	8,947	73 3/4	9,672	78 1/4	10,379	82 3/4	11,065	87 1/4	11,721
69 3/8	8,967	73 7/8	9,691	78 3/8	10,399	82 7/8	11,083	87 3/8	11,739
69 1/2	8,987	74	9,711	78 1/2	10,418	83	11,102	87 1/2	11,757
69 5/8	9,008	74 1/8	9,731	78 5/8	10,437	83 1/8	11,120	87 5/8	11,774
69 3/4	9,028	74 1/4	9,751	78 3/4	10,457	83 1/4	11,139	87 3/4	11,792
69 7/8	9,048	74 3/8	9,771	78 7/8	10,476	83 3/8	11,158	87 7/8	11,810
70	9,069	74 1/2	9,791	79	10,495	83 1/2	11,176	88	11,827
70 1/8	9,089	74 5/8	9,811	79 1/8	10,515	83 5/8	11,195	88 1/8	11,845
70 1/4	9,109	74 3/4	9,830	79 1/4	10,534	83 3/4	11,213	88 1/4	11,863
70 3/8	9,129	74 7/8	9,850	79 3/8	10,553	83 7/8	11,232	88 3/8	11,880
70 1/2	9,150	75	9,870	79 1/2	10,572	84	11,250	88 1/2	11,898
70 5/8	9,170	75 1/8	9,890	79 5/8	10,591	84 1/8	11,269	88 5/8	11,915
70 3/4	9,190	75 1/4	9,910	79 3/4	10,611	84 1/4	11,287	88 3/4	11,933
70 7/8	9,210	75 3/8	9,929	79 7/8	10,630	84 3/8	11,305	88 7/8	11,950
71	9,230	75 1/2	9,949	80	10,649	84 1/2	11,324	89	11,967
71 1/8	9,251	75 5/8	9,969	80 1/8	10,668	84 5/8	11,342	89 1/8	11,985
71 1/4	9,271	75 3/4	9,989	80 1/4	10,687	84 3/4	11,360	89 1/4	12,002
71 3/8	9,291	75 7/8	10,008	80 3/8	10,706	84 7/8	11,379	89 3/8	12,020
71 1/2	9,311	76	10,028	80 1/2	10,725	85	11,397	89 1/2	12,037
71 5/8	9,331	76 1/8	10,048	80 5/8	10,744	85 1/8	11,415	89 5/8	12,054
71 3/4	9,351	76 1/4	10,067	80 3/4	10,763	85 1/4	11,433	89 3/4	12,071
71 7/8	9,371	76 3/8	10,087	80 7/8	10,782	85 3/8	11,452	89 7/8	12,089
72	9,391	76 1/2	10,106	81	10,801	85 1/2	11,470	90	12,106



Main Compartment - G2

10'x15K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	12,123	94 5/8	12,718	99 1/8	13,267	103 5/8	13,761	108 1/8	14,188
90 1/4	12,140	94 3/4	12,734	99 1/4	13,282	103 3/4	13,773	108 1/4	14,199
90 3/8	12,157	94 7/8	12,750	99 3/8	13,296	103 7/8	13,786	108 3/8	14,210
90 1/2	12,174	95	12,766	99 1/2	13,311	104	13,799	108 1/2	14,221
90 5/8	12,191	95 1/8	12,782	99 5/8	13,325	104 1/8	13,812	108 5/8	14,231
90 3/4	12,208	95 1/4	12,798	99 3/4	13,339	104 1/4	13,824	108 3/4	14,242
90 7/8	12,225	95 3/8	12,813	99 7/8	13,354	104 3/8	13,837	108 7/8	14,252
91	12,242	95 1/2	12,829	100	13,368	104 1/2	13,849	109	14,263
91 1/8	12,259	95 5/8	12,845	100 1/8	13,382	104 5/8	13,862	109 1/8	14,273
91 1/4	12,276	95 3/4	12,860	100 1/4	13,396	104 3/4	13,874	109 1/4	14,283
91 3/8	12,293	95 7/8	12,876	100 3/8	13,410	104 7/8	13,887	109 3/8	14,294
91 1/2	12,309	96	12,891	100 1/2	13,424	105	13,899	109 1/2	14,304
91 5/8	12,326	96 1/8	12,907	100 5/8	13,438	105 1/8	13,911	109 5/8	14,314
91 3/4	12,343	96 1/4	12,922	100 3/4	13,452	105 1/4	13,923	109 3/4	14,324
91 7/8	12,360	96 3/8	12,938	100 7/8	13,466	105 3/8	13,935	109 7/8	14,334
92	12,376	96 1/2	12,953	101	13,480	105 1/2	13,948	110	14,344
92 1/8	12,393	96 5/8	12,969	101 1/8	13,494	105 5/8	13,960	110 1/8	14,354
92 1/4	12,409	96 3/4	12,984	101 1/4	13,508	105 3/4	13,972	110 1/4	14,364
92 3/8	12,426	96 7/8	12,999	101 3/8	13,521	105 7/8	13,983	110 3/8	14,373
92 1/2	12,443	97	13,014	101 1/2	13,535	106	13,995	110 1/2	14,383
92 5/8	12,459	97 1/8	13,030	101 5/8	13,549	106 1/8	14,007	110 5/8	14,393
92 3/4	12,476	97 1/4	13,045	101 3/4	13,562	106 1/4	14,019	110 3/4	14,402
92 7/8	12,492	97 3/8	13,060	101 7/8	13,576	106 3/8	14,031	110 7/8	14,411
93	12,508	97 1/2	13,075	102	13,589	106 1/2	14,042	111	14,421
93 1/8	12,525	97 5/8	13,090	102 1/8	13,603	106 5/8	14,054	111 1/8	14,430
93 1/4	12,541	97 3/4	13,105	102 1/4	13,616	106 3/4	14,065	111 1/4	14,439
93 3/8	12,557	97 7/8	13,120	102 3/8	13,630	106 7/8	14,077	111 3/8	14,449
93 1/2	12,574	98	13,135	102 1/2	13,643	107	14,088	111 1/2	14,458
93 5/8	12,590	98 1/8	13,150	102 5/8	13,656	107 1/8	14,100	111 5/8	14,467
93 3/4	12,606	98 1/4	13,165	102 3/4	13,670	107 1/4	14,111	111 3/4	14,476
93 7/8	12,622	98 3/8	13,179	102 7/8	13,683	107 3/8	14,122	111 7/8	14,484
94	12,638	98 1/2	13,194	103	13,696	107 1/2	14,133	112	14,493
94 1/8	12,654	98 5/8	13,209	103 1/8	13,709	107 5/8	14,144	112 1/8	14,502
94 1/4	12,671	98 3/4	13,224	103 1/4	13,722	107 3/4	14,155	112 1/4	14,511
94 3/8	12,687	98 7/8	13,238	103 3/8	13,735	107 7/8	14,166	112 3/8	14,519
94 1/2	12,703	99	13,253	103 1/2	13,748	108	14,177	112 1/2	14,528



Main Compartment - G2

10'x15K

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	14,536	117 1/8	14,781
112 3/4	14,544	117 1/4	14,786
112 7/8	14,553	117 3/8	14,791
113	14,561	117 1/2	14,796
113 1/8	14,569	117 5/8	14,800
113 1/4	14,577	117 3/4	14,805
113 3/8	14,585	117 7/8	14,809
113 1/2	14,593	118	14,813
113 5/8	14,601	118 1/8	14,817
113 3/4	14,608	118 1/4	14,821
113 7/8	14,616	118 3/8	14,825
114	14,624	118 1/2	14,829
114 1/8	14,631	118 5/8	14,832
114 1/4	14,638	118 3/4	14,835
114 3/8	14,646	118 7/8	14,839
114 1/2	14,653	119	14,841
114 5/8	14,660	119 1/8	14,844
114 3/4	14,667	119 1/4	14,847
114 7/8	14,674	119 3/8	14,849
115	14,681	119 1/2	14,851
115 1/8	14,687	119 5/8	14,853
115 1/4	14,694	119 3/4	14,855
115 3/8	14,701	119 7/8	14,856
115 1/2	14,707	120	14,856
115 5/8	14,713		
115 3/4	14,720		
115 7/8	14,726		
116	14,732		
116 1/8	14,738		
116 1/4	14,744		
116 3/8	14,749		
116 1/2	14,755		
116 5/8	14,760		
116 3/4	14,766		
116 7/8	14,771		
117	14,776		