



Main Compartment - G2

10'x18K

| Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 1/8 | 1 | 4 5/8 | 199 | 9 1/8 | 562 | 13 5/8 | 1,038 | 18 1/8 | 1,602 |
| 1/4 | 2 | 4 3/4 | 207 | 9 1/4 | 574 | 13 3/4 | 1,052 | 18 1/4 | 1,618 |
| 3/8 | 4 | 4 7/8 | 215 | 9 3/8 | 586 | 13 7/8 | 1,067 | 18 3/8 | 1,635 |
| 1/2 | 7 | 5 | 224 | 9 1/2 | 598 | 14 | 1,082 | 18 1/2 | 1,652 |
| 5/8 | 9 | 5 1/8 | 233 | 9 5/8 | 610 | 14 1/8 | 1,096 | 18 5/8 | 1,669 |
| 3/4 | 12 | 5 1/4 | 241 | 9 3/4 | 622 | 14 1/4 | 1,111 | 18 3/4 | 1,686 |
| 7/8 | 16 | 5 3/8 | 250 | 9 7/8 | 635 | 14 3/8 | 1,126 | 18 7/8 | 1,703 |
| 1 | 19 | 5 1/2 | 259 | 10 | 647 | 14 1/2 | 1,141 | 19 | 1,720 |
| 1 1/8 | 23 | 5 5/8 | 268 | 10 1/8 | 659 | 14 5/8 | 1,156 | 19 1/8 | 1,737 |
| 1 1/4 | 27 | 5 3/4 | 277 | 10 1/4 | 672 | 14 3/4 | 1,171 | 19 1/4 | 1,755 |
| 1 3/8 | 31 | 5 7/8 | 287 | 10 3/8 | 685 | 14 7/8 | 1,186 | 19 3/8 | 1,772 |
| 1 1/2 | 36 | 6 | 296 | 10 1/2 | 697 | 15 | 1,201 | 19 1/2 | 1,789 |
| 1 5/8 | 40 | 6 1/8 | 306 | 10 5/8 | 710 | 15 1/8 | 1,217 | 19 5/8 | 1,807 |
| 1 3/4 | 45 | 6 1/4 | 315 | 10 3/4 | 723 | 15 1/4 | 1,232 | 19 3/4 | 1,824 |
| 1 7/8 | 50 | 6 3/8 | 325 | 10 7/8 | 736 | 15 3/8 | 1,248 | 19 7/8 | 1,841 |
| 2 | 55 | 6 1/2 | 335 | 11 | 749 | 15 1/2 | 1,263 | 20 | 1,859 |
| 2 1/8 | 61 | 6 5/8 | 345 | 11 1/8 | 762 | 15 5/8 | 1,278 | 20 1/8 | 1,877 |
| 2 1/4 | 66 | 6 3/4 | 355 | 11 1/4 | 775 | 15 3/4 | 1,294 | 20 1/4 | 1,894 |
| 2 3/8 | 72 | 6 7/8 | 365 | 11 3/8 | 788 | 15 7/8 | 1,310 | 20 3/8 | 1,912 |
| 2 1/2 | 78 | 7 | 375 | 11 1/2 | 801 | 16 | 1,325 | 20 1/2 | 1,930 |
| 2 5/8 | 84 | 7 1/8 | 385 | 11 5/8 | 815 | 16 1/8 | 1,341 | 20 5/8 | 1,947 |
| 2 3/4 | 90 | 7 1/4 | 396 | 11 3/4 | 828 | 16 1/4 | 1,357 | 20 3/4 | 1,965 |
| 2 7/8 | 96 | 7 3/8 | 406 | 11 7/8 | 841 | 16 3/8 | 1,373 | 20 7/8 | 1,983 |
| 3 | 103 | 7 1/2 | 417 | 12 | 855 | 16 1/2 | 1,389 | 21 | 2,001 |
| 3 1/8 | 109 | 7 5/8 | 427 | 12 1/8 | 869 | 16 5/8 | 1,405 | 21 1/8 | 2,019 |
| 3 1/4 | 116 | 7 3/4 | 438 | 12 1/4 | 882 | 16 3/4 | 1,421 | 21 1/4 | 2,037 |
| 3 3/8 | 123 | 7 7/8 | 449 | 12 3/8 | 896 | 16 7/8 | 1,437 | 21 3/8 | 2,055 |
| 3 1/2 | 130 | 8 | 460 | 12 1/2 | 910 | 17 | 1,453 | 21 1/2 | 2,073 |
| 3 5/8 | 137 | 8 1/8 | 471 | 12 5/8 | 924 | 17 1/8 | 1,470 | 21 5/8 | 2,092 |
| 3 3/4 | 144 | 8 1/4 | 482 | 12 3/4 | 938 | 17 1/4 | 1,486 | 21 3/4 | 2,110 |
| 3 7/8 | 152 | 8 3/8 | 493 | 12 7/8 | 952 | 17 3/8 | 1,502 | 21 7/8 | 2,128 |
| 4 | 159 | 8 1/2 | 505 | 13 | 966 | 17 1/2 | 1,519 | 22 | 2,146 |
| 4 1/8 | 167 | 8 5/8 | 516 | 13 1/8 | 980 | 17 5/8 | 1,535 | 22 1/8 | 2,165 |
| 4 1/4 | 175 | 8 3/4 | 528 | 13 1/4 | 995 | 17 3/4 | 1,552 | 22 1/4 | 2,183 |
| 4 3/8 | 183 | 8 7/8 | 539 | 13 3/8 | 1,009 | 17 7/8 | 1,568 | 22 3/8 | 2,202 |
| 4 1/2 | 191 | 9 | 551 | 13 1/2 | 1,023 | 18 | 1,585 | 22 1/2 | 2,220 |



Main Compartment - G2

10'x18K

| Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 22 5/8 | 2,239 | 27 1/8 | 2,938 | 31 5/8 | 3,688 | 36 1/8 | 4,482 | 40 5/8 | 5,311 |
| 22 3/4 | 2,257 | 27 1/4 | 2,958 | 31 3/4 | 3,710 | 36 1/4 | 4,505 | 40 3/4 | 5,335 |
| 22 7/8 | 2,276 | 27 3/8 | 2,978 | 31 7/8 | 3,731 | 36 3/8 | 4,527 | 40 7/8 | 5,358 |
| 23 | 2,295 | 27 1/2 | 2,998 | 32 | 3,753 | 36 1/2 | 4,550 | 41 | 5,382 |
| 23 1/8 | 2,314 | 27 5/8 | 3,019 | 32 1/8 | 3,774 | 36 5/8 | 4,572 | 41 1/8 | 5,405 |
| 23 1/4 | 2,332 | 27 3/4 | 3,039 | 32 1/4 | 3,796 | 36 3/4 | 4,595 | 41 1/4 | 5,429 |
| 23 3/8 | 2,351 | 27 7/8 | 3,059 | 32 3/8 | 3,818 | 36 7/8 | 4,618 | 41 3/8 | 5,452 |
| 23 1/2 | 2,370 | 28 | 3,080 | 32 1/2 | 3,839 | 37 | 4,641 | 41 1/2 | 5,476 |
| 23 5/8 | 2,389 | 28 1/8 | 3,100 | 32 5/8 | 3,861 | 37 1/8 | 4,663 | 41 5/8 | 5,500 |
| 23 3/4 | 2,408 | 28 1/4 | 3,121 | 32 3/4 | 3,883 | 37 1/4 | 4,686 | 41 3/4 | 5,523 |
| 23 7/8 | 2,427 | 28 3/8 | 3,141 | 32 7/8 | 3,905 | 37 3/8 | 4,709 | 41 7/8 | 5,547 |
| 24 | 2,446 | 28 1/2 | 3,162 | 33 | 3,927 | 37 1/2 | 4,732 | 42 | 5,570 |
| 24 1/8 | 2,465 | 28 5/8 | 3,182 | 33 1/8 | 3,948 | 37 5/8 | 4,755 | 42 1/8 | 5,594 |
| 24 1/4 | 2,485 | 28 3/4 | 3,203 | 33 1/4 | 3,970 | 37 3/4 | 4,778 | 42 1/4 | 5,618 |
| 24 3/8 | 2,504 | 28 7/8 | 3,224 | 33 3/8 | 3,992 | 37 7/8 | 4,801 | 42 3/8 | 5,642 |
| 24 1/2 | 2,523 | 29 | 3,245 | 33 1/2 | 4,014 | 38 | 4,824 | 42 1/2 | 5,665 |
| 24 5/8 | 2,542 | 29 1/8 | 3,265 | 33 5/8 | 4,036 | 38 1/8 | 4,847 | 42 5/8 | 5,689 |
| 24 3/4 | 2,562 | 29 1/4 | 3,286 | 33 3/4 | 4,058 | 38 1/4 | 4,870 | 42 3/4 | 5,713 |
| 24 7/8 | 2,581 | 29 3/8 | 3,307 | 33 7/8 | 4,080 | 38 3/8 | 4,893 | 42 7/8 | 5,737 |
| 25 | 2,601 | 29 1/2 | 3,328 | 34 | 4,102 | 38 1/2 | 4,916 | 43 | 5,761 |
| 25 1/8 | 2,620 | 29 5/8 | 3,349 | 34 1/8 | 4,124 | 38 5/8 | 4,939 | 43 1/8 | 5,784 |
| 25 1/4 | 2,640 | 29 3/4 | 3,370 | 34 1/4 | 4,146 | 38 3/4 | 4,962 | 43 1/4 | 5,808 |
| 25 3/8 | 2,659 | 29 7/8 | 3,391 | 34 3/8 | 4,169 | 38 7/8 | 4,985 | 43 3/8 | 5,832 |
| 25 1/2 | 2,679 | 30 | 3,412 | 34 1/2 | 4,191 | 39 | 5,008 | 43 1/2 | 5,856 |
| 25 5/8 | 2,698 | 30 1/8 | 3,433 | 34 5/8 | 4,213 | 39 1/8 | 5,031 | 43 5/8 | 5,880 |
| 25 3/4 | 2,718 | 30 1/4 | 3,454 | 34 3/4 | 4,235 | 39 1/4 | 5,054 | 43 3/4 | 5,904 |
| 25 7/8 | 2,738 | 30 3/8 | 3,475 | 34 7/8 | 4,258 | 39 3/8 | 5,078 | 43 7/8 | 5,928 |
| 26 | 2,758 | 30 1/2 | 3,496 | 35 | 4,280 | 39 1/2 | 5,101 | 44 | 5,952 |
| 26 1/8 | 2,778 | 30 5/8 | 3,517 | 35 1/8 | 4,302 | 39 5/8 | 5,124 | 44 1/8 | 5,976 |
| 26 1/4 | 2,797 | 30 3/4 | 3,539 | 35 1/4 | 4,325 | 39 3/4 | 5,147 | 44 1/4 | 6,000 |
| 26 3/8 | 2,817 | 30 7/8 | 3,560 | 35 3/8 | 4,347 | 39 7/8 | 5,171 | 44 3/8 | 6,024 |
| 26 1/2 | 2,837 | 31 | 3,581 | 35 1/2 | 4,369 | 40 | 5,194 | 44 1/2 | 6,048 |
| 26 5/8 | 2,857 | 31 1/8 | 3,602 | 35 5/8 | 4,392 | 40 1/8 | 5,218 | 44 5/8 | 6,072 |
| 26 3/4 | 2,877 | 31 1/4 | 3,624 | 35 3/4 | 4,414 | 40 1/4 | 5,241 | 44 3/4 | 6,096 |
| 26 7/8 | 2,897 | 31 3/8 | 3,645 | 35 7/8 | 4,437 | 40 3/8 | 5,264 | 44 7/8 | 6,120 |
| 27 | 2,917 | 31 1/2 | 3,667 | 36 | 4,459 | 40 1/2 | 5,288 | 45 | 6,144 |



Main Compartment - G2

10'x18K

| Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 45 1/8 | 6,169 | 49 5/8 | 7,047 | 54 1/8 | 7,941 | 58 5/8 | 8,843 | 63 1/8 | 9,746 |
| 45 1/4 | 6,193 | 49 3/4 | 7,072 | 54 1/4 | 7,966 | 58 3/4 | 8,868 | 63 1/4 | 9,771 |
| 45 3/8 | 6,217 | 49 7/8 | 7,097 | 54 3/8 | 7,991 | 58 7/8 | 8,893 | 63 3/8 | 9,796 |
| 45 1/2 | 6,241 | 50 | 7,121 | 54 1/2 | 8,016 | 59 | 8,918 | 63 1/2 | 9,821 |
| 45 5/8 | 6,265 | 50 1/8 | 7,146 | 54 5/8 | 8,041 | 59 1/8 | 8,943 | 63 5/8 | 9,847 |
| 45 3/4 | 6,289 | 50 1/4 | 7,171 | 54 3/4 | 8,066 | 59 1/4 | 8,968 | 63 3/4 | 9,872 |
| 45 7/8 | 6,314 | 50 3/8 | 7,195 | 54 7/8 | 8,091 | 59 3/8 | 8,993 | 63 7/8 | 9,897 |
| 46 | 6,338 | 50 1/2 | 7,220 | 55 | 8,116 | 59 1/2 | 9,018 | 64 | 9,922 |
| 46 1/8 | 6,362 | 50 5/8 | 7,245 | 55 1/8 | 8,141 | 59 5/8 | 9,043 | 64 1/8 | 9,947 |
| 46 1/4 | 6,387 | 50 3/4 | 7,270 | 55 1/4 | 8,166 | 59 3/4 | 9,069 | 64 1/4 | 9,972 |
| 46 3/8 | 6,411 | 50 7/8 | 7,294 | 55 3/8 | 8,191 | 59 7/8 | 9,094 | 64 3/8 | 9,997 |
| 46 1/2 | 6,435 | 51 | 7,319 | 55 1/2 | 8,216 | 60 | 9,119 | 64 1/2 | 10,022 |
| 46 5/8 | 6,459 | 51 1/8 | 7,344 | 55 5/8 | 8,241 | 60 1/8 | 9,144 | 64 5/8 | 10,047 |
| 46 3/4 | 6,484 | 51 1/4 | 7,369 | 55 3/4 | 8,266 | 60 1/4 | 9,169 | 64 3/4 | 10,072 |
| 46 7/8 | 6,508 | 51 3/8 | 7,393 | 55 7/8 | 8,291 | 60 3/8 | 9,194 | 64 7/8 | 10,097 |
| 47 | 6,533 | 51 1/2 | 7,418 | 56 | 8,316 | 60 1/2 | 9,219 | 65 | 10,122 |
| 47 1/8 | 6,557 | 51 5/8 | 7,443 | 56 1/8 | 8,341 | 60 5/8 | 9,244 | 65 1/8 | 10,147 |
| 47 1/4 | 6,581 | 51 3/4 | 7,468 | 56 1/4 | 8,366 | 60 3/4 | 9,269 | 65 1/4 | 10,172 |
| 47 3/8 | 6,606 | 51 7/8 | 7,493 | 56 3/8 | 8,391 | 60 7/8 | 9,295 | 65 3/8 | 10,197 |
| 47 1/2 | 6,630 | 52 | 7,517 | 56 1/2 | 8,416 | 61 | 9,320 | 65 1/2 | 10,222 |
| 47 5/8 | 6,655 | 52 1/8 | 7,542 | 56 5/8 | 8,441 | 61 1/8 | 9,345 | 65 5/8 | 10,247 |
| 47 3/4 | 6,679 | 52 1/4 | 7,567 | 56 3/4 | 8,466 | 61 1/4 | 9,370 | 65 3/4 | 10,272 |
| 47 7/8 | 6,703 | 52 3/8 | 7,592 | 56 7/8 | 8,491 | 61 3/8 | 9,395 | 65 7/8 | 10,297 |
| 48 | 6,728 | 52 1/2 | 7,617 | 57 | 8,516 | 61 1/2 | 9,420 | 66 | 10,322 |
| 48 1/8 | 6,752 | 52 5/8 | 7,642 | 57 1/8 | 8,541 | 61 5/8 | 9,445 | 66 1/8 | 10,347 |
| 48 1/4 | 6,777 | 52 3/4 | 7,667 | 57 1/4 | 8,567 | 61 3/4 | 9,470 | 66 1/4 | 10,372 |
| 48 3/8 | 6,801 | 52 7/8 | 7,692 | 57 3/8 | 8,592 | 61 7/8 | 9,495 | 66 3/8 | 10,397 |
| 48 1/2 | 6,826 | 53 | 7,716 | 57 1/2 | 8,617 | 62 | 9,521 | 66 1/2 | 10,422 |
| 48 5/8 | 6,851 | 53 1/8 | 7,741 | 57 5/8 | 8,642 | 62 1/8 | 9,546 | 66 5/8 | 10,446 |
| 48 3/4 | 6,875 | 53 1/4 | 7,766 | 57 3/4 | 8,667 | 62 1/4 | 9,571 | 66 3/4 | 10,471 |
| 48 7/8 | 6,900 | 53 3/8 | 7,791 | 57 7/8 | 8,692 | 62 3/8 | 9,596 | 66 7/8 | 10,496 |
| 49 | 6,924 | 53 1/2 | 7,816 | 58 | 8,717 | 62 1/2 | 9,621 | 67 | 10,521 |
| 49 1/8 | 6,949 | 53 5/8 | 7,841 | 58 1/8 | 8,742 | 62 5/8 | 9,646 | 67 1/8 | 10,546 |
| 49 1/4 | 6,973 | 53 3/4 | 7,866 | 58 1/4 | 8,767 | 62 3/4 | 9,671 | 67 1/4 | 10,571 |
| 49 3/8 | 6,998 | 53 7/8 | 7,891 | 58 3/8 | 8,792 | 62 7/8 | 9,696 | 67 3/8 | 10,596 |
| 49 1/2 | 7,023 | 54 | 7,916 | 58 1/2 | 8,817 | 63 | 9,721 | 67 1/2 | 10,621 |



Main Compartment - G2

10'x18K

| Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 67 5/8 | 10,646 | 72 1/8 | 11,534 | 76 5/8 | 12,405 | 81 1/8 | 13,253 | 85 5/8 | 14,069 |
| 67 3/4 | 10,670 | 72 1/4 | 11,559 | 76 3/4 | 12,429 | 81 1/4 | 13,276 | 85 3/4 | 14,091 |
| 67 7/8 | 10,695 | 72 3/8 | 11,583 | 76 7/8 | 12,453 | 81 3/8 | 13,299 | 85 7/8 | 14,113 |
| 68 | 10,720 | 72 1/2 | 11,607 | 77 | 12,477 | 81 1/2 | 13,322 | 86 | 14,135 |
| 68 1/8 | 10,745 | 72 5/8 | 11,632 | 77 1/8 | 12,501 | 81 5/8 | 13,345 | 86 1/8 | 14,157 |
| 68 1/4 | 10,770 | 72 3/4 | 11,656 | 77 1/4 | 12,525 | 81 3/4 | 13,368 | 86 1/4 | 14,179 |
| 68 3/8 | 10,795 | 72 7/8 | 11,681 | 77 3/8 | 12,548 | 81 7/8 | 13,391 | 86 3/8 | 14,201 |
| 68 1/2 | 10,819 | 73 | 11,705 | 77 1/2 | 12,572 | 82 | 13,414 | 86 1/2 | 14,223 |
| 68 5/8 | 10,844 | 73 1/8 | 11,729 | 77 5/8 | 12,596 | 82 1/8 | 13,437 | 86 5/8 | 14,245 |
| 68 3/4 | 10,869 | 73 1/4 | 11,754 | 77 3/4 | 12,620 | 82 1/4 | 13,460 | 86 3/4 | 14,267 |
| 68 7/8 | 10,894 | 73 3/8 | 11,778 | 77 7/8 | 12,643 | 82 3/8 | 13,483 | 86 7/8 | 14,289 |
| 69 | 10,919 | 73 1/2 | 11,802 | 78 | 12,667 | 82 1/2 | 13,506 | 87 | 14,311 |
| 69 1/8 | 10,943 | 73 5/8 | 11,827 | 78 1/8 | 12,691 | 82 5/8 | 13,529 | 87 1/8 | 14,333 |
| 69 1/4 | 10,968 | 73 3/4 | 11,851 | 78 1/4 | 12,714 | 82 3/4 | 13,551 | 87 1/4 | 14,355 |
| 69 3/8 | 10,993 | 73 7/8 | 11,875 | 78 3/8 | 12,738 | 82 7/8 | 13,574 | 87 3/8 | 14,376 |
| 69 1/2 | 11,017 | 74 | 11,900 | 78 1/2 | 12,762 | 83 | 13,597 | 87 1/2 | 14,398 |
| 69 5/8 | 11,042 | 74 1/8 | 11,924 | 78 5/8 | 12,785 | 83 1/8 | 13,620 | 87 5/8 | 14,420 |
| 69 3/4 | 11,067 | 74 1/4 | 11,948 | 78 3/4 | 12,809 | 83 1/4 | 13,642 | 87 3/4 | 14,442 |
| 69 7/8 | 11,092 | 74 3/8 | 11,972 | 78 7/8 | 12,832 | 83 3/8 | 13,665 | 87 7/8 | 14,463 |
| 70 | 11,116 | 74 1/2 | 11,996 | 79 | 12,856 | 83 1/2 | 13,688 | 88 | 14,485 |
| 70 1/8 | 11,141 | 74 5/8 | 12,021 | 79 1/8 | 12,879 | 83 5/8 | 13,710 | 88 1/8 | 14,506 |
| 70 1/4 | 11,166 | 74 3/4 | 12,045 | 79 1/4 | 12,903 | 83 3/4 | 13,733 | 88 1/4 | 14,528 |
| 70 3/8 | 11,190 | 74 7/8 | 12,069 | 79 3/8 | 12,926 | 83 7/8 | 13,756 | 88 3/8 | 14,549 |
| 70 1/2 | 11,215 | 75 | 12,093 | 79 1/2 | 12,950 | 84 | 13,778 | 88 1/2 | 14,571 |
| 70 5/8 | 11,240 | 75 1/8 | 12,117 | 79 5/8 | 12,973 | 84 1/8 | 13,801 | 88 5/8 | 14,592 |
| 70 3/4 | 11,264 | 75 1/4 | 12,141 | 79 3/4 | 12,997 | 84 1/4 | 13,823 | 88 3/4 | 14,614 |
| 70 7/8 | 11,289 | 75 3/8 | 12,165 | 79 7/8 | 13,020 | 84 3/8 | 13,846 | 88 7/8 | 14,635 |
| 71 | 11,313 | 75 1/2 | 12,190 | 80 | 13,043 | 84 1/2 | 13,868 | 89 | 14,656 |
| 71 1/8 | 11,338 | 75 5/8 | 12,214 | 80 1/8 | 13,067 | 84 5/8 | 13,891 | 89 1/8 | 14,678 |
| 71 1/4 | 11,362 | 75 3/4 | 12,238 | 80 1/4 | 13,090 | 84 3/4 | 13,913 | 89 1/4 | 14,699 |
| 71 3/8 | 11,387 | 75 7/8 | 12,262 | 80 3/8 | 13,113 | 84 7/8 | 13,935 | 89 3/8 | 14,720 |
| 71 1/2 | 11,412 | 76 | 12,286 | 80 1/2 | 13,137 | 85 | 13,958 | 89 1/2 | 14,741 |
| 71 5/8 | 11,436 | 76 1/8 | 12,310 | 80 5/8 | 13,160 | 85 1/8 | 13,980 | 89 5/8 | 14,763 |
| 71 3/4 | 11,461 | 76 1/4 | 12,334 | 80 3/4 | 13,183 | 85 1/4 | 14,002 | 89 3/4 | 14,784 |
| 71 7/8 | 11,485 | 76 3/8 | 12,358 | 80 7/8 | 13,206 | 85 3/8 | 14,025 | 89 7/8 | 14,805 |
| 72 | 11,510 | 76 1/2 | 12,381 | 81 | 13,229 | 85 1/2 | 14,047 | 90 | 14,826 |



Main Compartment - G2

10'x18K

| Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 90 1/8 | 14,847 | 94 5/8 | 15,578 | 99 1/8 | 16,254 | 103 5/8 | 16,865 | 108 1/8 | 17,396 |
| 90 1/4 | 14,868 | 94 3/4 | 15,598 | 99 1/4 | 16,272 | 103 3/4 | 16,881 | 108 1/4 | 17,410 |
| 90 3/8 | 14,889 | 94 7/8 | 15,617 | 99 3/8 | 16,290 | 103 7/8 | 16,896 | 108 3/8 | 17,423 |
| 90 1/2 | 14,910 | 95 | 15,637 | 99 1/2 | 16,308 | 104 | 16,912 | 108 1/2 | 17,436 |
| 90 5/8 | 14,931 | 95 1/8 | 15,656 | 99 5/8 | 16,326 | 104 1/8 | 16,928 | 108 5/8 | 17,450 |
| 90 3/4 | 14,951 | 95 1/4 | 15,676 | 99 3/4 | 16,343 | 104 1/4 | 16,943 | 108 3/4 | 17,463 |
| 90 7/8 | 14,972 | 95 3/8 | 15,695 | 99 7/8 | 16,361 | 104 3/8 | 16,959 | 108 7/8 | 17,476 |
| 91 | 14,993 | 95 1/2 | 15,714 | 100 | 16,379 | 104 1/2 | 16,975 | 109 | 17,489 |
| 91 1/8 | 15,014 | 95 5/8 | 15,734 | 100 1/8 | 16,396 | 104 5/8 | 16,990 | 109 1/8 | 17,502 |
| 91 1/4 | 15,034 | 95 3/4 | 15,753 | 100 1/4 | 16,414 | 104 3/4 | 17,005 | 109 1/4 | 17,515 |
| 91 3/8 | 15,055 | 95 7/8 | 15,772 | 100 3/8 | 16,431 | 104 7/8 | 17,021 | 109 3/8 | 17,528 |
| 91 1/2 | 15,076 | 96 | 15,791 | 100 1/2 | 16,448 | 105 | 17,036 | 109 1/2 | 17,540 |
| 91 5/8 | 15,096 | 96 1/8 | 15,810 | 100 5/8 | 16,466 | 105 1/8 | 17,051 | 109 5/8 | 17,553 |
| 91 3/4 | 15,117 | 96 1/4 | 15,829 | 100 3/4 | 16,483 | 105 1/4 | 17,066 | 109 3/4 | 17,566 |
| 91 7/8 | 15,137 | 96 3/8 | 15,848 | 100 7/8 | 16,500 | 105 3/8 | 17,082 | 109 7/8 | 17,578 |
| 92 | 15,158 | 96 1/2 | 15,867 | 101 | 16,517 | 105 1/2 | 17,097 | 110 | 17,590 |
| 92 1/8 | 15,178 | 96 5/8 | 15,886 | 101 1/8 | 16,534 | 105 5/8 | 17,111 | 110 1/8 | 17,603 |
| 92 1/4 | 15,199 | 96 3/4 | 15,905 | 101 1/4 | 16,551 | 105 3/4 | 17,126 | 110 1/4 | 17,615 |
| 92 3/8 | 15,219 | 96 7/8 | 15,924 | 101 3/8 | 16,568 | 105 7/8 | 17,141 | 110 3/8 | 17,627 |
| 92 1/2 | 15,239 | 97 | 15,943 | 101 1/2 | 16,585 | 106 | 17,156 | 110 1/2 | 17,639 |
| 92 5/8 | 15,260 | 97 1/8 | 15,961 | 101 5/8 | 16,602 | 106 1/8 | 17,171 | 110 5/8 | 17,651 |
| 92 3/4 | 15,280 | 97 1/4 | 15,980 | 101 3/4 | 16,619 | 106 1/4 | 17,185 | 110 3/4 | 17,663 |
| 92 7/8 | 15,300 | 97 3/8 | 15,999 | 101 7/8 | 16,636 | 106 3/8 | 17,200 | 110 7/8 | 17,675 |
| 93 | 15,320 | 97 1/2 | 16,017 | 102 | 16,653 | 106 1/2 | 17,214 | 111 | 17,687 |
| 93 1/8 | 15,340 | 97 5/8 | 16,036 | 102 1/8 | 16,669 | 106 5/8 | 17,229 | 111 1/8 | 17,698 |
| 93 1/4 | 15,360 | 97 3/4 | 16,054 | 102 1/4 | 16,686 | 106 3/4 | 17,243 | 111 1/4 | 17,710 |
| 93 3/8 | 15,380 | 97 7/8 | 16,073 | 102 3/8 | 16,702 | 106 7/8 | 17,257 | 111 3/8 | 17,722 |
| 93 1/2 | 15,400 | 98 | 16,091 | 102 1/2 | 16,719 | 107 | 17,271 | 111 1/2 | 17,733 |
| 93 5/8 | 15,420 | 98 1/8 | 16,109 | 102 5/8 | 16,735 | 107 1/8 | 17,286 | 111 5/8 | 17,744 |
| 93 3/4 | 15,440 | 98 1/4 | 16,128 | 102 3/4 | 16,752 | 107 1/4 | 17,300 | 111 3/4 | 17,755 |
| 93 7/8 | 15,460 | 98 3/8 | 16,146 | 102 7/8 | 16,768 | 107 3/8 | 17,314 | 111 7/8 | 17,767 |
| 94 | 15,480 | 98 1/2 | 16,164 | 103 | 16,784 | 107 1/2 | 17,328 | 112 | 17,778 |
| 94 1/8 | 15,500 | 98 5/8 | 16,182 | 103 1/8 | 16,800 | 107 5/8 | 17,341 | 112 1/8 | 17,789 |
| 94 1/4 | 15,519 | 98 3/4 | 16,200 | 103 1/4 | 16,817 | 107 3/4 | 17,355 | 112 1/4 | 17,799 |
| 94 3/8 | 15,539 | 98 7/8 | 16,218 | 103 3/8 | 16,833 | 107 7/8 | 17,369 | 112 3/8 | 17,810 |
| 94 1/2 | 15,559 | 99 | 16,236 | 103 1/2 | 16,849 | 108 | 17,383 | 112 1/2 | 17,821 |



Main Compartment - G2

10'x18K

| Dipstick [in] | QTY [Gallons] | Dipstick [in] | QTY [Gallons] |
|---------------|---------------|---------------|---------------|
| 112 5/8 | 17,831 | 117 1/8 | 18,141 |
| 112 3/4 | 17,842 | 117 1/4 | 18,148 |
| 112 7/8 | 17,852 | 117 3/8 | 18,154 |
| 113 | 17,863 | 117 1/2 | 18,160 |
| 113 1/8 | 17,873 | 117 5/8 | 18,166 |
| 113 1/4 | 17,883 | 117 3/4 | 18,171 |
| 113 3/8 | 17,893 | 117 7/8 | 18,177 |
| 113 1/2 | 17,903 | 118 | 18,182 |
| 113 5/8 | 17,913 | 118 1/8 | 18,187 |
| 113 3/4 | 17,922 | 118 1/4 | 18,192 |
| 113 7/8 | 17,932 | 118 3/8 | 18,197 |
| 114 | 17,941 | 118 1/2 | 18,202 |
| 114 1/8 | 17,951 | 118 5/8 | 18,206 |
| 114 1/4 | 17,960 | 118 3/4 | 18,211 |
| 114 3/8 | 17,969 | 118 7/8 | 18,215 |
| 114 1/2 | 17,978 | 119 | 18,218 |
| 114 5/8 | 17,987 | 119 1/8 | 18,222 |
| 114 3/4 | 17,996 | 119 1/4 | 18,225 |
| 114 7/8 | 18,005 | 119 3/8 | 18,228 |
| 115 | 18,014 | 119 1/2 | 18,231 |
| 115 1/8 | 18,022 | 119 5/8 | 18,233 |
| 115 1/4 | 18,030 | 119 3/4 | 18,235 |
| 115 3/8 | 18,039 | 119 7/8 | 18,237 |
| 115 1/2 | 18,047 | 120 | 18,238 |
| 115 5/8 | 18,055 | | |
| 115 3/4 | 18,063 | | |
| 115 7/8 | 18,071 | | |
| 116 | 18,078 | | |
| 116 1/8 | 18,086 | | |
| 116 1/4 | 18,093 | | |
| 116 3/8 | 18,101 | | |
| 116 1/2 | 18,108 | | |
| 116 5/8 | 18,115 | | |
| 116 3/4 | 18,122 | | |
| 116 7/8 | 18,128 | | |
| 117 | 18,135 | | |