



Dipstick Calibration Chart

10' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	99	9 1/8	289	13 5/8	545	18 1/8	855
1/4	1	4 3/4	103	9 1/4	296	13 3/4	553	18 1/4	864
3/8	2	4 7/8	108	9 3/8	302	13 7/8	561	18 3/8	874
1/2	3	5	112	9 1/2	308	14	569	18 1/2	883
5/8	4	5 1/8	116	9 5/8	315	14 1/8	577	18 5/8	892
3/4	6	5 1/4	121	9 3/4	321	14 1/4	585	18 3/4	902
7/8	7	5 3/8	125	9 7/8	328	14 3/8	593	18 7/8	911
1	9	5 1/2	130	10	334	14 1/2	601	19	921
1 1/8	11	5 5/8	135	10 1/8	341	14 5/8	610	19 1/8	930
1 1/4	13	5 3/4	140	10 1/4	348	14 3/4	618	19 1/4	940
1 3/8	15	5 7/8	144	10 3/8	354	14 7/8	626	19 3/8	950
1 1/2	17	6	149	10 1/2	361	15	635	19 1/2	959
1 5/8	19	6 1/8	154	10 5/8	368	15 1/8	643	19 5/8	969
1 3/4	22	6 1/4	159	10 3/4	375	15 1/4	651	19 3/4	979
1 7/8	24	6 3/8	164	10 7/8	382	15 3/8	660	19 7/8	988
2	27	6 1/2	169	11	389	15 1/2	668	20	998
2 1/8	29	6 5/8	174	11 1/8	396	15 5/8	677	20 1/8	1,008
2 1/4	32	6 3/4	180	11 1/4	403	15 3/4	685	20 1/4	1,018
2 3/8	35	6 7/8	185	11 3/8	410	15 7/8	694	20 3/8	1,028
2 1/2	38	7	190	11 1/2	417	16	703	20 1/2	1,038
2 5/8	41	7 1/8	196	11 5/8	424	16 1/8	711	20 5/8	1,047
2 3/4	44	7 1/4	201	11 3/4	431	16 1/4	720	20 3/4	1,057
2 7/8	47	7 3/8	207	11 7/8	439	16 3/8	729	20 7/8	1,067
3	50	7 1/2	212	12	446	16 1/2	738	21	1,077
3 1/8	54	7 5/8	218	12 1/8	453	16 5/8	746	21 1/8	1,088
3 1/4	57	7 3/4	223	12 1/4	461	16 3/4	755	21 1/4	1,098
3 3/8	60	7 7/8	229	12 3/8	468	16 7/8	764	21 3/8	1,108
3 1/2	64	8	235	12 1/2	476	17	773	21 1/2	1,118
3 5/8	68	8 1/8	241	12 5/8	483	17 1/8	782	21 5/8	1,128
3 3/4	71	8 1/4	247	12 3/4	491	17 1/4	791	21 3/4	1,138
3 7/8	75	8 3/8	253	12 7/8	499	17 3/8	800	21 7/8	1,149
4	79	8 1/2	259	13	506	17 1/2	809	22	1,159
4 1/8	83	8 5/8	265	13 1/8	514	17 5/8	818	22 1/8	1,169
4 1/4	87	8 3/4	271	13 1/4	522	17 3/4	827	22 1/4	1,180
4 3/8	91	8 7/8	277	13 3/8	529	17 7/8	837	22 3/8	1,190
4 1/2	95	9	283	13 1/2	537	18	846	22 1/2	1,200



Dipstick Calibration Chart

10' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,211	27 1/8	1,605	31 5/8	2,034	36 1/8	2,490	40 5/8	2,969
22 3/4	1,221	27 1/4	1,617	31 3/4	2,046	36 1/4	2,503	40 3/4	2,983
22 7/8	1,232	27 3/8	1,628	31 7/8	2,058	36 3/8	2,516	40 7/8	2,996
23	1,242	27 1/2	1,640	32	2,071	36 1/2	2,529	41	3,010
23 1/8	1,253	27 5/8	1,652	32 1/8	2,083	36 5/8	2,542	41 1/8	3,024
23 1/4	1,263	27 3/4	1,663	32 1/4	2,095	36 3/4	2,555	41 1/4	3,037
23 3/8	1,274	27 7/8	1,675	32 3/8	2,108	36 7/8	2,568	41 3/8	3,051
23 1/2	1,285	28	1,686	32 1/2	2,120	37	2,581	41 1/2	3,065
23 5/8	1,295	28 1/8	1,698	32 5/8	2,133	37 1/8	2,594	41 5/8	3,078
23 3/4	1,306	28 1/4	1,710	32 3/4	2,145	37 1/4	2,608	41 3/4	3,092
23 7/8	1,317	28 3/8	1,721	32 7/8	2,158	37 3/8	2,621	41 7/8	3,106
24	1,327	28 1/2	1,733	33	2,170	37 1/2	2,634	42	3,119
24 1/8	1,338	28 5/8	1,745	33 1/8	2,183	37 5/8	2,647	42 1/8	3,133
24 1/4	1,349	28 3/4	1,757	33 1/4	2,195	37 3/4	2,660	42 1/4	3,147
24 3/8	1,360	28 7/8	1,768	33 3/8	2,208	37 7/8	2,674	42 3/8	3,161
24 1/2	1,371	29	1,780	33 1/2	2,220	38	2,687	42 1/2	3,174
24 5/8	1,382	29 1/8	1,792	33 5/8	2,233	38 1/8	2,700	42 5/8	3,188
24 3/4	1,393	29 1/4	1,804	33 3/4	2,246	38 1/4	2,713	42 3/4	3,202
24 7/8	1,404	29 3/8	1,816	33 7/8	2,258	38 3/8	2,727	42 7/8	3,216
25	1,415	29 1/2	1,828	34	2,271	38 1/2	2,740	43	3,230
25 1/8	1,426	29 5/8	1,840	34 1/8	2,284	38 5/8	2,753	43 1/8	3,244
25 1/4	1,437	29 3/4	1,851	34 1/4	2,297	38 3/4	2,767	43 1/4	3,258
25 3/8	1,448	29 7/8	1,863	34 3/8	2,309	38 7/8	2,780	43 3/8	3,271
25 1/2	1,459	30	1,875	34 1/2	2,322	39	2,794	43 1/2	3,285
25 5/8	1,470	30 1/8	1,887	34 5/8	2,335	39 1/8	2,807	43 5/8	3,299
25 3/4	1,481	30 1/4	1,900	34 3/4	2,348	39 1/4	2,820	43 3/4	3,313
25 7/8	1,492	30 3/8	1,912	34 7/8	2,360	39 3/8	2,834	43 7/8	3,327
26	1,503	30 1/2	1,924	35	2,373	39 1/2	2,847	44	3,341
26 1/8	1,515	30 5/8	1,936	35 1/8	2,386	39 5/8	2,861	44 1/8	3,355
26 1/4	1,526	30 3/4	1,948	35 1/4	2,399	39 3/4	2,874	44 1/4	3,369
26 3/8	1,537	30 7/8	1,960	35 3/8	2,412	39 7/8	2,888	44 3/8	3,383
26 1/2	1,549	31	1,972	35 1/2	2,425	40	2,901	44 1/2	3,397
26 5/8	1,560	31 1/8	1,985	35 5/8	2,438	40 1/8	2,915	44 5/8	3,411
26 3/4	1,571	31 1/4	1,997	35 3/4	2,451	40 1/4	2,928	44 3/4	3,425
26 7/8	1,583	31 3/8	2,009	35 7/8	2,464	40 3/8	2,942	44 7/8	3,439
27	1,594	31 1/2	2,021	36	2,477	40 1/2	2,955	45	3,453



Dipstick Calibration Chart

10' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,467	49 5/8	3,979	54 1/8	4,501	58 5/8	5,028	63 1/8	5,557
45 1/4	3,481	49 3/4	3,993	54 1/4	4,515	58 3/4	5,043	63 1/4	5,571
45 3/8	3,495	49 7/8	4,008	54 3/8	4,530	58 7/8	5,058	63 3/8	5,586
45 1/2	3,509	50	4,022	54 1/2	4,545	59	5,072	63 1/2	5,601
45 5/8	3,523	50 1/8	4,037	54 5/8	4,559	59 1/8	5,087	63 5/8	5,615
45 3/4	3,537	50 1/4	4,051	54 3/4	4,574	59 1/4	5,102	63 3/4	5,630
45 7/8	3,551	50 3/8	4,065	54 7/8	4,588	59 3/8	5,116	63 7/8	5,645
46	3,566	50 1/2	4,080	55	4,603	59 1/2	5,131	64	5,659
46 1/8	3,580	50 5/8	4,094	55 1/8	4,618	59 5/8	5,146	64 1/8	5,674
46 1/4	3,594	50 3/4	4,109	55 1/4	4,632	59 3/4	5,160	64 1/4	5,689
46 3/8	3,608	50 7/8	4,123	55 3/8	4,647	59 7/8	5,175	64 3/8	5,703
46 1/2	3,622	51	4,138	55 1/2	4,662	60	5,190	64 1/2	5,718
46 5/8	3,636	51 1/8	4,152	55 5/8	4,676	60 1/8	5,204	64 5/8	5,733
46 3/4	3,650	51 1/4	4,167	55 3/4	4,691	60 1/4	5,219	64 3/4	5,747
46 7/8	3,665	51 3/8	4,181	55 7/8	4,705	60 3/8	5,234	64 7/8	5,762
47	3,679	51 1/2	4,195	56	4,720	60 1/2	5,249	65	5,776
47 1/8	3,693	51 5/8	4,210	56 1/8	4,735	60 5/8	5,263	65 1/8	5,791
47 1/4	3,707	51 3/4	4,224	56 1/4	4,749	60 3/4	5,278	65 1/4	5,806
47 3/8	3,721	51 7/8	4,239	56 3/8	4,764	60 7/8	5,293	65 3/8	5,820
47 1/2	3,736	52	4,253	56 1/2	4,779	61	5,307	65 1/2	5,835
47 5/8	3,750	52 1/8	4,268	56 5/8	4,793	61 1/8	5,322	65 5/8	5,849
47 3/4	3,764	52 1/4	4,282	56 3/4	4,808	61 1/4	5,337	65 3/4	5,864
47 7/8	3,778	52 3/8	4,297	56 7/8	4,823	61 3/8	5,351	65 7/8	5,879
48	3,793	52 1/2	4,312	57	4,837	61 1/2	5,366	66	5,893
48 1/8	3,807	52 5/8	4,326	57 1/8	4,852	61 5/8	5,381	66 1/8	5,908
48 1/4	3,821	52 3/4	4,341	57 1/4	4,867	61 3/4	5,395	66 1/4	5,922
48 3/8	3,836	52 7/8	4,355	57 3/8	4,881	61 7/8	5,410	66 3/8	5,937
48 1/2	3,850	53	4,370	57 1/2	4,896	62	5,425	66 1/2	5,952
48 5/8	3,864	53 1/8	4,384	57 5/8	4,911	62 1/8	5,439	66 5/8	5,966
48 3/4	3,879	53 1/4	4,399	57 3/4	4,925	62 1/4	5,454	66 3/4	5,981
48 7/8	3,893	53 3/8	4,413	57 7/8	4,940	62 3/8	5,469	66 7/8	5,995
49	3,907	53 1/2	4,428	58	4,955	62 1/2	5,483	67	6,010
49 1/8	3,922	53 5/8	4,442	58 1/8	4,969	62 5/8	5,498	67 1/8	6,024
49 1/4	3,936	53 3/4	4,457	58 1/4	4,984	62 3/4	5,513	67 1/4	6,039
49 3/8	3,950	53 7/8	4,472	58 3/8	4,999	62 7/8	5,527	67 3/8	6,053
49 1/2	3,965	54	4,486	58 1/2	5,013	63	5,542	67 1/2	6,068



Dipstick Calibration Chart

10' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,083	72 1/8	6,601	76 5/8	7,108	81 1/8	7,599	85 5/8	8,070
67 3/4	6,097	72 1/4	6,615	76 3/4	7,122	81 1/4	7,613	85 3/4	8,083
67 7/8	6,112	72 3/8	6,630	76 7/8	7,136	81 3/8	7,626	85 7/8	8,096
68	6,126	72 1/2	6,644	77	7,150	81 1/2	7,639	86	8,108
68 1/8	6,141	72 5/8	6,658	77 1/8	7,164	81 5/8	7,653	86 1/8	8,121
68 1/4	6,155	72 3/4	6,672	77 1/4	7,177	81 3/4	7,666	86 1/4	8,134
68 3/8	6,170	72 7/8	6,686	77 3/8	7,191	81 7/8	7,679	86 3/8	8,146
68 1/2	6,184	73	6,701	77 1/2	7,205	82	7,693	86 1/2	8,159
68 5/8	6,199	73 1/8	6,715	77 5/8	7,219	82 1/8	7,706	86 5/8	8,172
68 3/4	6,213	73 1/4	6,729	77 3/4	7,233	82 1/4	7,719	86 3/4	8,184
68 7/8	6,227	73 3/8	6,743	77 7/8	7,246	82 3/8	7,732	86 7/8	8,197
69	6,242	73 1/2	6,757	78	7,260	82 1/2	7,746	87	8,209
69 1/8	6,256	73 5/8	6,772	78 1/8	7,274	82 5/8	7,759	87 1/8	8,222
69 1/4	6,271	73 3/4	6,786	78 1/4	7,288	82 3/4	7,772	87 1/4	8,234
69 3/8	6,285	73 7/8	6,800	78 3/8	7,301	82 7/8	7,785	87 3/8	8,247
69 1/2	6,300	74	6,814	78 1/2	7,315	83	7,798	87 1/2	8,259
69 5/8	6,314	74 1/8	6,828	78 5/8	7,329	83 1/8	7,811	87 5/8	8,272
69 3/4	6,329	74 1/4	6,842	78 3/4	7,342	83 1/4	7,825	87 3/4	8,284
69 7/8	6,343	74 3/8	6,856	78 7/8	7,356	83 3/8	7,838	87 7/8	8,297
70	6,357	74 1/2	6,870	79	7,370	83 1/2	7,851	88	8,309
70 1/8	6,372	74 5/8	6,884	79 1/8	7,383	83 5/8	7,864	88 1/8	8,321
70 1/4	6,386	74 3/4	6,899	79 1/4	7,397	83 3/4	7,877	88 1/4	8,334
70 3/8	6,401	74 7/8	6,913	79 3/8	7,410	83 7/8	7,890	88 3/8	8,346
70 1/2	6,415	75	6,927	79 1/2	7,424	84	7,903	88 1/2	8,358
70 5/8	6,429	75 1/8	6,941	79 5/8	7,438	84 1/8	7,916	88 5/8	8,371
70 3/4	6,444	75 1/4	6,955	79 3/4	7,451	84 1/4	7,929	88 3/4	8,383
70 7/8	6,458	75 3/8	6,969	79 7/8	7,465	84 3/8	7,942	88 7/8	8,395
71	6,472	75 1/2	6,983	80	7,478	84 1/2	7,955	89	8,407
71 1/8	6,487	75 5/8	6,997	80 1/8	7,492	84 5/8	7,968	89 1/8	8,419
71 1/4	6,501	75 3/4	7,011	80 1/4	7,505	84 3/4	7,980	89 1/4	8,432
71 3/8	6,515	75 7/8	7,025	80 3/8	7,519	84 7/8	7,993	89 3/8	8,444
71 1/2	6,530	76	7,039	80 1/2	7,532	85	8,006	89 1/2	8,456
71 5/8	6,544	76 1/8	7,052	80 5/8	7,546	85 1/8	8,019	89 5/8	8,468
71 3/4	6,558	76 1/4	7,066	80 3/4	7,559	85 1/4	8,032	89 3/4	8,480
71 7/8	6,572	76 3/8	7,080	80 7/8	7,573	85 3/8	8,045	89 7/8	8,492
72	6,587	76 1/2	7,094	81	7,586	85 1/2	8,057	90	8,504



Dipstick Calibration Chart

10' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	8,516	94 5/8	8,932	99 1/8	9,312	103 5/8	9,651	108 1/8	9,941
90 1/4	8,528	94 3/4	8,943	99 1/4	9,322	103 3/4	9,660	108 1/4	9,948
90 3/8	8,540	94 7/8	8,954	99 3/8	9,332	103 7/8	9,668	108 3/8	9,955
90 1/2	8,552	95	8,965	99 1/2	9,342	104	9,677	108 1/2	9,963
90 5/8	8,564	95 1/8	8,976	99 5/8	9,352	104 1/8	9,686	108 5/8	9,970
90 3/4	8,576	95 1/4	8,987	99 3/4	9,362	104 1/4	9,694	108 3/4	9,977
90 7/8	8,588	95 3/8	8,998	99 7/8	9,372	104 3/8	9,703	108 7/8	9,984
91	8,599	95 1/2	9,009	100	9,381	104 1/2	9,711	109	9,991
91 1/8	8,611	95 5/8	9,020	100 1/8	9,391	104 5/8	9,720	109 1/8	9,998
91 1/4	8,623	95 3/4	9,030	100 1/4	9,401	104 3/4	9,728	109 1/4	10,005
91 3/8	8,635	95 7/8	9,041	100 3/8	9,411	104 7/8	9,737	109 3/8	10,012
91 1/2	8,647	96	9,052	100 1/2	9,420	105	9,745	109 1/2	10,018
91 5/8	8,658	96 1/8	9,063	100 5/8	9,430	105 1/8	9,753	109 5/8	10,025
91 3/4	8,670	96 1/4	9,073	100 3/4	9,440	105 1/4	9,762	109 3/4	10,032
91 7/8	8,682	96 3/8	9,084	100 7/8	9,449	105 3/8	9,770	109 7/8	10,039
92	8,693	96 1/2	9,095	101	9,459	105 1/2	9,778	110	10,045
92 1/8	8,705	96 5/8	9,106	101 1/8	9,468	105 5/8	9,786	110 1/8	10,052
92 1/4	8,716	96 3/4	9,116	101 1/4	9,478	105 3/4	9,794	110 1/4	10,058
92 3/8	8,728	96 7/8	9,127	101 3/8	9,487	105 7/8	9,802	110 3/8	10,065
92 1/2	8,740	97	9,137	101 1/2	9,496	106	9,810	110 1/2	10,071
92 5/8	8,751	97 1/8	9,148	101 5/8	9,506	106 1/8	9,818	110 5/8	10,078
92 3/4	8,763	97 1/4	9,158	101 3/4	9,515	106 1/4	9,826	110 3/4	10,084
92 7/8	8,774	97 3/8	9,169	101 7/8	9,524	106 3/8	9,834	110 7/8	10,090
93	8,785	97 1/2	9,179	102	9,534	106 1/2	9,842	111	10,097
93 1/8	8,797	97 5/8	9,190	102 1/8	9,543	106 5/8	9,850	111 1/8	10,103
93 1/4	8,808	97 3/4	9,200	102 1/4	9,552	106 3/4	9,858	111 1/4	10,109
93 3/8	8,820	97 7/8	9,210	102 3/8	9,561	106 7/8	9,866	111 3/8	10,115
93 1/2	8,831	98	9,221	102 1/2	9,570	107	9,873	111 1/2	10,121
93 5/8	8,842	98 1/8	9,231	102 5/8	9,579	107 1/8	9,881	111 5/8	10,127
93 3/4	8,854	98 1/4	9,241	102 3/4	9,588	107 1/4	9,889	111 3/4	10,133
93 7/8	8,865	98 3/8	9,251	102 7/8	9,597	107 3/8	9,896	111 7/8	10,139
94	8,876	98 1/2	9,262	103	9,606	107 1/2	9,904	112	10,145
94 1/8	8,887	98 5/8	9,272	103 1/8	9,615	107 5/8	9,911	112 1/8	10,150
94 1/4	8,898	98 3/4	9,282	103 1/4	9,624	107 3/4	9,919	112 1/4	10,156
94 3/8	8,910	98 7/8	9,292	103 3/8	9,633	107 7/8	9,926	112 3/8	10,162
94 1/2	8,921	99	9,302	103 1/2	9,642	108	9,933	112 1/2	10,167



Dipstick Calibration Chart

10' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	10,173	117 1/8	10,332
112 3/4	10,178	117 1/4	10,336
112 7/8	10,184	117 3/8	10,339
113	10,189	117 1/2	10,342
113 1/8	10,195	117 5/8	10,345
113 1/4	10,200	117 3/4	10,347
113 3/8	10,205	117 7/8	10,350
113 1/2	10,210	118	10,353
113 5/8	10,215	118 1/8	10,355
113 3/4	10,220	118 1/4	10,358
113 7/8	10,225	118 3/8	10,360
114	10,230	118 1/2	10,362
114 1/8	10,235	118 5/8	10,365
114 1/4	10,240	118 3/4	10,367
114 3/8	10,245	118 7/8	10,369
114 1/2	10,249	119	10,370
114 5/8	10,254	119 1/8	10,372
114 3/4	10,259	119 1/4	10,374
114 7/8	10,263	119 3/8	10,375
115	10,268	119 1/2	10,376
115 1/8	10,272	119 5/8	10,377
115 1/4	10,276	119 3/4	10,378
115 3/8	10,280	119 7/8	10,379
115 1/2	10,285	120	10,380
115 5/8	10,289		
115 3/4	10,293		
115 7/8	10,297		
116	10,301		
116 1/8	10,304		
116 1/4	10,308		
116 3/8	10,312		
116 1/2	10,316		
116 5/8	10,319		
116 3/4	10,323		
116 7/8	10,326		
117	10,329		