



# Dipstick Calibration Chart

# 10' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	114	9 1/8	330	13 5/8	619	18 1/8	967
1/4	1	4 3/4	119	9 1/4	337	13 3/4	628	18 1/4	977
3/8	2	4 7/8	124	9 3/8	344	13 7/8	637	18 3/8	988
1/2	4	5	129	9 1/2	352	14	646	18 1/2	998
5/8	5	5 1/8	134	9 5/8	359	14 1/8	655	18 5/8	1,009
3/4	7	5 1/4	139	9 3/4	366	14 1/4	664	18 3/4	1,019
7/8	9	5 3/8	144	9 7/8	374	14 3/8	673	18 7/8	1,030
1	11	5 1/2	149	10	381	14 1/2	682	19	1,040
1 1/8	13	5 5/8	155	10 1/8	389	14 5/8	691	19 1/8	1,051
1 1/4	15	5 3/4	160	10 1/4	396	14 3/4	701	19 1/4	1,062
1 3/8	17	5 7/8	166	10 3/8	404	14 7/8	710	19 3/8	1,073
1 1/2	20	6	171	10 1/2	411	15	719	19 1/2	1,083
1 5/8	22	6 1/8	177	10 5/8	419	15 1/8	729	19 5/8	1,094
1 3/4	25	6 1/4	182	10 3/4	427	15 1/4	738	19 3/4	1,105
1 7/8	28	6 3/8	188	10 7/8	435	15 3/8	748	19 7/8	1,116
2	31	6 1/2	194	11	442	15 1/2	757	20	1,127
2 1/8	34	6 5/8	200	11 1/8	450	15 5/8	767	20 1/8	1,138
2 1/4	37	6 3/4	206	11 1/4	458	15 3/4	776	20 1/4	1,149
2 3/8	40	6 7/8	212	11 3/8	466	15 7/8	786	20 3/8	1,160
2 1/2	44	7	218	11 1/2	474	16	796	20 1/2	1,171
2 5/8	47	7 1/8	224	11 5/8	483	16 1/8	805	20 5/8	1,182
2 3/4	51	7 1/4	230	11 3/4	491	16 1/4	815	20 3/4	1,193
2 7/8	54	7 3/8	236	11 7/8	499	16 3/8	825	20 7/8	1,204
3	58	7 1/2	243	12	507	16 1/2	835	21	1,216
3 1/8	62	7 5/8	249	12 1/8	515	16 5/8	845	21 1/8	1,227
3 1/4	66	7 3/4	256	12 1/4	524	16 3/4	855	21 1/4	1,238
3 3/8	70	7 7/8	262	12 3/8	532	16 7/8	865	21 3/8	1,249
3 1/2	74	8	269	12 1/2	541	17	875	21 1/2	1,261
3 5/8	78	8 1/8	275	12 5/8	549	17 1/8	885	21 5/8	1,272
3 3/4	82	8 1/4	282	12 3/4	558	17 1/4	895	21 3/4	1,284
3 7/8	86	8 3/8	289	12 7/8	566	17 3/8	905	21 7/8	1,295
4	91	8 1/2	295	13	575	17 1/2	915	22	1,307
4 1/8	95	8 5/8	302	13 1/8	584	17 5/8	925	22 1/8	1,318
4 1/4	100	8 3/4	309	13 1/4	592	17 3/4	936	22 1/4	1,330
4 3/8	105	8 7/8	316	13 3/8	601	17 7/8	946	22 3/8	1,341
4 1/2	109	9	323	13 1/2	610	18	956	22 1/2	1,353



# Dipstick Calibration Chart

# 10' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,364	27 1/8	1,805	31 5/8	2,281	36 1/8	2,788	40 5/8	3,319
22 3/4	1,376	27 1/4	1,817	31 3/4	2,295	36 1/4	2,802	40 3/4	3,334
22 7/8	1,388	27 3/8	1,830	31 7/8	2,308	36 3/8	2,817	40 7/8	3,349
23	1,400	27 1/2	1,843	32	2,322	36 1/2	2,831	41	3,365
23 1/8	1,411	27 5/8	1,856	32 1/8	2,336	36 5/8	2,846	41 1/8	3,380
23 1/4	1,423	27 3/4	1,869	32 1/4	2,350	36 3/4	2,860	41 1/4	3,395
23 3/8	1,435	27 7/8	1,882	32 3/8	2,363	36 7/8	2,875	41 3/8	3,410
23 1/2	1,447	28	1,895	32 1/2	2,377	37	2,889	41 1/2	3,425
23 5/8	1,459	28 1/8	1,908	32 5/8	2,391	37 1/8	2,904	41 5/8	3,440
23 3/4	1,471	28 1/4	1,921	32 3/4	2,405	37 1/4	2,918	41 3/4	3,455
23 7/8	1,483	28 3/8	1,934	32 7/8	2,419	37 3/8	2,933	41 7/8	3,471
24	1,495	28 1/2	1,947	33	2,433	37 1/2	2,948	42	3,486
24 1/8	1,507	28 5/8	1,960	33 1/8	2,447	37 5/8	2,962	42 1/8	3,501
24 1/4	1,519	28 3/4	1,973	33 1/4	2,461	37 3/4	2,977	42 1/4	3,516
24 3/8	1,531	28 7/8	1,986	33 3/8	2,475	37 7/8	2,992	42 3/8	3,532
24 1/2	1,543	29	1,999	33 1/2	2,489	38	3,006	42 1/2	3,547
24 5/8	1,555	29 1/8	2,012	33 5/8	2,503	38 1/8	3,021	42 5/8	3,562
24 3/4	1,567	29 1/4	2,025	33 3/4	2,517	38 1/4	3,036	42 3/4	3,578
24 7/8	1,580	29 3/8	2,039	33 7/8	2,531	38 3/8	3,051	42 7/8	3,593
25	1,592	29 1/2	2,052	34	2,545	38 1/2	3,065	43	3,608
25 1/8	1,604	29 5/8	2,065	34 1/8	2,559	38 5/8	3,080	43 1/8	3,624
25 1/4	1,617	29 3/4	2,079	34 1/4	2,573	38 3/4	3,095	43 1/4	3,639
25 3/8	1,629	29 7/8	2,092	34 3/8	2,587	38 7/8	3,110	43 3/8	3,654
25 1/2	1,641	30	2,105	34 1/2	2,601	39	3,125	43 1/2	3,670
25 5/8	1,654	30 1/8	2,119	34 5/8	2,616	39 1/8	3,140	43 5/8	3,685
25 3/4	1,666	30 1/4	2,132	34 3/4	2,630	39 1/4	3,154	43 3/4	3,701
25 7/8	1,679	30 3/8	2,145	34 7/8	2,644	39 3/8	3,169	43 7/8	3,716
26	1,691	30 1/2	2,159	35	2,658	39 1/2	3,184	44	3,731
26 1/8	1,704	30 5/8	2,172	35 1/8	2,673	39 5/8	3,199	44 1/8	3,747
26 1/4	1,716	30 3/4	2,186	35 1/4	2,687	39 3/4	3,214	44 1/4	3,762
26 3/8	1,729	30 7/8	2,199	35 3/8	2,701	39 7/8	3,229	44 3/8	3,778
26 1/2	1,741	31	2,213	35 1/2	2,716	40	3,244	44 1/2	3,793
26 5/8	1,754	31 1/8	2,226	35 5/8	2,730	40 1/8	3,259	44 5/8	3,809
26 3/4	1,767	31 1/4	2,240	35 3/4	2,744	40 1/4	3,274	44 3/4	3,824
26 7/8	1,779	31 3/8	2,254	35 7/8	2,759	40 3/8	3,289	44 7/8	3,840
27	1,792	31 1/2	2,267	36	2,773	40 1/2	3,304	45	3,855



# Dipstick Calibration Chart

# 10' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,871	49 5/8	4,438	54 1/8	5,015	58 5/8	5,599	63 1/8	6,183
45 1/4	3,886	49 3/4	4,454	54 1/4	5,031	58 3/4	5,615	63 1/4	6,199
45 3/8	3,902	49 7/8	4,470	54 3/8	5,048	58 7/8	5,631	63 3/8	6,216
45 1/2	3,918	50	4,486	54 1/2	5,064	59	5,647	63 1/2	6,232
45 5/8	3,933	50 1/8	4,502	54 5/8	5,080	59 1/8	5,664	63 5/8	6,248
45 3/4	3,949	50 1/4	4,517	54 3/4	5,096	59 1/4	5,680	63 3/4	6,264
45 7/8	3,964	50 3/8	4,533	54 7/8	5,112	59 3/8	5,696	63 7/8	6,281
46	3,980	50 1/2	4,549	55	5,128	59 1/2	5,712	64	6,297
46 1/8	3,996	50 5/8	4,565	55 1/8	5,144	59 5/8	5,729	64 1/8	6,313
46 1/4	4,011	50 3/4	4,581	55 1/4	5,161	59 3/4	5,745	64 1/4	6,329
46 3/8	4,027	50 7/8	4,597	55 3/8	5,177	59 7/8	5,761	64 3/8	6,345
46 1/2	4,043	51	4,613	55 1/2	5,193	60	5,777	64 1/2	6,362
46 5/8	4,058	51 1/8	4,629	55 5/8	5,209	60 1/8	5,794	64 5/8	6,378
46 3/4	4,074	51 1/4	4,645	55 3/4	5,225	60 1/4	5,810	64 3/4	6,394
46 7/8	4,090	51 3/8	4,661	55 7/8	5,242	60 3/8	5,826	64 7/8	6,410
47	4,106	51 1/2	4,677	56	5,258	60 1/2	5,842	65	6,426
47 1/8	4,121	51 5/8	4,693	56 1/8	5,274	60 5/8	5,859	65 1/8	6,442
47 1/4	4,137	51 3/4	4,709	56 1/4	5,290	60 3/4	5,875	65 1/4	6,459
47 3/8	4,153	51 7/8	4,725	56 3/8	5,306	60 7/8	5,891	65 3/8	6,475
47 1/2	4,169	52	4,742	56 1/2	5,323	61	5,907	65 1/2	6,491
47 5/8	4,184	52 1/8	4,758	56 5/8	5,339	61 1/8	5,924	65 5/8	6,507
47 3/4	4,200	52 1/4	4,774	56 3/4	5,355	61 1/4	5,940	65 3/4	6,523
47 7/8	4,216	52 3/8	4,790	56 7/8	5,371	61 3/8	5,956	65 7/8	6,539
48	4,232	52 1/2	4,806	57	5,387	61 1/2	5,972	66	6,555
48 1/8	4,247	52 5/8	4,822	57 1/8	5,404	61 5/8	5,988	66 1/8	6,572
48 1/4	4,263	52 3/4	4,838	57 1/4	5,420	61 3/4	6,005	66 1/4	6,588
48 3/8	4,279	52 7/8	4,854	57 3/8	5,436	61 7/8	6,021	66 3/8	6,604
48 1/2	4,295	53	4,870	57 1/2	5,452	62	6,037	66 1/2	6,620
48 5/8	4,311	53 1/8	4,886	57 5/8	5,469	62 1/8	6,053	66 5/8	6,636
48 3/4	4,327	53 1/4	4,902	57 3/4	5,485	62 1/4	6,070	66 3/4	6,652
48 7/8	4,342	53 3/8	4,918	57 7/8	5,501	62 3/8	6,086	66 7/8	6,668
49	4,358	53 1/2	4,935	58	5,517	62 1/2	6,102	67	6,684
49 1/8	4,374	53 5/8	4,951	58 1/8	5,534	62 5/8	6,118	67 1/8	6,701
49 1/4	4,390	53 3/4	4,967	58 1/4	5,550	62 3/4	6,135	67 1/4	6,717
49 3/8	4,406	53 7/8	4,983	58 3/8	5,566	62 7/8	6,151	67 3/8	6,733
49 1/2	4,422	54	4,999	58 1/2	5,582	63	6,167	67 1/2	6,749



# Dipstick Calibration Chart

# 10' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,765	72 1/8	7,339	76 5/8	7,900	81 1/8	8,445	85 5/8	8,967
67 3/4	6,781	72 1/4	7,354	76 3/4	7,916	81 1/4	8,460	85 3/4	8,981
67 7/8	6,797	72 3/8	7,370	76 7/8	7,931	81 3/8	8,474	85 7/8	8,996
68	6,813	72 1/2	7,386	77	7,946	81 1/2	8,489	86	9,010
68 1/8	6,829	72 5/8	7,402	77 1/8	7,962	81 5/8	8,504	86 1/8	9,024
68 1/4	6,845	72 3/4	7,418	77 1/4	7,977	81 3/4	8,519	86 1/4	9,038
68 3/8	6,861	72 7/8	7,433	77 3/8	7,992	81 7/8	8,533	86 3/8	9,052
68 1/2	6,877	73	7,449	77 1/2	8,008	82	8,548	86 1/2	9,066
68 5/8	6,893	73 1/8	7,465	77 5/8	8,023	82 1/8	8,563	86 5/8	9,080
68 3/4	6,909	73 1/4	7,480	77 3/4	8,038	82 1/4	8,578	86 3/4	9,094
68 7/8	6,925	73 3/8	7,496	77 7/8	8,053	82 3/8	8,592	86 7/8	9,108
69	6,941	73 1/2	7,512	78	8,069	82 1/2	8,607	87	9,122
69 1/8	6,957	73 5/8	7,527	78 1/8	8,084	82 5/8	8,622	87 1/8	9,136
69 1/4	6,973	73 3/4	7,543	78 1/4	8,099	82 3/4	8,636	87 1/4	9,150
69 3/8	6,989	73 7/8	7,559	78 3/8	8,114	82 7/8	8,651	87 3/8	9,163
69 1/2	7,005	74	7,574	78 1/2	8,129	83	8,665	87 1/2	9,177
69 5/8	7,021	74 1/8	7,590	78 5/8	8,145	83 1/8	8,680	87 5/8	9,191
69 3/4	7,037	74 1/4	7,606	78 3/4	8,160	83 1/4	8,694	87 3/4	9,205
69 7/8	7,053	74 3/8	7,621	78 7/8	8,175	83 3/8	8,709	87 7/8	9,219
70	7,069	74 1/2	7,637	79	8,190	83 1/2	8,724	88	9,232
70 1/8	7,085	74 5/8	7,652	79 1/8	8,205	83 5/8	8,738	88 1/8	9,246
70 1/4	7,101	74 3/4	7,668	79 1/4	8,220	83 3/4	8,753	88 1/4	9,260
70 3/8	7,117	74 7/8	7,684	79 3/8	8,235	83 7/8	8,767	88 3/8	9,274
70 1/2	7,133	75	7,699	79 1/2	8,250	84	8,781	88 1/2	9,287
70 5/8	7,149	75 1/8	7,715	79 5/8	8,265	84 1/8	8,796	88 5/8	9,301
70 3/4	7,164	75 1/4	7,730	79 3/4	8,280	84 1/4	8,810	88 3/4	9,315
70 7/8	7,180	75 3/8	7,746	79 7/8	8,295	84 3/8	8,825	88 7/8	9,328
71	7,196	75 1/2	7,761	80	8,310	84 1/2	8,839	89	9,342
71 1/8	7,212	75 5/8	7,777	80 1/8	8,325	84 5/8	8,853	89 1/8	9,355
71 1/4	7,228	75 3/4	7,792	80 1/4	8,340	84 3/4	8,868	89 1/4	9,369
71 3/8	7,244	75 7/8	7,808	80 3/8	8,355	84 7/8	8,882	89 3/8	9,382
71 1/2	7,260	76	7,823	80 1/2	8,370	85	8,896	89 1/2	9,396
71 5/8	7,275	76 1/8	7,839	80 5/8	8,385	85 1/8	8,910	89 5/8	9,409
71 3/4	7,291	76 1/4	7,854	80 3/4	8,400	85 1/4	8,925	89 3/4	9,423
71 7/8	7,307	76 3/8	7,869	80 7/8	8,415	85 3/8	8,939	89 7/8	9,436
72	7,323	76 1/2	7,885	81	8,430	85 1/2	8,953	90	9,449



# Dipstick Calibration Chart

# 10' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	9,463	94 5/8	9,926	99 1/8	10,350	103 5/8	10,729	108 1/8	11,056
90 1/4	9,476	94 3/4	9,938	99 1/4	10,361	103 3/4	10,739	108 1/4	11,064
90 3/8	9,489	94 7/8	9,950	99 3/8	10,372	103 7/8	10,749	108 3/8	11,072
90 1/2	9,503	95	9,963	99 1/2	10,384	104	10,759	108 1/2	11,080
90 5/8	9,516	95 1/8	9,975	99 5/8	10,395	104 1/8	10,769	108 5/8	11,088
90 3/4	9,529	95 1/4	9,987	99 3/4	10,406	104 1/4	10,778	108 3/4	11,096
90 7/8	9,542	95 3/8	9,999	99 7/8	10,417	104 3/8	10,788	108 7/8	11,104
91	9,555	95 1/2	10,011	100	10,428	104 1/2	10,797	109	11,112
91 1/8	9,569	95 5/8	10,024	100 1/8	10,439	104 5/8	10,807	109 1/8	11,120
91 1/4	9,582	95 3/4	10,036	100 1/4	10,450	104 3/4	10,816	109 1/4	11,128
91 3/8	9,595	95 7/8	10,048	100 3/8	10,460	104 7/8	10,826	109 3/8	11,135
91 1/2	9,608	96	10,060	100 1/2	10,471	105	10,835	109 1/2	11,143
91 5/8	9,621	96 1/8	10,072	100 5/8	10,482	105 1/8	10,845	109 5/8	11,151
91 3/4	9,634	96 1/4	10,084	100 3/4	10,493	105 1/4	10,854	109 3/4	11,158
91 7/8	9,647	96 3/8	10,096	100 7/8	10,503	105 3/8	10,863	109 7/8	11,166
92	9,660	96 1/2	10,108	101	10,514	105 1/2	10,872	110	11,173
92 1/8	9,673	96 5/8	10,119	101 1/8	10,525	105 5/8	10,882	110 1/8	11,181
92 1/4	9,686	96 3/4	10,131	101 1/4	10,535	105 3/4	10,891	110 1/4	11,188
92 3/8	9,699	96 7/8	10,143	101 3/8	10,546	105 7/8	10,900	110 3/8	11,196
92 1/2	9,711	97	10,155	101 1/2	10,556	106	10,909	110 1/2	11,203
92 5/8	9,724	97 1/8	10,167	101 5/8	10,567	106 1/8	10,918	110 5/8	11,210
92 3/4	9,737	97 1/4	10,178	101 3/4	10,577	106 1/4	10,927	110 3/4	11,217
92 7/8	9,750	97 3/8	10,190	101 7/8	10,588	106 3/8	10,936	110 7/8	11,224
93	9,763	97 1/2	10,202	102	10,598	106 1/2	10,945	111	11,232
93 1/8	9,775	97 5/8	10,213	102 1/8	10,609	106 5/8	10,953	111 1/8	11,239
93 1/4	9,788	97 3/4	10,225	102 1/4	10,619	106 3/4	10,962	111 1/4	11,245
93 3/8	9,801	97 7/8	10,236	102 3/8	10,629	106 7/8	10,971	111 3/8	11,252
93 1/2	9,813	98	10,248	102 1/2	10,639	107	10,980	111 1/2	11,259
93 5/8	9,826	98 1/8	10,259	102 5/8	10,649	107 1/8	10,988	111 5/8	11,266
93 3/4	9,838	98 1/4	10,271	102 3/4	10,660	107 1/4	10,997	111 3/4	11,273
93 7/8	9,851	98 3/8	10,282	102 7/8	10,670	107 3/8	11,005	111 7/8	11,279
94	9,864	98 1/2	10,294	103	10,680	107 1/2	11,014	112	11,286
94 1/8	9,876	98 5/8	10,305	103 1/8	10,690	107 5/8	11,022	112 1/8	11,293
94 1/4	9,888	98 3/4	10,316	103 1/4	10,700	107 3/4	11,031	112 1/4	11,299
94 3/8	9,901	98 7/8	10,328	103 3/8	10,710	107 7/8	11,039	112 3/8	11,305
94 1/2	9,913	99	10,339	103 1/2	10,720	108	11,047	112 1/2	11,312



# Dipstick Calibration Chart

# 10' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	11,318	117 1/8	11,500
112 3/4	11,324	117 1/4	11,504
112 7/8	11,331	117 3/8	11,507
113	11,337	117 1/2	11,511
113 1/8	11,343	117 5/8	11,514
113 1/4	11,349	117 3/4	11,517
113 3/8	11,355	117 7/8	11,521
113 1/2	11,361	118	11,524
113 5/8	11,366	118 1/8	11,526
113 3/4	11,372	118 1/4	11,529
113 7/8	11,378	118 3/8	11,532
114	11,383	118 1/2	11,535
114 1/8	11,389	118 5/8	11,537
114 1/4	11,394	118 3/4	11,540
114 3/8	11,400	118 7/8	11,542
114 1/2	11,405	119	11,544
114 5/8	11,410	119 1/8	11,546
114 3/4	11,416	119 1/4	11,548
114 7/8	11,421	119 3/8	11,549
115	11,426	119 1/2	11,551
115 1/8	11,431	119 5/8	11,552
115 1/4	11,436	119 3/4	11,553
115 3/8	11,441	119 7/8	11,554
115 1/2	11,445	120	11,555
115 5/8	11,450		
115 3/4	11,455		
115 7/8	11,459		
116	11,464		
116 1/8	11,468		
116 1/4	11,472		
116 3/8	11,477		
116 1/2	11,481		
116 5/8	11,485		
116 3/4	11,489		
116 7/8	11,493		
117	11,496		