



Dipstick Calibration Chart

10' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	159	9 1/8	453	13 5/8	840	18 1/8	1,302
1/4	2	4 3/4	165	9 1/4	462	13 3/4	852	18 1/4	1,315
3/8	3	4 7/8	172	9 3/8	472	13 7/8	864	18 3/8	1,329
1/2	5	5	179	9 1/2	482	14	876	18 1/2	1,343
5/8	7	5 1/8	186	9 5/8	492	14 1/8	888	18 5/8	1,357
3/4	10	5 1/4	193	9 3/4	501	14 1/4	900	18 3/4	1,371
7/8	12	5 3/8	200	9 7/8	511	14 3/8	912	18 7/8	1,385
1	15	5 1/2	207	10	521	14 1/2	924	19	1,399
1 1/8	18	5 5/8	215	10 1/8	531	14 5/8	936	19 1/8	1,413
1 1/4	21	5 3/4	222	10 1/4	542	14 3/4	949	19 1/4	1,427
1 3/8	25	5 7/8	229	10 3/8	552	14 7/8	961	19 3/8	1,441
1 1/2	28	6	237	10 1/2	562	15	974	19 1/2	1,456
1 5/8	32	6 1/8	245	10 5/8	572	15 1/8	986	19 5/8	1,470
1 3/4	36	6 1/4	252	10 3/4	583	15 1/4	999	19 3/4	1,484
1 7/8	40	6 3/8	260	10 7/8	593	15 3/8	1,011	19 7/8	1,499
2	44	6 1/2	268	11	604	15 1/2	1,024	20	1,513
2 1/8	48	6 5/8	276	11 1/8	615	15 5/8	1,037	20 1/8	1,527
2 1/4	52	6 3/4	284	11 1/4	625	15 3/4	1,049	20 1/4	1,542
2 3/8	57	6 7/8	292	11 3/8	636	15 7/8	1,062	20 3/8	1,557
2 1/2	62	7	301	11 1/2	647	16	1,075	20 1/2	1,571
2 5/8	66	7 1/8	309	11 5/8	658	16 1/8	1,088	20 5/8	1,586
2 3/4	71	7 1/4	317	11 3/4	669	16 1/4	1,101	20 3/4	1,600
2 7/8	76	7 3/8	326	11 7/8	680	16 3/8	1,114	20 7/8	1,615
3	82	7 1/2	334	12	691	16 1/2	1,127	21	1,630
3 1/8	87	7 5/8	343	12 1/8	702	16 5/8	1,140	21 1/8	1,645
3 1/4	92	7 3/4	352	12 1/4	713	16 3/4	1,153	21 1/4	1,660
3 3/8	98	7 7/8	361	12 3/8	724	16 7/8	1,167	21 3/8	1,674
3 1/2	103	8	370	12 1/2	735	17	1,180	21 1/2	1,689
3 5/8	109	8 1/8	378	12 5/8	747	17 1/8	1,193	21 5/8	1,704
3 3/4	115	8 1/4	387	12 3/4	758	17 1/4	1,207	21 3/4	1,719
3 7/8	121	8 3/8	397	12 7/8	770	17 3/8	1,220	21 7/8	1,734
4	127	8 1/2	406	13	781	17 1/2	1,234	22	1,750
4 1/8	133	8 5/8	415	13 1/8	793	17 5/8	1,247	22 1/8	1,765
4 1/4	139	8 3/4	424	13 1/4	805	17 3/4	1,261	22 1/4	1,780
4 3/8	146	8 7/8	434	13 3/8	816	17 7/8	1,274	22 3/8	1,795
4 1/2	152	9	443	13 1/2	828	18	1,288	22 1/2	1,810



Dipstick Calibration Chart

10' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,826	27 1/8	2,402	31 5/8	3,023	36 1/8	3,681	40 5/8	4,370
22 3/4	1,841	27 1/4	2,419	31 3/4	3,041	36 1/4	3,700	40 3/4	4,389
22 7/8	1,856	27 3/8	2,436	31 7/8	3,059	36 3/8	3,719	40 7/8	4,409
23	1,872	27 1/2	2,452	32	3,077	36 1/2	3,738	41	4,428
23 1/8	1,887	27 5/8	2,469	32 1/8	3,095	36 5/8	3,756	41 1/8	4,448
23 1/4	1,903	27 3/4	2,486	32 1/4	3,113	36 3/4	3,775	41 1/4	4,468
23 3/8	1,918	27 7/8	2,503	32 3/8	3,131	36 7/8	3,794	41 3/8	4,487
23 1/2	1,934	28	2,520	32 1/2	3,148	37	3,813	41 1/2	4,507
23 5/8	1,950	28 1/8	2,537	32 5/8	3,167	37 1/8	3,832	41 5/8	4,526
23 3/4	1,965	28 1/4	2,554	32 3/4	3,185	37 1/4	3,851	41 3/4	4,546
23 7/8	1,981	28 3/8	2,571	32 7/8	3,203	37 3/8	3,870	41 7/8	4,566
24	1,997	28 1/2	2,588	33	3,221	37 1/2	3,889	42	4,585
24 1/8	2,012	28 5/8	2,605	33 1/8	3,239	37 5/8	3,908	42 1/8	4,605
24 1/4	2,028	28 3/4	2,622	33 1/4	3,257	37 3/4	3,927	42 1/4	4,625
24 3/8	2,044	28 7/8	2,639	33 3/8	3,275	37 7/8	3,946	42 3/8	4,645
24 1/2	2,060	29	2,656	33 1/2	3,293	38	3,965	42 1/2	4,664
24 5/8	2,076	29 1/8	2,673	33 5/8	3,312	38 1/8	3,984	42 5/8	4,684
24 3/4	2,092	29 1/4	2,690	33 3/4	3,330	38 1/4	4,003	42 3/4	4,704
24 7/8	2,108	29 3/8	2,708	33 7/8	3,348	38 3/8	4,022	42 7/8	4,724
25	2,124	29 1/2	2,725	34	3,366	38 1/2	4,041	43	4,744
25 1/8	2,140	29 5/8	2,742	34 1/8	3,385	38 5/8	4,061	43 1/8	4,763
25 1/4	2,156	29 3/4	2,760	34 1/4	3,403	38 3/4	4,080	43 1/4	4,783
25 3/8	2,172	29 7/8	2,777	34 3/8	3,421	38 7/8	4,099	43 3/8	4,803
25 1/2	2,189	30	2,794	34 1/2	3,440	39	4,118	43 1/2	4,823
25 5/8	2,205	30 1/8	2,812	34 5/8	3,458	39 1/8	4,137	43 5/8	4,843
25 3/4	2,221	30 1/4	2,829	34 3/4	3,477	39 1/4	4,157	43 3/4	4,863
25 7/8	2,237	30 3/8	2,847	34 7/8	3,495	39 3/8	4,176	43 7/8	4,883
26	2,254	30 1/2	2,864	35	3,514	39 1/2	4,195	44	4,903
26 1/8	2,270	30 5/8	2,882	35 1/8	3,532	39 5/8	4,215	44 1/8	4,923
26 1/4	2,286	30 3/4	2,899	35 1/4	3,551	39 3/4	4,234	44 1/4	4,943
26 3/8	2,303	30 7/8	2,917	35 3/8	3,569	39 7/8	4,253	44 3/8	4,963
26 1/2	2,319	31	2,935	35 1/2	3,588	40	4,273	44 1/2	4,983
26 5/8	2,336	31 1/8	2,952	35 5/8	3,607	40 1/8	4,292	44 5/8	5,003
26 3/4	2,352	31 1/4	2,970	35 3/4	3,625	40 1/4	4,312	44 3/4	5,023
26 7/8	2,369	31 3/8	2,988	35 7/8	3,644	40 3/8	4,331	44 7/8	5,043
27	2,386	31 1/2	3,005	36	3,663	40 1/2	4,350	45	5,063



Dipstick Calibration Chart

10' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	5,083	49 5/8	5,814	54 1/8	6,558	58 5/8	7,310	63 1/8	8,063
45 1/4	5,103	49 3/4	5,835	54 1/4	6,579	58 3/4	7,331	63 1/4	8,084
45 3/8	5,123	49 7/8	5,855	54 3/8	6,600	58 7/8	7,352	63 3/8	8,104
45 1/2	5,143	50	5,876	54 1/2	6,621	59	7,372	63 1/2	8,125
45 5/8	5,163	50 1/8	5,896	54 5/8	6,642	59 1/8	7,393	63 5/8	8,146
45 3/4	5,183	50 1/4	5,917	54 3/4	6,662	59 1/4	7,414	63 3/4	8,167
45 7/8	5,204	50 3/8	5,938	54 7/8	6,683	59 3/8	7,435	63 7/8	8,188
46	5,224	50 1/2	5,958	55	6,704	59 1/2	7,456	64	8,209
46 1/8	5,244	50 5/8	5,979	55 1/8	6,725	59 5/8	7,477	64 1/8	8,230
46 1/4	5,264	50 3/4	5,999	55 1/4	6,746	59 3/4	7,498	64 1/4	8,251
46 3/8	5,284	50 7/8	6,020	55 3/8	6,767	59 7/8	7,519	64 3/8	8,271
46 1/2	5,305	51	6,041	55 1/2	6,787	60	7,540	64 1/2	8,292
46 5/8	5,325	51 1/8	6,061	55 5/8	6,808	60 1/8	7,561	64 5/8	8,313
46 3/4	5,345	51 1/4	6,082	55 3/4	6,829	60 1/4	7,582	64 3/4	8,334
46 7/8	5,365	51 3/8	6,102	55 7/8	6,850	60 3/8	7,603	64 7/8	8,355
47	5,386	51 1/2	6,123	56	6,871	60 1/2	7,624	65	8,376
47 1/8	5,406	51 5/8	6,144	56 1/8	6,892	60 5/8	7,644	65 1/8	8,396
47 1/4	5,426	51 3/4	6,164	56 1/4	6,913	60 3/4	7,665	65 1/4	8,417
47 3/8	5,447	51 7/8	6,185	56 3/8	6,933	60 7/8	7,686	65 3/8	8,438
47 1/2	5,467	52	6,206	56 1/2	6,954	61	7,707	65 1/2	8,459
47 5/8	5,487	52 1/8	6,226	56 5/8	6,975	61 1/8	7,728	65 5/8	8,480
47 3/4	5,508	52 1/4	6,247	56 3/4	6,996	61 1/4	7,749	65 3/4	8,500
47 7/8	5,528	52 3/8	6,268	56 7/8	7,017	61 3/8	7,770	65 7/8	8,521
48	5,548	52 1/2	6,289	57	7,038	61 1/2	7,791	66	8,542
48 1/8	5,569	52 5/8	6,309	57 1/8	7,059	61 5/8	7,812	66 1/8	8,563
48 1/4	5,589	52 3/4	6,330	57 1/4	7,080	61 3/4	7,833	66 1/4	8,584
48 3/8	5,610	52 7/8	6,351	57 3/8	7,101	61 7/8	7,854	66 3/8	8,604
48 1/2	5,630	53	6,371	57 1/2	7,121	62	7,875	66 1/2	8,625
48 5/8	5,650	53 1/8	6,392	57 5/8	7,142	62 1/8	7,895	66 5/8	8,646
48 3/4	5,671	53 1/4	6,413	57 3/4	7,163	62 1/4	7,916	66 3/4	8,667
48 7/8	5,691	53 3/8	6,434	57 7/8	7,184	62 3/8	7,937	66 7/8	8,687
49	5,712	53 1/2	6,454	58	7,205	62 1/2	7,958	67	8,708
49 1/8	5,732	53 5/8	6,475	58 1/8	7,226	62 5/8	7,979	67 1/8	8,729
49 1/4	5,753	53 3/4	6,496	58 1/4	7,247	62 3/4	8,000	67 1/4	8,750
49 3/8	5,773	53 7/8	6,517	58 3/8	7,268	62 7/8	8,021	67 3/8	8,770
49 1/2	5,794	54	6,538	58 1/2	7,289	63	8,042	67 1/2	8,791



Dipstick Calibration Chart

10' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	8,812	72 1/8	9,552	76 5/8	10,277	81 1/8	10,981	85 5/8	11,658
67 3/4	8,833	72 1/4	9,572	76 3/4	10,296	81 1/4	11,000	85 3/4	11,677
67 7/8	8,853	72 3/8	9,592	76 7/8	10,316	81 3/8	11,019	85 7/8	11,695
68	8,874	72 1/2	9,613	77	10,336	81 1/2	11,038	86	11,713
68 1/8	8,895	72 5/8	9,633	77 1/8	10,356	81 5/8	11,057	86 1/8	11,732
68 1/4	8,915	72 3/4	9,653	77 1/4	10,376	81 3/4	11,077	86 1/4	11,750
68 3/8	8,936	72 7/8	9,674	77 3/8	10,396	81 7/8	11,096	86 3/8	11,768
68 1/2	8,957	73	9,694	77 1/2	10,415	82	11,115	86 1/2	11,786
68 5/8	8,977	73 1/8	9,714	77 5/8	10,435	82 1/8	11,134	86 5/8	11,805
68 3/4	8,998	73 1/4	9,735	77 3/4	10,455	82 1/4	11,153	86 3/4	11,823
68 7/8	9,019	73 3/8	9,755	77 7/8	10,474	82 3/8	11,172	86 7/8	11,841
69	9,039	73 1/2	9,775	78	10,494	82 1/2	11,191	87	11,859
69 1/8	9,060	73 5/8	9,795	78 1/8	10,514	82 5/8	11,210	87 1/8	11,877
69 1/4	9,080	73 3/4	9,815	78 1/4	10,534	82 3/4	11,229	87 1/4	11,895
69 3/8	9,101	73 7/8	9,836	78 3/8	10,553	82 7/8	11,248	87 3/8	11,913
69 1/2	9,122	74	9,856	78 1/2	10,573	83	11,267	87 1/2	11,931
69 5/8	9,142	74 1/8	9,876	78 5/8	10,592	83 1/8	11,286	87 5/8	11,949
69 3/4	9,163	74 1/4	9,896	78 3/4	10,612	83 1/4	11,304	87 3/4	11,967
69 7/8	9,183	74 3/8	9,916	78 7/8	10,632	83 3/8	11,323	87 7/8	11,985
70	9,204	74 1/2	9,936	79	10,651	83 1/2	11,342	88	12,003
70 1/8	9,224	74 5/8	9,957	79 1/8	10,671	83 5/8	11,361	88 1/8	12,021
70 1/4	9,245	74 3/4	9,977	79 1/4	10,690	83 3/4	11,380	88 1/4	12,039
70 3/8	9,265	74 7/8	9,997	79 3/8	10,710	83 7/8	11,398	88 3/8	12,056
70 1/2	9,286	75	10,017	79 1/2	10,729	84	11,417	88 1/2	12,074
70 5/8	9,306	75 1/8	10,037	79 5/8	10,749	84 1/8	11,436	88 5/8	12,092
70 3/4	9,327	75 1/4	10,057	79 3/4	10,768	84 1/4	11,454	88 3/4	12,110
70 7/8	9,347	75 3/8	10,077	79 7/8	10,788	84 3/8	11,473	88 7/8	12,127
71	9,368	75 1/2	10,097	80	10,807	84 1/2	11,492	89	12,145
71 1/8	9,388	75 5/8	10,117	80 1/8	10,826	84 5/8	11,510	89 1/8	12,163
71 1/4	9,409	75 3/4	10,137	80 1/4	10,846	84 3/4	11,529	89 1/4	12,180
71 3/8	9,429	75 7/8	10,157	80 3/8	10,865	84 7/8	11,547	89 3/8	12,198
71 1/2	9,450	76	10,177	80 1/2	10,884	85	11,566	89 1/2	12,215
71 5/8	9,470	76 1/8	10,197	80 5/8	10,904	85 1/8	11,584	89 5/8	12,233
71 3/4	9,490	76 1/4	10,217	80 3/4	10,923	85 1/4	11,603	89 3/4	12,250
71 7/8	9,511	76 3/8	10,237	80 7/8	10,942	85 3/8	11,621	89 7/8	12,268
72	9,531	76 1/2	10,257	81	10,962	85 1/2	11,640	90	12,285



Dipstick Calibration Chart

10' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	12,303	94 5/8	12,907	99 1/8	13,464	103 5/8	13,966	108 1/8	14,400
90 1/4	12,320	94 3/4	12,923	99 1/4	13,479	103 3/4	13,979	108 1/4	14,411
90 3/8	12,337	94 7/8	12,940	99 3/8	13,494	103 7/8	13,992	108 3/8	14,422
90 1/2	12,355	95	12,956	99 1/2	13,509	104	14,005	108 1/2	14,433
90 5/8	12,372	95 1/8	12,972	99 5/8	13,523	104 1/8	14,017	108 5/8	14,444
90 3/4	12,389	95 1/4	12,988	99 3/4	13,538	104 1/4	14,030	108 3/4	14,454
90 7/8	12,406	95 3/8	13,004	99 7/8	13,552	104 3/8	14,043	108 7/8	14,465
91	12,424	95 1/2	13,020	100	13,567	104 1/2	14,056	109	14,476
91 1/8	12,441	95 5/8	13,036	100 1/8	13,581	104 5/8	14,068	109 1/8	14,486
91 1/4	12,458	95 3/4	13,051	100 1/4	13,595	104 3/4	14,081	109 1/4	14,497
91 3/8	12,475	95 7/8	13,067	100 3/8	13,610	104 7/8	14,093	109 3/8	14,507
91 1/2	12,492	96	13,083	100 1/2	13,624	105	14,106	109 1/2	14,518
91 5/8	12,509	96 1/8	13,099	100 5/8	13,638	105 1/8	14,118	109 5/8	14,528
91 3/4	12,526	96 1/4	13,114	100 3/4	13,652	105 1/4	14,131	109 3/4	14,538
91 7/8	12,543	96 3/8	13,130	100 7/8	13,667	105 3/8	14,143	109 7/8	14,548
92	12,560	96 1/2	13,146	101	13,681	105 1/2	14,155	110	14,558
92 1/8	12,577	96 5/8	13,161	101 1/8	13,695	105 5/8	14,168	110 1/8	14,568
92 1/4	12,594	96 3/4	13,177	101 1/4	13,709	105 3/4	14,180	110 1/4	14,578
92 3/8	12,610	96 7/8	13,192	101 3/8	13,723	105 7/8	14,192	110 3/8	14,588
92 1/2	12,627	97	13,208	101 1/2	13,737	106	14,204	110 1/2	14,598
92 5/8	12,644	97 1/8	13,223	101 5/8	13,750	106 1/8	14,216	110 5/8	14,608
92 3/4	12,661	97 1/4	13,239	101 3/4	13,764	106 1/4	14,228	110 3/4	14,617
92 7/8	12,677	97 3/8	13,254	101 7/8	13,778	106 3/8	14,240	110 7/8	14,627
93	12,694	97 1/2	13,269	102	13,792	106 1/2	14,252	111	14,637
93 1/8	12,711	97 5/8	13,285	102 1/8	13,805	106 5/8	14,263	111 1/8	14,646
93 1/4	12,727	97 3/4	13,300	102 1/4	13,819	106 3/4	14,275	111 1/4	14,655
93 3/8	12,744	97 7/8	13,315	102 3/8	13,833	106 7/8	14,287	111 3/8	14,665
93 1/2	12,760	98	13,330	102 1/2	13,846	107	14,298	111 1/2	14,674
93 5/8	12,777	98 1/8	13,345	102 5/8	13,860	107 1/8	14,310	111 5/8	14,683
93 3/4	12,793	98 1/4	13,360	102 3/4	13,873	107 1/4	14,321	111 3/4	14,692
93 7/8	12,810	98 3/8	13,375	102 7/8	13,886	107 3/8	14,333	111 7/8	14,701
94	12,826	98 1/2	13,390	103	13,900	107 1/2	14,344	112	14,710
94 1/8	12,842	98 5/8	13,405	103 1/8	13,913	107 5/8	14,355	112 1/8	14,719
94 1/4	12,859	98 3/4	13,420	103 1/4	13,926	107 3/4	14,367	112 1/4	14,728
94 3/8	12,875	98 7/8	13,435	103 3/8	13,939	107 7/8	14,378	112 3/8	14,737
94 1/2	12,891	99	13,450	103 1/2	13,953	108	14,389	112 1/2	14,745



Dipstick Calibration Chart

10' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	14,754	117 1/8	15,003
112 3/4	14,762	117 1/4	15,008
112 7/8	14,771	117 3/8	15,013
113	14,779	117 1/2	15,018
113 1/8	14,787	117 5/8	15,023
113 1/4	14,795	117 3/4	15,027
113 3/8	14,803	117 7/8	15,032
113 1/2	14,811	118	15,036
113 5/8	14,819	118 1/8	15,040
113 3/4	14,827	118 1/4	15,044
113 7/8	14,835	118 3/8	15,048
114	14,843	118 1/2	15,051
114 1/8	14,850	118 5/8	15,055
114 1/4	14,858	118 3/4	15,058
114 3/8	14,865	118 7/8	15,061
114 1/2	14,872	119	15,064
114 5/8	14,880	119 1/8	15,067
114 3/4	14,887	119 1/4	15,070
114 7/8	14,894	119 3/8	15,072
115	14,901	119 1/2	15,074
115 1/8	14,908	119 5/8	15,076
115 1/4	14,914	119 3/4	15,078
115 3/8	14,921	119 7/8	15,079
115 1/2	14,927	120	15,080
115 5/8	14,934		
115 3/4	14,940		
115 7/8	14,947		
116	14,953		
116 1/8	14,959		
116 1/4	14,965		
116 3/8	14,971		
116 1/2	14,976		
116 5/8	14,982		
116 3/4	14,987		
116 7/8	14,993		
117	14,998		