



# Dipstick Calibration Chart

# 10' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	196	9 1/8	555	13 5/8	1,024	18 1/8	1,581
1/4	2	4 3/4	204	9 1/4	567	13 3/4	1,038	18 1/4	1,597
3/8	4	4 7/8	212	9 3/8	578	13 7/8	1,053	18 3/8	1,614
1/2	7	5	221	9 1/2	590	14	1,067	18 1/2	1,631
5/8	9	5 1/8	229	9 5/8	602	14 1/8	1,082	18 5/8	1,647
3/4	12	5 1/4	238	9 3/4	614	14 1/4	1,096	18 3/4	1,664
7/8	15	5 3/8	247	9 7/8	626	14 3/8	1,111	18 7/8	1,681
1	19	5 1/2	256	10	638	14 1/2	1,126	19	1,698
1 1/8	23	5 5/8	265	10 1/8	651	14 5/8	1,141	19 1/8	1,715
1 1/4	27	5 3/4	274	10 1/4	663	14 3/4	1,156	19 1/4	1,732
1 3/8	31	5 7/8	283	10 3/8	675	14 7/8	1,171	19 3/8	1,749
1 1/2	35	6	292	10 1/2	688	15	1,186	19 1/2	1,766
1 5/8	40	6 1/8	301	10 5/8	700	15 1/8	1,201	19 5/8	1,783
1 3/4	44	6 1/4	311	10 3/4	713	15 1/4	1,216	19 3/4	1,800
1 7/8	49	6 3/8	320	10 7/8	726	15 3/8	1,231	19 7/8	1,818
2	54	6 1/2	330	11	738	15 1/2	1,246	20	1,835
2 1/8	60	6 5/8	340	11 1/8	751	15 5/8	1,262	20 1/8	1,852
2 1/4	65	6 3/4	350	11 1/4	764	15 3/4	1,277	20 1/4	1,870
2 3/8	71	6 7/8	360	11 3/8	777	15 7/8	1,292	20 3/8	1,887
2 1/2	77	7	370	11 1/2	790	16	1,308	20 1/2	1,905
2 5/8	82	7 1/8	380	11 5/8	804	16 1/8	1,324	20 5/8	1,922
2 3/4	89	7 1/4	390	11 3/4	817	16 1/4	1,339	20 3/4	1,940
2 7/8	95	7 3/8	400	11 7/8	830	16 3/8	1,355	20 7/8	1,957
3	101	7 1/2	411	12	844	16 1/2	1,371	21	1,975
3 1/8	108	7 5/8	421	12 1/8	857	16 5/8	1,386	21 1/8	1,993
3 1/4	114	7 3/4	432	12 1/4	871	16 3/4	1,402	21 1/4	2,011
3 3/8	121	7 7/8	443	12 3/8	884	16 7/8	1,418	21 3/8	2,029
3 1/2	128	8	454	12 1/2	898	17	1,434	21 1/2	2,047
3 5/8	135	8 1/8	465	12 5/8	912	17 1/8	1,450	21 5/8	2,065
3 3/4	142	8 1/4	475	12 3/4	925	17 1/4	1,466	21 3/4	2,083
3 7/8	150	8 3/8	487	12 7/8	939	17 3/8	1,483	21 7/8	2,101
4	157	8 1/2	498	13	953	17 1/2	1,499	22	2,119
4 1/8	165	8 5/8	509	13 1/8	967	17 5/8	1,515	22 1/8	2,137
4 1/4	172	8 3/4	520	13 1/4	981	17 3/4	1,531	22 1/4	2,155
4 3/8	180	8 7/8	532	13 3/8	995	17 7/8	1,548	22 3/8	2,173
4 1/2	188	9	543	13 1/2	1,010	18	1,564	22 1/2	2,192



# Dipstick Calibration Chart

# 10' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,210	27 1/8	2,900	31 5/8	3,642	36 1/8	4,426	40 5/8	5,245
22 3/4	2,228	27 1/4	2,920	31 3/4	3,663	36 1/4	4,448	40 3/4	5,269
22 7/8	2,247	27 3/8	2,940	31 7/8	3,684	36 3/8	4,471	40 7/8	5,292
23	2,265	27 1/2	2,960	32	3,706	36 1/2	4,493	41	5,315
23 1/8	2,284	27 5/8	2,980	32 1/8	3,727	36 5/8	4,516	41 1/8	5,338
23 1/4	2,302	27 3/4	3,000	32 1/4	3,748	36 3/4	4,538	41 1/4	5,362
23 3/8	2,321	27 7/8	3,021	32 3/8	3,770	36 7/8	4,560	41 3/8	5,385
23 1/2	2,340	28	3,041	32 1/2	3,791	37	4,583	41 1/2	5,408
23 5/8	2,359	28 1/8	3,061	32 5/8	3,813	37 1/8	4,605	41 5/8	5,432
23 3/4	2,377	28 1/4	3,081	32 3/4	3,834	37 1/4	4,628	41 3/4	5,455
23 7/8	2,396	28 3/8	3,101	32 7/8	3,856	37 3/8	4,650	41 7/8	5,478
24	2,415	28 1/2	3,122	33	3,877	37 1/2	4,673	42	5,502
24 1/8	2,434	28 5/8	3,142	33 1/8	3,899	37 5/8	4,696	42 1/8	5,525
24 1/4	2,453	28 3/4	3,163	33 1/4	3,920	37 3/4	4,718	42 1/4	5,549
24 3/8	2,472	28 7/8	3,183	33 3/8	3,942	37 7/8	4,741	42 3/8	5,572
24 1/2	2,491	29	3,204	33 1/2	3,964	38	4,764	42 1/2	5,596
24 5/8	2,510	29 1/8	3,224	33 5/8	3,986	38 1/8	4,786	42 5/8	5,619
24 3/4	2,529	29 1/4	3,245	33 3/4	4,007	38 1/4	4,809	42 3/4	5,643
24 7/8	2,548	29 3/8	3,265	33 7/8	4,029	38 3/8	4,832	42 7/8	5,666
25	2,567	29 1/2	3,286	34	4,051	38 1/2	4,855	43	5,690
25 1/8	2,587	29 5/8	3,306	34 1/8	4,073	38 5/8	4,877	43 1/8	5,713
25 1/4	2,606	29 3/4	3,327	34 1/4	4,095	38 3/4	4,900	43 1/4	5,737
25 3/8	2,625	29 7/8	3,348	34 3/8	4,117	38 7/8	4,923	43 3/8	5,760
25 1/2	2,645	30	3,369	34 1/2	4,138	39	4,946	43 1/2	5,784
25 5/8	2,664	30 1/8	3,389	34 5/8	4,160	39 1/8	4,969	43 5/8	5,808
25 3/4	2,684	30 1/4	3,410	34 3/4	4,182	39 1/4	4,992	43 3/4	5,831
25 7/8	2,703	30 3/8	3,431	34 7/8	4,204	39 3/8	5,015	43 7/8	5,855
26	2,723	30 1/2	3,452	35	4,226	39 1/2	5,038	44	5,879
26 1/8	2,742	30 5/8	3,473	35 1/8	4,249	39 5/8	5,061	44 1/8	5,902
26 1/4	2,762	30 3/4	3,494	35 1/4	4,271	39 3/4	5,084	44 1/4	5,926
26 3/8	2,781	30 7/8	3,515	35 3/8	4,293	39 7/8	5,107	44 3/8	5,950
26 1/2	2,801	31	3,536	35 1/2	4,315	40	5,130	44 1/2	5,974
26 5/8	2,821	31 1/8	3,557	35 5/8	4,337	40 1/8	5,153	44 5/8	5,998
26 3/4	2,841	31 1/4	3,578	35 3/4	4,359	40 1/4	5,176	44 3/4	6,021
26 7/8	2,860	31 3/8	3,599	35 7/8	4,382	40 3/8	5,199	44 7/8	6,045
27	2,880	31 1/2	3,621	36	4,404	40 1/2	5,222	45	6,069



# Dipstick Calibration Chart

# 10' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,093	49 5/8	6,961	54 1/8	7,844	58 5/8	8,736	63 1/8	9,629
45 1/4	6,117	49 3/4	6,986	54 1/4	7,869	58 3/4	8,760	63 1/4	9,654
45 3/8	6,141	49 7/8	7,010	54 3/8	7,894	58 7/8	8,785	63 3/8	9,678
45 1/2	6,164	50	7,034	54 1/2	7,918	59	8,810	63 1/2	9,703
45 5/8	6,188	50 1/8	7,059	54 5/8	7,943	59 1/8	8,835	63 5/8	9,728
45 3/4	6,212	50 1/4	7,083	54 3/4	7,968	59 1/4	8,860	63 3/4	9,753
45 7/8	6,236	50 3/8	7,108	54 7/8	7,992	59 3/8	8,885	63 7/8	9,777
46	6,260	50 1/2	7,132	55	8,017	59 1/2	8,909	64	9,802
46 1/8	6,284	50 5/8	7,156	55 1/8	8,042	59 5/8	8,934	64 1/8	9,827
46 1/4	6,308	50 3/4	7,181	55 1/4	8,067	59 3/4	8,959	64 1/4	9,852
46 3/8	6,332	50 7/8	7,205	55 3/8	8,091	59 7/8	8,984	64 3/8	9,876
46 1/2	6,356	51	7,230	55 1/2	8,116	60	9,009	64 1/2	9,901
46 5/8	6,380	51 1/8	7,254	55 5/8	8,141	60 1/8	9,033	64 5/8	9,926
46 3/4	6,404	51 1/4	7,279	55 3/4	8,166	60 1/4	9,058	64 3/4	9,951
46 7/8	6,428	51 3/8	7,303	55 7/8	8,190	60 3/8	9,083	64 7/8	9,975
47	6,452	51 1/2	7,328	56	8,215	60 1/2	9,108	65	10,000
47 1/8	6,477	51 5/8	7,352	56 1/8	8,240	60 5/8	9,133	65 1/8	10,025
47 1/4	6,501	51 3/4	7,377	56 1/4	8,265	60 3/4	9,158	65 1/4	10,049
47 3/8	6,525	51 7/8	7,401	56 3/8	8,289	60 7/8	9,182	65 3/8	10,074
47 1/2	6,549	52	7,426	56 1/2	8,314	61	9,207	65 1/2	10,099
47 5/8	6,573	52 1/8	7,450	56 5/8	8,339	61 1/8	9,232	65 5/8	10,124
47 3/4	6,597	52 1/4	7,475	56 3/4	8,364	61 1/4	9,257	65 3/4	10,148
47 7/8	6,621	52 3/8	7,500	56 7/8	8,388	61 3/8	9,282	65 7/8	10,173
48	6,646	52 1/2	7,524	57	8,413	61 1/2	9,306	66	10,198
48 1/8	6,670	52 5/8	7,549	57 1/8	8,438	61 5/8	9,331	66 1/8	10,222
48 1/4	6,694	52 3/4	7,573	57 1/4	8,463	61 3/4	9,356	66 1/4	10,247
48 3/8	6,718	52 7/8	7,598	57 3/8	8,488	61 7/8	9,381	66 3/8	10,272
48 1/2	6,743	53	7,623	57 1/2	8,512	62	9,406	66 1/2	10,296
48 5/8	6,767	53 1/8	7,647	57 5/8	8,537	62 1/8	9,430	66 5/8	10,321
48 3/4	6,791	53 1/4	7,672	57 3/4	8,562	62 1/4	9,455	66 3/4	10,345
48 7/8	6,815	53 3/8	7,696	57 7/8	8,587	62 3/8	9,480	66 7/8	10,370
49	6,840	53 1/2	7,721	58	8,612	62 1/2	9,505	67	10,395
49 1/8	6,864	53 5/8	7,746	58 1/8	8,636	62 5/8	9,530	67 1/8	10,419
49 1/4	6,888	53 3/4	7,770	58 1/4	8,661	62 3/4	9,554	67 1/4	10,444
49 3/8	6,913	53 7/8	7,795	58 3/8	8,686	62 7/8	9,579	67 3/8	10,468
49 1/2	6,937	54	7,820	58 1/2	8,711	63	9,604	67 1/2	10,493



# Dipstick Calibration Chart

# 10' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	10,518	72 1/8	11,396	76 5/8	12,257	81 1/8	13,094	85 5/8	13,901
67 3/4	10,542	72 1/4	11,420	76 3/4	12,280	81 1/4	13,117	85 3/4	13,923
67 7/8	10,567	72 3/8	11,444	76 7/8	12,304	81 3/8	13,140	85 7/8	13,945
68	10,591	72 1/2	11,468	77	12,328	81 1/2	13,163	86	13,966
68 1/8	10,616	72 5/8	11,492	77 1/8	12,351	81 5/8	13,185	86 1/8	13,988
68 1/4	10,640	72 3/4	11,517	77 1/4	12,375	81 3/4	13,208	86 1/4	14,010
68 3/8	10,665	72 7/8	11,541	77 3/8	12,398	81 7/8	13,231	86 3/8	14,032
68 1/2	10,689	73	11,565	77 1/2	12,422	82	13,254	86 1/2	14,053
68 5/8	10,714	73 1/8	11,589	77 5/8	12,445	82 1/8	13,276	86 5/8	14,075
68 3/4	10,738	73 1/4	11,613	77 3/4	12,469	82 1/4	13,299	86 3/4	14,097
68 7/8	10,763	73 3/8	11,637	77 7/8	12,492	82 3/8	13,322	86 7/8	14,118
69	10,787	73 1/2	11,661	78	12,515	82 1/2	13,344	87	14,140
69 1/8	10,812	73 5/8	11,685	78 1/8	12,539	82 5/8	13,367	87 1/8	14,162
69 1/4	10,836	73 3/4	11,709	78 1/4	12,562	82 3/4	13,389	87 1/4	14,183
69 3/8	10,861	73 7/8	11,733	78 3/8	12,586	82 7/8	13,412	87 3/8	14,205
69 1/2	10,885	74	11,757	78 1/2	12,609	83	13,434	87 1/2	14,226
69 5/8	10,910	74 1/8	11,781	78 5/8	12,632	83 1/8	13,457	87 5/8	14,248
69 3/4	10,934	74 1/4	11,805	78 3/4	12,656	83 1/4	13,479	87 3/4	14,269
69 7/8	10,958	74 3/8	11,829	78 7/8	12,679	83 3/8	13,502	87 7/8	14,290
70	10,983	74 1/2	11,853	79	12,702	83 1/2	13,524	88	14,312
70 1/8	11,007	74 5/8	11,877	79 1/8	12,725	83 5/8	13,546	88 1/8	14,333
70 1/4	11,032	74 3/4	11,901	79 1/4	12,749	83 3/4	13,569	88 1/4	14,354
70 3/8	11,056	74 7/8	11,924	79 3/8	12,772	83 7/8	13,591	88 3/8	14,375
70 1/2	11,080	75	11,948	79 1/2	12,795	84	13,613	88 1/2	14,397
70 5/8	11,105	75 1/8	11,972	79 5/8	12,818	84 1/8	13,636	88 5/8	14,418
70 3/4	11,129	75 1/4	11,996	79 3/4	12,841	84 1/4	13,658	88 3/4	14,439
70 7/8	11,153	75 3/8	12,020	79 7/8	12,864	84 3/8	13,680	88 7/8	14,460
71	11,178	75 1/2	12,044	80	12,887	84 1/2	13,702	89	14,481
71 1/8	11,202	75 5/8	12,067	80 1/8	12,910	84 5/8	13,725	89 1/8	14,502
71 1/4	11,226	75 3/4	12,091	80 1/4	12,933	84 3/4	13,747	89 1/4	14,523
71 3/8	11,250	75 7/8	12,115	80 3/8	12,957	84 7/8	13,769	89 3/8	14,544
71 1/2	11,275	76	12,139	80 1/2	12,979	85	13,791	89 1/2	14,565
71 5/8	11,299	76 1/8	12,162	80 5/8	13,002	85 1/8	13,813	89 5/8	14,586
71 3/4	11,323	76 1/4	12,186	80 3/4	13,025	85 1/4	13,835	89 3/4	14,607
71 7/8	11,347	76 3/8	12,210	80 7/8	13,048	85 3/8	13,857	89 7/8	14,628
72	11,372	76 1/2	12,233	81	13,071	85 1/2	13,879	90	14,649



# Dipstick Calibration Chart

# 10' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	14,669	94 5/8	15,392	99 1/8	16,060	103 5/8	16,662	108 1/8	17,187
90 1/4	14,690	94 3/4	15,411	99 1/4	16,077	103 3/4	16,678	108 1/4	17,200
90 3/8	14,711	94 7/8	15,431	99 3/8	16,095	103 7/8	16,694	108 3/8	17,214
90 1/2	14,731	95	15,450	99 1/2	16,113	104	16,709	108 1/2	17,227
90 5/8	14,752	95 1/8	15,469	99 5/8	16,130	104 1/8	16,725	108 5/8	17,240
90 3/4	14,773	95 1/4	15,488	99 3/4	16,148	104 1/4	16,740	108 3/4	17,253
90 7/8	14,793	95 3/8	15,507	99 7/8	16,165	104 3/8	16,756	108 7/8	17,266
91	14,814	95 1/2	15,526	100	16,182	104 1/2	16,771	109	17,279
91 1/8	14,834	95 5/8	15,545	100 1/8	16,200	104 5/8	16,786	109 1/8	17,292
91 1/4	14,855	95 3/4	15,564	100 1/4	16,217	104 3/4	16,801	109 1/4	17,304
91 3/8	14,875	95 7/8	15,583	100 3/8	16,234	104 7/8	16,817	109 3/8	17,317
91 1/2	14,895	96	15,602	100 1/2	16,251	105	16,832	109 1/2	17,329
91 5/8	14,916	96 1/8	15,621	100 5/8	16,268	105 1/8	16,847	109 5/8	17,342
91 3/4	14,936	96 1/4	15,640	100 3/4	16,285	105 1/4	16,862	109 3/4	17,354
91 7/8	14,956	96 3/8	15,659	100 7/8	16,302	105 3/8	16,877	109 7/8	17,367
92	14,977	96 1/2	15,677	101	16,319	105 1/2	16,891	110	17,379
92 1/8	14,997	96 5/8	15,696	101 1/8	16,336	105 5/8	16,906	110 1/8	17,391
92 1/4	15,017	96 3/4	15,715	101 1/4	16,353	105 3/4	16,921	110 1/4	17,403
92 3/8	15,037	96 7/8	15,733	101 3/8	16,370	105 7/8	16,935	110 3/8	17,415
92 1/2	15,057	97	15,752	101 1/2	16,387	106	16,950	110 1/2	17,427
92 5/8	15,077	97 1/8	15,770	101 5/8	16,403	106 1/8	16,964	110 5/8	17,439
92 3/4	15,097	97 1/4	15,789	101 3/4	16,420	106 1/4	16,979	110 3/4	17,451
92 7/8	15,117	97 3/8	15,807	101 7/8	16,437	106 3/8	16,993	110 7/8	17,462
93	15,137	97 1/2	15,826	102	16,453	106 1/2	17,008	111	17,474
93 1/8	15,157	97 5/8	15,844	102 1/8	16,469	106 5/8	17,022	111 1/8	17,486
93 1/4	15,177	97 3/4	15,862	102 1/4	16,486	106 3/4	17,036	111 1/4	17,497
93 3/8	15,196	97 7/8	15,880	102 3/8	16,502	106 7/8	17,050	111 3/8	17,508
93 1/2	15,216	98	15,898	102 1/2	16,518	107	17,064	111 1/2	17,520
93 5/8	15,236	98 1/8	15,917	102 5/8	16,535	107 1/8	17,078	111 5/8	17,531
93 3/4	15,255	98 1/4	15,935	102 3/4	16,551	107 1/4	17,092	111 3/4	17,542
93 7/8	15,275	98 3/8	15,953	102 7/8	16,567	107 3/8	17,106	111 7/8	17,553
94	15,295	98 1/2	15,971	103	16,583	107 1/2	17,119	112	17,564
94 1/8	15,314	98 5/8	15,989	103 1/8	16,599	107 5/8	17,133	112 1/8	17,574
94 1/4	15,334	98 3/4	16,006	103 1/4	16,615	107 3/4	17,147	112 1/4	17,585
94 3/8	15,353	98 7/8	16,024	103 3/8	16,631	107 7/8	17,160	112 3/8	17,596
94 1/2	15,373	99	16,042	103 1/2	16,647	108	17,174	112 1/2	17,606



# Dipstick Calibration Chart

# 10' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	17,617	117 1/8	17,922
112 3/4	17,627	117 1/4	17,929
112 7/8	17,637	117 3/8	17,935
113	17,648	117 1/2	17,941
113 1/8	17,658	117 5/8	17,946
113 1/4	17,668	117 3/4	17,952
113 3/8	17,677	117 7/8	17,957
113 1/2	17,687	118	17,963
113 5/8	17,697	118 1/8	17,968
113 3/4	17,706	118 1/4	17,973
113 7/8	17,716	118 3/8	17,978
114	17,725	118 1/2	17,982
114 1/8	17,735	118 5/8	17,986
114 1/4	17,744	118 3/4	17,991
114 3/8	17,753	118 7/8	17,995
114 1/2	17,762	119	17,998
114 5/8	17,771	119 1/8	18,002
114 3/4	17,779	119 1/4	18,005
114 7/8	17,788	119 3/8	18,008
115	17,796	119 1/2	18,011
115 1/8	17,805	119 5/8	18,013
115 1/4	17,813	119 3/4	18,015
115 3/8	17,821	119 7/8	18,016
115 1/2	17,829	120	18,017
115 5/8	17,837		
115 3/4	17,845		
115 7/8	17,853		
116	17,860		
116 1/8	17,868		
116 1/4	17,875		
116 3/8	17,882		
116 1/2	17,889		
116 5/8	17,896		
116 3/4	17,903		
116 7/8	17,910		
117	17,916		