



Dipstick Calibration Chart

10' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	226	9 1/8	637	13 5/8	1,171	18 1/8	1,804
1/4	3	4 3/4	235	9 1/4	650	13 3/4	1,188	18 1/4	1,823
3/8	5	4 7/8	245	9 3/8	663	13 7/8	1,204	18 3/8	1,842
1/2	8	5	254	9 1/2	677	14	1,221	18 1/2	1,861
5/8	11	5 1/8	264	9 5/8	690	14 1/8	1,237	18 5/8	1,880
3/4	14	5 1/4	274	9 3/4	704	14 1/4	1,254	18 3/4	1,899
7/8	18	5 3/8	284	9 7/8	718	14 3/8	1,270	18 7/8	1,918
1	22	5 1/2	294	10	732	14 1/2	1,287	19	1,937
1 1/8	26	5 5/8	304	10 1/8	746	14 5/8	1,304	19 1/8	1,956
1 1/4	31	5 3/4	315	10 1/4	760	14 3/4	1,321	19 1/4	1,975
1 3/8	36	5 7/8	325	10 3/8	774	14 7/8	1,338	19 3/8	1,995
1 1/2	41	6	336	10 1/2	788	15	1,355	19 1/2	2,014
1 5/8	46	6 1/8	347	10 5/8	803	15 1/8	1,372	19 5/8	2,034
1 3/4	51	6 1/4	357	10 3/4	817	15 1/4	1,390	19 3/4	2,053
1 7/8	57	6 3/8	368	10 7/8	832	15 3/8	1,407	19 7/8	2,073
2	63	6 1/2	380	11	846	15 1/2	1,424	20	2,092
2 1/8	69	6 5/8	391	11 1/8	861	15 5/8	1,442	20 1/8	2,112
2 1/4	75	6 3/4	402	11 1/4	876	15 3/4	1,459	20 1/4	2,132
2 3/8	82	6 7/8	413	11 3/8	890	15 7/8	1,477	20 3/8	2,152
2 1/2	88	7	425	11 1/2	905	16	1,494	20 1/2	2,171
2 5/8	95	7 1/8	437	11 5/8	920	16 1/8	1,512	20 5/8	2,191
2 3/4	102	7 1/4	448	11 3/4	935	16 1/4	1,530	20 3/4	2,211
2 7/8	109	7 3/8	460	11 7/8	951	16 3/8	1,548	20 7/8	2,231
3	117	7 1/2	472	12	966	16 1/2	1,565	21	2,251
3 1/8	124	7 5/8	484	12 1/8	981	16 5/8	1,583	21 1/8	2,272
3 1/4	132	7 3/4	496	12 1/4	997	16 3/4	1,601	21 1/4	2,292
3 3/8	140	7 7/8	509	12 3/8	1,012	16 7/8	1,620	21 3/8	2,312
3 1/2	148	8	521	12 1/2	1,028	17	1,638	21 1/2	2,332
3 5/8	156	8 1/8	533	12 5/8	1,043	17 1/8	1,656	21 5/8	2,353
3 3/4	164	8 1/4	546	12 3/4	1,059	17 1/4	1,674	21 3/4	2,373
3 7/8	172	8 3/8	559	12 7/8	1,075	17 3/8	1,693	21 7/8	2,394
4	181	8 1/2	571	13	1,091	17 1/2	1,711	22	2,414
4 1/8	190	8 5/8	584	13 1/8	1,107	17 5/8	1,729	22 1/8	2,435
4 1/4	199	8 3/4	597	13 1/4	1,123	17 3/4	1,748	22 1/4	2,455
4 3/8	208	8 7/8	610	13 3/8	1,139	17 7/8	1,767	22 3/8	2,476
4 1/2	217	9	623	13 1/2	1,155	18	1,785	22 1/2	2,497



Dipstick Calibration Chart

10' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,518	27 1/8	3,299	31 5/8	4,137	36 1/8	5,022	40 5/8	5,946
22 3/4	2,538	27 1/4	3,321	31 3/4	4,161	36 1/4	5,047	40 3/4	5,972
22 7/8	2,559	27 3/8	3,344	31 7/8	4,185	36 3/8	5,072	40 7/8	5,998
23	2,580	27 1/2	3,366	32	4,209	36 1/2	5,098	41	6,024
23 1/8	2,601	27 5/8	3,389	32 1/8	4,233	36 5/8	5,123	41 1/8	6,051
23 1/4	2,622	27 3/4	3,412	32 1/4	4,257	36 3/4	5,148	41 1/4	6,077
23 3/8	2,643	27 7/8	3,435	32 3/8	4,281	36 7/8	5,173	41 3/8	6,103
23 1/2	2,664	28	3,457	32 1/2	4,305	37	5,199	41 1/2	6,129
23 5/8	2,686	28 1/8	3,480	32 5/8	4,330	37 1/8	5,224	41 5/8	6,156
23 3/4	2,707	28 1/4	3,503	32 3/4	4,354	37 1/4	5,250	41 3/4	6,182
23 7/8	2,728	28 3/8	3,526	32 7/8	4,378	37 3/8	5,275	41 7/8	6,208
24	2,750	28 1/2	3,549	33	4,403	37 1/2	5,301	42	6,235
24 1/8	2,771	28 5/8	3,572	33 1/8	4,427	37 5/8	5,326	42 1/8	6,261
24 1/4	2,792	28 3/4	3,595	33 1/4	4,451	37 3/4	5,352	42 1/4	6,288
24 3/8	2,814	28 7/8	3,618	33 3/8	4,476	37 7/8	5,377	42 3/8	6,314
24 1/2	2,835	29	3,641	33 1/2	4,500	38	5,403	42 1/2	6,340
24 5/8	2,857	29 1/8	3,665	33 5/8	4,525	38 1/8	5,428	42 5/8	6,367
24 3/4	2,879	29 1/4	3,688	33 3/4	4,549	38 1/4	5,454	42 3/4	6,393
24 7/8	2,900	29 3/8	3,711	33 7/8	4,574	38 3/8	5,480	42 7/8	6,420
25	2,922	29 1/2	3,734	34	4,599	38 1/2	5,505	43	6,447
25 1/8	2,944	29 5/8	3,758	34 1/8	4,623	38 5/8	5,531	43 1/8	6,473
25 1/4	2,966	29 3/4	3,781	34 1/4	4,648	38 3/4	5,557	43 1/4	6,500
25 3/8	2,988	29 7/8	3,805	34 3/8	4,673	38 7/8	5,583	43 3/8	6,526
25 1/2	3,009	30	3,828	34 1/2	4,697	39	5,608	43 1/2	6,553
25 5/8	3,031	30 1/8	3,852	34 5/8	4,722	39 1/8	5,634	43 5/8	6,580
25 3/4	3,053	30 1/4	3,875	34 3/4	4,747	39 1/4	5,660	43 3/4	6,606
25 7/8	3,076	30 3/8	3,899	34 7/8	4,772	39 3/8	5,686	43 7/8	6,633
26	3,098	30 1/2	3,922	35	4,797	39 1/2	5,712	44	6,660
26 1/8	3,120	30 5/8	3,946	35 1/8	4,822	39 5/8	5,738	44 1/8	6,686
26 1/4	3,142	30 3/4	3,970	35 1/4	4,846	39 3/4	5,764	44 1/4	6,713
26 3/8	3,164	30 7/8	3,993	35 3/8	4,871	39 7/8	5,790	44 3/8	6,740
26 1/2	3,187	31	4,017	35 1/2	4,896	40	5,816	44 1/2	6,767
26 5/8	3,209	31 1/8	4,041	35 5/8	4,921	40 1/8	5,842	44 5/8	6,793
26 3/4	3,231	31 1/4	4,065	35 3/4	4,947	40 1/4	5,868	44 3/4	6,820
26 7/8	3,254	31 3/8	4,089	35 7/8	4,972	40 3/8	5,894	44 7/8	6,847
27	3,276	31 1/2	4,113	36	4,997	40 1/2	5,920	45	6,874



Dipstick Calibration Chart

10' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,901	49 5/8	7,879	54 1/8	8,873	58 5/8	9,876	63 1/8	10,882
45 1/4	6,928	49 3/4	7,906	54 1/4	8,901	58 3/4	9,904	63 1/4	10,910
45 3/8	6,955	49 7/8	7,934	54 3/8	8,929	58 7/8	9,932	63 3/8	10,938
45 1/2	6,982	50	7,961	54 1/2	8,956	59	9,960	63 1/2	10,965
45 5/8	7,008	50 1/8	7,989	54 5/8	8,984	59 1/8	9,988	63 5/8	10,993
45 3/4	7,035	50 1/4	8,016	54 3/4	9,012	59 1/4	10,016	63 3/4	11,021
45 7/8	7,062	50 3/8	8,044	54 7/8	9,040	59 3/8	10,044	63 7/8	11,049
46	7,089	50 1/2	8,071	55	9,068	59 1/2	10,072	64	11,077
46 1/8	7,116	50 5/8	8,099	55 1/8	9,096	59 5/8	10,100	64 1/8	11,105
46 1/4	7,143	50 3/4	8,126	55 1/4	9,123	59 3/4	10,128	64 1/4	11,133
46 3/8	7,170	50 7/8	8,154	55 3/8	9,151	59 7/8	10,156	64 3/8	11,160
46 1/2	7,198	51	8,181	55 1/2	9,179	60	10,184	64 1/2	11,188
46 5/8	7,225	51 1/8	8,209	55 5/8	9,207	60 1/8	10,212	64 5/8	11,216
46 3/4	7,252	51 1/4	8,236	55 3/4	9,235	60 1/4	10,240	64 3/4	11,244
46 7/8	7,279	51 3/8	8,264	55 7/8	9,263	60 3/8	10,267	64 7/8	11,272
47	7,306	51 1/2	8,292	56	9,290	60 1/2	10,295	65	11,300
47 1/8	7,333	51 5/8	8,319	56 1/8	9,318	60 5/8	10,323	65 1/8	11,327
47 1/4	7,360	51 3/4	8,347	56 1/4	9,346	60 3/4	10,351	65 1/4	11,355
47 3/8	7,387	51 7/8	8,374	56 3/8	9,374	60 7/8	10,379	65 3/8	11,383
47 1/2	7,415	52	8,402	56 1/2	9,402	61	10,407	65 1/2	11,411
47 5/8	7,442	52 1/8	8,430	56 5/8	9,430	61 1/8	10,435	65 5/8	11,439
47 3/4	7,469	52 1/4	8,457	56 3/4	9,458	61 1/4	10,463	65 3/4	11,466
47 7/8	7,496	52 3/8	8,485	56 7/8	9,486	61 3/8	10,491	65 7/8	11,494
48	7,523	52 1/2	8,513	57	9,513	61 1/2	10,519	66	11,522
48 1/8	7,551	52 5/8	8,540	57 1/8	9,541	61 5/8	10,547	66 1/8	11,550
48 1/4	7,578	52 3/4	8,568	57 1/4	9,569	61 3/4	10,575	66 1/4	11,577
48 3/8	7,605	52 7/8	8,596	57 3/8	9,597	61 7/8	10,603	66 3/8	11,605
48 1/2	7,633	53	8,623	57 1/2	9,625	62	10,631	66 1/2	11,633
48 5/8	7,660	53 1/8	8,651	57 5/8	9,653	62 1/8	10,658	66 5/8	11,661
48 3/4	7,687	53 1/4	8,679	57 3/4	9,681	62 1/4	10,686	66 3/4	11,688
48 7/8	7,715	53 3/8	8,707	57 7/8	9,709	62 3/8	10,714	66 7/8	11,716
49	7,742	53 1/2	8,734	58	9,737	62 1/2	10,742	67	11,744
49 1/8	7,769	53 5/8	8,762	58 1/8	9,765	62 5/8	10,770	67 1/8	11,772
49 1/4	7,797	53 3/4	8,790	58 1/4	9,793	62 3/4	10,798	67 1/4	11,799
49 3/8	7,824	53 7/8	8,818	58 3/8	9,821	62 7/8	10,826	67 3/8	11,827
49 1/2	7,851	54	8,845	58 1/2	9,848	63	10,854	67 1/2	11,855



Dipstick Calibration Chart

10' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	11,882	72 1/8	12,871	76 5/8	13,841	81 1/8	14,785	85 5/8	15,695
67 3/4	11,910	72 1/4	12,898	76 3/4	13,868	81 1/4	14,811	85 3/4	15,719
67 7/8	11,938	72 3/8	12,926	76 7/8	13,894	81 3/8	14,836	85 7/8	15,744
68	11,965	72 1/2	12,953	77	13,921	81 1/2	14,862	86	15,769
68 1/8	11,993	72 5/8	12,980	77 1/8	13,947	81 5/8	14,888	86 1/8	15,793
68 1/4	12,020	72 3/4	13,007	77 1/4	13,974	81 3/4	14,913	86 1/4	15,818
68 3/8	12,048	72 7/8	13,034	77 3/8	14,000	81 7/8	14,939	86 3/8	15,843
68 1/2	12,076	73	13,061	77 1/2	14,027	82	14,965	86 1/2	15,867
68 5/8	12,103	73 1/8	13,089	77 5/8	14,053	82 1/8	14,990	86 5/8	15,892
68 3/4	12,131	73 1/4	13,116	77 3/4	14,080	82 1/4	15,016	86 3/4	15,916
68 7/8	12,158	73 3/8	13,143	77 7/8	14,106	82 3/8	15,041	86 7/8	15,940
69	12,186	73 1/2	13,170	78	14,133	82 1/2	15,067	87	15,965
69 1/8	12,214	73 5/8	13,197	78 1/8	14,159	82 5/8	15,092	87 1/8	15,989
69 1/4	12,241	73 3/4	13,224	78 1/4	14,185	82 3/4	15,118	87 1/4	16,013
69 3/8	12,269	73 7/8	13,251	78 3/8	14,212	82 7/8	15,143	87 3/8	16,038
69 1/2	12,296	74	13,278	78 1/2	14,238	83	15,169	87 1/2	16,062
69 5/8	12,324	74 1/8	13,305	78 5/8	14,264	83 1/8	15,194	87 5/8	16,086
69 3/4	12,351	74 1/4	13,332	78 3/4	14,290	83 1/4	15,219	87 3/4	16,110
69 7/8	12,379	74 3/8	13,359	78 7/8	14,317	83 3/8	15,245	87 7/8	16,135
70	12,406	74 1/2	13,386	79	14,343	83 1/2	15,270	88	16,159
70 1/8	12,434	74 5/8	13,413	79 1/8	14,369	83 5/8	15,295	88 1/8	16,183
70 1/4	12,461	74 3/4	13,440	79 1/4	14,395	83 3/4	15,320	88 1/4	16,207
70 3/8	12,488	74 7/8	13,467	79 3/8	14,421	83 7/8	15,345	88 3/8	16,231
70 1/2	12,516	75	13,493	79 1/2	14,447	84	15,371	88 1/2	16,255
70 5/8	12,543	75 1/8	13,520	79 5/8	14,474	84 1/8	15,396	88 5/8	16,279
70 3/4	12,571	75 1/4	13,547	79 3/4	14,500	84 1/4	15,421	88 3/4	16,302
70 7/8	12,598	75 3/8	13,574	79 7/8	14,526	84 3/8	15,446	88 7/8	16,326
71	12,625	75 1/2	13,601	80	14,552	84 1/2	15,471	89	16,350
71 1/8	12,653	75 5/8	13,627	80 1/8	14,578	84 5/8	15,496	89 1/8	16,374
71 1/4	12,680	75 3/4	13,654	80 1/4	14,604	84 3/4	15,521	89 1/4	16,398
71 3/8	12,707	75 7/8	13,681	80 3/8	14,630	84 7/8	15,546	89 3/8	16,421
71 1/2	12,735	76	13,708	80 1/2	14,656	85	15,571	89 1/2	16,445
71 5/8	12,762	76 1/8	13,734	80 5/8	14,681	85 1/8	15,596	89 5/8	16,469
71 3/4	12,789	76 1/4	13,761	80 3/4	14,707	85 1/4	15,620	89 3/4	16,492
71 7/8	12,817	76 3/8	13,788	80 7/8	14,733	85 3/8	15,645	89 7/8	16,516
72	12,844	76 1/2	13,814	81	14,759	85 1/2	15,670	90	16,539



Dipstick Calibration Chart

10' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	16,563	94 5/8	17,380	99 1/8	18,136	103 5/8	18,820	108 1/8	19,417
90 1/4	16,586	94 3/4	17,402	99 1/4	18,156	103 3/4	18,838	108 1/4	19,432
90 3/8	16,610	94 7/8	17,423	99 3/8	18,176	103 7/8	18,855	108 3/8	19,447
90 1/2	16,633	95	17,445	99 1/2	18,196	104	18,873	108 1/2	19,462
90 5/8	16,656	95 1/8	17,467	99 5/8	18,216	104 1/8	18,891	108 5/8	19,477
90 3/4	16,679	95 1/4	17,489	99 3/4	18,236	104 1/4	18,908	108 3/4	19,492
90 7/8	16,703	95 3/8	17,510	99 7/8	18,255	104 3/8	18,926	108 7/8	19,507
91	16,726	95 1/2	17,532	100	18,275	104 1/2	18,943	109	19,521
91 1/8	16,749	95 5/8	17,553	100 1/8	18,295	104 5/8	18,961	109 1/8	19,536
91 1/4	16,772	95 3/4	17,575	100 1/4	18,314	104 3/4	18,978	109 1/4	19,550
91 3/8	16,795	95 7/8	17,596	100 3/8	18,334	104 7/8	18,995	109 3/8	19,565
91 1/2	16,818	96	17,618	100 1/2	18,353	105	19,012	109 1/2	19,579
91 5/8	16,841	96 1/8	17,639	100 5/8	18,373	105 1/8	19,029	109 5/8	19,593
91 3/4	16,864	96 1/4	17,660	100 3/4	18,392	105 1/4	19,046	109 3/4	19,607
91 7/8	16,887	96 3/8	17,682	100 7/8	18,411	105 3/8	19,063	109 7/8	19,622
92	16,910	96 1/2	17,703	101	18,430	105 1/2	19,080	110	19,635
92 1/8	16,933	96 5/8	17,724	101 1/8	18,450	105 5/8	19,097	110 1/8	19,649
92 1/4	16,955	96 3/4	17,745	101 1/4	18,469	105 3/4	19,114	110 1/4	19,663
92 3/8	16,978	96 7/8	17,766	101 3/8	18,488	105 7/8	19,130	110 3/8	19,677
92 1/2	17,001	97	17,787	101 1/2	18,507	106	19,147	110 1/2	19,690
92 5/8	17,024	97 1/8	17,808	101 5/8	18,526	106 1/8	19,163	110 5/8	19,704
92 3/4	17,046	97 1/4	17,829	101 3/4	18,545	106 1/4	19,180	110 3/4	19,717
92 7/8	17,069	97 3/8	17,850	101 7/8	18,563	106 3/8	19,196	110 7/8	19,731
93	17,091	97 1/2	17,871	102	18,582	106 1/2	19,212	111	19,744
93 1/8	17,114	97 5/8	17,891	102 1/8	18,601	106 5/8	19,228	111 1/8	19,757
93 1/4	17,136	97 3/4	17,912	102 1/4	18,619	106 3/4	19,245	111 1/4	19,770
93 3/8	17,158	97 7/8	17,933	102 3/8	18,638	106 7/8	19,261	111 3/8	19,783
93 1/2	17,181	98	17,953	102 1/2	18,656	107	19,277	111 1/2	19,796
93 5/8	17,203	98 1/8	17,974	102 5/8	18,675	107 1/8	19,292	111 5/8	19,809
93 3/4	17,225	98 1/4	17,994	102 3/4	18,693	107 1/4	19,308	111 3/4	19,821
93 7/8	17,248	98 3/8	18,015	102 7/8	18,711	107 3/8	19,324	111 7/8	19,834
94	17,270	98 1/2	18,035	103	18,730	107 1/2	19,340	112	19,846
94 1/8	17,292	98 5/8	18,055	103 1/8	18,748	107 5/8	19,355	112 1/8	19,859
94 1/4	17,314	98 3/4	18,076	103 1/4	18,766	107 3/4	19,371	112 1/4	19,871
94 3/8	17,336	98 7/8	18,096	103 3/8	18,784	107 7/8	19,386	112 3/8	19,883
94 1/2	17,358	99	18,116	103 1/2	18,802	108	19,401	112 1/2	19,895



Dipstick Calibration Chart

10' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	19,907	117 1/8	20,258
112 3/4	19,919	117 1/4	20,265
112 7/8	19,931	117 3/8	20,272
113	19,942	117 1/2	20,279
113 1/8	19,954	117 5/8	20,285
113 1/4	19,965	117 3/4	20,292
113 3/8	19,977	117 7/8	20,298
113 1/2	19,988	118	20,304
113 5/8	19,999	118 1/8	20,310
113 3/4	20,010	118 1/4	20,316
113 7/8	20,021	118 3/8	20,321
114	20,031	118 1/2	20,327
114 1/8	20,042	118 5/8	20,332
114 1/4	20,053	118 3/4	20,336
114 3/8	20,063	118 7/8	20,341
114 1/2	20,073	119	20,345
114 5/8	20,083	119 1/8	20,349
114 3/4	20,093	119 1/4	20,353
114 7/8	20,103	119 3/8	20,357
115	20,113	119 1/2	20,360
115 1/8	20,123	119 5/8	20,362
115 1/4	20,132	119 3/4	20,365
115 3/8	20,141	119 7/8	20,366
115 1/2	20,151	120	20,367
115 5/8	20,160		
115 3/4	20,169		
115 7/8	20,178		
116	20,186		
116 1/8	20,195		
116 1/4	20,203		
116 3/8	20,212		
116 1/2	20,220		
116 5/8	20,228		
116 3/4	20,235		
116 7/8	20,243		
117	20,251		