



# Dipstick Calibration Chart

# 10' x 24K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	278	9 1/8	780	13 5/8	1,429	18 1/8	2,195
1/4	3	4 3/4	290	9 1/4	796	13 3/4	1,449	18 1/4	2,217
3/8	6	4 7/8	301	9 3/8	812	13 7/8	1,469	18 3/8	2,240
1/2	10	5	313	9 1/2	829	14	1,489	18 1/2	2,263
5/8	13	5 1/8	325	9 5/8	845	14 1/8	1,509	18 5/8	2,286
3/4	18	5 1/4	337	9 3/4	862	14 1/4	1,529	18 3/4	2,309
7/8	22	5 3/8	349	9 7/8	879	14 3/8	1,549	18 7/8	2,332
1	27	5 1/2	362	10	896	14 1/2	1,570	19	2,355
1 1/8	33	5 5/8	374	10 1/8	913	14 5/8	1,590	19 1/8	2,378
1 1/4	38	5 3/4	387	10 1/4	930	14 3/4	1,611	19 1/4	2,402
1 3/8	44	5 7/8	400	10 3/8	947	14 7/8	1,631	19 3/8	2,425
1 1/2	50	6	413	10 1/2	964	15	1,652	19 1/2	2,448
1 5/8	57	6 1/8	426	10 5/8	982	15 1/8	1,673	19 5/8	2,472
1 3/4	64	6 1/4	439	10 3/4	999	15 1/4	1,693	19 3/4	2,496
1 7/8	71	6 3/8	453	10 7/8	1,017	15 3/8	1,714	19 7/8	2,519
2	78	6 1/2	466	11	1,034	15 1/2	1,735	20	2,543
2 1/8	85	6 5/8	480	11 1/8	1,052	15 5/8	1,756	20 1/8	2,567
2 1/4	93	6 3/4	494	11 1/4	1,070	15 3/4	1,778	20 1/4	2,590
2 3/8	101	6 7/8	507	11 3/8	1,088	15 7/8	1,799	20 3/8	2,614
2 1/2	109	7	522	11 1/2	1,106	16	1,820	20 1/2	2,638
2 5/8	118	7 1/8	536	11 5/8	1,125	16 1/8	1,842	20 5/8	2,662
2 3/4	126	7 1/4	550	11 3/4	1,143	16 1/4	1,863	20 3/4	2,686
2 7/8	135	7 3/8	565	11 7/8	1,161	16 3/8	1,885	20 7/8	2,711
3	144	7 1/2	579	12	1,180	16 1/2	1,906	21	2,735
3 1/8	153	7 5/8	594	12 1/8	1,198	16 5/8	1,928	21 1/8	2,759
3 1/4	163	7 3/4	609	12 1/4	1,217	16 3/4	1,950	21 1/4	2,783
3 3/8	172	7 7/8	624	12 3/8	1,236	16 7/8	1,972	21 3/8	2,808
3 1/2	182	8	639	12 1/2	1,255	17	1,994	21 1/2	2,832
3 5/8	192	8 1/8	654	12 5/8	1,274	17 1/8	2,016	21 5/8	2,857
3 3/4	202	8 1/4	669	12 3/4	1,293	17 1/4	2,038	21 3/4	2,882
3 7/8	213	8 3/8	685	12 7/8	1,312	17 3/8	2,060	21 7/8	2,906
4	223	8 1/2	700	13	1,331	17 1/2	2,082	22	2,931
4 1/8	234	8 5/8	716	13 1/8	1,351	17 5/8	2,105	22 1/8	2,956
4 1/4	245	8 3/4	732	13 1/4	1,370	17 3/4	2,127	22 1/4	2,981
4 3/8	256	8 7/8	747	13 3/8	1,390	17 7/8	2,150	22 3/8	3,006
4 1/2	267	9	763	13 1/2	1,409	18	2,172	22 1/2	3,031



# Dipstick Calibration Chart

# 10' x 24K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,056	27 1/8	3,996	31 5/8	5,003	36 1/8	6,065	40 5/8	7,172
22 3/4	3,081	27 1/4	4,023	31 3/4	5,031	36 1/4	6,095	40 3/4	7,203
22 7/8	3,106	27 3/8	4,050	31 7/8	5,060	36 3/8	6,125	40 7/8	7,234
23	3,131	27 1/2	4,077	32	5,089	36 1/2	6,155	41	7,266
23 1/8	3,156	27 5/8	4,105	32 1/8	5,118	36 5/8	6,186	41 1/8	7,297
23 1/4	3,182	27 3/4	4,132	32 1/4	5,147	36 3/4	6,216	41 1/4	7,329
23 3/8	3,207	27 7/8	4,159	32 3/8	5,176	36 7/8	6,246	41 3/8	7,360
23 1/2	3,233	28	4,187	32 1/2	5,205	37	6,277	41 1/2	7,391
23 5/8	3,258	28 1/8	4,214	32 5/8	5,234	37 1/8	6,307	41 5/8	7,423
23 3/4	3,284	28 1/4	4,242	32 3/4	5,263	37 1/4	6,338	41 3/4	7,454
23 7/8	3,309	28 3/8	4,269	32 7/8	5,293	37 3/8	6,368	41 7/8	7,486
24	3,335	28 1/2	4,297	33	5,322	37 1/2	6,399	42	7,518
24 1/8	3,361	28 5/8	4,325	33 1/8	5,351	37 5/8	6,429	42 1/8	7,549
24 1/4	3,387	28 3/4	4,352	33 1/4	5,380	37 3/4	6,460	42 1/4	7,581
24 3/8	3,413	28 7/8	4,380	33 3/8	5,410	37 7/8	6,490	42 3/8	7,612
24 1/2	3,438	29	4,408	33 1/2	5,439	38	6,521	42 1/2	7,644
24 5/8	3,464	29 1/8	4,436	33 5/8	5,468	38 1/8	6,552	42 5/8	7,676
24 3/4	3,491	29 1/4	4,464	33 3/4	5,498	38 1/4	6,582	42 3/4	7,708
24 7/8	3,517	29 3/8	4,492	33 7/8	5,527	38 3/8	6,613	42 7/8	7,739
25	3,543	29 1/2	4,520	34	5,557	38 1/2	6,644	43	7,771
25 1/8	3,569	29 5/8	4,548	34 1/8	5,586	38 5/8	6,675	43 1/8	7,803
25 1/4	3,595	29 3/4	4,576	34 1/4	5,616	38 3/4	6,706	43 1/4	7,835
25 3/8	3,622	29 7/8	4,604	34 3/8	5,646	38 7/8	6,736	43 3/8	7,867
25 1/2	3,648	30	4,632	34 1/2	5,675	39	6,767	43 1/2	7,898
25 5/8	3,674	30 1/8	4,660	34 5/8	5,705	39 1/8	6,798	43 5/8	7,930
25 3/4	3,701	30 1/4	4,689	34 3/4	5,735	39 1/4	6,829	43 3/4	7,962
25 7/8	3,727	30 3/8	4,717	34 7/8	5,765	39 3/8	6,860	43 7/8	7,994
26	3,754	30 1/2	4,745	35	5,794	39 1/2	6,891	44	8,026
26 1/8	3,781	30 5/8	4,774	35 1/8	5,824	39 5/8	6,922	44 1/8	8,058
26 1/4	3,807	30 3/4	4,802	35 1/4	5,854	39 3/4	6,953	44 1/4	8,090
26 3/8	3,834	30 7/8	4,831	35 3/8	5,884	39 7/8	6,984	44 3/8	8,122
26 1/2	3,861	31	4,859	35 1/2	5,914	40	7,016	44 1/2	8,154
26 5/8	3,888	31 1/8	4,888	35 5/8	5,944	40 1/8	7,047	44 5/8	8,186
26 3/4	3,915	31 1/4	4,916	35 3/4	5,974	40 1/4	7,078	44 3/4	8,218
26 7/8	3,942	31 3/8	4,945	35 7/8	6,004	40 3/8	7,109	44 7/8	8,250
27	3,969	31 1/2	4,974	36	6,034	40 1/2	7,140	45	8,283



# Dipstick Calibration Chart

# 10' x 24K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	8,315	49 5/8	9,485	54 1/8	10,673	58 5/8	11,873	63 1/8	13,074
45 1/4	8,347	49 3/4	9,518	54 1/4	10,707	58 3/4	11,906	63 1/4	13,108
45 3/8	8,379	49 7/8	9,550	54 3/8	10,740	58 7/8	11,939	63 3/8	13,141
45 1/2	8,411	50	9,583	54 1/2	10,773	59	11,973	63 1/2	13,174
45 5/8	8,444	50 1/8	9,616	54 5/8	10,806	59 1/8	12,006	63 5/8	13,208
45 3/4	8,476	50 1/4	9,649	54 3/4	10,840	59 1/4	12,040	63 3/4	13,241
45 7/8	8,508	50 3/8	9,682	54 7/8	10,873	59 3/8	12,073	63 7/8	13,274
46	8,540	50 1/2	9,715	55	10,906	59 1/2	12,106	64	13,308
46 1/8	8,573	50 5/8	9,748	55 1/8	10,939	59 5/8	12,140	64 1/8	13,341
46 1/4	8,605	50 3/4	9,781	55 1/4	10,973	59 3/4	12,173	64 1/4	13,374
46 3/8	8,637	50 7/8	9,813	55 3/8	11,006	59 7/8	12,207	64 3/8	13,407
46 1/2	8,670	51	9,846	55 1/2	11,039	60	12,240	64 1/2	13,441
46 5/8	8,702	51 1/8	9,879	55 5/8	11,072	60 1/8	12,273	64 5/8	13,474
46 3/4	8,735	51 1/4	9,912	55 3/4	11,106	60 1/4	12,307	64 3/4	13,507
46 7/8	8,767	51 3/8	9,945	55 7/8	11,139	60 3/8	12,340	64 7/8	13,541
47	8,799	51 1/2	9,978	56	11,172	60 1/2	12,374	65	13,574
47 1/8	8,832	51 5/8	10,011	56 1/8	11,206	60 5/8	12,407	65 1/8	13,607
47 1/4	8,864	51 3/4	10,044	56 1/4	11,239	60 3/4	12,440	65 1/4	13,640
47 3/8	8,897	51 7/8	10,077	56 3/8	11,272	60 7/8	12,474	65 3/8	13,674
47 1/2	8,929	52	10,110	56 1/2	11,306	61	12,507	65 1/2	13,707
47 5/8	8,962	52 1/8	10,143	56 5/8	11,339	61 1/8	12,540	65 5/8	13,740
47 3/4	8,995	52 1/4	10,176	56 3/4	11,372	61 1/4	12,574	65 3/4	13,773
47 7/8	9,027	52 3/8	10,210	56 7/8	11,406	61 3/8	12,607	65 7/8	13,806
48	9,060	52 1/2	10,243	57	11,439	61 1/2	12,641	66	13,840
48 1/8	9,092	52 5/8	10,276	57 1/8	11,472	61 5/8	12,674	66 1/8	13,873
48 1/4	9,125	52 3/4	10,309	57 1/4	11,506	61 3/4	12,707	66 1/4	13,906
48 3/8	9,158	52 7/8	10,342	57 3/8	11,539	61 7/8	12,741	66 3/8	13,939
48 1/2	9,190	53	10,375	57 1/2	11,572	62	12,774	66 1/2	13,972
48 5/8	9,223	53 1/8	10,408	57 5/8	11,606	62 1/8	12,808	66 5/8	14,006
48 3/4	9,256	53 1/4	10,441	57 3/4	11,639	62 1/4	12,841	66 3/4	14,039
48 7/8	9,288	53 3/8	10,474	57 7/8	11,672	62 3/8	12,874	66 7/8	14,072
49	9,321	53 1/2	10,508	58	11,706	62 1/2	12,908	67	14,105
49 1/8	9,354	53 5/8	10,541	58 1/8	11,739	62 5/8	12,941	67 1/8	14,138
49 1/4	9,386	53 3/4	10,574	58 1/4	11,773	62 3/4	12,974	67 1/4	14,171
49 3/8	9,419	53 7/8	10,607	58 3/8	11,806	62 7/8	13,008	67 3/8	14,204
49 1/2	9,452	54	10,640	58 1/2	11,839	63	13,041	67 1/2	14,237



# Dipstick Calibration Chart

# 10' x 24K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	14,270	72 1/8	15,453	76 5/8	16,613	81 1/8	17,744	85 5/8	18,834
67 3/4	14,304	72 1/4	15,485	76 3/4	16,645	81 1/4	17,774	85 3/4	18,864
67 7/8	14,337	72 3/8	15,518	76 7/8	16,677	81 3/8	17,805	85 7/8	18,894
68	14,370	72 1/2	15,551	77	16,709	81 1/2	17,836	86	18,923
68 1/8	14,403	72 5/8	15,583	77 1/8	16,741	81 5/8	17,867	86 1/8	18,953
68 1/4	14,436	72 3/4	15,616	77 1/4	16,772	81 3/4	17,898	86 1/4	18,982
68 3/8	14,469	72 7/8	15,648	77 3/8	16,804	81 7/8	17,928	86 3/8	19,012
68 1/2	14,502	73	15,681	77 1/2	16,836	82	17,959	86 1/2	19,041
68 5/8	14,535	73 1/8	15,713	77 5/8	16,867	82 1/8	17,990	86 5/8	19,070
68 3/4	14,568	73 1/4	15,745	77 3/4	16,899	82 1/4	18,020	86 3/4	19,100
68 7/8	14,601	73 3/8	15,778	77 7/8	16,931	82 3/8	18,051	86 7/8	19,129
69	14,634	73 1/2	15,810	78	16,962	82 1/2	18,081	87	19,158
69 1/8	14,666	73 5/8	15,843	78 1/8	16,994	82 5/8	18,112	87 1/8	19,187
69 1/4	14,699	73 3/4	15,875	78 1/4	17,025	82 3/4	18,142	87 1/4	19,217
69 3/8	14,732	73 7/8	15,907	78 3/8	17,057	82 7/8	18,173	87 3/8	19,246
69 1/2	14,765	74	15,940	78 1/2	17,088	83	18,203	87 1/2	19,275
69 5/8	14,798	74 1/8	15,972	78 5/8	17,120	83 1/8	18,234	87 5/8	19,304
69 3/4	14,831	74 1/4	16,004	78 3/4	17,151	83 1/4	18,264	87 3/4	19,333
69 7/8	14,864	74 3/8	16,036	78 7/8	17,183	83 3/8	18,294	87 7/8	19,362
70	14,897	74 1/2	16,069	79	17,214	83 1/2	18,325	88	19,391
70 1/8	14,930	74 5/8	16,101	79 1/8	17,246	83 5/8	18,355	88 1/8	19,420
70 1/4	14,962	74 3/4	16,133	79 1/4	17,277	83 3/4	18,385	88 1/4	19,449
70 3/8	14,995	74 7/8	16,165	79 3/8	17,308	83 7/8	18,415	88 3/8	19,477
70 1/2	15,028	75	16,197	79 1/2	17,339	84	18,446	88 1/2	19,506
70 5/8	15,061	75 1/8	16,230	79 5/8	17,371	84 1/8	18,476	88 5/8	19,535
70 3/4	15,094	75 1/4	16,262	79 3/4	17,402	84 1/4	18,506	88 3/4	19,564
70 7/8	15,126	75 3/8	16,294	79 7/8	17,433	84 3/8	18,536	88 7/8	19,592
71	15,159	75 1/2	16,326	80	17,464	84 1/2	18,566	89	19,621
71 1/8	15,192	75 5/8	16,358	80 1/8	17,495	84 5/8	18,596	89 1/8	19,649
71 1/4	15,224	75 3/4	16,390	80 1/4	17,527	84 3/4	18,626	89 1/4	19,678
71 3/8	15,257	75 7/8	16,422	80 3/8	17,558	84 7/8	18,656	89 3/8	19,706
71 1/2	15,290	76	16,454	80 1/2	17,589	85	18,685	89 1/2	19,735
71 5/8	15,322	76 1/8	16,486	80 5/8	17,620	85 1/8	18,715	89 5/8	19,763
71 3/4	15,355	76 1/4	16,518	80 3/4	17,651	85 1/4	18,745	89 3/4	19,791
71 7/8	15,388	76 3/8	16,550	80 7/8	17,682	85 3/8	18,775	89 7/8	19,820
72	15,420	76 1/2	16,582	81	17,713	85 1/2	18,805	90	19,848



# Dipstick Calibration Chart

# 10' x 24K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	19,876	94 5/8	20,858	99 1/8	21,769	103 5/8	22,595	108 1/8	23,319
90 1/4	19,904	94 3/4	20,885	99 1/4	21,794	103 3/4	22,617	108 1/4	23,337
90 3/8	19,932	94 7/8	20,911	99 3/8	21,818	103 7/8	22,638	108 3/8	23,355
90 1/2	19,960	95	20,937	99 1/2	21,842	104	22,660	108 1/2	23,374
90 5/8	19,988	95 1/8	20,963	99 5/8	21,866	104 1/8	22,681	108 5/8	23,392
90 3/4	20,016	95 1/4	20,989	99 3/4	21,890	104 1/4	22,702	108 3/4	23,410
90 7/8	20,044	95 3/8	21,015	99 7/8	21,913	104 3/8	22,723	108 7/8	23,428
91	20,072	95 1/2	21,041	100	21,937	104 1/2	22,745	109	23,445
91 1/8	20,100	95 5/8	21,067	100 1/8	21,961	104 5/8	22,766	109 1/8	23,463
91 1/4	20,128	95 3/4	21,093	100 1/4	21,984	104 3/4	22,786	109 1/4	23,481
91 3/8	20,155	95 7/8	21,119	100 3/8	22,008	104 7/8	22,807	109 3/8	23,498
91 1/2	20,183	96	21,145	100 1/2	22,031	105	22,828	109 1/2	23,516
91 5/8	20,211	96 1/8	21,171	100 5/8	22,055	105 1/8	22,849	109 5/8	23,533
91 3/4	20,238	96 1/4	21,196	100 3/4	22,078	105 1/4	22,869	109 3/4	23,550
91 7/8	20,266	96 3/8	21,222	100 7/8	22,102	105 3/8	22,890	109 7/8	23,567
92	20,293	96 1/2	21,247	101	22,125	105 1/2	22,910	110	23,584
92 1/8	20,321	96 5/8	21,273	101 1/8	22,148	105 5/8	22,931	110 1/8	23,601
92 1/4	20,348	96 3/4	21,298	101 1/4	22,171	105 3/4	22,951	110 1/4	23,618
92 3/8	20,375	96 7/8	21,324	101 3/8	22,194	105 7/8	22,971	110 3/8	23,635
92 1/2	20,403	97	21,349	101 1/2	22,217	106	22,991	110 1/2	23,651
92 5/8	20,430	97 1/8	21,374	101 5/8	22,240	106 1/8	23,011	110 5/8	23,668
92 3/4	20,457	97 1/4	21,399	101 3/4	22,262	106 1/4	23,031	110 3/4	23,684
92 7/8	20,484	97 3/8	21,424	101 7/8	22,285	106 3/8	23,051	110 7/8	23,700
93	20,511	97 1/2	21,449	102	22,308	106 1/2	23,071	111	23,716
93 1/8	20,538	97 5/8	21,474	102 1/8	22,330	106 5/8	23,090	111 1/8	23,733
93 1/4	20,565	97 3/4	21,499	102 1/4	22,353	106 3/4	23,110	111 1/4	23,748
93 3/8	20,592	97 7/8	21,524	102 3/8	22,375	106 7/8	23,129	111 3/8	23,764
93 1/2	20,619	98	21,549	102 1/2	22,398	107	23,149	111 1/2	23,780
93 5/8	20,646	98 1/8	21,574	102 5/8	22,420	107 1/8	23,168	111 5/8	23,795
93 3/4	20,673	98 1/4	21,598	102 3/4	22,442	107 1/4	23,187	111 3/4	23,811
93 7/8	20,699	98 3/8	21,623	102 7/8	22,464	107 3/8	23,206	111 7/8	23,826
94	20,726	98 1/2	21,648	103	22,486	107 1/2	23,225	112	23,841
94 1/8	20,752	98 5/8	21,672	103 1/8	22,508	107 5/8	23,244	112 1/8	23,856
94 1/4	20,779	98 3/4	21,696	103 1/4	22,530	107 3/4	23,263	112 1/4	23,871
94 3/8	20,806	98 7/8	21,721	103 3/8	22,552	107 7/8	23,281	112 3/8	23,886
94 1/2	20,832	99	21,745	103 1/2	22,574	108	23,300	112 1/2	23,901



# Dipstick Calibration Chart

# 10' x 24K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	23,915	117 1/8	24,345
112 3/4	23,930	117 1/4	24,354
112 7/8	23,944	117 3/8	24,362
113	23,958	117 1/2	24,371
113 1/8	23,972	117 5/8	24,379
113 1/4	23,986	117 3/4	24,387
113 3/8	24,000	117 7/8	24,394
113 1/2	24,014	118	24,402
113 5/8	24,027	118 1/8	24,409
113 3/4	24,041	118 1/4	24,416
113 7/8	24,054	118 3/8	24,423
114	24,067	118 1/2	24,430
114 1/8	24,080	118 5/8	24,436
114 1/4	24,093	118 3/4	24,442
114 3/8	24,106	118 7/8	24,447
114 1/2	24,118	119	24,453
114 5/8	24,131	119 1/8	24,458
114 3/4	24,143	119 1/4	24,462
114 7/8	24,155	119 3/8	24,467
115	24,167	119 1/2	24,470
115 1/8	24,179	119 5/8	24,474
115 1/4	24,190	119 3/4	24,477
115 3/8	24,202	119 7/8	24,479
115 1/2	24,213	120	24,480
115 5/8	24,224		
115 3/4	24,235		
115 7/8	24,246		
116	24,257		
116 1/8	24,267		
116 1/4	24,278		
116 3/8	24,288		
116 1/2	24,298		
116 5/8	24,308		
116 3/4	24,317		
116 7/8	24,327		
117	24,336		