



Dipstick Calibration Chart

10' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	121	9 1/8	351	13 5/8	656	18 1/8	1,023
1/4	1	4 3/4	127	9 1/4	358	13 3/4	665	18 1/4	1,034
3/8	3	4 7/8	132	9 3/8	366	13 7/8	675	18 3/8	1,045
1/2	4	5	137	9 1/2	373	14	684	18 1/2	1,056
5/8	6	5 1/8	142	9 5/8	381	14 1/8	694	18 5/8	1,067
3/4	7	5 1/4	148	9 3/4	389	14 1/4	703	18 3/4	1,078
7/8	9	5 3/8	153	9 7/8	397	14 3/8	713	18 7/8	1,089
1	11	5 1/2	159	10	404	14 1/2	723	19	1,100
1 1/8	14	5 5/8	165	10 1/8	412	14 5/8	732	19 1/8	1,111
1 1/4	16	5 3/4	170	10 1/4	420	14 3/4	742	19 1/4	1,123
1 3/8	19	5 7/8	176	10 3/8	428	14 7/8	752	19 3/8	1,134
1 1/2	21	6	182	10 1/2	436	15	762	19 1/2	1,145
1 5/8	24	6 1/8	188	10 5/8	445	15 1/8	772	19 5/8	1,157
1 3/4	27	6 1/4	194	10 3/4	453	15 1/4	782	19 3/4	1,168
1 7/8	30	6 3/8	200	10 7/8	461	15 3/8	792	19 7/8	1,180
2	33	6 1/2	206	11	469	15 1/2	802	20	1,191
2 1/8	36	6 5/8	213	11 1/8	478	15 5/8	812	20 1/8	1,203
2 1/4	40	6 3/4	219	11 1/4	486	15 3/4	822	20 1/4	1,214
2 3/8	43	6 7/8	225	11 3/8	495	15 7/8	832	20 3/8	1,226
2 1/2	47	7	232	11 1/2	503	16	842	20 1/2	1,238
2 5/8	50	7 1/8	238	11 5/8	512	16 1/8	853	20 5/8	1,249
2 3/4	54	7 1/4	245	11 3/4	520	16 1/4	863	20 3/4	1,261
2 7/8	58	7 3/8	251	11 7/8	529	16 3/8	873	20 7/8	1,273
3	62	7 1/2	258	12	538	16 1/2	884	21	1,285
3 1/8	66	7 5/8	265	12 1/8	547	16 5/8	894	21 1/8	1,296
3 1/4	70	7 3/4	272	12 1/4	555	16 3/4	905	21 1/4	1,308
3 3/8	74	7 7/8	278	12 3/8	564	16 7/8	915	21 3/8	1,320
3 1/2	79	8	285	12 1/2	573	17	926	21 1/2	1,332
3 5/8	83	8 1/8	292	12 5/8	582	17 1/8	936	21 5/8	1,344
3 3/4	88	8 1/4	299	12 3/4	591	17 1/4	947	21 3/4	1,356
3 7/8	92	8 3/8	307	12 7/8	600	17 3/8	958	21 7/8	1,368
4	97	8 1/2	314	13	609	17 1/2	968	22	1,380
4 1/8	102	8 5/8	321	13 1/8	619	17 5/8	979	22 1/8	1,393
4 1/4	106	8 3/4	328	13 1/4	628	17 3/4	990	22 1/4	1,405
4 3/8	111	8 7/8	336	13 3/8	637	17 7/8	1,001	22 3/8	1,417
4 1/2	116	9	343	13 1/2	646	18	1,012	22 1/2	1,429



Dipstick Calibration Chart

10' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,441	27 1/8	1,904	31 5/8	2,405	36 1/8	2,937	40 5/8	3,494
22 3/4	1,454	27 1/4	1,918	31 3/4	2,419	36 1/4	2,952	40 3/4	3,510
22 7/8	1,466	27 3/8	1,931	31 7/8	2,433	36 3/8	2,967	40 7/8	3,526
23	1,478	27 1/2	1,945	32	2,448	36 1/2	2,982	41	3,542
23 1/8	1,491	27 5/8	1,958	32 1/8	2,462	36 5/8	2,997	41 1/8	3,558
23 1/4	1,503	27 3/4	1,972	32 1/4	2,477	36 3/4	3,013	41 1/4	3,574
23 3/8	1,516	27 7/8	1,985	32 3/8	2,491	36 7/8	3,028	41 3/8	3,589
23 1/2	1,528	28	1,999	32 1/2	2,506	37	3,043	41 1/2	3,605
23 5/8	1,541	28 1/8	2,012	32 5/8	2,520	37 1/8	3,058	41 5/8	3,621
23 3/4	1,553	28 1/4	2,026	32 3/4	2,535	37 1/4	3,074	41 3/4	3,637
23 7/8	1,566	28 3/8	2,040	32 7/8	2,550	37 3/8	3,089	41 7/8	3,653
24	1,578	28 1/2	2,053	33	2,564	37 1/2	3,104	42	3,669
24 1/8	1,591	28 5/8	2,067	33 1/8	2,579	37 5/8	3,120	42 1/8	3,685
24 1/4	1,604	28 3/4	2,081	33 1/4	2,593	37 3/4	3,135	42 1/4	3,701
24 3/8	1,617	28 7/8	2,095	33 3/8	2,608	37 7/8	3,151	42 3/8	3,717
24 1/2	1,629	29	2,109	33 1/2	2,623	38	3,166	42 1/2	3,733
24 5/8	1,642	29 1/8	2,122	33 5/8	2,638	38 1/8	3,182	42 5/8	3,749
24 3/4	1,655	29 1/4	2,136	33 3/4	2,652	38 1/4	3,197	42 3/4	3,765
24 7/8	1,668	29 3/8	2,150	33 7/8	2,667	38 3/8	3,213	42 7/8	3,781
25	1,681	29 1/2	2,164	34	2,682	38 1/2	3,228	43	3,797
25 1/8	1,694	29 5/8	2,178	34 1/8	2,697	38 5/8	3,244	43 1/8	3,814
25 1/4	1,706	29 3/4	2,192	34 1/4	2,711	38 3/4	3,259	43 1/4	3,830
25 3/8	1,719	29 7/8	2,206	34 3/8	2,726	38 7/8	3,275	43 3/8	3,846
25 1/2	1,732	30	2,220	34 1/2	2,741	39	3,290	43 1/2	3,862
25 5/8	1,746	30 1/8	2,234	34 5/8	2,756	39 1/8	3,306	43 5/8	3,878
25 3/4	1,759	30 1/4	2,248	34 3/4	2,771	39 1/4	3,321	43 3/4	3,894
25 7/8	1,772	30 3/8	2,262	34 7/8	2,786	39 3/8	3,337	43 7/8	3,910
26	1,785	30 1/2	2,276	35	2,801	39 1/2	3,353	44	3,927
26 1/8	1,798	30 5/8	2,291	35 1/8	2,816	39 5/8	3,368	44 1/8	3,943
26 1/4	1,811	30 3/4	2,305	35 1/4	2,831	39 3/4	3,384	44 1/4	3,959
26 3/8	1,824	30 7/8	2,319	35 3/8	2,846	39 7/8	3,400	44 3/8	3,975
26 1/2	1,838	31	2,333	35 1/2	2,861	40	3,416	44 1/2	3,992
26 5/8	1,851	31 1/8	2,347	35 5/8	2,876	40 1/8	3,431	44 5/8	4,008
26 3/4	1,864	31 1/4	2,362	35 3/4	2,891	40 1/4	3,447	44 3/4	4,024
26 7/8	1,878	31 3/8	2,376	35 7/8	2,906	40 3/8	3,463	44 7/8	4,040
27	1,891	31 1/2	2,390	36	2,921	40 1/2	3,479	45	4,057



Dipstick Calibration Chart

10' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,073	49 5/8	4,667	54 1/8	5,272	58 5/8	5,884	63 1/8	6,496
45 1/4	4,089	49 3/4	4,684	54 1/4	5,289	58 3/4	5,901	63 1/4	6,513
45 3/8	4,106	49 7/8	4,701	54 3/8	5,306	58 7/8	5,918	63 3/8	6,530
45 1/2	4,122	50	4,717	54 1/2	5,323	59	5,935	63 1/2	6,547
45 5/8	4,138	50 1/8	4,734	54 5/8	5,340	59 1/8	5,952	63 5/8	6,564
45 3/4	4,155	50 1/4	4,751	54 3/4	5,357	59 1/4	5,969	63 3/4	6,581
45 7/8	4,171	50 3/8	4,767	54 7/8	5,374	59 3/8	5,986	63 7/8	6,598
46	4,187	50 1/2	4,784	55	5,391	59 1/2	6,003	64	6,615
46 1/8	4,204	50 5/8	4,801	55 1/8	5,408	59 5/8	6,020	64 1/8	6,632
46 1/4	4,220	50 3/4	4,818	55 1/4	5,425	59 3/4	6,037	64 1/4	6,649
46 3/8	4,237	50 7/8	4,834	55 3/8	5,442	59 7/8	6,054	64 3/8	6,666
46 1/2	4,253	51	4,851	55 1/2	5,459	60	6,071	64 1/2	6,683
46 5/8	4,270	51 1/8	4,868	55 5/8	5,476	60 1/8	6,088	64 5/8	6,700
46 3/4	4,286	51 1/4	4,885	55 3/4	5,493	60 1/4	6,105	64 3/4	6,717
46 7/8	4,302	51 3/8	4,902	55 7/8	5,510	60 3/8	6,122	64 7/8	6,734
47	4,319	51 1/2	4,918	56	5,527	60 1/2	6,139	65	6,751
47 1/8	4,335	51 5/8	4,935	56 1/8	5,544	60 5/8	6,156	65 1/8	6,768
47 1/4	4,352	51 3/4	4,952	56 1/4	5,561	60 3/4	6,173	65 1/4	6,785
47 3/8	4,368	51 7/8	4,969	56 3/8	5,578	60 7/8	6,190	65 3/8	6,802
47 1/2	4,385	52	4,986	56 1/2	5,595	61	6,207	65 1/2	6,819
47 5/8	4,401	52 1/8	5,002	56 5/8	5,612	61 1/8	6,224	65 5/8	6,836
47 3/4	4,418	52 1/4	5,019	56 3/4	5,629	61 1/4	6,241	65 3/4	6,853
47 7/8	4,435	52 3/8	5,036	56 7/8	5,646	61 3/8	6,258	65 7/8	6,870
48	4,451	52 1/2	5,053	57	5,663	61 1/2	6,275	66	6,887
48 1/8	4,468	52 5/8	5,070	57 1/8	5,680	61 5/8	6,292	66 1/8	6,903
48 1/4	4,484	52 3/4	5,087	57 1/4	5,697	61 3/4	6,309	66 1/4	6,920
48 3/8	4,501	52 7/8	5,103	57 3/8	5,714	61 7/8	6,326	66 3/8	6,937
48 1/2	4,517	53	5,120	57 1/2	5,731	62	6,343	66 1/2	6,954
48 5/8	4,534	53 1/8	5,137	57 5/8	5,748	62 1/8	6,360	66 5/8	6,971
48 3/4	4,551	53 1/4	5,154	57 3/4	5,765	62 1/4	6,377	66 3/4	6,988
48 7/8	4,567	53 3/8	5,171	57 7/8	5,782	62 3/8	6,394	66 7/8	7,005
49	4,584	53 1/2	5,188	58	5,799	62 1/2	6,411	67	7,022
49 1/8	4,601	53 5/8	5,205	58 1/8	5,816	62 5/8	6,428	67 1/8	7,039
49 1/4	4,617	53 3/4	5,222	58 1/4	5,833	62 3/4	6,445	67 1/4	7,055
49 3/8	4,634	53 7/8	5,239	58 3/8	5,850	62 7/8	6,462	67 3/8	7,072
49 1/2	4,651	54	5,255	58 1/2	5,867	63	6,479	67 1/2	7,089



Dipstick Calibration Chart

10' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	7,106	72 1/8	7,708	76 5/8	8,296	81 1/8	8,867	85 5/8	9,416
67 3/4	7,123	72 1/4	7,724	76 3/4	8,312	81 1/4	8,883	85 3/4	9,431
67 7/8	7,140	72 3/8	7,741	76 7/8	8,329	81 3/8	8,898	85 7/8	9,445
68	7,156	72 1/2	7,757	77	8,345	81 1/2	8,914	86	9,460
68 1/8	7,173	72 5/8	7,774	77 1/8	8,361	81 5/8	8,930	86 1/8	9,475
68 1/4	7,190	72 3/4	7,790	77 1/4	8,377	81 3/4	8,945	86 1/4	9,490
68 3/8	7,207	72 7/8	7,807	77 3/8	8,393	81 7/8	8,960	86 3/8	9,505
68 1/2	7,224	73	7,823	77 1/2	8,409	82	8,976	86 1/2	9,519
68 5/8	7,241	73 1/8	7,840	77 5/8	8,425	82 1/8	8,991	86 5/8	9,534
68 3/4	7,257	73 1/4	7,856	77 3/4	8,441	82 1/4	9,007	86 3/4	9,549
68 7/8	7,274	73 3/8	7,873	77 7/8	8,457	82 3/8	9,022	86 7/8	9,563
69	7,291	73 1/2	7,889	78	8,473	82 1/2	9,038	87	9,578
69 1/8	7,308	73 5/8	7,905	78 1/8	8,489	82 5/8	9,053	87 1/8	9,593
69 1/4	7,324	73 3/4	7,922	78 1/4	8,505	82 3/4	9,068	87 1/4	9,607
69 3/8	7,341	73 7/8	7,938	78 3/8	8,521	82 7/8	9,084	87 3/8	9,622
69 1/2	7,358	74	7,955	78 1/2	8,537	83	9,099	87 1/2	9,636
69 5/8	7,375	74 1/8	7,971	78 5/8	8,553	83 1/8	9,114	87 5/8	9,651
69 3/4	7,391	74 1/4	7,987	78 3/4	8,568	83 1/4	9,129	87 3/4	9,665
69 7/8	7,408	74 3/8	8,004	78 7/8	8,584	83 3/8	9,145	87 7/8	9,680
70	7,425	74 1/2	8,020	79	8,600	83 1/2	9,160	88	9,694
70 1/8	7,441	74 5/8	8,036	79 1/8	8,616	83 5/8	9,175	88 1/8	9,709
70 1/4	7,458	74 3/4	8,053	79 1/4	8,632	83 3/4	9,190	88 1/4	9,723
70 3/8	7,475	74 7/8	8,069	79 3/8	8,648	83 7/8	9,206	88 3/8	9,737
70 1/2	7,492	75	8,085	79 1/2	8,664	84	9,221	88 1/2	9,752
70 5/8	7,508	75 1/8	8,102	79 5/8	8,679	84 1/8	9,236	88 5/8	9,766
70 3/4	7,525	75 1/4	8,118	79 3/4	8,695	84 1/4	9,251	88 3/4	9,780
70 7/8	7,542	75 3/8	8,134	79 7/8	8,711	84 3/8	9,266	88 7/8	9,795
71	7,558	75 1/2	8,151	80	8,727	84 1/2	9,281	89	9,809
71 1/8	7,575	75 5/8	8,167	80 1/8	8,742	84 5/8	9,296	89 1/8	9,823
71 1/4	7,591	75 3/4	8,183	80 1/4	8,758	84 3/4	9,311	89 1/4	9,837
71 3/8	7,608	75 7/8	8,199	80 3/8	8,774	84 7/8	9,326	89 3/8	9,852
71 1/2	7,625	76	8,215	80 1/2	8,789	85	9,341	89 1/2	9,866
71 5/8	7,641	76 1/8	8,232	80 5/8	8,805	85 1/8	9,356	89 5/8	9,880
71 3/4	7,658	76 1/4	8,248	80 3/4	8,821	85 1/4	9,371	89 3/4	9,894
71 7/8	7,674	76 3/8	8,264	80 7/8	8,836	85 3/8	9,386	89 7/8	9,908
72	7,691	76 1/2	8,280	81	8,852	85 1/2	9,401	90	9,922



Dipstick Calibration Chart

10' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	9,936	94 5/8	10,423	99 1/8	10,869	103 5/8	11,269	108 1/8	11,613
90 1/4	9,950	94 3/4	10,436	99 1/4	10,881	103 3/4	11,279	108 1/4	11,622
90 3/8	9,964	94 7/8	10,449	99 3/8	10,893	103 7/8	11,290	108 3/8	11,630
90 1/2	9,978	95	10,461	99 1/2	10,904	104	11,300	108 1/2	11,639
90 5/8	9,992	95 1/8	10,474	99 5/8	10,916	104 1/8	11,310	108 5/8	11,647
90 3/4	10,006	95 1/4	10,487	99 3/4	10,928	104 1/4	11,320	108 3/4	11,656
90 7/8	10,020	95 3/8	10,500	99 7/8	10,939	104 3/8	11,330	108 7/8	11,664
91	10,033	95 1/2	10,513	100	10,951	104 1/2	11,340	109	11,673
91 1/8	10,047	95 5/8	10,526	100 1/8	10,962	104 5/8	11,350	109 1/8	11,681
91 1/4	10,061	95 3/4	10,538	100 1/4	10,974	104 3/4	11,360	109 1/4	11,689
91 3/8	10,075	95 7/8	10,551	100 3/8	10,985	104 7/8	11,370	109 3/8	11,697
91 1/2	10,089	96	10,564	100 1/2	10,997	105	11,380	109 1/2	11,706
91 5/8	10,102	96 1/8	10,576	100 5/8	11,008	105 1/8	11,390	109 5/8	11,714
91 3/4	10,116	96 1/4	10,589	100 3/4	11,019	105 1/4	11,400	109 3/4	11,722
91 7/8	10,130	96 3/8	10,601	100 7/8	11,031	105 3/8	11,410	109 7/8	11,730
92	10,143	96 1/2	10,614	101	11,042	105 1/2	11,420	110	11,738
92 1/8	10,157	96 5/8	10,626	101 1/8	11,053	105 5/8	11,429	110 1/8	11,745
92 1/4	10,170	96 3/4	10,639	101 1/4	11,064	105 3/4	11,439	110 1/4	11,753
92 3/8	10,184	96 7/8	10,651	101 3/8	11,075	105 7/8	11,448	110 3/8	11,761
92 1/2	10,197	97	10,664	101 1/2	11,086	106	11,458	110 1/2	11,769
92 5/8	10,211	97 1/8	10,676	101 5/8	11,098	106 1/8	11,468	110 5/8	11,776
92 3/4	10,224	97 1/4	10,688	101 3/4	11,109	106 1/4	11,477	110 3/4	11,784
92 7/8	10,238	97 3/8	10,701	101 7/8	11,120	106 3/8	11,486	110 7/8	11,792
93	10,251	97 1/2	10,713	102	11,130	106 1/2	11,496	111	11,799
93 1/8	10,265	97 5/8	10,725	102 1/8	11,141	106 5/8	11,505	111 1/8	11,806
93 1/4	10,278	97 3/4	10,737	102 1/4	11,152	106 3/4	11,514	111 1/4	11,814
93 3/8	10,291	97 7/8	10,750	102 3/8	11,163	106 7/8	11,524	111 3/8	11,821
93 1/2	10,304	98	10,762	102 1/2	11,174	107	11,533	111 1/2	11,828
93 5/8	10,318	98 1/8	10,774	102 5/8	11,184	107 1/8	11,542	111 5/8	11,835
93 3/4	10,331	98 1/4	10,786	102 3/4	11,195	107 1/4	11,551	111 3/4	11,843
93 7/8	10,344	98 3/8	10,798	102 7/8	11,206	107 3/8	11,560	111 7/8	11,850
94	10,357	98 1/2	10,810	103	11,216	107 1/2	11,569	112	11,857
94 1/8	10,370	98 5/8	10,822	103 1/8	11,227	107 5/8	11,578	112 1/8	11,864
94 1/4	10,383	98 3/4	10,834	103 1/4	11,238	107 3/4	11,587	112 1/4	11,870
94 3/8	10,397	98 7/8	10,846	103 3/8	11,248	107 7/8	11,596	112 3/8	11,877
94 1/2	10,410	99	10,857	103 1/2	11,258	108	11,604	112 1/2	11,884



Dipstick Calibration Chart

10' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	11,891	117 1/8	12,084
112 3/4	11,897	117 1/4	12,088
112 7/8	11,904	117 3/8	12,092
113	11,910	117 1/2	12,095
113 1/8	11,917	117 5/8	12,099
113 1/4	11,923	117 3/4	12,102
113 3/8	11,929	117 7/8	12,106
113 1/2	11,936	118	12,109
113 5/8	11,942	118 1/8	12,112
113 3/4	11,948	118 1/4	12,115
113 7/8	11,954	118 3/8	12,118
114	11,960	118 1/2	12,121
114 1/8	11,966	118 5/8	12,123
114 1/4	11,972	118 3/4	12,126
114 3/8	11,977	118 7/8	12,128
114 1/2	11,983	119	12,131
114 5/8	11,989	119 1/8	12,133
114 3/4	11,994	119 1/4	12,135
114 7/8	12,000	119 3/8	12,137
115	12,005	119 1/2	12,138
115 1/8	12,010	119 5/8	12,140
115 1/4	12,015	119 3/4	12,141
115 3/8	12,021	119 7/8	12,142
115 1/2	12,026	120	12,142
115 5/8	12,031		
115 3/4	12,036		
115 7/8	12,040		
116	12,045		
116 1/8	12,050		
116 1/4	12,054		
116 3/8	12,059		
116 1/2	12,063		
116 5/8	12,068		
116 3/4	12,072		
116 7/8	12,076		
117	12,080		