



Dipstick Calibration Chart

10' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	136	9 1/8	391	13 5/8	729	18 1/8	1,134
1/4	2	4 3/4	142	9 1/4	400	13 3/4	740	18 1/4	1,146
3/8	3	4 7/8	148	9 3/8	408	13 7/8	750	18 3/8	1,158
1/2	4	5	154	9 1/2	417	14	761	18 1/2	1,171
5/8	6	5 1/8	160	9 5/8	425	14 1/8	771	18 5/8	1,183
3/4	8	5 1/4	166	9 3/4	434	14 1/4	782	18 3/4	1,195
7/8	11	5 3/8	172	9 7/8	442	14 3/8	792	18 7/8	1,207
1	13	5 1/2	178	10	451	14 1/2	803	19	1,220
1 1/8	15	5 5/8	185	10 1/8	460	14 5/8	814	19 1/8	1,232
1 1/4	18	5 3/4	191	10 1/4	469	14 3/4	825	19 1/4	1,245
1 3/8	21	5 7/8	198	10 3/8	478	14 7/8	836	19 3/8	1,257
1 1/2	24	6	204	10 1/2	487	15	847	19 1/2	1,269
1 5/8	27	6 1/8	211	10 5/8	496	15 1/8	857	19 5/8	1,282
1 3/4	30	6 1/4	217	10 3/4	505	15 1/4	868	19 3/4	1,295
1 7/8	34	6 3/8	224	10 7/8	514	15 3/8	879	19 7/8	1,307
2	37	6 1/2	231	11	523	15 1/2	891	20	1,320
2 1/8	41	6 5/8	238	11 1/8	532	15 5/8	902	20 1/8	1,333
2 1/4	45	6 3/4	245	11 1/4	542	15 3/4	913	20 1/4	1,345
2 3/8	49	6 7/8	252	11 3/8	551	15 7/8	924	20 3/8	1,358
2 1/2	53	7	259	11 1/2	561	16	935	20 1/2	1,371
2 5/8	57	7 1/8	267	11 5/8	570	16 1/8	947	20 5/8	1,384
2 3/4	61	7 1/4	274	11 3/4	580	16 1/4	958	20 3/4	1,397
2 7/8	65	7 3/8	281	11 7/8	589	16 3/8	970	20 7/8	1,410
3	70	7 1/2	289	12	599	16 1/2	981	21	1,423
3 1/8	74	7 5/8	296	12 1/8	609	16 5/8	993	21 1/8	1,436
3 1/4	79	7 3/4	304	12 1/4	618	16 3/4	1,004	21 1/4	1,449
3 3/8	84	7 7/8	311	12 3/8	628	16 7/8	1,016	21 3/8	1,462
3 1/2	89	8	319	12 1/2	638	17	1,027	21 1/2	1,475
3 5/8	94	8 1/8	327	12 5/8	648	17 1/8	1,039	21 5/8	1,488
3 3/4	99	8 1/4	335	12 3/4	658	17 1/4	1,051	21 3/4	1,502
3 7/8	104	8 3/8	343	12 7/8	668	17 3/8	1,063	21 7/8	1,515
4	109	8 1/2	351	13	678	17 1/2	1,074	22	1,528
4 1/8	114	8 5/8	359	13 1/8	688	17 5/8	1,086	22 1/8	1,541
4 1/4	120	8 3/4	367	13 1/4	698	17 3/4	1,098	22 1/4	1,555
4 3/8	125	8 7/8	375	13 3/8	709	17 7/8	1,110	22 3/8	1,568
4 1/2	131	9	383	13 1/2	719	18	1,122	22 1/2	1,582



Dipstick Calibration Chart

10' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,595	27 1/8	2,103	31 5/8	2,652	36 1/8	3,234	40 5/8	3,845
22 3/4	1,609	27 1/4	2,118	31 3/4	2,668	36 1/4	3,251	40 3/4	3,862
22 7/8	1,622	27 3/8	2,133	31 7/8	2,684	36 3/8	3,268	40 7/8	3,879
23	1,636	27 1/2	2,148	32	2,699	36 1/2	3,284	41	3,897
23 1/8	1,649	27 5/8	2,163	32 1/8	2,715	36 5/8	3,301	41 1/8	3,914
23 1/4	1,663	27 3/4	2,177	32 1/4	2,731	36 3/4	3,318	41 1/4	3,931
23 3/8	1,677	27 7/8	2,192	32 3/8	2,747	36 7/8	3,334	41 3/8	3,949
23 1/2	1,690	28	2,207	32 1/2	2,763	37	3,351	41 1/2	3,966
23 5/8	1,704	28 1/8	2,222	32 5/8	2,779	37 1/8	3,368	41 5/8	3,983
23 3/4	1,718	28 1/4	2,237	32 3/4	2,795	37 1/4	3,385	41 3/4	4,001
23 7/8	1,732	28 3/8	2,252	32 7/8	2,811	37 3/8	3,401	41 7/8	4,018
24	1,746	28 1/2	2,267	33	2,827	37 1/2	3,418	42	4,036
24 1/8	1,760	28 5/8	2,282	33 1/8	2,843	37 5/8	3,435	42 1/8	4,053
24 1/4	1,774	28 3/4	2,297	33 1/4	2,859	37 3/4	3,452	42 1/4	4,071
24 3/8	1,788	28 7/8	2,312	33 3/8	2,875	37 7/8	3,469	42 3/8	4,088
24 1/2	1,802	29	2,328	33 1/2	2,891	38	3,486	42 1/2	4,106
24 5/8	1,816	29 1/8	2,343	33 5/8	2,907	38 1/8	3,503	42 5/8	4,123
24 3/4	1,830	29 1/4	2,358	33 3/4	2,923	38 1/4	3,519	42 3/4	4,141
24 7/8	1,844	29 3/8	2,373	33 7/8	2,939	38 3/8	3,536	42 7/8	4,158
25	1,858	29 1/2	2,388	34	2,956	38 1/2	3,553	43	4,176
25 1/8	1,872	29 5/8	2,404	34 1/8	2,972	38 5/8	3,570	43 1/8	4,193
25 1/4	1,886	29 3/4	2,419	34 1/4	2,988	38 3/4	3,587	43 1/4	4,211
25 3/8	1,901	29 7/8	2,434	34 3/8	3,004	38 7/8	3,604	43 3/8	4,229
25 1/2	1,915	30	2,450	34 1/2	3,021	39	3,621	43 1/2	4,246
25 5/8	1,929	30 1/8	2,465	34 5/8	3,037	39 1/8	3,638	43 5/8	4,264
25 3/4	1,944	30 1/4	2,481	34 3/4	3,053	39 1/4	3,656	43 3/4	4,282
25 7/8	1,958	30 3/8	2,496	34 7/8	3,070	39 3/8	3,673	43 7/8	4,299
26	1,972	30 1/2	2,512	35	3,086	39 1/2	3,690	44	4,317
26 1/8	1,987	30 5/8	2,527	35 1/8	3,102	39 5/8	3,707	44 1/8	4,335
26 1/4	2,001	30 3/4	2,543	35 1/4	3,119	39 3/4	3,724	44 1/4	4,352
26 3/8	2,016	30 7/8	2,558	35 3/8	3,135	39 7/8	3,741	44 3/8	4,370
26 1/2	2,030	31	2,574	35 1/2	3,152	40	3,758	44 1/2	4,388
26 5/8	2,045	31 1/8	2,589	35 5/8	3,168	40 1/8	3,776	44 5/8	4,406
26 3/4	2,059	31 1/4	2,605	35 3/4	3,185	40 1/4	3,793	44 3/4	4,423
26 7/8	2,074	31 3/8	2,621	35 7/8	3,201	40 3/8	3,810	44 7/8	4,441
27	2,089	31 1/2	2,636	36	3,218	40 1/2	3,827	45	4,459



Dipstick Calibration Chart

10' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,477	49 5/8	5,126	54 1/8	5,787	58 5/8	6,454	63 1/8	7,123
45 1/4	4,495	49 3/4	5,144	54 1/4	5,805	58 3/4	6,473	63 1/4	7,142
45 3/8	4,513	49 7/8	5,162	54 3/8	5,824	58 7/8	6,491	63 3/8	7,160
45 1/2	4,530	50	5,181	54 1/2	5,842	59	6,510	63 1/2	7,179
45 5/8	4,548	50 1/8	5,199	54 5/8	5,861	59 1/8	6,528	63 5/8	7,197
45 3/4	4,566	50 1/4	5,217	54 3/4	5,879	59 1/4	6,547	63 3/4	7,216
45 7/8	4,584	50 3/8	5,235	54 7/8	5,898	59 3/8	6,566	63 7/8	7,234
46	4,602	50 1/2	5,254	55	5,916	59 1/2	6,584	64	7,253
46 1/8	4,620	50 5/8	5,272	55 1/8	5,935	59 5/8	6,603	64 1/8	7,271
46 1/4	4,638	50 3/4	5,290	55 1/4	5,953	59 3/4	6,621	64 1/4	7,290
46 3/8	4,656	50 7/8	5,309	55 3/8	5,972	59 7/8	6,640	64 3/8	7,308
46 1/2	4,674	51	5,327	55 1/2	5,990	60	6,659	64 1/2	7,327
46 5/8	4,692	51 1/8	5,345	55 5/8	6,009	60 1/8	6,677	64 5/8	7,345
46 3/4	4,710	51 1/4	5,364	55 3/4	6,027	60 1/4	6,696	64 3/4	7,364
46 7/8	4,728	51 3/8	5,382	55 7/8	6,046	60 3/8	6,714	64 7/8	7,382
47	4,746	51 1/2	5,400	56	6,064	60 1/2	6,733	65	7,401
47 1/8	4,764	51 5/8	5,419	56 1/8	6,083	60 5/8	6,751	65 1/8	7,419
47 1/4	4,782	51 3/4	5,437	56 1/4	6,101	60 3/4	6,770	65 1/4	7,438
47 3/8	4,800	51 7/8	5,455	56 3/8	6,120	60 7/8	6,789	65 3/8	7,456
47 1/2	4,818	52	5,474	56 1/2	6,138	61	6,807	65 1/2	7,475
47 5/8	4,836	52 1/8	5,492	56 5/8	6,157	61 1/8	6,826	65 5/8	7,493
47 3/4	4,854	52 1/4	5,510	56 3/4	6,176	61 1/4	6,844	65 3/4	7,512
47 7/8	4,872	52 3/8	5,529	56 7/8	6,194	61 3/8	6,863	65 7/8	7,530
48	4,890	52 1/2	5,547	57	6,213	61 1/2	6,882	66	7,549
48 1/8	4,908	52 5/8	5,566	57 1/8	6,231	61 5/8	6,900	66 1/8	7,567
48 1/4	4,926	52 3/4	5,584	57 1/4	6,250	61 3/4	6,919	66 1/4	7,586
48 3/8	4,944	52 7/8	5,602	57 3/8	6,268	61 7/8	6,937	66 3/8	7,604
48 1/2	4,962	53	5,621	57 1/2	6,287	62	6,956	66 1/2	7,623
48 5/8	4,981	53 1/8	5,639	57 5/8	6,306	62 1/8	6,974	66 5/8	7,641
48 3/4	4,999	53 1/4	5,658	57 3/4	6,324	62 1/4	6,993	66 3/4	7,659
48 7/8	5,017	53 3/8	5,676	57 7/8	6,343	62 3/8	7,012	66 7/8	7,678
49	5,035	53 1/2	5,695	58	6,361	62 1/2	7,030	67	7,696
49 1/8	5,053	53 5/8	5,713	58 1/8	6,380	62 5/8	7,049	67 1/8	7,715
49 1/4	5,071	53 3/4	5,731	58 1/4	6,398	62 3/4	7,067	67 1/4	7,733
49 3/8	5,090	53 7/8	5,750	58 3/8	6,417	62 7/8	7,086	67 3/8	7,752
49 1/2	5,108	54	5,768	58 1/2	6,436	63	7,104	67 1/2	7,770



Dipstick Calibration Chart

10' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	7,788	72 1/8	8,445	76 5/8	9,088	81 1/8	9,713	85 5/8	10,313
67 3/4	7,807	72 1/4	8,463	76 3/4	9,106	81 1/4	9,730	85 3/4	10,329
67 7/8	7,825	72 3/8	8,481	76 7/8	9,124	81 3/8	9,747	85 7/8	10,345
68	7,843	72 1/2	8,499	77	9,141	81 1/2	9,764	86	10,361
68 1/8	7,862	72 5/8	8,517	77 1/8	9,159	81 5/8	9,781	86 1/8	10,378
68 1/4	7,880	72 3/4	8,535	77 1/4	9,176	81 3/4	9,798	86 1/4	10,394
68 3/8	7,899	72 7/8	8,553	77 3/8	9,194	81 7/8	9,815	86 3/8	10,410
68 1/2	7,917	73	8,571	77 1/2	9,211	82	9,831	86 1/2	10,426
68 5/8	7,935	73 1/8	8,589	77 5/8	9,229	82 1/8	9,848	86 5/8	10,442
68 3/4	7,954	73 1/4	8,607	77 3/4	9,246	82 1/4	9,865	86 3/4	10,458
68 7/8	7,972	73 3/8	8,625	77 7/8	9,264	82 3/8	9,882	86 7/8	10,474
69	7,990	73 1/2	8,643	78	9,281	82 1/2	9,899	87	10,490
69 1/8	8,008	73 5/8	8,661	78 1/8	9,299	82 5/8	9,916	87 1/8	10,506
69 1/4	8,027	73 3/4	8,679	78 1/4	9,316	82 3/4	9,932	87 1/4	10,522
69 3/8	8,045	73 7/8	8,697	78 3/8	9,334	82 7/8	9,949	87 3/8	10,538
69 1/2	8,063	74	8,715	78 1/2	9,351	83	9,966	87 1/2	10,554
69 5/8	8,082	74 1/8	8,733	78 5/8	9,369	83 1/8	9,983	87 5/8	10,570
69 3/4	8,100	74 1/4	8,751	78 3/4	9,386	83 1/4	9,999	87 3/4	10,586
69 7/8	8,118	74 3/8	8,769	78 7/8	9,403	83 3/8	10,016	87 7/8	10,602
70	8,136	74 1/2	8,787	79	9,421	83 1/2	10,033	88	10,618
70 1/8	8,155	74 5/8	8,805	79 1/8	9,438	83 5/8	10,049	88 1/8	10,633
70 1/4	8,173	74 3/4	8,822	79 1/4	9,455	83 3/4	10,066	88 1/4	10,649
70 3/8	8,191	74 7/8	8,840	79 3/8	9,473	83 7/8	10,083	88 3/8	10,665
70 1/2	8,209	75	8,858	79 1/2	9,490	84	10,099	88 1/2	10,681
70 5/8	8,227	75 1/8	8,876	79 5/8	9,507	84 1/8	10,116	88 5/8	10,696
70 3/4	8,246	75 1/4	8,894	79 3/4	9,524	84 1/4	10,132	88 3/4	10,712
70 7/8	8,264	75 3/8	8,911	79 7/8	9,542	84 3/8	10,149	88 7/8	10,728
71	8,282	75 1/2	8,929	80	9,559	84 1/2	10,165	89	10,743
71 1/8	8,300	75 5/8	8,947	80 1/8	9,576	84 5/8	10,182	89 1/8	10,759
71 1/4	8,318	75 3/4	8,965	80 1/4	9,593	84 3/4	10,198	89 1/4	10,775
71 3/8	8,337	75 7/8	8,982	80 3/8	9,610	84 7/8	10,215	89 3/8	10,790
71 1/2	8,355	76	9,000	80 1/2	9,627	85	10,231	89 1/2	10,806
71 5/8	8,373	76 1/8	9,018	80 5/8	9,644	85 1/8	10,247	89 5/8	10,821
71 3/4	8,391	76 1/4	9,035	80 3/4	9,662	85 1/4	10,264	89 3/4	10,836
71 7/8	8,409	76 3/8	9,053	80 7/8	9,679	85 3/8	10,280	89 7/8	10,852
72	8,427	76 1/2	9,071	81	9,696	85 1/2	10,296	90	10,867



Dipstick Calibration Chart

10' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	10,883	94 5/8	11,416	99 1/8	11,907	103 5/8	12,348	108 1/8	12,728
90 1/4	10,898	94 3/4	11,431	99 1/4	11,920	103 3/4	12,359	108 1/4	12,737
90 3/8	10,913	94 7/8	11,445	99 3/8	11,933	103 7/8	12,370	108 3/8	12,747
90 1/2	10,929	95	11,459	99 1/2	11,946	104	12,382	108 1/2	12,756
90 5/8	10,944	95 1/8	11,473	99 5/8	11,959	104 1/8	12,393	108 5/8	12,766
90 3/4	10,959	95 1/4	11,487	99 3/4	11,972	104 1/4	12,404	108 3/4	12,775
90 7/8	10,974	95 3/8	11,501	99 7/8	11,984	104 3/8	12,415	108 7/8	12,785
91	10,990	95 1/2	11,516	100	11,997	104 1/2	12,427	109	12,794
91 1/8	11,005	95 5/8	11,530	100 1/8	12,010	104 5/8	12,438	109 1/8	12,803
91 1/4	11,020	95 3/4	11,543	100 1/4	12,022	104 3/4	12,449	109 1/4	12,812
91 3/8	11,035	95 7/8	11,557	100 3/8	12,035	104 7/8	12,460	109 3/8	12,821
91 1/2	11,050	96	11,571	100 1/2	12,048	105	12,471	109 1/2	12,830
91 5/8	11,065	96 1/8	11,585	100 5/8	12,060	105 1/8	12,481	109 5/8	12,839
91 3/4	11,080	96 1/4	11,599	100 3/4	12,073	105 1/4	12,492	109 3/4	12,848
91 7/8	11,095	96 3/8	11,613	100 7/8	12,085	105 3/8	12,503	109 7/8	12,857
92	11,110	96 1/2	11,627	101	12,097	105 1/2	12,514	110	12,866
92 1/8	11,125	96 5/8	11,640	101 1/8	12,110	105 5/8	12,525	110 1/8	12,875
92 1/4	11,140	96 3/4	11,654	101 1/4	12,122	105 3/4	12,535	110 1/4	12,883
92 3/8	11,155	96 7/8	11,668	101 3/8	12,134	105 7/8	12,546	110 3/8	12,892
92 1/2	11,169	97	11,681	101 1/2	12,147	106	12,556	110 1/2	12,900
92 5/8	11,184	97 1/8	11,695	101 5/8	12,159	106 1/8	12,567	110 5/8	12,909
92 3/4	11,199	97 1/4	11,708	101 3/4	12,171	106 1/4	12,577	110 3/4	12,917
92 7/8	11,214	97 3/8	11,722	101 7/8	12,183	106 3/8	12,588	110 7/8	12,926
93	11,228	97 1/2	11,735	102	12,195	106 1/2	12,598	111	12,934
93 1/8	11,243	97 5/8	11,749	102 1/8	12,207	106 5/8	12,608	111 1/8	12,942
93 1/4	11,258	97 3/4	11,762	102 1/4	12,219	106 3/4	12,619	111 1/4	12,950
93 3/8	11,272	97 7/8	11,776	102 3/8	12,231	106 7/8	12,629	111 3/8	12,959
93 1/2	11,287	98	11,789	102 1/2	12,243	107	12,639	111 1/2	12,967
93 5/8	11,301	98 1/8	11,802	102 5/8	12,255	107 1/8	12,649	111 5/8	12,975
93 3/4	11,316	98 1/4	11,816	102 3/4	12,266	107 1/4	12,659	111 3/4	12,982
93 7/8	11,330	98 3/8	11,829	102 7/8	12,278	107 3/8	12,669	111 7/8	12,990
94	11,345	98 1/2	11,842	103	12,290	107 1/2	12,679	112	12,998
94 1/8	11,359	98 5/8	11,855	103 1/8	12,301	107 5/8	12,689	112 1/8	13,006
94 1/4	11,374	98 3/4	11,868	103 1/4	12,313	107 3/4	12,699	112 1/4	13,013
94 3/8	11,388	98 7/8	11,881	103 3/8	12,325	107 7/8	12,708	112 3/8	13,021
94 1/2	11,402	99	11,894	103 1/2	12,336	108	12,718	112 1/2	13,028



Dipstick Calibration Chart

10' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	13,036	117 1/8	13,252
112 3/4	13,043	117 1/4	13,256
112 7/8	13,051	117 3/8	13,260
113	13,058	117 1/2	13,264
113 1/8	13,065	117 5/8	13,268
113 1/4	13,072	117 3/4	13,272
113 3/8	13,079	117 7/8	13,276
113 1/2	13,086	118	13,280
113 5/8	13,093	118 1/8	13,283
113 3/4	13,100	118 1/4	13,287
113 7/8	13,106	118 3/8	13,290
114	13,113	118 1/2	13,293
114 1/8	13,120	118 5/8	13,296
114 1/4	13,126	118 3/4	13,299
114 3/8	13,132	118 7/8	13,302
114 1/2	13,139	119	13,304
114 5/8	13,145	119 1/8	13,307
114 3/4	13,151	119 1/4	13,309
114 7/8	13,157	119 3/8	13,311
115	13,163	119 1/2	13,313
115 1/8	13,169	119 5/8	13,314
115 1/4	13,175	119 3/4	13,316
115 3/8	13,181	119 7/8	13,317
115 1/2	13,186	120	13,317
115 5/8	13,192		
115 3/4	13,197		
115 7/8	13,203		
116	13,208		
116 1/8	13,213		
116 1/4	13,219		
116 3/8	13,224		
116 1/2	13,229		
116 5/8	13,233		
116 3/4	13,238		
116 7/8	13,243		
117	13,247		