



Dipstick Calibration Chart

10' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	151	9 1/8	432	13 5/8	803	18 1/8	1,246
1/4	2	4 3/4	158	9 1/4	441	13 3/4	814	18 1/4	1,259
3/8	3	4 7/8	164	9 3/8	451	13 7/8	826	18 3/8	1,272
1/2	5	5	171	9 1/2	460	14	837	18 1/2	1,286
5/8	7	5 1/8	177	9 5/8	469	14 1/8	849	18 5/8	1,299
3/4	9	5 1/4	184	9 3/4	479	14 1/4	860	18 3/4	1,312
7/8	12	5 3/8	191	9 7/8	488	14 3/8	872	18 7/8	1,326
1	14	5 1/2	198	10	498	14 1/2	884	19	1,339
1 1/8	17	5 5/8	205	10 1/8	508	14 5/8	896	19 1/8	1,353
1 1/4	20	5 3/4	212	10 1/4	517	14 3/4	907	19 1/4	1,366
1 3/8	23	5 7/8	219	10 3/8	527	14 7/8	919	19 3/8	1,380
1 1/2	27	6	226	10 1/2	537	15	931	19 1/2	1,394
1 5/8	30	6 1/8	233	10 5/8	547	15 1/8	943	19 5/8	1,407
1 3/4	34	6 1/4	241	10 3/4	557	15 1/4	955	19 3/4	1,421
1 7/8	38	6 3/8	248	10 7/8	567	15 3/8	967	19 7/8	1,435
2	42	6 1/2	256	11	577	15 1/2	980	20	1,449
2 1/8	46	6 5/8	263	11 1/8	587	15 5/8	992	20 1/8	1,463
2 1/4	50	6 3/4	271	11 1/4	597	15 3/4	1,004	20 1/4	1,476
2 3/8	54	6 7/8	279	11 3/8	608	15 7/8	1,016	20 3/8	1,490
2 1/2	59	7	287	11 1/2	618	16	1,029	20 1/2	1,504
2 5/8	63	7 1/8	295	11 5/8	628	16 1/8	1,041	20 5/8	1,518
2 3/4	68	7 1/4	303	11 3/4	639	16 1/4	1,053	20 3/4	1,533
2 7/8	73	7 3/8	311	11 7/8	649	16 3/8	1,066	20 7/8	1,547
3	78	7 1/2	319	12	660	16 1/2	1,078	21	1,561
3 1/8	83	7 5/8	327	12 1/8	671	16 5/8	1,091	21 1/8	1,575
3 1/4	88	7 3/4	336	12 1/4	681	16 3/4	1,104	21 1/4	1,589
3 3/8	93	7 7/8	344	12 3/8	692	16 7/8	1,116	21 3/8	1,604
3 1/2	98	8	353	12 1/2	703	17	1,129	21 1/2	1,618
3 5/8	104	8 1/8	361	12 5/8	714	17 1/8	1,142	21 5/8	1,632
3 3/4	109	8 1/4	370	12 3/4	725	17 1/4	1,155	21 3/4	1,647
3 7/8	115	8 3/8	379	12 7/8	736	17 3/8	1,168	21 7/8	1,661
4	121	8 1/2	387	13	747	17 1/2	1,180	22	1,676
4 1/8	127	8 5/8	396	13 1/8	758	17 5/8	1,193	22 1/8	1,690
4 1/4	133	8 3/4	405	13 1/4	769	17 3/4	1,206	22 1/4	1,705
4 3/8	139	8 7/8	414	13 3/8	780	17 7/8	1,220	22 3/8	1,719
4 1/2	145	9	423	13 1/2	792	18	1,233	22 1/2	1,734



Dipstick Calibration Chart

10' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,749	27 1/8	2,303	31 5/8	2,900	36 1/8	3,532	40 5/8	4,195
22 3/4	1,764	27 1/4	2,319	31 3/4	2,917	36 1/4	3,550	40 3/4	4,214
22 7/8	1,778	27 3/8	2,335	31 7/8	2,934	36 3/8	3,568	40 7/8	4,232
23	1,793	27 1/2	2,351	32	2,951	36 1/2	3,587	41	4,251
23 1/8	1,808	27 5/8	2,367	32 1/8	2,968	36 5/8	3,605	41 1/8	4,270
23 1/4	1,823	27 3/4	2,383	32 1/4	2,985	36 3/4	3,623	41 1/4	4,289
23 3/8	1,838	27 7/8	2,399	32 3/8	3,003	36 7/8	3,641	41 3/8	4,308
23 1/2	1,853	28	2,416	32 1/2	3,020	37	3,659	41 1/2	4,327
23 5/8	1,868	28 1/8	2,432	32 5/8	3,037	37 1/8	3,677	41 5/8	4,345
23 3/4	1,883	28 1/4	2,448	32 3/4	3,055	37 1/4	3,695	41 3/4	4,364
23 7/8	1,898	28 3/8	2,464	32 7/8	3,072	37 3/8	3,714	41 7/8	4,383
24	1,913	28 1/2	2,481	33	3,089	37 1/2	3,732	42	4,402
24 1/8	1,928	28 5/8	2,497	33 1/8	3,107	37 5/8	3,750	42 1/8	4,421
24 1/4	1,943	28 3/4	2,514	33 1/4	3,124	37 3/4	3,768	42 1/4	4,440
24 3/8	1,959	28 7/8	2,530	33 3/8	3,142	37 7/8	3,787	42 3/8	4,459
24 1/2	1,974	29	2,547	33 1/2	3,159	38	3,805	42 1/2	4,478
24 5/8	1,989	29 1/8	2,563	33 5/8	3,177	38 1/8	3,823	42 5/8	4,497
24 3/4	2,005	29 1/4	2,580	33 3/4	3,194	38 1/4	3,842	42 3/4	4,516
24 7/8	2,020	29 3/8	2,596	33 7/8	3,212	38 3/8	3,860	42 7/8	4,535
25	2,035	29 1/2	2,613	34	3,229	38 1/2	3,879	43	4,554
25 1/8	2,051	29 5/8	2,629	34 1/8	3,247	38 5/8	3,897	43 1/8	4,573
25 1/4	2,066	29 3/4	2,646	34 1/4	3,265	38 3/4	3,916	43 1/4	4,593
25 3/8	2,082	29 7/8	2,663	34 3/8	3,282	38 7/8	3,934	43 3/8	4,612
25 1/2	2,097	30	2,679	34 1/2	3,300	39	3,953	43 1/2	4,631
25 5/8	2,113	30 1/8	2,696	34 5/8	3,318	39 1/8	3,971	43 5/8	4,650
25 3/4	2,129	30 1/4	2,713	34 3/4	3,336	39 1/4	3,990	43 3/4	4,669
25 7/8	2,144	30 3/8	2,730	34 7/8	3,353	39 3/8	4,008	43 7/8	4,688
26	2,160	30 1/2	2,747	35	3,371	39 1/2	4,027	44	4,707
26 1/8	2,176	30 5/8	2,764	35 1/8	3,389	39 5/8	4,045	44 1/8	4,727
26 1/4	2,191	30 3/4	2,780	35 1/4	3,407	39 3/4	4,064	44 1/4	4,746
26 3/8	2,207	30 7/8	2,797	35 3/8	3,425	39 7/8	4,083	44 3/8	4,765
26 1/2	2,223	31	2,814	35 1/2	3,443	40	4,101	44 1/2	4,784
26 5/8	2,239	31 1/8	2,831	35 5/8	3,460	40 1/8	4,120	44 5/8	4,804
26 3/4	2,255	31 1/4	2,848	35 3/4	3,478	40 1/4	4,139	44 3/4	4,823
26 7/8	2,271	31 3/8	2,865	35 7/8	3,496	40 3/8	4,157	44 7/8	4,842
27	2,287	31 1/2	2,882	36	3,514	40 1/2	4,176	45	4,862



Dipstick Calibration Chart

10' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,881	49 5/8	5,585	54 1/8	6,301	58 5/8	7,024	63 1/8	7,749
45 1/4	4,900	49 3/4	5,605	54 1/4	6,321	58 3/4	7,045	63 1/4	7,770
45 3/8	4,920	49 7/8	5,624	54 3/8	6,341	58 7/8	7,065	63 3/8	7,790
45 1/2	4,939	50	5,644	54 1/2	6,361	59	7,085	63 1/2	7,810
45 5/8	4,958	50 1/8	5,664	54 5/8	6,381	59 1/8	7,105	63 5/8	7,830
45 3/4	4,978	50 1/4	5,684	54 3/4	6,401	59 1/4	7,125	63 3/4	7,850
45 7/8	4,997	50 3/8	5,704	54 7/8	6,421	59 3/8	7,145	63 7/8	7,870
46	5,017	50 1/2	5,723	55	6,441	59 1/2	7,165	64	7,890
46 1/8	5,036	50 5/8	5,743	55 1/8	6,462	59 5/8	7,186	64 1/8	7,910
46 1/4	5,055	50 3/4	5,763	55 1/4	6,482	59 3/4	7,206	64 1/4	7,930
46 3/8	5,075	50 7/8	5,783	55 3/8	6,502	59 7/8	7,226	64 3/8	7,950
46 1/2	5,094	51	5,803	55 1/2	6,522	60	7,246	64 1/2	7,970
46 5/8	5,114	51 1/8	5,823	55 5/8	6,542	60 1/8	7,266	64 5/8	7,991
46 3/4	5,133	51 1/4	5,842	55 3/4	6,562	60 1/4	7,286	64 3/4	8,011
46 7/8	5,153	51 3/8	5,862	55 7/8	6,582	60 3/8	7,307	64 7/8	8,031
47	5,172	51 1/2	5,882	56	6,602	60 1/2	7,327	65	8,051
47 1/8	5,192	51 5/8	5,902	56 1/8	6,622	60 5/8	7,347	65 1/8	8,071
47 1/4	5,211	51 3/4	5,922	56 1/4	6,642	60 3/4	7,367	65 1/4	8,091
47 3/8	5,231	51 7/8	5,942	56 3/8	6,662	60 7/8	7,387	65 3/8	8,111
47 1/2	5,251	52	5,962	56 1/2	6,682	61	7,407	65 1/2	8,131
47 5/8	5,270	52 1/8	5,982	56 5/8	6,703	61 1/8	7,427	65 5/8	8,151
47 3/4	5,290	52 1/4	6,002	56 3/4	6,723	61 1/4	7,448	65 3/4	8,171
47 7/8	5,309	52 3/8	6,021	56 7/8	6,743	61 3/8	7,468	65 7/8	8,191
48	5,329	52 1/2	6,041	57	6,763	61 1/2	7,488	66	8,211
48 1/8	5,349	52 5/8	6,061	57 1/8	6,783	61 5/8	7,508	66 1/8	8,231
48 1/4	5,368	52 3/4	6,081	57 1/4	6,803	61 3/4	7,528	66 1/4	8,251
48 3/8	5,388	52 7/8	6,101	57 3/8	6,823	61 7/8	7,548	66 3/8	8,271
48 1/2	5,407	53	6,121	57 1/2	6,843	62	7,568	66 1/2	8,291
48 5/8	5,427	53 1/8	6,141	57 5/8	6,863	62 1/8	7,588	66 5/8	8,311
48 3/4	5,447	53 1/4	6,161	57 3/4	6,884	62 1/4	7,609	66 3/4	8,331
48 7/8	5,467	53 3/8	6,181	57 7/8	6,904	62 3/8	7,629	66 7/8	8,351
49	5,486	53 1/2	6,201	58	6,924	62 1/2	7,649	67	8,371
49 1/8	5,506	53 5/8	6,221	58 1/8	6,944	62 5/8	7,669	67 1/8	8,391
49 1/4	5,526	53 3/4	6,241	58 1/4	6,964	62 3/4	7,689	67 1/4	8,411
49 3/8	5,545	53 7/8	6,261	58 3/8	6,984	62 7/8	7,709	67 3/8	8,431
49 1/2	5,565	54	6,281	58 1/2	7,004	63	7,729	67 1/2	8,451



Dipstick Calibration Chart

10' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	8,471	72 1/8	9,183	76 5/8	9,880	81 1/8	10,558	85 5/8	11,210
67 3/4	8,491	72 1/4	9,202	76 3/4	9,900	81 1/4	10,577	85 3/4	11,227
67 7/8	8,511	72 3/8	9,222	76 7/8	9,919	81 3/8	10,595	85 7/8	11,245
68	8,530	72 1/2	9,242	77	9,938	81 1/2	10,613	86	11,263
68 1/8	8,550	72 5/8	9,261	77 1/8	9,957	81 5/8	10,632	86 1/8	11,280
68 1/4	8,570	72 3/4	9,281	77 1/4	9,976	81 3/4	10,650	86 1/4	11,298
68 3/8	8,590	72 7/8	9,300	77 3/8	9,995	81 7/8	10,669	86 3/8	11,315
68 1/2	8,610	73	9,320	77 1/2	10,014	82	10,687	86 1/2	11,333
68 5/8	8,630	73 1/8	9,339	77 5/8	10,033	82 1/8	10,705	86 5/8	11,350
68 3/4	8,650	73 1/4	9,359	77 3/4	10,052	82 1/4	10,724	86 3/4	11,368
68 7/8	8,670	73 3/8	9,378	77 7/8	10,071	82 3/8	10,742	86 7/8	11,385
69	8,689	73 1/2	9,398	78	10,090	82 1/2	10,760	87	11,403
69 1/8	8,709	73 5/8	9,417	78 1/8	10,109	82 5/8	10,778	87 1/8	11,420
69 1/4	8,729	73 3/4	9,437	78 1/4	10,128	82 3/4	10,797	87 1/4	11,438
69 3/8	8,749	73 7/8	9,456	78 3/8	10,147	82 7/8	10,815	87 3/8	11,455
69 1/2	8,769	74	9,476	78 1/2	10,166	83	10,833	87 1/2	11,472
69 5/8	8,789	74 1/8	9,495	78 5/8	10,184	83 1/8	10,851	87 5/8	11,489
69 3/4	8,808	74 1/4	9,514	78 3/4	10,203	83 1/4	10,869	87 3/4	11,507
69 7/8	8,828	74 3/8	9,534	78 7/8	10,222	83 3/8	10,888	87 7/8	11,524
70	8,848	74 1/2	9,553	79	10,241	83 1/2	10,906	88	11,541
70 1/8	8,868	74 5/8	9,573	79 1/8	10,260	83 5/8	10,924	88 1/8	11,558
70 1/4	8,888	74 3/4	9,592	79 1/4	10,279	83 3/4	10,942	88 1/4	11,575
70 3/8	8,907	74 7/8	9,611	79 3/8	10,297	83 7/8	10,960	88 3/8	11,593
70 1/2	8,927	75	9,631	79 1/2	10,316	84	10,978	88 1/2	11,610
70 5/8	8,947	75 1/8	9,650	79 5/8	10,335	84 1/8	10,996	88 5/8	11,627
70 3/4	8,967	75 1/4	9,669	79 3/4	10,354	84 1/4	11,014	88 3/4	11,644
70 7/8	8,986	75 3/8	9,688	79 7/8	10,372	84 3/8	11,032	88 7/8	11,661
71	9,006	75 1/2	9,708	80	10,391	84 1/2	11,050	89	11,678
71 1/8	9,026	75 5/8	9,727	80 1/8	10,410	84 5/8	11,067	89 1/8	11,695
71 1/4	9,045	75 3/4	9,746	80 1/4	10,428	84 3/4	11,085	89 1/4	11,712
71 3/8	9,065	75 7/8	9,765	80 3/8	10,447	84 7/8	11,103	89 3/8	11,729
71 1/2	9,085	76	9,785	80 1/2	10,465	85	11,121	89 1/2	11,745
71 5/8	9,104	76 1/8	9,804	80 5/8	10,484	85 1/8	11,139	89 5/8	11,762
71 3/4	9,124	76 1/4	9,823	80 3/4	10,503	85 1/4	11,157	89 3/4	11,779
71 7/8	9,144	76 3/8	9,842	80 7/8	10,521	85 3/8	11,174	89 7/8	11,796
72	9,163	76 1/2	9,861	81	10,540	85 1/2	11,192	90	11,813



Dipstick Calibration Chart

10' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	11,829	94 5/8	12,410	99 1/8	12,945	103 5/8	13,426	108 1/8	13,843
90 1/4	11,846	94 3/4	12,426	99 1/4	12,960	103 3/4	13,439	108 1/4	13,853
90 3/8	11,863	94 7/8	12,441	99 3/8	12,974	103 7/8	13,451	108 3/8	13,864
90 1/2	11,879	95	12,457	99 1/2	12,988	104	13,464	108 1/2	13,874
90 5/8	11,896	95 1/8	12,472	99 5/8	13,002	104 1/8	13,476	108 5/8	13,884
90 3/4	11,913	95 1/4	12,488	99 3/4	13,016	104 1/4	13,488	108 3/4	13,895
90 7/8	11,929	95 3/8	12,503	99 7/8	13,030	104 3/8	13,500	108 7/8	13,905
91	11,946	95 1/2	12,518	100	13,043	104 1/2	13,513	109	13,915
91 1/8	11,962	95 5/8	12,534	100 1/8	13,057	104 5/8	13,525	109 1/8	13,925
91 1/4	11,979	95 3/4	12,549	100 1/4	13,071	104 3/4	13,537	109 1/4	13,935
91 3/8	11,995	95 7/8	12,564	100 3/8	13,085	104 7/8	13,549	109 3/8	13,945
91 1/2	12,011	96	12,579	100 1/2	13,099	105	13,561	109 1/2	13,955
91 5/8	12,028	96 1/8	12,594	100 5/8	13,112	105 1/8	13,573	109 5/8	13,965
91 3/4	12,044	96 1/4	12,609	100 3/4	13,126	105 1/4	13,585	109 3/4	13,975
91 7/8	12,060	96 3/8	12,624	100 7/8	13,139	105 3/8	13,596	109 7/8	13,984
92	12,077	96 1/2	12,639	101	13,153	105 1/2	13,608	110	13,994
92 1/8	12,093	96 5/8	12,654	101 1/8	13,166	105 5/8	13,620	110 1/8	14,004
92 1/4	12,109	96 3/4	12,669	101 1/4	13,180	105 3/4	13,632	110 1/4	14,013
92 3/8	12,125	96 7/8	12,684	101 3/8	13,193	105 7/8	13,643	110 3/8	14,023
92 1/2	12,141	97	12,699	101 1/2	13,207	106	13,655	110 1/2	14,032
92 5/8	12,157	97 1/8	12,714	101 5/8	13,220	106 1/8	13,666	110 5/8	14,041
92 3/4	12,173	97 1/4	12,729	101 3/4	13,233	106 1/4	13,678	110 3/4	14,051
92 7/8	12,189	97 3/8	12,743	101 7/8	13,246	106 3/8	13,689	110 7/8	14,060
93	12,205	97 1/2	12,758	102	13,259	106 1/2	13,700	111	14,069
93 1/8	12,221	97 5/8	12,773	102 1/8	13,273	106 5/8	13,712	111 1/8	14,078
93 1/4	12,237	97 3/4	12,787	102 1/4	13,286	106 3/4	13,723	111 1/4	14,087
93 3/8	12,253	97 7/8	12,802	102 3/8	13,299	106 7/8	13,734	111 3/8	14,096
93 1/2	12,269	98	12,816	102 1/2	13,312	107	13,745	111 1/2	14,105
93 5/8	12,285	98 1/8	12,831	102 5/8	13,325	107 1/8	13,756	111 5/8	14,114
93 3/4	12,301	98 1/4	12,845	102 3/4	13,337	107 1/4	13,767	111 3/4	14,122
93 7/8	12,317	98 3/8	12,860	102 7/8	13,350	107 3/8	13,778	111 7/8	14,131
94	12,332	98 1/2	12,874	103	13,363	107 1/2	13,789	112	14,139
94 1/8	12,348	98 5/8	12,888	103 1/8	13,376	107 5/8	13,800	112 1/8	14,148
94 1/4	12,364	98 3/4	12,903	103 1/4	13,388	107 3/4	13,811	112 1/4	14,156
94 3/8	12,379	98 7/8	12,917	103 3/8	13,401	107 7/8	13,821	112 3/8	14,165
94 1/2	12,395	99	12,931	103 1/2	13,414	108	13,832	112 1/2	14,173



Dipstick Calibration Chart

10' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	14,181	117 1/8	14,419
112 3/4	14,189	117 1/4	14,424
112 7/8	14,197	117 3/8	14,429
113	14,205	117 1/2	14,433
113 1/8	14,213	117 5/8	14,438
113 1/4	14,221	117 3/4	14,442
113 3/8	14,229	117 7/8	14,446
113 1/2	14,236	118	14,450
113 5/8	14,244	118 1/8	14,454
113 3/4	14,251	118 1/4	14,458
113 7/8	14,259	118 3/8	14,462
114	14,266	118 1/2	14,465
114 1/8	14,273	118 5/8	14,469
114 1/4	14,280	118 3/4	14,472
114 3/8	14,288	118 7/8	14,475
114 1/2	14,294	119	14,478
114 5/8	14,301	119 1/8	14,480
114 3/4	14,308	119 1/4	14,483
114 7/8	14,315	119 3/8	14,485
115	14,322	119 1/2	14,487
115 1/8	14,328	119 5/8	14,489
115 1/4	14,335	119 3/4	14,490
115 3/8	14,341	119 7/8	14,492
115 1/2	14,347	120	14,492
115 5/8	14,353		
115 3/4	14,359		
115 7/8	14,365		
116	14,371		
116 1/8	14,377		
116 1/4	14,383		
116 3/8	14,388		
116 1/2	14,394		
116 5/8	14,399		
116 3/4	14,404		
116 7/8	14,409		
117	14,414		