



# Dipstick Calibration Chart

# 10' x 14K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	179	9 1/8	490	13 5/8	884	18 1/8	1,340
1/4	2	4 3/4	186	9 1/4	500	13 3/4	896	18 1/4	1,353
3/8	4	4 7/8	194	9 3/8	510	13 7/8	908	18 3/8	1,367
1/2	6	5	201	9 1/2	520	14	920	18 1/2	1,380
5/8	9	5 1/8	209	9 5/8	530	14 1/8	932	18 5/8	1,394
3/4	12	5 1/4	216	9 3/4	541	14 1/4	944	18 3/4	1,407
7/8	15	5 3/8	224	9 7/8	551	14 3/8	956	18 7/8	1,421
1	18	5 1/2	232	10	561	14 1/2	968	19	1,434
1 1/8	22	5 5/8	239	10 1/8	572	14 5/8	980	19 1/8	1,448
1 1/4	25	5 3/4	247	10 1/4	582	14 3/4	993	19 1/4	1,462
1 3/8	29	5 7/8	255	10 3/8	593	14 7/8	1,005	19 3/8	1,475
1 1/2	33	6	264	10 1/2	603	15	1,017	19 1/2	1,489
1 5/8	38	6 1/8	272	10 5/8	614	15 1/8	1,030	19 5/8	1,503
1 3/4	42	6 1/4	280	10 3/4	624	15 1/4	1,042	19 3/4	1,517
1 7/8	47	6 3/8	288	10 7/8	635	15 3/8	1,055	19 7/8	1,531
2	51	6 1/2	297	11	646	15 1/2	1,067	20	1,545
2 1/8	56	6 5/8	305	11 1/8	657	15 5/8	1,080	20 1/8	1,559
2 1/4	61	6 3/4	314	11 1/4	667	15 3/4	1,092	20 1/4	1,573
2 3/8	66	6 7/8	323	11 3/8	678	15 7/8	1,105	20 3/8	1,587
2 1/2	72	7	331	11 1/2	689	16	1,118	20 1/2	1,601
2 5/8	77	7 1/8	340	11 5/8	700	16 1/8	1,130	20 5/8	1,615
2 3/4	82	7 1/4	349	11 3/4	712	16 1/4	1,143	20 3/4	1,629
2 7/8	88	7 3/8	358	11 7/8	723	16 3/8	1,156	20 7/8	1,643
3	94	7 1/2	367	12	734	16 1/2	1,169	21	1,657
3 1/8	100	7 5/8	376	12 1/8	745	16 5/8	1,182	21 1/8	1,672
3 1/4	106	7 3/4	385	12 1/4	756	16 3/4	1,195	21 1/4	1,686
3 3/8	112	7 7/8	394	12 3/8	768	16 7/8	1,208	21 3/8	1,700
3 1/2	118	8	404	12 1/2	779	17	1,221	21 1/2	1,714
3 5/8	125	8 1/8	413	12 5/8	791	17 1/8	1,234	21 5/8	1,729
3 3/4	131	8 1/4	422	12 3/4	802	17 1/4	1,247	21 3/4	1,743
3 7/8	138	8 3/8	432	12 7/8	814	17 3/8	1,260	21 7/8	1,758
4	144	8 1/2	442	13	825	17 1/2	1,273	22	1,772
4 1/8	151	8 5/8	451	13 1/8	837	17 5/8	1,286	22 1/8	1,787
4 1/4	158	8 3/4	461	13 1/4	849	17 3/4	1,300	22 1/4	1,801
4 3/8	165	8 7/8	471	13 3/8	860	17 7/8	1,313	22 3/8	1,816
4 1/2	172	9	480	13 1/2	872	18	1,326	22 1/2	1,830



# Dipstick Calibration Chart

# 10' x 14K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,845	27 1/8	2,390	31 5/8	2,969	36 1/8	3,575	40 5/8	4,203
22 3/4	1,859	27 1/4	2,406	31 3/4	2,986	36 1/4	3,592	40 3/4	4,220
22 7/8	1,874	27 3/8	2,422	31 7/8	3,002	36 3/8	3,609	40 7/8	4,238
23	1,889	27 1/2	2,437	32	3,019	36 1/2	3,626	41	4,256
23 1/8	1,904	27 5/8	2,453	32 1/8	3,035	36 5/8	3,644	41 1/8	4,274
23 1/4	1,918	27 3/4	2,469	32 1/4	3,052	36 3/4	3,661	41 1/4	4,291
23 3/8	1,933	27 7/8	2,485	32 3/8	3,068	36 7/8	3,678	41 3/8	4,309
23 1/2	1,948	28	2,500	32 1/2	3,085	37	3,695	41 1/2	4,327
23 5/8	1,963	28 1/8	2,516	32 5/8	3,102	37 1/8	3,713	41 5/8	4,345
23 3/4	1,978	28 1/4	2,532	32 3/4	3,118	37 1/4	3,730	41 3/4	4,363
23 7/8	1,993	28 3/8	2,548	32 7/8	3,135	37 3/8	3,747	41 7/8	4,380
24	2,008	28 1/2	2,564	33	3,152	37 1/2	3,765	42	4,398
24 1/8	2,023	28 5/8	2,580	33 1/8	3,168	37 5/8	3,782	42 1/8	4,416
24 1/4	2,038	28 3/4	2,596	33 1/4	3,185	37 3/4	3,799	42 1/4	4,434
24 3/8	2,053	28 7/8	2,612	33 3/8	3,202	37 7/8	3,817	42 3/8	4,452
24 1/2	2,068	29	2,628	33 1/2	3,219	38	3,834	42 1/2	4,470
24 5/8	2,083	29 1/8	2,644	33 5/8	3,235	38 1/8	3,852	42 5/8	4,488
24 3/4	2,098	29 1/4	2,660	33 3/4	3,252	38 1/4	3,869	42 3/4	4,505
24 7/8	2,113	29 3/8	2,676	33 7/8	3,269	38 3/8	3,886	42 7/8	4,523
25	2,128	29 1/2	2,692	34	3,286	38 1/2	3,904	43	4,541
25 1/8	2,143	29 5/8	2,708	34 1/8	3,303	38 5/8	3,921	43 1/8	4,559
25 1/4	2,159	29 3/4	2,724	34 1/4	3,320	38 3/4	3,939	43 1/4	4,577
25 3/8	2,174	29 7/8	2,740	34 3/8	3,336	38 7/8	3,956	43 3/8	4,595
25 1/2	2,189	30	2,757	34 1/2	3,353	39	3,974	43 1/2	4,613
25 5/8	2,205	30 1/8	2,773	34 5/8	3,370	39 1/8	3,991	43 5/8	4,631
25 3/4	2,220	30 1/4	2,789	34 3/4	3,387	39 1/4	4,009	43 3/4	4,649
25 7/8	2,235	30 3/8	2,805	34 7/8	3,404	39 3/8	4,026	43 7/8	4,667
26	2,251	30 1/2	2,822	35	3,421	39 1/2	4,044	44	4,685
26 1/8	2,266	30 5/8	2,838	35 1/8	3,438	39 5/8	4,062	44 1/8	4,703
26 1/4	2,281	30 3/4	2,854	35 1/4	3,455	39 3/4	4,079	44 1/4	4,721
26 3/8	2,297	30 7/8	2,871	35 3/8	3,472	39 7/8	4,097	44 3/8	4,739
26 1/2	2,312	31	2,887	35 1/2	3,489	40	4,114	44 1/2	4,757
26 5/8	2,328	31 1/8	2,903	35 5/8	3,506	40 1/8	4,132	44 5/8	4,775
26 3/4	2,344	31 1/4	2,920	35 3/4	3,524	40 1/4	4,150	44 3/4	4,793
26 7/8	2,359	31 3/8	2,936	35 7/8	3,541	40 3/8	4,167	44 7/8	4,812
27	2,375	31 1/2	2,953	36	3,558	40 1/2	4,185	45	4,830



# Dipstick Calibration Chart

# 10' x 14K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,848	49 5/8	5,506	54 1/8	6,173	58 5/8	6,845	63 1/8	7,518
45 1/4	4,866	49 3/4	5,524	54 1/4	6,191	58 3/4	6,863	63 1/4	7,536
45 3/8	4,884	49 7/8	5,543	54 3/8	6,210	58 7/8	6,882	63 3/8	7,555
45 1/2	4,902	50	5,561	54 1/2	6,229	59	6,901	63 1/2	7,574
45 5/8	4,920	50 1/8	5,580	54 5/8	6,247	59 1/8	6,919	63 5/8	7,592
45 3/4	4,938	50 1/4	5,598	54 3/4	6,266	59 1/4	6,938	63 3/4	7,611
45 7/8	4,957	50 3/8	5,616	54 7/8	6,284	59 3/8	6,957	63 7/8	7,630
46	4,975	50 1/2	5,635	55	6,303	59 1/2	6,975	64	7,648
46 1/8	4,993	50 5/8	5,653	55 1/8	6,322	59 5/8	6,994	64 1/8	7,667
46 1/4	5,011	50 3/4	5,672	55 1/4	6,340	59 3/4	7,013	64 1/4	7,686
46 3/8	5,029	50 7/8	5,690	55 3/8	6,359	59 7/8	7,032	64 3/8	7,704
46 1/2	5,048	51	5,709	55 1/2	6,378	60	7,050	64 1/2	7,723
46 5/8	5,066	51 1/8	5,727	55 5/8	6,396	60 1/8	7,069	64 5/8	7,741
46 3/4	5,084	51 1/4	5,746	55 3/4	6,415	60 1/4	7,088	64 3/4	7,760
46 7/8	5,102	51 3/8	5,764	55 7/8	6,434	60 3/8	7,106	64 7/8	7,779
47	5,121	51 1/2	5,783	56	6,452	60 1/2	7,125	65	7,797
47 1/8	5,139	51 5/8	5,801	56 1/8	6,471	60 5/8	7,144	65 1/8	7,816
47 1/4	5,157	51 3/4	5,820	56 1/4	6,490	60 3/4	7,162	65 1/4	7,835
47 3/8	5,175	51 7/8	5,838	56 3/8	6,508	60 7/8	7,181	65 3/8	7,853
47 1/2	5,194	52	5,857	56 1/2	6,527	61	7,200	65 1/2	7,872
47 5/8	5,212	52 1/8	5,875	56 5/8	6,546	61 1/8	7,219	65 5/8	7,891
47 3/4	5,230	52 1/4	5,894	56 3/4	6,564	61 1/4	7,237	65 3/4	7,909
47 7/8	5,249	52 3/8	5,913	56 7/8	6,583	61 3/8	7,256	65 7/8	7,928
48	5,267	52 1/2	5,931	57	6,602	61 1/2	7,275	66	7,946
48 1/8	5,285	52 5/8	5,950	57 1/8	6,620	61 5/8	7,293	66 1/8	7,965
48 1/4	5,304	52 3/4	5,968	57 1/4	6,639	61 3/4	7,312	66 1/4	7,984
48 3/8	5,322	52 7/8	5,987	57 3/8	6,658	61 7/8	7,331	66 3/8	8,002
48 1/2	5,340	53	6,005	57 1/2	6,676	62	7,349	66 1/2	8,021
48 5/8	5,359	53 1/8	6,024	57 5/8	6,695	62 1/8	7,368	66 5/8	8,039
48 3/4	5,377	53 1/4	6,042	57 3/4	6,714	62 1/4	7,387	66 3/4	8,058
48 7/8	5,395	53 3/8	6,061	57 7/8	6,732	62 3/8	7,405	66 7/8	8,077
49	5,414	53 1/2	6,080	58	6,751	62 1/2	7,424	67	8,095
49 1/8	5,432	53 5/8	6,098	58 1/8	6,770	62 5/8	7,443	67 1/8	8,114
49 1/4	5,451	53 3/4	6,117	58 1/4	6,788	62 3/4	7,462	67 1/4	8,132
49 3/8	5,469	53 7/8	6,135	58 3/8	6,807	62 7/8	7,480	67 3/8	8,151
49 1/2	5,487	54	6,154	58 1/2	6,826	63	7,499	67 1/2	8,169



# Dipstick Calibration Chart

# 10' x 14K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	8,188	72 1/8	8,852	76 5/8	9,505	81 1/8	10,144	85 5/8	10,764
67 3/4	8,206	72 1/4	8,870	76 3/4	9,523	81 1/4	10,162	85 3/4	10,781
67 7/8	8,225	72 3/8	8,888	76 7/8	9,541	81 3/8	10,179	85 7/8	10,798
68	8,244	72 1/2	8,907	77	9,559	81 1/2	10,197	86	10,815
68 1/8	8,262	72 5/8	8,925	77 1/8	9,577	81 5/8	10,214	86 1/8	10,832
68 1/4	8,281	72 3/4	8,943	77 1/4	9,595	81 3/4	10,232	86 1/4	10,848
68 3/8	8,299	72 7/8	8,962	77 3/8	9,613	81 7/8	10,249	86 3/8	10,865
68 1/2	8,318	73	8,980	77 1/2	9,631	82	10,266	86 1/2	10,882
68 5/8	8,336	73 1/8	8,998	77 5/8	9,649	82 1/8	10,284	86 5/8	10,899
68 3/4	8,355	73 1/4	9,016	77 3/4	9,667	82 1/4	10,301	86 3/4	10,915
68 7/8	8,373	73 3/8	9,035	77 7/8	9,684	82 3/8	10,318	86 7/8	10,932
69	8,392	73 1/2	9,053	78	9,702	82 1/2	10,336	87	10,949
69 1/8	8,410	73 5/8	9,071	78 1/8	9,720	82 5/8	10,353	87 1/8	10,966
69 1/4	8,429	73 3/4	9,089	78 1/4	9,738	82 3/4	10,370	87 1/4	10,982
69 3/8	8,447	73 7/8	9,107	78 3/8	9,756	82 7/8	10,388	87 3/8	10,999
69 1/2	8,466	74	9,126	78 1/2	9,774	83	10,405	87 1/2	11,016
69 5/8	8,484	74 1/8	9,144	78 5/8	9,791	83 1/8	10,422	87 5/8	11,032
69 3/4	8,502	74 1/4	9,162	78 3/4	9,809	83 1/4	10,440	87 3/4	11,049
69 7/8	8,521	74 3/8	9,180	78 7/8	9,827	83 3/8	10,457	87 7/8	11,065
70	8,539	74 1/2	9,198	79	9,845	83 1/2	10,474	88	11,082
70 1/8	8,558	74 5/8	9,216	79 1/8	9,862	83 5/8	10,491	88 1/8	11,098
70 1/4	8,576	74 3/4	9,235	79 1/4	9,880	83 3/4	10,508	88 1/4	11,115
70 3/8	8,595	74 7/8	9,253	79 3/8	9,898	83 7/8	10,526	88 3/8	11,131
70 1/2	8,613	75	9,271	79 1/2	9,915	84	10,543	88 1/2	11,148
70 5/8	8,631	75 1/8	9,289	79 5/8	9,933	84 1/8	10,560	88 5/8	11,164
70 3/4	8,650	75 1/4	9,307	79 3/4	9,951	84 1/4	10,577	88 3/4	11,181
70 7/8	8,668	75 3/8	9,325	79 7/8	9,968	84 3/8	10,594	88 7/8	11,197
71	8,687	75 1/2	9,343	80	9,986	84 1/2	10,611	89	11,214
71 1/8	8,705	75 5/8	9,361	80 1/8	10,004	84 5/8	10,628	89 1/8	11,230
71 1/4	8,723	75 3/4	9,379	80 1/4	10,021	84 3/4	10,645	89 1/4	11,246
71 3/8	8,742	75 7/8	9,397	80 3/8	10,039	84 7/8	10,662	89 3/8	11,263
71 1/2	8,760	76	9,415	80 1/2	10,056	85	10,679	89 1/2	11,279
71 5/8	8,779	76 1/8	9,433	80 5/8	10,074	85 1/8	10,696	89 5/8	11,295
71 3/4	8,797	76 1/4	9,451	80 3/4	10,092	85 1/4	10,713	89 3/4	11,311
71 7/8	8,815	76 3/8	9,469	80 7/8	10,109	85 3/8	10,730	89 7/8	11,328
72	8,834	76 1/2	9,487	81	10,127	85 1/2	10,747	90	11,344



# Dipstick Calibration Chart

# 10' x 14K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	11,360	94 5/8	11,927	99 1/8	12,457	103 5/8	12,944	108 1/8	13,378
90 1/4	11,376	94 3/4	11,942	99 1/4	12,471	103 3/4	12,957	108 1/4	13,389
90 3/8	11,392	94 7/8	11,957	99 3/8	12,486	103 7/8	12,970	108 3/8	13,400
90 1/2	11,408	95	11,972	99 1/2	12,500	104	12,983	108 1/2	13,411
90 5/8	11,424	95 1/8	11,987	99 5/8	12,514	104 1/8	12,995	108 5/8	13,422
90 3/4	11,441	95 1/4	12,003	99 3/4	12,528	104 1/4	13,008	108 3/4	13,433
90 7/8	11,457	95 3/8	12,018	99 7/8	12,542	104 3/8	13,021	108 7/8	13,444
91	11,473	95 1/2	12,033	100	12,556	104 1/2	13,033	109	13,455
91 1/8	11,489	95 5/8	12,048	100 1/8	12,570	104 5/8	13,046	109 1/8	13,465
91 1/4	11,505	95 3/4	12,063	100 1/4	12,584	104 3/4	13,058	109 1/4	13,476
91 3/8	11,521	95 7/8	12,078	100 3/8	12,597	104 7/8	13,071	109 3/8	13,487
91 1/2	11,536	96	12,093	100 1/2	12,611	105	13,083	109 1/2	13,497
91 5/8	11,552	96 1/8	12,108	100 5/8	12,625	105 1/8	13,095	109 5/8	13,508
91 3/4	11,568	96 1/4	12,123	100 3/4	12,639	105 1/4	13,108	109 3/4	13,518
91 7/8	11,584	96 3/8	12,138	100 7/8	12,652	105 3/8	13,120	109 7/8	13,529
92	11,600	96 1/2	12,152	101	12,666	105 1/2	13,132	110	13,539
92 1/8	11,616	96 5/8	12,167	101 1/8	12,680	105 5/8	13,144	110 1/8	13,550
92 1/4	11,632	96 3/4	12,182	101 1/4	12,693	105 3/4	13,157	110 1/4	13,560
92 3/8	11,647	96 7/8	12,197	101 3/8	12,707	105 7/8	13,169	110 3/8	13,570
92 1/2	11,663	97	12,212	101 1/2	12,720	106	13,181	110 1/2	13,580
92 5/8	11,679	97 1/8	12,226	101 5/8	12,734	106 1/8	13,193	110 5/8	13,590
92 3/4	11,694	97 1/4	12,241	101 3/4	12,747	106 1/4	13,205	110 3/4	13,600
92 7/8	11,710	97 3/8	12,256	101 7/8	12,761	106 3/8	13,216	110 7/8	13,610
93	11,726	97 1/2	12,270	102	12,774	106 1/2	13,228	111	13,620
93 1/8	11,741	97 5/8	12,285	102 1/8	12,787	106 5/8	13,240	111 1/8	13,630
93 1/4	11,757	97 3/4	12,299	102 1/4	12,801	106 3/4	13,252	111 1/4	13,640
93 3/8	11,772	97 7/8	12,314	102 3/8	12,814	106 7/8	13,264	111 3/8	13,649
93 1/2	11,788	98	12,328	102 1/2	12,827	107	13,275	111 1/2	13,659
93 5/8	11,803	98 1/8	12,343	102 5/8	12,840	107 1/8	13,287	111 5/8	13,668
93 3/4	11,819	98 1/4	12,357	102 3/4	12,854	107 1/4	13,298	111 3/4	13,678
93 7/8	11,834	98 3/8	12,372	102 7/8	12,867	107 3/8	13,310	111 7/8	13,687
94	11,850	98 1/2	12,386	103	12,880	107 1/2	13,321	112	13,697
94 1/8	11,865	98 5/8	12,400	103 1/8	12,893	107 5/8	13,333	112 1/8	13,706
94 1/4	11,881	98 3/4	12,415	103 1/4	12,906	107 3/4	13,344	112 1/4	13,715
94 3/8	11,896	98 7/8	12,429	103 3/8	12,919	107 7/8	13,355	112 3/8	13,724
94 1/2	11,911	99	12,443	103 1/2	12,932	108	13,367	112 1/2	13,734



# Dipstick Calibration Chart

# 10' x 14K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	13,743	117 1/8	14,012
112 3/4	13,751	117 1/4	14,018
112 7/8	13,760	117 3/8	14,024
113	13,769	117 1/2	14,029
113 1/8	13,778	117 5/8	14,034
113 1/4	13,787	117 3/4	14,039
113 3/8	13,795	117 7/8	14,044
113 1/2	13,804	118	14,049
113 5/8	13,812	118 1/8	14,054
113 3/4	13,820	118 1/4	14,058
113 7/8	13,829	118 3/8	14,063
114	13,837	118 1/2	14,067
114 1/8	13,845	118 5/8	14,071
114 1/4	13,853	118 3/4	14,075
114 3/8	13,861	118 7/8	14,079
114 1/2	13,869	119	14,082
114 5/8	13,877	119 1/8	14,086
114 3/4	13,884	119 1/4	14,089
114 7/8	13,892	119 3/8	14,091
115	13,899	119 1/2	14,094
115 1/8	13,907	119 5/8	14,096
115 1/4	13,914	119 3/4	14,098
115 3/8	13,921	119 7/8	14,100
115 1/2	13,929	120	14,100
115 5/8	13,936		
115 3/4	13,943		
115 7/8	13,949		
116	13,956		
116 1/8	13,963		
116 1/4	13,969		
116 3/8	13,976		
116 1/2	13,982		
116 5/8	13,988		
116 3/4	13,995		
116 7/8	14,001		
117	14,007		