



Dipstick Calibration Chart

10' x 20K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	255	9 1/8	700	13 5/8	1,262	18 1/8	1,912
1/4	3	4 3/4	266	9 1/4	714	13 3/4	1,278	18 1/4	1,931
3/8	6	4 7/8	276	9 3/8	728	13 7/8	1,296	18 3/8	1,950
1/2	9	5	287	9 1/2	743	14	1,313	18 1/2	1,969
5/8	13	5 1/8	298	9 5/8	757	14 1/8	1,330	18 5/8	1,989
3/4	17	5 1/4	308	9 3/4	772	14 1/4	1,347	18 3/4	2,008
7/8	21	5 3/8	319	9 7/8	786	14 3/8	1,364	18 7/8	2,027
1	26	5 1/2	331	10	801	14 1/2	1,382	19	2,047
1 1/8	31	5 5/8	342	10 1/8	816	14 5/8	1,399	19 1/8	2,066
1 1/4	36	5 3/4	353	10 1/4	831	14 3/4	1,417	19 1/4	2,086
1 3/8	42	5 7/8	365	10 3/8	846	14 7/8	1,434	19 3/8	2,106
1 1/2	48	6	376	10 1/2	861	15	1,452	19 1/2	2,125
1 5/8	54	6 1/8	388	10 5/8	876	15 1/8	1,469	19 5/8	2,145
1 3/4	60	6 1/4	400	10 3/4	891	15 1/4	1,487	19 3/4	2,165
1 7/8	66	6 3/8	412	10 7/8	906	15 3/8	1,505	19 7/8	2,185
2	73	6 1/2	424	11	922	15 1/2	1,523	20	2,204
2 1/8	80	6 5/8	436	11 1/8	937	15 5/8	1,541	20 1/8	2,224
2 1/4	87	6 3/4	448	11 1/4	953	15 3/4	1,559	20 1/4	2,244
2 3/8	95	6 7/8	460	11 3/8	968	15 7/8	1,577	20 3/8	2,264
2 1/2	102	7	473	11 1/2	984	16	1,595	20 1/2	2,284
2 5/8	110	7 1/8	485	11 5/8	1,000	16 1/8	1,613	20 5/8	2,305
2 3/4	118	7 1/4	498	11 3/4	1,015	16 1/4	1,631	20 3/4	2,325
2 7/8	126	7 3/8	511	11 7/8	1,031	16 3/8	1,650	20 7/8	2,345
3	134	7 1/2	524	12	1,047	16 1/2	1,668	21	2,365
3 1/8	142	7 5/8	537	12 1/8	1,063	16 5/8	1,686	21 1/8	2,385
3 1/4	151	7 3/4	550	12 1/4	1,079	16 3/4	1,705	21 1/4	2,406
3 3/8	160	7 7/8	563	12 3/8	1,096	16 7/8	1,723	21 3/8	2,426
3 1/2	169	8	576	12 1/2	1,112	17	1,742	21 1/2	2,447
3 5/8	178	8 1/8	589	12 5/8	1,128	17 1/8	1,761	21 5/8	2,467
3 3/4	187	8 1/4	603	12 3/4	1,145	17 1/4	1,779	21 3/4	2,488
3 7/8	196	8 3/8	616	12 7/8	1,161	17 3/8	1,798	21 7/8	2,508
4	206	8 1/2	630	13	1,178	17 1/2	1,817	22	2,529
4 1/8	215	8 5/8	644	13 1/8	1,194	17 5/8	1,836	22 1/8	2,550
4 1/4	225	8 3/4	658	13 1/4	1,211	17 3/4	1,855	22 1/4	2,570
4 3/8	235	8 7/8	672	13 3/8	1,228	17 7/8	1,874	22 3/8	2,591
4 1/2	245	9	686	13 1/2	1,245	18	1,893	22 1/2	2,612



Dipstick Calibration Chart

10' x 20K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,633	27 1/8	3,411	31 5/8	4,237	36 1/8	5,102	40 5/8	5,998
22 3/4	2,654	27 1/4	3,434	31 3/4	4,261	36 1/4	5,126	40 3/4	6,023
22 7/8	2,675	27 3/8	3,456	31 7/8	4,284	36 3/8	5,151	40 7/8	6,048
23	2,696	27 1/2	3,478	32	4,308	36 1/2	5,175	41	6,073
23 1/8	2,717	27 5/8	3,501	32 1/8	4,331	36 5/8	5,200	41 1/8	6,099
23 1/4	2,738	27 3/4	3,523	32 1/4	4,355	36 3/4	5,224	41 1/4	6,124
23 3/8	2,759	27 7/8	3,546	32 3/8	4,379	36 7/8	5,249	41 3/8	6,150
23 1/2	2,780	28	3,568	32 1/2	4,402	37	5,274	41 1/2	6,175
23 5/8	2,801	28 1/8	3,591	32 5/8	4,426	37 1/8	5,298	41 5/8	6,200
23 3/4	2,822	28 1/4	3,614	32 3/4	4,450	37 1/4	5,323	41 3/4	6,226
23 7/8	2,844	28 3/8	3,636	32 7/8	4,474	37 3/8	5,348	41 7/8	6,251
24	2,865	28 1/2	3,659	33	4,498	37 1/2	5,372	42	6,277
24 1/8	2,886	28 5/8	3,682	33 1/8	4,521	37 5/8	5,397	42 1/8	6,302
24 1/4	2,908	28 3/4	3,704	33 1/4	4,545	37 3/4	5,422	42 1/4	6,328
24 3/8	2,929	28 7/8	3,727	33 3/8	4,569	37 7/8	5,447	42 3/8	6,353
24 1/2	2,951	29	3,750	33 1/2	4,593	38	5,472	42 1/2	6,379
24 5/8	2,972	29 1/8	3,773	33 5/8	4,617	38 1/8	5,496	42 5/8	6,404
24 3/4	2,994	29 1/4	3,796	33 3/4	4,641	38 1/4	5,521	42 3/4	6,430
24 7/8	3,015	29 3/8	3,819	33 7/8	4,665	38 3/8	5,546	42 7/8	6,455
25	3,037	29 1/2	3,842	34	4,689	38 1/2	5,571	43	6,481
25 1/8	3,059	29 5/8	3,865	34 1/8	4,713	38 5/8	5,596	43 1/8	6,506
25 1/4	3,081	29 3/4	3,888	34 1/4	4,737	38 3/4	5,621	43 1/4	6,532
25 3/8	3,102	29 7/8	3,911	34 3/8	4,761	38 7/8	5,646	43 3/8	6,558
25 1/2	3,124	30	3,934	34 1/2	4,785	39	5,671	43 1/2	6,583
25 5/8	3,146	30 1/8	3,957	34 5/8	4,810	39 1/8	5,696	43 5/8	6,609
25 3/4	3,168	30 1/4	3,980	34 3/4	4,834	39 1/4	5,721	43 3/4	6,635
25 7/8	3,190	30 3/8	4,003	34 7/8	4,858	39 3/8	5,746	43 7/8	6,660
26	3,212	30 1/2	4,027	35	4,882	39 1/2	5,771	44	6,686
26 1/8	3,234	30 5/8	4,050	35 1/8	4,907	39 5/8	5,796	44 1/8	6,712
26 1/4	3,256	30 3/4	4,073	35 1/4	4,931	39 3/4	5,821	44 1/4	6,738
26 3/8	3,278	30 7/8	4,097	35 3/8	4,955	39 7/8	5,846	44 3/8	6,763
26 1/2	3,300	31	4,120	35 1/2	4,980	40	5,872	44 1/2	6,789
26 5/8	3,322	31 1/8	4,143	35 5/8	5,004	40 1/8	5,897	44 5/8	6,815
26 3/4	3,344	31 1/4	4,167	35 3/4	5,028	40 1/4	5,922	44 3/4	6,841
26 7/8	3,367	31 3/8	4,190	35 7/8	5,053	40 3/8	5,947	44 7/8	6,867
27	3,389	31 1/2	4,214	36	5,077	40 1/2	5,972	45	6,892



Dipstick Calibration Chart

10' x 20K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,918	49 5/8	7,857	54 1/8	8,809	58 5/8	9,768	63 1/8	10,728
45 1/4	6,944	49 3/4	7,884	54 1/4	8,835	58 3/4	9,794	63 1/4	10,755
45 3/8	6,970	49 7/8	7,910	54 3/8	8,862	58 7/8	9,821	63 3/8	10,781
45 1/2	6,996	50	7,936	54 1/2	8,889	59	9,848	63 1/2	10,808
45 5/8	7,022	50 1/8	7,962	54 5/8	8,915	59 1/8	9,874	63 5/8	10,835
45 3/4	7,048	50 1/4	7,989	54 3/4	8,942	59 1/4	9,901	63 3/4	10,861
45 7/8	7,074	50 3/8	8,015	54 7/8	8,968	59 3/8	9,928	63 7/8	10,888
46	7,100	50 1/2	8,041	55	8,995	59 1/2	9,955	64	10,915
46 1/8	7,125	50 5/8	8,068	55 1/8	9,022	59 5/8	9,981	64 1/8	10,941
46 1/4	7,151	50 3/4	8,094	55 1/4	9,048	59 3/4	10,008	64 1/4	10,968
46 3/8	7,177	50 7/8	8,121	55 3/8	9,075	59 7/8	10,035	64 3/8	10,995
46 1/2	7,203	51	8,147	55 1/2	9,101	60	10,061	64 1/2	11,021
46 5/8	7,229	51 1/8	8,173	55 5/8	9,128	60 1/8	10,088	64 5/8	11,048
46 3/4	7,255	51 1/4	8,200	55 3/4	9,155	60 1/4	10,115	64 3/4	11,074
46 7/8	7,281	51 3/8	8,226	55 7/8	9,181	60 3/8	10,141	64 7/8	11,101
47	7,308	51 1/2	8,253	56	9,208	60 1/2	10,168	65	11,128
47 1/8	7,334	51 5/8	8,279	56 1/8	9,234	60 5/8	10,195	65 1/8	11,154
47 1/4	7,360	51 3/4	8,305	56 1/4	9,261	60 3/4	10,221	65 1/4	11,181
47 3/8	7,386	51 7/8	8,332	56 3/8	9,288	60 7/8	10,248	65 3/8	11,207
47 1/2	7,412	52	8,358	56 1/2	9,314	61	10,275	65 1/2	11,234
47 5/8	7,438	52 1/8	8,385	56 5/8	9,341	61 1/8	10,301	65 5/8	11,260
47 3/4	7,464	52 1/4	8,411	56 3/4	9,368	61 1/4	10,328	65 3/4	11,287
47 7/8	7,490	52 3/8	8,438	56 7/8	9,394	61 3/8	10,355	65 7/8	11,314
48	7,516	52 1/2	8,464	57	9,421	61 1/2	10,381	66	11,340
48 1/8	7,543	52 5/8	8,491	57 1/8	9,448	61 5/8	10,408	66 1/8	11,367
48 1/4	7,569	52 3/4	8,517	57 1/4	9,474	61 3/4	10,435	66 1/4	11,393
48 3/8	7,595	52 7/8	8,544	57 3/8	9,501	61 7/8	10,462	66 3/8	11,420
48 1/2	7,621	53	8,570	57 1/2	9,528	62	10,488	66 1/2	11,446
48 5/8	7,647	53 1/8	8,597	57 5/8	9,554	62 1/8	10,515	66 5/8	11,473
48 3/4	7,673	53 1/4	8,623	57 3/4	9,581	62 1/4	10,542	66 3/4	11,499
48 7/8	7,700	53 3/8	8,650	57 7/8	9,608	62 3/8	10,568	66 7/8	11,526
49	7,726	53 1/2	8,676	58	9,634	62 1/2	10,595	67	11,552
49 1/8	7,752	53 5/8	8,703	58 1/8	9,661	62 5/8	10,622	67 1/8	11,579
49 1/4	7,778	53 3/4	8,729	58 1/4	9,688	62 3/4	10,648	67 1/4	11,605
49 3/8	7,805	53 7/8	8,756	58 3/8	9,714	62 7/8	10,675	67 3/8	11,632
49 1/2	7,831	54	8,782	58 1/2	9,741	63	10,702	67 1/2	11,658



Dipstick Calibration Chart

10' x 20K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	11,685	72 1/8	12,632	76 5/8	13,565	81 1/8	14,477	85 5/8	15,361
67 3/4	11,711	72 1/4	12,658	76 3/4	13,590	81 1/4	14,502	85 3/4	15,385
67 7/8	11,738	72 3/8	12,685	76 7/8	13,616	81 3/8	14,526	85 7/8	15,409
68	11,764	72 1/2	12,711	77	13,642	81 1/2	14,551	86	15,433
68 1/8	11,791	72 5/8	12,737	77 1/8	13,667	81 5/8	14,576	86 1/8	15,457
68 1/4	11,817	72 3/4	12,763	77 1/4	13,693	81 3/4	14,601	86 1/4	15,481
68 3/8	11,844	72 7/8	12,789	77 3/8	13,718	81 7/8	14,626	86 3/8	15,505
68 1/2	11,870	73	12,815	77 1/2	13,744	82	14,651	86 1/2	15,529
68 5/8	11,896	73 1/8	12,841	77 5/8	13,769	82 1/8	14,676	86 5/8	15,553
68 3/4	11,923	73 1/4	12,867	77 3/4	13,795	82 1/4	14,701	86 3/4	15,577
68 7/8	11,949	73 3/8	12,893	77 7/8	13,820	82 3/8	14,725	86 7/8	15,601
69	11,976	73 1/2	12,919	78	13,846	82 1/2	14,750	87	15,625
69 1/8	12,002	73 5/8	12,945	78 1/8	13,871	82 5/8	14,775	87 1/8	15,649
69 1/4	12,028	73 3/4	12,971	78 1/4	13,897	82 3/4	14,799	87 1/4	15,673
69 3/8	12,055	73 7/8	12,997	78 3/8	13,922	82 7/8	14,824	87 3/8	15,696
69 1/2	12,081	74	13,023	78 1/2	13,948	83	14,849	87 1/2	15,720
69 5/8	12,107	74 1/8	13,049	78 5/8	13,973	83 1/8	14,873	87 5/8	15,744
69 3/4	12,134	74 1/4	13,075	78 3/4	13,998	83 1/4	14,898	87 3/4	15,767
69 7/8	12,160	74 3/8	13,101	78 7/8	14,024	83 3/8	14,923	87 7/8	15,791
70	12,186	74 1/2	13,127	79	14,049	83 1/2	14,947	88	15,815
70 1/8	12,213	74 5/8	13,153	79 1/8	14,074	83 5/8	14,972	88 1/8	15,838
70 1/4	12,239	74 3/4	13,178	79 1/4	14,100	83 3/4	14,996	88 1/4	15,862
70 3/8	12,265	74 7/8	13,204	79 3/8	14,125	83 7/8	15,021	88 3/8	15,885
70 1/2	12,292	75	13,230	79 1/2	14,150	84	15,045	88 1/2	15,909
70 5/8	12,318	75 1/8	13,256	79 5/8	14,175	84 1/8	15,070	88 5/8	15,932
70 3/4	12,344	75 1/4	13,282	79 3/4	14,201	84 1/4	15,094	88 3/4	15,956
70 7/8	12,370	75 3/8	13,308	79 7/8	14,226	84 3/8	15,119	88 7/8	15,979
71	12,397	75 1/2	13,333	80	14,251	84 1/2	15,143	89	16,003
71 1/8	12,423	75 5/8	13,359	80 1/8	14,276	84 5/8	15,167	89 1/8	16,026
71 1/4	12,449	75 3/4	13,385	80 1/4	14,301	84 3/4	15,192	89 1/4	16,049
71 3/8	12,475	75 7/8	13,411	80 3/8	14,326	84 7/8	15,216	89 3/8	16,073
71 1/2	12,501	76	13,436	80 1/2	14,351	85	15,240	89 1/2	16,096
71 5/8	12,528	76 1/8	13,462	80 5/8	14,376	85 1/8	15,264	89 5/8	16,119
71 3/4	12,554	76 1/4	13,488	80 3/4	14,402	85 1/4	15,289	89 3/4	16,142
71 7/8	12,580	76 3/8	13,514	80 7/8	14,427	85 3/8	15,313	89 7/8	16,165
72	12,606	76 1/2	13,539	81	14,452	85 1/2	15,337	90	16,189



Dipstick Calibration Chart

10' x 20K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	16,212	94 5/8	17,020	99 1/8	17,778	103 5/8	18,473	108 1/8	19,091
90 1/4	16,235	94 3/4	17,042	99 1/4	17,798	103 3/4	18,491	108 1/4	19,107
90 3/8	16,258	94 7/8	17,064	99 3/8	17,818	103 7/8	18,509	108 3/8	19,123
90 1/2	16,281	95	17,085	99 1/2	17,838	104	18,528	108 1/2	19,139
90 5/8	16,304	95 1/8	17,107	99 5/8	17,858	104 1/8	18,546	108 5/8	19,154
90 3/4	16,327	95 1/4	17,129	99 3/4	17,878	104 1/4	18,564	108 3/4	19,170
90 7/8	16,350	95 3/8	17,150	99 7/8	17,898	104 3/8	18,582	108 7/8	19,185
91	16,372	95 1/2	17,172	100	17,918	104 1/2	18,600	109	19,201
91 1/8	16,395	95 5/8	17,193	100 1/8	17,938	104 5/8	18,617	109 1/8	19,216
91 1/4	16,418	95 3/4	17,215	100 1/4	17,958	104 3/4	18,635	109 1/4	19,232
91 3/8	16,441	95 7/8	17,236	100 3/8	17,978	104 7/8	18,653	109 3/8	19,247
91 1/2	16,464	96	17,257	100 1/2	17,997	105	18,671	109 1/2	19,262
91 5/8	16,486	96 1/8	17,279	100 5/8	18,017	105 1/8	18,688	109 5/8	19,277
91 3/4	16,509	96 1/4	17,300	100 3/4	18,037	105 1/4	18,706	109 3/4	19,292
91 7/8	16,532	96 3/8	17,321	100 7/8	18,056	105 3/8	18,723	109 7/8	19,307
92	16,554	96 1/2	17,343	101	18,076	105 1/2	18,741	110	19,322
92 1/8	16,577	96 5/8	17,364	101 1/8	18,095	105 5/8	18,758	110 1/8	19,336
92 1/4	16,599	96 3/4	17,385	101 1/4	18,114	105 3/4	18,776	110 1/4	19,351
92 3/8	16,622	96 7/8	17,406	101 3/8	18,134	105 7/8	18,793	110 3/8	19,365
92 1/2	16,644	97	17,427	101 1/2	18,153	106	18,810	110 1/2	19,380
92 5/8	16,667	97 1/8	17,448	101 5/8	18,172	106 1/8	18,827	110 5/8	19,394
92 3/4	16,689	97 1/4	17,469	101 3/4	18,192	106 1/4	18,844	110 3/4	19,409
92 7/8	16,711	97 3/8	17,490	101 7/8	18,211	106 3/8	18,861	110 7/8	19,423
93	16,734	97 1/2	17,511	102	18,230	106 1/2	18,878	111	19,437
93 1/8	16,756	97 5/8	17,531	102 1/8	18,249	106 5/8	18,895	111 1/8	19,451
93 1/4	16,778	97 3/4	17,552	102 1/4	18,268	106 3/4	18,912	111 1/4	19,465
93 3/8	16,800	97 7/8	17,573	102 3/8	18,287	106 7/8	18,928	111 3/8	19,479
93 1/2	16,822	98	17,594	102 1/2	18,306	107	18,945	111 1/2	19,492
93 5/8	16,845	98 1/8	17,614	102 5/8	18,324	107 1/8	18,961	111 5/8	19,506
93 3/4	16,867	98 1/4	17,635	102 3/4	18,343	107 1/4	18,978	111 3/4	19,520
93 7/8	16,889	98 3/8	17,655	102 7/8	18,362	107 3/8	18,994	111 7/8	19,533
94	16,911	98 1/2	17,676	103	18,380	107 1/2	19,011	112	19,546
94 1/8	16,933	98 5/8	17,696	103 1/8	18,399	107 5/8	19,027	112 1/8	19,560
94 1/4	16,955	98 3/4	17,717	103 1/4	18,418	107 3/4	19,043	112 1/4	19,573
94 3/8	16,976	98 7/8	17,737	103 3/8	18,436	107 7/8	19,059	112 3/8	19,586
94 1/2	16,998	99	17,757	103 1/2	18,454	108	19,075	112 1/2	19,599



Dipstick Calibration Chart

10' x 20K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	19,612	117 1/8	19,997
112 3/4	19,625	117 1/4	20,005
112 7/8	19,637	117 3/8	20,013
113	19,650	117 1/2	20,020
113 1/8	19,662	117 5/8	20,028
113 1/4	19,675	117 3/4	20,035
113 3/8	19,687	117 7/8	20,042
113 1/2	19,699	118	20,049
113 5/8	19,711	118 1/8	20,056
113 3/4	19,723	118 1/4	20,063
113 7/8	19,735	118 3/8	20,069
114	19,746	118 1/2	20,075
114 1/8	19,758	118 5/8	20,081
114 1/4	19,769	118 3/4	20,086
114 3/8	19,781	118 7/8	20,092
114 1/2	19,792	119	20,097
114 5/8	19,803	119 1/8	20,101
114 3/4	19,814	119 1/4	20,106
114 7/8	19,825	119 3/8	20,110
115	19,836	119 1/2	20,113
115 1/8	19,846	119 5/8	20,117
115 1/4	19,857	119 3/4	20,119
115 3/8	19,867	119 7/8	20,121
115 1/2	19,877	120	20,123
115 5/8	19,887		
115 3/4	19,897		
115 7/8	19,907		
116	19,917		
116 1/8	19,926		
116 1/4	19,936		
116 3/8	19,945		
116 1/2	19,954		
116 5/8	19,963		
116 3/4	19,971		
116 7/8	19,980		
117	19,988		