



Dipstick Calibration Chart

10' x 28K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	323	9 1/8	902	13 5/8	1,650	18 1/8	2,530
1/4	4	4 3/4	336	9 1/4	921	13 3/4	1,673	18 1/4	2,556
3/8	7	4 7/8	350	9 3/8	940	13 7/8	1,696	18 3/8	2,582
1/2	11	5	363	9 1/2	959	14	1,719	18 1/2	2,608
5/8	16	5 1/8	377	9 5/8	978	14 1/8	1,742	18 5/8	2,634
3/4	21	5 1/4	391	9 3/4	997	14 1/4	1,765	18 3/4	2,661
7/8	26	5 3/8	405	9 7/8	1,016	14 3/8	1,788	18 7/8	2,687
1	32	5 1/2	420	10	1,036	14 1/2	1,812	19	2,714
1 1/8	38	5 5/8	434	10 1/8	1,055	14 5/8	1,835	19 1/8	2,740
1 1/4	45	5 3/4	449	10 1/4	1,075	14 3/4	1,859	19 1/4	2,767
1 3/8	52	5 7/8	464	10 3/8	1,095	14 7/8	1,882	19 3/8	2,794
1 1/2	59	6	479	10 1/2	1,115	15	1,906	19 1/2	2,821
1 5/8	66	6 1/8	494	10 5/8	1,135	15 1/8	1,930	19 5/8	2,848
1 3/4	74	6 1/4	509	10 3/4	1,155	15 1/4	1,954	19 3/4	2,875
1 7/8	82	6 3/8	525	10 7/8	1,175	15 3/8	1,978	19 7/8	2,902
2	91	6 1/2	540	11	1,196	15 1/2	2,002	20	2,929
2 1/8	99	6 5/8	556	11 1/8	1,216	15 5/8	2,026	20 1/8	2,956
2 1/4	108	6 3/4	572	11 1/4	1,237	15 3/4	2,051	20 1/4	2,984
2 3/8	118	6 7/8	588	11 3/8	1,258	15 7/8	2,075	20 3/8	3,011
2 1/2	127	7	604	11 1/2	1,279	16	2,100	20 1/2	3,038
2 5/8	137	7 1/8	621	11 5/8	1,300	16 1/8	2,124	20 5/8	3,066
2 3/4	147	7 1/4	637	11 3/4	1,321	16 1/4	2,149	20 3/4	3,094
2 7/8	157	7 3/8	654	11 7/8	1,342	16 3/8	2,174	20 7/8	3,121
3	168	7 1/2	671	12	1,363	16 1/2	2,199	21	3,149
3 1/8	178	7 5/8	688	12 1/8	1,385	16 5/8	2,224	21 1/8	3,177
3 1/4	189	7 3/4	705	12 1/4	1,406	16 3/4	2,249	21 1/4	3,205
3 3/8	200	7 7/8	722	12 3/8	1,428	16 7/8	2,274	21 3/8	3,233
3 1/2	212	8	740	12 1/2	1,450	17	2,299	21 1/2	3,261
3 5/8	223	8 1/8	757	12 5/8	1,472	17 1/8	2,324	21 5/8	3,289
3 3/4	235	8 1/4	775	12 3/4	1,493	17 1/4	2,350	21 3/4	3,317
3 7/8	247	8 3/8	793	12 7/8	1,516	17 3/8	2,375	21 7/8	3,346
4	259	8 1/2	810	13	1,538	17 1/2	2,401	22	3,374
4 1/8	271	8 5/8	829	13 1/8	1,560	17 5/8	2,426	22 1/8	3,402
4 1/4	284	8 3/4	847	13 1/4	1,582	17 3/4	2,452	22 1/4	3,431
4 3/8	297	8 7/8	865	13 3/8	1,605	17 7/8	2,478	22 3/8	3,459
4 1/2	310	9	884	13 1/2	1,627	18	2,504	22 1/2	3,488



Dipstick Calibration Chart

10' x 28K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,517	27 1/8	4,593	31 5/8	5,745	36 1/8	6,958	40 5/8	8,222
22 3/4	3,546	27 1/4	4,624	31 3/4	5,778	36 1/4	6,993	40 3/4	8,258
22 7/8	3,574	27 3/8	4,656	31 7/8	5,811	36 3/8	7,027	40 7/8	8,294
23	3,603	27 1/2	4,687	32	5,844	36 1/2	7,062	41	8,330
23 1/8	3,632	27 5/8	4,718	32 1/8	5,877	36 5/8	7,096	41 1/8	8,366
23 1/4	3,661	27 3/4	4,749	32 1/4	5,910	36 3/4	7,131	41 1/4	8,401
23 3/8	3,690	27 7/8	4,781	32 3/8	5,943	36 7/8	7,166	41 3/8	8,437
23 1/2	3,720	28	4,812	32 1/2	5,976	37	7,200	41 1/2	8,473
23 5/8	3,749	28 1/8	4,843	32 5/8	6,010	37 1/8	7,235	41 5/8	8,509
23 3/4	3,778	28 1/4	4,875	32 3/4	6,043	37 1/4	7,270	41 3/4	8,545
23 7/8	3,808	28 3/8	4,906	32 7/8	6,076	37 3/8	7,305	41 7/8	8,581
24	3,837	28 1/2	4,938	33	6,110	37 1/2	7,340	42	8,617
24 1/8	3,867	28 5/8	4,970	33 1/8	6,143	37 5/8	7,375	42 1/8	8,653
24 1/4	3,896	28 3/4	5,001	33 1/4	6,177	37 3/4	7,410	42 1/4	8,689
24 3/8	3,926	28 7/8	5,033	33 3/8	6,210	37 7/8	7,444	42 3/8	8,725
24 1/2	3,955	29	5,065	33 1/2	6,244	38	7,479	42 1/2	8,762
24 5/8	3,985	29 1/8	5,097	33 5/8	6,277	38 1/8	7,515	42 5/8	8,798
24 3/4	4,015	29 1/4	5,129	33 3/4	6,311	38 1/4	7,550	42 3/4	8,834
24 7/8	4,045	29 3/8	5,161	33 7/8	6,345	38 3/8	7,585	42 7/8	8,870
25	4,075	29 1/2	5,193	34	6,378	38 1/2	7,620	43	8,906
25 1/8	4,105	29 5/8	5,225	34 1/8	6,412	38 5/8	7,655	43 1/8	8,943
25 1/4	4,135	29 3/4	5,257	34 1/4	6,446	38 3/4	7,690	43 1/4	8,979
25 3/8	4,165	29 7/8	5,289	34 3/8	6,480	38 7/8	7,725	43 3/8	9,015
25 1/2	4,195	30	5,321	34 1/2	6,514	39	7,761	43 1/2	9,052
25 5/8	4,226	30 1/8	5,354	34 5/8	6,548	39 1/8	7,796	43 5/8	9,088
25 3/4	4,256	30 1/4	5,386	34 3/4	6,582	39 1/4	7,831	43 3/4	9,124
25 7/8	4,286	30 3/8	5,418	34 7/8	6,616	39 3/8	7,867	43 7/8	9,161
26	4,317	30 1/2	5,451	35	6,650	39 1/2	7,902	44	9,197
26 1/8	4,347	30 5/8	5,483	35 1/8	6,684	39 5/8	7,938	44 1/8	9,234
26 1/4	4,378	30 3/4	5,516	35 1/4	6,718	39 3/4	7,973	44 1/4	9,270
26 3/8	4,408	30 7/8	5,548	35 3/8	6,752	39 7/8	8,009	44 3/8	9,307
26 1/2	4,439	31	5,581	35 1/2	6,787	40	8,044	44 1/2	9,343
26 5/8	4,470	31 1/8	5,614	35 5/8	6,821	40 1/8	8,080	44 5/8	9,380
26 3/4	4,501	31 1/4	5,646	35 3/4	6,855	40 1/4	8,115	44 3/4	9,417
26 7/8	4,532	31 3/8	5,679	35 7/8	6,889	40 3/8	8,151	44 7/8	9,453
27	4,562	31 1/2	5,712	36	6,924	40 1/2	8,187	45	9,490



Dipstick Calibration Chart

10' x 28K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	9,527	49 5/8	10,861	54 1/8	12,217	58 5/8	13,584	63 1/8	14,954
45 1/4	9,563	49 3/4	10,899	54 1/4	12,255	58 3/4	13,622	63 1/4	14,992
45 3/8	9,600	49 7/8	10,936	54 3/8	12,292	58 7/8	13,660	63 3/8	15,030
45 1/2	9,637	50	10,974	54 1/2	12,330	59	13,698	63 1/2	15,068
45 5/8	9,674	50 1/8	11,011	54 5/8	12,368	59 1/8	13,736	63 5/8	15,106
45 3/4	9,710	50 1/4	11,048	54 3/4	12,406	59 1/4	13,774	63 3/4	15,144
45 7/8	9,747	50 3/8	11,086	54 7/8	12,444	59 3/8	13,812	63 7/8	15,182
46	9,784	50 1/2	11,123	55	12,482	59 1/2	13,850	64	15,220
46 1/8	9,821	50 5/8	11,161	55 1/8	12,520	59 5/8	13,888	64 1/8	15,258
46 1/4	9,858	50 3/4	11,198	55 1/4	12,558	59 3/4	13,926	64 1/4	15,296
46 3/8	9,895	50 7/8	11,236	55 3/8	12,596	59 7/8	13,964	64 3/8	15,334
46 1/2	9,932	51	11,274	55 1/2	12,634	60	14,003	64 1/2	15,371
46 5/8	9,969	51 1/8	11,311	55 5/8	12,672	60 1/8	14,041	64 5/8	15,409
46 3/4	10,006	51 1/4	11,349	55 3/4	12,709	60 1/4	14,079	64 3/4	15,447
46 7/8	10,043	51 3/8	11,386	55 7/8	12,747	60 3/8	14,117	64 7/8	15,485
47	10,080	51 1/2	11,424	56	12,785	60 1/2	14,155	65	15,523
47 1/8	10,117	51 5/8	11,462	56 1/8	12,823	60 5/8	14,193	65 1/8	15,561
47 1/4	10,154	51 3/4	11,499	56 1/4	12,861	60 3/4	14,231	65 1/4	15,599
47 3/8	10,191	51 7/8	11,537	56 3/8	12,899	60 7/8	14,269	65 3/8	15,637
47 1/2	10,228	52	11,575	56 1/2	12,937	61	14,307	65 1/2	15,675
47 5/8	10,265	52 1/8	11,612	56 5/8	12,975	61 1/8	14,345	65 5/8	15,713
47 3/4	10,302	52 1/4	11,650	56 3/4	13,013	61 1/4	14,383	65 3/4	15,751
47 7/8	10,339	52 3/8	11,688	56 7/8	13,051	61 3/8	14,421	65 7/8	15,788
48	10,376	52 1/2	11,725	57	13,089	61 1/2	14,459	66	15,826
48 1/8	10,414	52 5/8	11,763	57 1/8	13,127	61 5/8	14,497	66 1/8	15,864
48 1/4	10,451	52 3/4	11,801	57 1/4	13,165	61 3/4	14,535	66 1/4	15,902
48 3/8	10,488	52 7/8	11,839	57 3/8	13,203	61 7/8	14,573	66 3/8	15,940
48 1/2	10,525	53	11,876	57 1/2	13,241	62	14,611	66 1/2	15,978
48 5/8	10,563	53 1/8	11,914	57 5/8	13,279	62 1/8	14,650	66 5/8	16,015
48 3/4	10,600	53 1/4	11,952	57 3/4	13,317	62 1/4	14,688	66 3/4	16,053
48 7/8	10,637	53 3/8	11,990	57 7/8	13,356	62 3/8	14,726	66 7/8	16,091
49	10,674	53 1/2	12,027	58	13,394	62 1/2	14,764	67	16,129
49 1/8	10,712	53 5/8	12,065	58 1/8	13,432	62 5/8	14,802	67 1/8	16,166
49 1/4	10,749	53 3/4	12,103	58 1/4	13,470	62 3/4	14,840	67 1/4	16,204
49 3/8	10,786	53 7/8	12,141	58 3/8	13,508	62 7/8	14,878	67 3/8	16,242
49 1/2	10,824	54	12,179	58 1/2	13,546	63	14,916	67 1/2	16,280



Dipstick Calibration Chart

10' x 28K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	16,317	72 1/8	17,666	76 5/8	18,990	81 1/8	20,280	85 5/8	21,525
67 3/4	16,355	72 1/4	17,703	76 3/4	19,026	81 1/4	20,315	85 3/4	21,559
67 7/8	16,393	72 3/8	17,740	76 7/8	19,062	81 3/8	20,350	85 7/8	21,593
68	16,430	72 1/2	17,777	77	19,099	81 1/2	20,385	86	21,627
68 1/8	16,468	72 5/8	17,814	77 1/8	19,135	81 5/8	20,420	86 1/8	21,660
68 1/4	16,506	72 3/4	17,851	77 1/4	19,171	81 3/4	20,455	86 1/4	21,694
68 3/8	16,543	72 7/8	17,888	77 3/8	19,207	81 7/8	20,491	86 3/8	21,728
68 1/2	16,581	73	17,925	77 1/2	19,244	82	20,526	86 1/2	21,761
68 5/8	16,619	73 1/8	17,962	77 5/8	19,280	82 1/8	20,561	86 5/8	21,795
68 3/4	16,656	73 1/4	17,999	77 3/4	19,316	82 1/4	20,596	86 3/4	21,829
68 7/8	16,694	73 3/8	18,036	77 7/8	19,352	82 3/8	20,630	86 7/8	21,862
69	16,731	73 1/2	18,073	78	19,388	82 1/2	20,665	87	21,895
69 1/8	16,769	73 5/8	18,110	78 1/8	19,424	82 5/8	20,700	87 1/8	21,929
69 1/4	16,807	73 3/4	18,147	78 1/4	19,460	82 3/4	20,735	87 1/4	21,962
69 3/8	16,844	73 7/8	18,184	78 3/8	19,496	82 7/8	20,770	87 3/8	21,995
69 1/2	16,882	74	18,221	78 1/2	19,532	83	20,805	87 1/2	22,029
69 5/8	16,919	74 1/8	18,258	78 5/8	19,568	83 1/8	20,839	87 5/8	22,062
69 3/4	16,957	74 1/4	18,295	78 3/4	19,604	83 1/4	20,874	87 3/4	22,095
69 7/8	16,994	74 3/8	18,331	78 7/8	19,640	83 3/8	20,909	87 7/8	22,128
70	17,032	74 1/2	18,368	79	19,675	83 1/2	20,943	88	22,161
70 1/8	17,069	74 5/8	18,405	79 1/8	19,711	83 5/8	20,978	88 1/8	22,194
70 1/4	17,106	74 3/4	18,442	79 1/4	19,747	83 3/4	21,012	88 1/4	22,227
70 3/8	17,144	74 7/8	18,478	79 3/8	19,783	83 7/8	21,047	88 3/8	22,260
70 1/2	17,181	75	18,515	79 1/2	19,818	84	21,081	88 1/2	22,293
70 5/8	17,219	75 1/8	18,552	79 5/8	19,854	84 1/8	21,116	88 5/8	22,326
70 3/4	17,256	75 1/4	18,588	79 3/4	19,890	84 1/4	21,150	88 3/4	22,359
70 7/8	17,293	75 3/8	18,625	79 7/8	19,925	84 3/8	21,184	88 7/8	22,391
71	17,331	75 1/2	18,662	80	19,961	84 1/2	21,219	89	22,424
71 1/8	17,368	75 5/8	18,698	80 1/8	19,996	84 5/8	21,253	89 1/8	22,457
71 1/4	17,405	75 3/4	18,735	80 1/4	20,032	84 3/4	21,287	89 1/4	22,489
71 3/8	17,443	75 7/8	18,771	80 3/8	20,067	84 7/8	21,321	89 3/8	22,522
71 1/2	17,480	76	18,808	80 1/2	20,103	85	21,355	89 1/2	22,554
71 5/8	17,517	76 1/8	18,844	80 5/8	20,138	85 1/8	21,389	89 5/8	22,587
71 3/4	17,554	76 1/4	18,881	80 3/4	20,174	85 1/4	21,423	89 3/4	22,619
71 7/8	17,591	76 3/8	18,917	80 7/8	20,209	85 3/8	21,457	89 7/8	22,651
72	17,629	76 1/2	18,953	81	20,244	85 1/2	21,491	90	22,684



Dipstick Calibration Chart

10' x 28K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	22,716	94 5/8	23,840	99 1/8	24,884	103 5/8	25,831	108 1/8	26,663
90 1/4	22,748	94 3/4	23,870	99 1/4	24,911	103 3/4	25,856	108 1/4	26,684
90 3/8	22,780	94 7/8	23,900	99 3/8	24,939	103 7/8	25,881	108 3/8	26,705
90 1/2	22,812	95	23,930	99 1/2	24,967	104	25,905	108 1/2	26,726
90 5/8	22,844	95 1/8	23,960	99 5/8	24,994	104 1/8	25,930	108 5/8	26,747
90 3/4	22,876	95 1/4	23,990	99 3/4	25,021	104 1/4	25,954	108 3/4	26,768
90 7/8	22,908	95 3/8	24,020	99 7/8	25,049	104 3/8	25,979	108 7/8	26,789
91	22,940	95 1/2	24,050	100	25,076	104 1/2	26,003	109	26,809
91 1/8	22,972	95 5/8	24,079	100 1/8	25,103	104 5/8	26,027	109 1/8	26,830
91 1/4	23,004	95 3/4	24,109	100 1/4	25,130	104 3/4	26,051	109 1/4	26,850
91 3/8	23,035	95 7/8	24,139	100 3/8	25,157	104 7/8	26,075	109 3/8	26,870
91 1/2	23,067	96	24,168	100 1/2	25,184	105	26,099	109 1/2	26,890
91 5/8	23,099	96 1/8	24,198	100 5/8	25,211	105 1/8	26,123	109 5/8	26,910
91 3/4	23,130	96 1/4	24,227	100 3/4	25,238	105 1/4	26,146	109 3/4	26,930
91 7/8	23,162	96 3/8	24,256	100 7/8	25,265	105 3/8	26,170	109 7/8	26,950
92	23,193	96 1/2	24,285	101	25,291	105 1/2	26,193	110	26,969
92 1/8	23,225	96 5/8	24,315	101 1/8	25,318	105 5/8	26,217	110 1/8	26,989
92 1/4	23,256	96 3/4	24,344	101 1/4	25,344	105 3/4	26,240	110 1/4	27,008
92 3/8	23,287	96 7/8	24,373	101 3/8	25,371	105 7/8	26,263	110 3/8	27,027
92 1/2	23,318	97	24,402	101 1/2	25,397	106	26,286	110 1/2	27,046
92 5/8	23,349	97 1/8	24,431	101 5/8	25,423	106 1/8	26,309	110 5/8	27,065
92 3/4	23,381	97 1/4	24,460	101 3/4	25,449	106 1/4	26,332	110 3/4	27,084
92 7/8	23,412	97 3/8	24,488	101 7/8	25,475	106 3/8	26,355	110 7/8	27,103
93	23,443	97 1/2	24,517	102	25,501	106 1/2	26,378	111	27,121
93 1/8	23,474	97 5/8	24,546	102 1/8	25,527	106 5/8	26,400	111 1/8	27,140
93 1/4	23,504	97 3/4	24,574	102 1/4	25,553	106 3/4	26,423	111 1/4	27,158
93 3/8	23,535	97 7/8	24,603	102 3/8	25,579	106 7/8	26,445	111 3/8	27,176
93 1/2	23,566	98	24,631	102 1/2	25,604	107	26,467	111 1/2	27,195
93 5/8	23,597	98 1/8	24,659	102 5/8	25,630	107 1/8	26,490	111 5/8	27,213
93 3/4	23,627	98 1/4	24,688	102 3/4	25,655	107 1/4	26,512	111 3/4	27,230
93 7/8	23,658	98 3/8	24,716	102 7/8	25,681	107 3/8	26,534	111 7/8	27,248
94	23,688	98 1/2	24,744	103	25,706	107 1/2	26,555	112	27,266
94 1/8	23,719	98 5/8	24,772	103 1/8	25,731	107 5/8	26,577	112 1/8	27,283
94 1/4	23,749	98 3/4	24,800	103 1/4	25,757	107 3/4	26,599	112 1/4	27,300
94 3/8	23,779	98 7/8	24,828	103 3/8	25,782	107 7/8	26,620	112 3/8	27,317
94 1/2	23,810	99	24,856	103 1/2	25,807	108	26,642	112 1/2	27,334



Dipstick Calibration Chart

10' x 28K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	27,351	117 1/8	27,848
112 3/4	27,368	117 1/4	27,858
112 7/8	27,384	117 3/8	27,868
113	27,401	117 1/2	27,878
113 1/8	27,417	117 5/8	27,887
113 1/4	27,433	117 3/4	27,897
113 3/8	27,449	117 7/8	27,906
113 1/2	27,465	118	27,914
113 5/8	27,480	118 1/8	27,923
113 3/4	27,496	118 1/4	27,931
113 7/8	27,511	118 3/8	27,939
114	27,526	118 1/2	27,946
114 1/8	27,541	118 5/8	27,954
114 1/4	27,556	118 3/4	27,960
114 3/8	27,571	118 7/8	27,967
114 1/2	27,585	119	27,973
114 5/8	27,600	119 1/8	27,979
114 3/4	27,614	119 1/4	27,984
114 7/8	27,628	119 3/8	27,989
115	27,642	119 1/2	27,994
115 1/8	27,655	119 5/8	27,998
115 1/4	27,669	119 3/4	28,001
115 3/8	27,682	119 7/8	28,004
115 1/2	27,695	120	28,005
115 5/8	27,708		
115 3/4	27,721		
115 7/8	27,734		
116	27,746		
116 1/8	27,758		
116 1/4	27,770		
116 3/8	27,782		
116 1/2	27,793		
116 5/8	27,805		
116 3/4	27,816		
116 7/8	27,827		
117	27,837		