



# Dipstick Calibration Chart

# 10' x 30K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	353	9 1/8	984	13 5/8	1,797	18 1/8	2,753
1/4	4	4 3/4	367	9 1/4	1,004	13 3/4	1,822	18 1/4	2,781
3/8	8	4 7/8	382	9 3/8	1,025	13 7/8	1,847	18 3/8	2,810
1/2	12	5	397	9 1/2	1,045	14	1,872	18 1/2	2,838
5/8	17	5 1/8	412	9 5/8	1,066	14 1/8	1,897	18 5/8	2,867
3/4	23	5 1/4	427	9 3/4	1,087	14 1/4	1,922	18 3/4	2,895
7/8	29	5 3/8	443	9 7/8	1,108	14 3/8	1,948	18 7/8	2,924
1	35	5 1/2	458	10	1,129	14 1/2	1,973	19	2,953
1 1/8	42	5 5/8	474	10 1/8	1,151	14 5/8	1,999	19 1/8	2,982
1 1/4	49	5 3/4	490	10 1/4	1,172	14 3/4	2,024	19 1/4	3,011
1 3/8	56	5 7/8	506	10 3/8	1,194	14 7/8	2,050	19 3/8	3,040
1 1/2	64	6	523	10 1/2	1,215	15	2,076	19 1/2	3,069
1 5/8	73	6 1/8	539	10 5/8	1,237	15 1/8	2,102	19 5/8	3,098
1 3/4	81	6 1/4	556	10 3/4	1,259	15 1/4	2,128	19 3/4	3,128
1 7/8	90	6 3/8	573	10 7/8	1,281	15 3/8	2,154	19 7/8	3,157
2	99	6 1/2	590	11	1,304	15 1/2	2,180	20	3,186
2 1/8	109	6 5/8	607	11 1/8	1,326	15 5/8	2,206	20 1/8	3,216
2 1/4	119	6 3/4	624	11 1/4	1,348	15 3/4	2,233	20 1/4	3,246
2 3/8	129	6 7/8	642	11 3/8	1,371	15 7/8	2,259	20 3/8	3,275
2 1/2	139	7	660	11 1/2	1,394	16	2,286	20 1/2	3,305
2 5/8	150	7 1/8	677	11 5/8	1,416	16 1/8	2,313	20 5/8	3,335
2 3/4	161	7 1/4	695	11 3/4	1,439	16 1/4	2,339	20 3/4	3,365
2 7/8	172	7 3/8	714	11 7/8	1,462	16 3/8	2,366	20 7/8	3,395
3	183	7 1/2	732	12	1,486	16 1/2	2,393	21	3,425
3 1/8	195	7 5/8	750	12 1/8	1,509	16 5/8	2,420	21 1/8	3,456
3 1/4	207	7 3/4	769	12 1/4	1,532	16 3/4	2,448	21 1/4	3,486
3 3/8	219	7 7/8	788	12 3/8	1,556	16 7/8	2,475	21 3/8	3,516
3 1/2	231	8	807	12 1/2	1,580	17	2,502	21 1/2	3,547
3 5/8	244	8 1/8	826	12 5/8	1,603	17 1/8	2,530	21 5/8	3,577
3 3/4	257	8 1/4	845	12 3/4	1,627	17 1/4	2,557	21 3/4	3,608
3 7/8	270	8 3/8	865	12 7/8	1,651	17 3/8	2,585	21 7/8	3,639
4	283	8 1/2	884	13	1,675	17 1/2	2,613	22	3,669
4 1/8	297	8 5/8	904	13 1/8	1,699	17 5/8	2,641	22 1/8	3,700
4 1/4	310	8 3/4	924	13 1/4	1,724	17 3/4	2,669	22 1/4	3,731
4 3/8	324	8 7/8	944	13 3/8	1,748	17 7/8	2,697	22 3/8	3,762
4 1/2	338	9	964	13 1/2	1,773	18	2,725	22 1/2	3,793



# Dipstick Calibration Chart

# 10' x 30K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,824	27 1/8	4,992	31 5/8	6,240	36 1/8	7,554	40 5/8	8,923
22 3/4	3,855	27 1/4	5,025	31 3/4	6,275	36 1/4	7,591	40 3/4	8,962
22 7/8	3,887	27 3/8	5,059	31 7/8	6,311	36 3/8	7,629	40 7/8	9,000
23	3,918	27 1/2	5,093	32	6,347	36 1/2	7,666	41	9,039
23 1/8	3,950	27 5/8	5,127	32 1/8	6,383	36 5/8	7,704	41 1/8	9,078
23 1/4	3,981	27 3/4	5,161	32 1/4	6,419	36 3/4	7,741	41 1/4	9,117
23 3/8	4,013	27 7/8	5,195	32 3/8	6,455	36 7/8	7,779	41 3/8	9,155
23 1/2	4,044	28	5,229	32 1/2	6,490	37	7,816	41 1/2	9,194
23 5/8	4,076	28 1/8	5,263	32 5/8	6,526	37 1/8	7,854	41 5/8	9,233
23 3/4	4,108	28 1/4	5,297	32 3/4	6,563	37 1/4	7,892	41 3/4	9,272
23 7/8	4,140	28 3/8	5,331	32 7/8	6,599	37 3/8	7,929	41 7/8	9,311
24	4,172	28 1/2	5,365	33	6,635	37 1/2	7,967	42	9,350
24 1/8	4,204	28 5/8	5,400	33 1/8	6,671	37 5/8	8,005	42 1/8	9,389
24 1/4	4,236	28 3/4	5,434	33 1/4	6,707	37 3/4	8,043	42 1/4	9,428
24 3/8	4,268	28 7/8	5,468	33 3/8	6,744	37 7/8	8,081	42 3/8	9,467
24 1/2	4,300	29	5,503	33 1/2	6,780	38	8,119	42 1/2	9,506
24 5/8	4,332	29 1/8	5,537	33 5/8	6,816	38 1/8	8,156	42 5/8	9,546
24 3/4	4,365	29 1/4	5,572	33 3/4	6,853	38 1/4	8,194	42 3/4	9,585
24 7/8	4,397	29 3/8	5,607	33 7/8	6,889	38 3/8	8,232	42 7/8	9,624
25	4,430	29 1/2	5,641	34	6,926	38 1/2	8,270	43	9,663
25 1/8	4,462	29 5/8	5,676	34 1/8	6,963	38 5/8	8,309	43 1/8	9,703
25 1/4	4,495	29 3/4	5,711	34 1/4	6,999	38 3/4	8,347	43 1/4	9,742
25 3/8	4,527	29 7/8	5,746	34 3/8	7,036	38 7/8	8,385	43 3/8	9,781
25 1/2	4,560	30	5,781	34 1/2	7,073	39	8,423	43 1/2	9,821
25 5/8	4,593	30 1/8	5,816	34 5/8	7,109	39 1/8	8,461	43 5/8	9,860
25 3/4	4,626	30 1/4	5,851	34 3/4	7,146	39 1/4	8,500	43 3/4	9,899
25 7/8	4,659	30 3/8	5,886	34 7/8	7,183	39 3/8	8,538	43 7/8	9,939
26	4,692	30 1/2	5,921	35	7,220	39 1/2	8,576	44	9,978
26 1/8	4,725	30 5/8	5,956	35 1/8	7,257	39 5/8	8,615	44 1/8	10,018
26 1/4	4,758	30 3/4	5,991	35 1/4	7,294	39 3/4	8,653	44 1/4	10,057
26 3/8	4,791	30 7/8	6,027	35 3/8	7,331	39 7/8	8,691	44 3/8	10,097
26 1/2	4,825	31	6,062	35 1/2	7,368	40	8,730	44 1/2	10,136
26 5/8	4,858	31 1/8	6,098	35 5/8	7,405	40 1/8	8,768	44 5/8	10,176
26 3/4	4,891	31 1/4	6,133	35 3/4	7,442	40 1/4	8,807	44 3/4	10,216
26 7/8	4,925	31 3/8	6,169	35 7/8	7,480	40 3/8	8,846	44 7/8	10,255
27	4,958	31 1/2	6,204	36	7,517	40 1/2	8,884	45	10,295



# Dipstick Calibration Chart

# 10' x 30K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	10,335	49 5/8	11,779	54 1/8	13,245	58 5/8	14,725	63 1/8	16,207
45 1/4	10,374	49 3/4	11,819	54 1/4	13,286	58 3/4	14,766	63 1/4	16,248
45 3/8	10,414	49 7/8	11,860	54 3/8	13,327	58 7/8	14,807	63 3/8	16,289
45 1/2	10,454	50	11,900	54 1/2	13,368	59	14,848	63 1/2	16,330
45 5/8	10,494	50 1/8	11,941	54 5/8	13,409	59 1/8	14,889	63 5/8	16,371
45 3/4	10,534	50 1/4	11,981	54 3/4	13,450	59 1/4	14,930	63 3/4	16,412
45 7/8	10,573	50 3/8	12,022	54 7/8	13,491	59 3/8	14,972	63 7/8	16,453
46	10,613	50 1/2	12,063	55	13,532	59 1/2	15,013	64	16,494
46 1/8	10,653	50 5/8	12,103	55 1/8	13,573	59 5/8	15,054	64 1/8	16,535
46 1/4	10,693	50 3/4	12,144	55 1/4	13,614	59 3/4	15,095	64 1/4	16,577
46 3/8	10,733	50 7/8	12,184	55 3/8	13,655	59 7/8	15,136	64 3/8	16,618
46 1/2	10,773	51	12,225	55 1/2	13,697	60	15,178	64 1/2	16,659
46 5/8	10,813	51 1/8	12,266	55 5/8	13,738	60 1/8	15,219	64 5/8	16,700
46 3/4	10,853	51 1/4	12,306	55 3/4	13,779	60 1/4	15,260	64 3/4	16,741
46 7/8	10,893	51 3/8	12,347	55 7/8	13,820	60 3/8	15,301	64 7/8	16,782
47	10,933	51 1/2	12,388	56	13,861	60 1/2	15,342	65	16,823
47 1/8	10,973	51 5/8	12,428	56 1/8	13,902	60 5/8	15,383	65 1/8	16,864
47 1/4	11,013	51 3/4	12,469	56 1/4	13,943	60 3/4	15,425	65 1/4	16,905
47 3/8	11,053	51 7/8	12,510	56 3/8	13,984	60 7/8	15,466	65 3/8	16,946
47 1/2	11,093	52	12,551	56 1/2	14,025	61	15,507	65 1/2	16,987
47 5/8	11,134	52 1/8	12,591	56 5/8	14,066	61 1/8	15,548	65 5/8	17,028
47 3/4	11,174	52 1/4	12,632	56 3/4	14,107	61 1/4	15,589	65 3/4	17,069
47 7/8	11,214	52 3/8	12,673	56 7/8	14,148	61 3/8	15,631	65 7/8	17,110
48	11,254	52 1/2	12,714	57	14,190	61 1/2	15,672	66	17,151
48 1/8	11,294	52 5/8	12,755	57 1/8	14,231	61 5/8	15,713	66 1/8	17,192
48 1/4	11,335	52 3/4	12,796	57 1/4	14,272	61 3/4	15,754	66 1/4	17,233
48 3/8	11,375	52 7/8	12,836	57 3/8	14,313	61 7/8	15,795	66 3/8	17,273
48 1/2	11,415	53	12,877	57 1/2	14,354	62	15,836	66 1/2	17,314
48 5/8	11,456	53 1/8	12,918	57 5/8	14,395	62 1/8	15,878	66 5/8	17,355
48 3/4	11,496	53 1/4	12,959	57 3/4	14,436	62 1/4	15,919	66 3/4	17,396
48 7/8	11,536	53 3/8	13,000	57 7/8	14,478	62 3/8	15,960	66 7/8	17,437
49	11,577	53 1/2	13,041	58	14,519	62 1/2	16,001	67	17,478
49 1/8	11,617	53 5/8	13,082	58 1/8	14,560	62 5/8	16,042	67 1/8	17,519
49 1/4	11,658	53 3/4	13,123	58 1/4	14,601	62 3/4	16,083	67 1/4	17,560
49 3/8	11,698	53 7/8	13,164	58 3/8	14,642	62 7/8	16,124	67 3/8	17,600
49 1/2	11,738	54	13,204	58 1/2	14,683	63	16,166	67 1/2	17,641



# Dipstick Calibration Chart

# 10' x 30K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	17,682	72 1/8	19,141	76 5/8	20,574	81 1/8	21,970	85 5/8	23,319
67 3/4	17,723	72 1/4	19,181	76 3/4	20,613	81 1/4	22,008	85 3/4	23,356
67 7/8	17,764	72 3/8	19,222	76 7/8	20,653	81 3/8	22,047	85 7/8	23,393
68	17,804	72 1/2	19,262	77	20,692	81 1/2	22,085	86	23,429
68 1/8	17,845	72 5/8	19,302	77 1/8	20,731	81 5/8	22,123	86 1/8	23,466
68 1/4	17,886	72 3/4	19,342	77 1/4	20,770	81 3/4	22,161	86 1/4	23,502
68 3/8	17,927	72 7/8	19,382	77 3/8	20,809	81 7/8	22,199	86 3/8	23,539
68 1/2	17,967	73	19,422	77 1/2	20,849	82	22,237	86 1/2	23,575
68 5/8	18,008	73 1/8	19,462	77 5/8	20,888	82 1/8	22,275	86 5/8	23,611
68 3/4	18,049	73 1/4	19,502	77 3/4	20,927	82 1/4	22,312	86 3/4	23,648
68 7/8	18,089	73 3/8	19,542	77 7/8	20,966	82 3/8	22,350	86 7/8	23,684
69	18,130	73 1/2	19,582	78	21,005	82 1/2	22,388	87	23,720
69 1/8	18,171	73 5/8	19,622	78 1/8	21,044	82 5/8	22,426	87 1/8	23,756
69 1/4	18,211	73 3/4	19,662	78 1/4	21,083	82 3/4	22,463	87 1/4	23,793
69 3/8	18,252	73 7/8	19,702	78 3/8	21,122	82 7/8	22,501	87 3/8	23,829
69 1/2	18,293	74	19,742	78 1/2	21,161	83	22,539	87 1/2	23,865
69 5/8	18,333	74 1/8	19,782	78 5/8	21,200	83 1/8	22,576	87 5/8	23,901
69 3/4	18,374	74 1/4	19,822	78 3/4	21,239	83 1/4	22,614	87 3/4	23,937
69 7/8	18,414	74 3/8	19,861	78 7/8	21,277	83 3/8	22,651	87 7/8	23,972
70	18,455	74 1/2	19,901	79	21,316	83 1/2	22,689	88	24,008
70 1/8	18,495	74 5/8	19,941	79 1/8	21,355	83 5/8	22,726	88 1/8	24,044
70 1/4	18,536	74 3/4	19,981	79 1/4	21,394	83 3/4	22,764	88 1/4	24,080
70 3/8	18,576	74 7/8	20,021	79 3/8	21,432	83 7/8	22,801	88 3/8	24,115
70 1/2	18,617	75	20,060	79 1/2	21,471	84	22,838	88 1/2	24,151
70 5/8	18,657	75 1/8	20,100	79 5/8	21,510	84 1/8	22,876	88 5/8	24,187
70 3/4	18,698	75 1/4	20,140	79 3/4	21,548	84 1/4	22,913	88 3/4	24,222
70 7/8	18,738	75 3/8	20,179	79 7/8	21,587	84 3/8	22,950	88 7/8	24,258
71	18,778	75 1/2	20,219	80	21,625	84 1/2	22,987	89	24,293
71 1/8	18,819	75 5/8	20,258	80 1/8	21,664	84 5/8	23,024	89 1/8	24,328
71 1/4	18,859	75 3/4	20,298	80 1/4	21,702	84 3/4	23,061	89 1/4	24,364
71 3/8	18,900	75 7/8	20,337	80 3/8	21,741	84 7/8	23,098	89 3/8	24,399
71 1/2	18,940	76	20,377	80 1/2	21,779	85	23,135	89 1/2	24,434
71 5/8	18,980	76 1/8	20,416	80 5/8	21,817	85 1/8	23,172	89 5/8	24,469
71 3/4	19,020	76 1/4	20,456	80 3/4	21,856	85 1/4	23,209	89 3/4	24,504
71 7/8	19,061	76 3/8	20,495	80 7/8	21,894	85 3/8	23,246	89 7/8	24,539
72	19,101	76 1/2	20,535	81	21,932	85 1/2	23,283	90	24,574



# Dipstick Calibration Chart

# 10' x 30K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	24,609	94 5/8	25,828	99 1/8	26,960	103 5/8	27,989	108 1/8	28,893
90 1/4	24,644	94 3/4	25,860	99 1/4	26,990	103 3/4	28,016	108 1/4	28,916
90 3/8	24,679	94 7/8	25,893	99 3/8	27,020	103 7/8	28,042	108 3/8	28,939
90 1/2	24,714	95	25,926	99 1/2	27,050	104	28,069	108 1/2	28,962
90 5/8	24,749	95 1/8	25,958	99 5/8	27,080	104 1/8	28,096	108 5/8	28,984
90 3/4	24,783	95 1/4	25,990	99 3/4	27,109	104 1/4	28,122	108 3/4	29,007
90 7/8	24,818	95 3/8	26,023	99 7/8	27,139	104 3/8	28,149	108 7/8	29,029
91	24,852	95 1/2	26,055	100	27,169	104 1/2	28,175	109	29,052
91 1/8	24,887	95 5/8	26,087	100 1/8	27,198	104 5/8	28,201	109 1/8	29,074
91 1/4	24,921	95 3/4	26,119	100 1/4	27,228	104 3/4	28,227	109 1/4	29,096
91 3/8	24,956	95 7/8	26,152	100 3/8	27,257	104 7/8	28,253	109 3/8	29,118
91 1/2	24,990	96	26,184	100 1/2	27,286	105	28,279	109 1/2	29,140
91 5/8	25,024	96 1/8	26,215	100 5/8	27,315	105 1/8	28,305	109 5/8	29,161
91 3/4	25,058	96 1/4	26,247	100 3/4	27,344	105 1/4	28,331	109 3/4	29,183
91 7/8	25,092	96 3/8	26,279	100 7/8	27,373	105 3/8	28,357	109 7/8	29,204
92	25,126	96 1/2	26,311	101	27,402	105 1/2	28,382	110	29,226
92 1/8	25,161	96 5/8	26,343	101 1/8	27,431	105 5/8	28,407	110 1/8	29,247
92 1/4	25,194	96 3/4	26,374	101 1/4	27,460	105 3/4	28,433	110 1/4	29,268
92 3/8	25,228	96 7/8	26,406	101 3/8	27,488	105 7/8	28,458	110 3/8	29,289
92 1/2	25,262	97	26,437	101 1/2	27,517	106	28,483	110 1/2	29,310
92 5/8	25,296	97 1/8	26,468	101 5/8	27,546	106 1/8	28,508	110 5/8	29,330
92 3/4	25,330	97 1/4	26,500	101 3/4	27,574	106 1/4	28,533	110 3/4	29,351
92 7/8	25,363	97 3/8	26,531	101 7/8	27,602	106 3/8	28,558	110 7/8	29,371
93	25,397	97 1/2	26,562	102	27,630	106 1/2	28,582	111	29,391
93 1/8	25,430	97 5/8	26,593	102 1/8	27,659	106 5/8	28,607	111 1/8	29,412
93 1/4	25,464	97 3/4	26,624	102 1/4	27,687	106 3/4	28,631	111 1/4	29,432
93 3/8	25,497	97 7/8	26,655	102 3/8	27,714	106 7/8	28,656	111 3/8	29,451
93 1/2	25,531	98	26,686	102 1/2	27,742	107	28,680	111 1/2	29,471
93 5/8	25,564	98 1/8	26,717	102 5/8	27,770	107 1/8	28,704	111 5/8	29,491
93 3/4	25,597	98 1/4	26,747	102 3/4	27,798	107 1/4	28,728	111 3/4	29,510
93 7/8	25,630	98 3/8	26,778	102 7/8	27,825	107 3/8	28,752	111 7/8	29,529
94	25,663	98 1/2	26,808	103	27,853	107 1/2	28,776	112	29,548
94 1/8	25,696	98 5/8	26,839	103 1/8	27,880	107 5/8	28,799	112 1/8	29,567
94 1/4	25,729	98 3/4	26,869	103 1/4	27,907	107 3/4	28,823	112 1/4	29,586
94 3/8	25,762	98 7/8	26,900	103 3/8	27,935	107 7/8	28,846	112 3/8	29,605
94 1/2	25,795	99	26,930	103 1/2	27,962	108	28,870	112 1/2	29,623



# Dipstick Calibration Chart

# 10' x 30K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	29,641	117 1/8	30,183
112 3/4	29,660	117 1/4	30,194
112 7/8	29,678	117 3/8	30,205
113	29,696	117 1/2	30,216
113 1/8	29,713	117 5/8	30,226
113 1/4	29,731	117 3/4	30,236
113 3/8	29,748	117 7/8	30,246
113 1/2	29,765	118	30,256
113 5/8	29,782	118 1/8	30,265
113 3/4	29,799	118 1/4	30,274
113 7/8	29,816	118 3/8	30,283
114	29,833	118 1/2	30,291
114 1/8	29,849	118 5/8	30,299
114 1/4	29,865	118 3/4	30,306
114 3/8	29,881	118 7/8	30,313
114 1/2	29,897	119	30,320
114 5/8	29,913	119 1/8	30,327
114 3/4	29,928	119 1/4	30,333
114 7/8	29,943	119 3/8	30,338
115	29,958	119 1/2	30,343
115 1/8	29,973	119 5/8	30,347
115 1/4	29,988	119 3/4	30,351
115 3/8	30,002	119 7/8	30,354
115 1/2	30,017	120	30,355
115 5/8	30,031		
115 3/4	30,045		
115 7/8	30,058		
116	30,072		
116 1/8	30,085		
116 1/4	30,098		
116 3/8	30,111		
116 1/2	30,124		
116 5/8	30,136		
116 3/4	30,148		
116 7/8	30,160		
117	30,172		