



Dipstick Calibration Chart

10' x 32K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	375	9 1/8	1,045	13 5/8	1,908	18 1/8	2,920
1/4	5	4 3/4	390	9 1/4	1,067	13 3/4	1,934	18 1/4	2,950
3/8	8	4 7/8	406	9 3/8	1,089	13 7/8	1,961	18 3/8	2,980
1/2	13	5	422	9 1/2	1,110	14	1,987	18 1/2	3,011
5/8	18	5 1/8	438	9 5/8	1,133	14 1/8	2,014	18 5/8	3,041
3/4	24	5 1/4	454	9 3/4	1,155	14 1/4	2,040	18 3/4	3,071
7/8	30	5 3/8	471	9 7/8	1,177	14 3/8	2,067	18 7/8	3,102
1	37	5 1/2	487	10	1,200	14 1/2	2,094	19	3,132
1 1/8	44	5 5/8	504	10 1/8	1,222	14 5/8	2,121	19 1/8	3,163
1 1/4	52	5 3/4	521	10 1/4	1,245	14 3/4	2,148	19 1/4	3,193
1 3/8	60	5 7/8	538	10 3/8	1,268	14 7/8	2,176	19 3/8	3,224
1 1/2	68	6	556	10 1/2	1,291	15	2,203	19 1/2	3,255
1 5/8	77	6 1/8	573	10 5/8	1,314	15 1/8	2,230	19 5/8	3,286
1 3/4	86	6 1/4	591	10 3/4	1,337	15 1/4	2,258	19 3/4	3,317
1 7/8	96	6 3/8	609	10 7/8	1,361	15 3/8	2,286	19 7/8	3,348
2	106	6 1/2	627	11	1,384	15 1/2	2,313	20	3,380
2 1/8	116	6 5/8	645	11 1/8	1,408	15 5/8	2,341	20 1/8	3,411
2 1/4	126	6 3/4	664	11 1/4	1,432	15 3/4	2,369	20 1/4	3,442
2 3/8	137	6 7/8	682	11 3/8	1,456	15 7/8	2,397	20 3/8	3,474
2 1/2	148	7	701	11 1/2	1,480	16	2,426	20 1/2	3,505
2 5/8	159	7 1/8	720	11 5/8	1,504	16 1/8	2,454	20 5/8	3,537
2 3/4	171	7 1/4	739	11 3/4	1,528	16 1/4	2,482	20 3/4	3,569
2 7/8	183	7 3/8	758	11 7/8	1,553	16 3/8	2,511	20 7/8	3,601
3	195	7 1/2	778	12	1,577	16 1/2	2,539	21	3,633
3 1/8	207	7 5/8	797	12 1/8	1,602	16 5/8	2,568	21 1/8	3,665
3 1/4	220	7 3/4	817	12 1/4	1,627	16 3/4	2,597	21 1/4	3,697
3 3/8	233	7 7/8	837	12 3/8	1,652	16 7/8	2,626	21 3/8	3,729
3 1/2	246	8	857	12 1/2	1,677	17	2,655	21 1/2	3,761
3 5/8	260	8 1/8	878	12 5/8	1,702	17 1/8	2,684	21 5/8	3,793
3 3/4	273	8 1/4	898	12 3/4	1,727	17 1/4	2,713	21 3/4	3,826
3 7/8	287	8 3/8	919	12 7/8	1,753	17 3/8	2,743	21 7/8	3,858
4	301	8 1/2	939	13	1,778	17 1/2	2,772	22	3,891
4 1/8	316	8 5/8	960	13 1/8	1,804	17 5/8	2,801	22 1/8	3,923
4 1/4	330	8 3/4	981	13 1/4	1,830	17 3/4	2,831	22 1/4	3,956
4 3/8	345	8 7/8	1,002	13 3/8	1,856	17 7/8	2,861	22 3/8	3,989
4 1/2	360	9	1,024	13 1/2	1,882	18	2,891	22 1/2	4,022



Dipstick Calibration Chart

10' x 32K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	4,055	27 1/8	5,291	31 5/8	6,611	36 1/8	8,001	40 5/8	9,448
22 3/4	4,088	27 1/4	5,326	31 3/4	6,649	36 1/4	8,040	40 3/4	9,489
22 7/8	4,121	27 3/8	5,362	31 7/8	6,686	36 3/8	8,080	40 7/8	9,530
23	4,154	27 1/2	5,398	32	6,724	36 1/2	8,120	41	9,571
23 1/8	4,188	27 5/8	5,433	32 1/8	6,762	36 5/8	8,159	41 1/8	9,612
23 1/4	4,221	27 3/4	5,469	32 1/4	6,800	36 3/4	8,199	41 1/4	9,653
23 3/8	4,254	27 7/8	5,505	32 3/8	6,838	36 7/8	8,239	41 3/8	9,694
23 1/2	4,288	28	5,541	32 1/2	6,876	37	8,278	41 1/2	9,735
23 5/8	4,321	28 1/8	5,577	32 5/8	6,914	37 1/8	8,318	41 5/8	9,776
23 3/4	4,355	28 1/4	5,613	32 3/4	6,952	37 1/4	8,358	41 3/4	9,818
23 7/8	4,389	28 3/8	5,650	32 7/8	6,991	37 3/8	8,398	41 7/8	9,859
24	4,423	28 1/2	5,686	33	7,029	37 1/2	8,438	42	9,900
24 1/8	4,456	28 5/8	5,722	33 1/8	7,067	37 5/8	8,478	42 1/8	9,941
24 1/4	4,490	28 3/4	5,758	33 1/4	7,105	37 3/4	8,518	42 1/4	9,983
24 3/8	4,524	28 7/8	5,795	33 3/8	7,144	37 7/8	8,558	42 3/8	10,024
24 1/2	4,558	29	5,831	33 1/2	7,182	38	8,598	42 1/2	10,065
24 5/8	4,593	29 1/8	5,868	33 5/8	7,221	38 1/8	8,638	42 5/8	10,107
24 3/4	4,627	29 1/4	5,904	33 3/4	7,259	38 1/4	8,678	42 3/4	10,148
24 7/8	4,661	29 3/8	5,941	33 7/8	7,298	38 3/8	8,718	42 7/8	10,189
25	4,696	29 1/2	5,978	34	7,337	38 1/2	8,758	43	10,231
25 1/8	4,730	29 5/8	6,015	34 1/8	7,375	38 5/8	8,799	43 1/8	10,272
25 1/4	4,765	29 3/4	6,051	34 1/4	7,414	38 3/4	8,839	43 1/4	10,314
25 3/8	4,799	29 7/8	6,088	34 3/8	7,453	38 7/8	8,879	43 3/8	10,356
25 1/2	4,834	30	6,125	34 1/2	7,492	39	8,920	43 1/2	10,397
25 5/8	4,869	30 1/8	6,162	34 5/8	7,531	39 1/8	8,960	43 5/8	10,439
25 3/4	4,903	30 1/4	6,199	34 3/4	7,570	39 1/4	9,001	43 3/4	10,480
25 7/8	4,938	30 3/8	6,237	34 7/8	7,609	39 3/8	9,041	43 7/8	10,522
26	4,973	30 1/2	6,274	35	7,648	39 1/2	9,082	44	10,564
26 1/8	5,008	30 5/8	6,311	35 1/8	7,687	39 5/8	9,122	44 1/8	10,606
26 1/4	5,043	30 3/4	6,348	35 1/4	7,726	39 3/4	9,163	44 1/4	10,647
26 3/8	5,078	30 7/8	6,386	35 3/8	7,765	39 7/8	9,204	44 3/8	10,689
26 1/2	5,114	31	6,423	35 1/2	7,804	40	9,244	44 1/2	10,731
26 5/8	5,149	31 1/8	6,460	35 5/8	7,843	40 1/8	9,285	44 5/8	10,773
26 3/4	5,184	31 1/4	6,498	35 3/4	7,883	40 1/4	9,326	44 3/4	10,815
26 7/8	5,220	31 3/8	6,536	35 7/8	7,922	40 3/8	9,367	44 7/8	10,857
27	5,255	31 1/2	6,573	36	7,962	40 1/2	9,407	45	10,899



Dipstick Calibration Chart

10' x 32K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	10,941	49 5/8	12,467	54 1/8	14,017	58 5/8	15,580	63 1/8	17,146
45 1/4	10,983	49 3/4	12,510	54 1/4	14,060	58 3/4	15,624	63 1/4	17,190
45 3/8	11,025	49 7/8	12,553	54 3/8	14,104	58 7/8	15,667	63 3/8	17,233
45 1/2	11,067	50	12,595	54 1/2	14,147	59	15,711	63 1/2	17,277
45 5/8	11,109	50 1/8	12,638	54 5/8	14,190	59 1/8	15,754	63 5/8	17,320
45 3/4	11,151	50 1/4	12,681	54 3/4	14,234	59 1/4	15,798	63 3/4	17,364
45 7/8	11,193	50 3/8	12,724	54 7/8	14,277	59 3/8	15,841	63 7/8	17,407
46	11,235	50 1/2	12,767	55	14,320	59 1/2	15,885	64	17,450
46 1/8	11,277	50 5/8	12,810	55 1/8	14,364	59 5/8	15,928	64 1/8	17,494
46 1/4	11,319	50 3/4	12,853	55 1/4	14,407	59 3/4	15,972	64 1/4	17,537
46 3/8	11,362	50 7/8	12,896	55 3/8	14,450	59 7/8	16,015	64 3/8	17,581
46 1/2	11,404	51	12,939	55 1/2	14,494	60	16,059	64 1/2	17,624
46 5/8	11,446	51 1/8	12,982	55 5/8	14,537	60 1/8	16,102	64 5/8	17,667
46 3/4	11,488	51 1/4	13,025	55 3/4	14,580	60 1/4	16,146	64 3/4	17,711
46 7/8	11,531	51 3/8	13,068	55 7/8	14,624	60 3/8	16,189	64 7/8	17,754
47	11,573	51 1/2	13,111	56	14,667	60 1/2	16,233	65	17,797
47 1/8	11,615	51 5/8	13,154	56 1/8	14,711	60 5/8	16,276	65 1/8	17,841
47 1/4	11,658	51 3/4	13,197	56 1/4	14,754	60 3/4	16,320	65 1/4	17,884
47 3/8	11,700	51 7/8	13,240	56 3/8	14,798	60 7/8	16,363	65 3/8	17,927
47 1/2	11,743	52	13,283	56 1/2	14,841	61	16,407	65 1/2	17,971
47 5/8	11,785	52 1/8	13,326	56 5/8	14,884	61 1/8	16,451	65 5/8	18,014
47 3/4	11,828	52 1/4	13,369	56 3/4	14,928	61 1/4	16,494	65 3/4	18,057
47 7/8	11,870	52 3/8	13,412	56 7/8	14,971	61 3/8	16,538	65 7/8	18,101
48	11,913	52 1/2	13,455	57	15,015	61 1/2	16,581	66	18,144
48 1/8	11,955	52 5/8	13,498	57 1/8	15,058	61 5/8	16,625	66 1/8	18,187
48 1/4	11,998	52 3/4	13,542	57 1/4	15,102	61 3/4	16,668	66 1/4	18,230
48 3/8	12,040	52 7/8	13,585	57 3/8	15,145	61 7/8	16,712	66 3/8	18,274
48 1/2	12,083	53	13,628	57 1/2	15,189	62	16,755	66 1/2	18,317
48 5/8	12,125	53 1/8	13,671	57 5/8	15,232	62 1/8	16,799	66 5/8	18,360
48 3/4	12,168	53 1/4	13,714	57 3/4	15,276	62 1/4	16,842	66 3/4	18,403
48 7/8	12,211	53 3/8	13,758	57 7/8	15,319	62 3/8	16,886	66 7/8	18,447
49	12,253	53 1/2	13,801	58	15,363	62 1/2	16,929	67	18,490
49 1/8	12,296	53 5/8	13,844	58 1/8	15,406	62 5/8	16,972	67 1/8	18,533
49 1/4	12,339	53 3/4	13,887	58 1/4	15,450	62 3/4	17,016	67 1/4	18,576
49 3/8	12,382	53 7/8	13,930	58 3/8	15,493	62 7/8	17,059	67 3/8	18,619
49 1/2	12,424	54	13,974	58 1/2	15,537	63	17,103	67 1/2	18,662



Dipstick Calibration Chart

10' x 32K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	18,706	72 1/8	20,248	76 5/8	21,762	81 1/8	23,238	85 5/8	24,665
67 3/4	18,749	72 1/4	20,290	76 3/4	21,804	81 1/4	23,279	85 3/4	24,704
67 7/8	18,792	72 3/8	20,333	76 7/8	21,845	81 3/8	23,319	85 7/8	24,742
68	18,835	72 1/2	20,375	77	21,887	81 1/2	23,359	86	24,781
68 1/8	18,878	72 5/8	20,417	77 1/8	21,928	81 5/8	23,399	86 1/8	24,820
68 1/4	18,921	72 3/4	20,460	77 1/4	21,970	81 3/4	23,440	86 1/4	24,858
68 3/8	18,964	72 7/8	20,502	77 3/8	22,011	81 7/8	23,480	86 3/8	24,897
68 1/2	19,007	73	20,545	77 1/2	22,052	82	23,520	86 1/2	24,935
68 5/8	19,050	73 1/8	20,587	77 5/8	22,094	82 1/8	23,560	86 5/8	24,974
68 3/4	19,093	73 1/4	20,629	77 3/4	22,135	82 1/4	23,600	86 3/4	25,012
68 7/8	19,136	73 3/8	20,672	77 7/8	22,176	82 3/8	23,640	86 7/8	25,051
69	19,179	73 1/2	20,714	78	22,218	82 1/2	23,680	87	25,089
69 1/8	19,222	73 5/8	20,756	78 1/8	22,259	82 5/8	23,720	87 1/8	25,127
69 1/4	19,265	73 3/4	20,798	78 1/4	22,300	82 3/4	23,760	87 1/4	25,165
69 3/8	19,308	73 7/8	20,840	78 3/8	22,341	82 7/8	23,800	87 3/8	25,204
69 1/2	19,351	74	20,883	78 1/2	22,382	83	23,839	87 1/2	25,242
69 5/8	19,394	74 1/8	20,925	78 5/8	22,424	83 1/8	23,879	87 5/8	25,280
69 3/4	19,437	74 1/4	20,967	78 3/4	22,465	83 1/4	23,919	87 3/4	25,318
69 7/8	19,479	74 3/8	21,009	78 7/8	22,506	83 3/8	23,958	87 7/8	25,356
70	19,522	74 1/2	21,051	79	22,547	83 1/2	23,998	88	25,393
70 1/8	19,565	74 5/8	21,093	79 1/8	22,588	83 5/8	24,038	88 1/8	25,431
70 1/4	19,608	74 3/4	21,135	79 1/4	22,629	83 3/4	24,077	88 1/4	25,469
70 3/8	19,651	74 7/8	21,177	79 3/8	22,669	83 7/8	24,117	88 3/8	25,507
70 1/2	19,693	75	21,219	79 1/2	22,710	84	24,156	88 1/2	25,545
70 5/8	19,736	75 1/8	21,261	79 5/8	22,751	84 1/8	24,196	88 5/8	25,582
70 3/4	19,779	75 1/4	21,303	79 3/4	22,792	84 1/4	24,235	88 3/4	25,620
70 7/8	19,822	75 3/8	21,345	79 7/8	22,833	84 3/8	24,274	88 7/8	25,657
71	19,864	75 1/2	21,387	80	22,873	84 1/2	24,313	89	25,695
71 1/8	19,907	75 5/8	21,428	80 1/8	22,914	84 5/8	24,353	89 1/8	25,732
71 1/4	19,950	75 3/4	21,470	80 1/4	22,955	84 3/4	24,392	89 1/4	25,769
71 3/8	19,992	75 7/8	21,512	80 3/8	22,995	84 7/8	24,431	89 3/8	25,807
71 1/2	20,035	76	21,554	80 1/2	23,036	85	24,470	89 1/2	25,844
71 5/8	20,077	76 1/8	21,596	80 5/8	23,077	85 1/8	24,509	89 5/8	25,881
71 3/4	20,120	76 1/4	21,637	80 3/4	23,117	85 1/4	24,548	89 3/4	25,918
71 7/8	20,163	76 3/8	21,679	80 7/8	23,157	85 3/8	24,587	89 7/8	25,955
72	20,205	76 1/2	21,721	81	23,198	85 1/2	24,626	90	25,992



Dipstick Calibration Chart

10' x 32K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	26,029	94 5/8	27,319	99 1/8	28,517	103 5/8	29,607	108 1/8	30,565
90 1/4	26,066	94 3/4	27,353	99 1/4	28,549	103 3/4	29,635	108 1/4	30,589
90 3/8	26,103	94 7/8	27,388	99 3/8	28,581	103 7/8	29,664	108 3/8	30,614
90 1/2	26,140	95	27,422	99 1/2	28,612	104	29,692	108 1/2	30,638
90 5/8	26,177	95 1/8	27,456	99 5/8	28,644	104 1/8	29,720	108 5/8	30,662
90 3/4	26,213	95 1/4	27,491	99 3/4	28,675	104 1/4	29,748	108 3/4	30,686
90 7/8	26,250	95 3/8	27,525	99 7/8	28,707	104 3/8	29,776	108 7/8	30,710
91	26,286	95 1/2	27,559	100	28,738	104 1/2	29,804	109	30,733
91 1/8	26,323	95 5/8	27,593	100 1/8	28,769	104 5/8	29,832	109 1/8	30,757
91 1/4	26,359	95 3/4	27,627	100 1/4	28,801	104 3/4	29,860	109 1/4	30,780
91 3/8	26,396	95 7/8	27,661	100 3/8	28,832	104 7/8	29,887	109 3/8	30,804
91 1/2	26,432	96	27,695	100 1/2	28,863	105	29,915	109 1/2	30,827
91 5/8	26,468	96 1/8	27,729	100 5/8	28,893	105 1/8	29,942	109 5/8	30,850
91 3/4	26,504	96 1/4	27,763	100 3/4	28,924	105 1/4	29,969	109 3/4	30,873
91 7/8	26,540	96 3/8	27,796	100 7/8	28,955	105 3/8	29,997	109 7/8	30,896
92	26,576	96 1/2	27,830	101	28,986	105 1/2	30,024	110	30,918
92 1/8	26,612	96 5/8	27,863	101 1/8	29,016	105 5/8	30,051	110 1/8	30,941
92 1/4	26,648	96 3/4	27,897	101 1/4	29,046	105 3/4	30,077	110 1/4	30,963
92 3/8	26,684	96 7/8	27,930	101 3/8	29,077	105 7/8	30,104	110 3/8	30,985
92 1/2	26,720	97	27,963	101 1/2	29,107	106	30,131	110 1/2	31,007
92 5/8	26,756	97 1/8	27,997	101 5/8	29,137	106 1/8	30,157	110 5/8	31,029
92 3/4	26,791	97 1/4	28,030	101 3/4	29,167	106 1/4	30,183	110 3/4	31,051
92 7/8	26,827	97 3/8	28,063	101 7/8	29,197	106 3/8	30,210	110 7/8	31,073
93	26,863	97 1/2	28,096	102	29,227	106 1/2	30,236	111	31,094
93 1/8	26,898	97 5/8	28,129	102 1/8	29,257	106 5/8	30,262	111 1/8	31,115
93 1/4	26,933	97 3/4	28,161	102 1/4	29,287	106 3/4	30,288	111 1/4	31,136
93 3/8	26,969	97 7/8	28,194	102 3/8	29,316	106 7/8	30,314	111 3/8	31,158
93 1/2	27,004	98	28,227	102 1/2	29,346	107	30,339	111 1/2	31,178
93 5/8	27,039	98 1/8	28,259	102 5/8	29,375	107 1/8	30,365	111 5/8	31,199
93 3/4	27,074	98 1/4	28,292	102 3/4	29,404	107 1/4	30,390	111 3/4	31,220
93 7/8	27,110	98 3/8	28,324	102 7/8	29,434	107 3/8	30,416	111 7/8	31,240
94	27,145	98 1/2	28,357	103	29,463	107 1/2	30,441	112	31,260
94 1/8	27,179	98 5/8	28,389	103 1/8	29,492	107 5/8	30,466	112 1/8	31,280
94 1/4	27,214	98 3/4	28,421	103 1/4	29,521	107 3/4	30,491	112 1/4	31,300
94 3/8	27,249	98 7/8	28,453	103 3/8	29,550	107 7/8	30,516	112 3/8	31,320
94 1/2	27,284	99	28,485	103 1/2	29,578	108	30,540	112 1/2	31,340



Dipstick Calibration Chart

10' x 32K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	31,359	117 1/8	31,935
112 3/4	31,379	117 1/4	31,947
112 7/8	31,398	117 3/8	31,958
113	31,417	117 1/2	31,970
113 1/8	31,435	117 5/8	31,981
113 1/4	31,454	117 3/4	31,991
113 3/8	31,473	117 7/8	32,002
113 1/2	31,491	118	32,012
113 5/8	31,509	118 1/8	32,022
113 3/4	31,527	118 1/4	32,031
113 7/8	31,545	118 3/8	32,040
114	31,562	118 1/2	32,049
114 1/8	31,580	118 5/8	32,058
114 1/4	31,597	118 3/4	32,066
114 3/8	31,614	118 7/8	32,073
114 1/2	31,631	119	32,081
114 5/8	31,647	119 1/8	32,087
114 3/4	31,664	119 1/4	32,094
114 7/8	31,680	119 3/8	32,099
115	31,696	119 1/2	32,105
115 1/8	31,712	119 5/8	32,109
115 1/4	31,727	119 3/4	32,113
115 3/8	31,743	119 7/8	32,116
115 1/2	31,758	120	32,118
115 5/8	31,773		
115 3/4	31,788		
115 7/8	31,802		
116	31,816		
116 1/8	31,831		
116 1/4	31,844		
116 3/8	31,858		
116 1/2	31,872		
116 5/8	31,885		
116 3/4	31,898		
116 7/8	31,910		
117	31,923		