



# Dipstick Calibration Chart

# 10' x 35K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	412	9 1/8	1,147	13 5/8	2,092	18 1/8	3,200
1/4	5	4 3/4	429	9 1/4	1,171	13 3/4	2,121	18 1/4	3,232
3/8	9	4 7/8	446	9 3/8	1,195	13 7/8	2,150	18 3/8	3,265
1/2	14	5	464	9 1/2	1,219	14	2,179	18 1/2	3,298
5/8	20	5 1/8	481	9 5/8	1,243	14 1/8	2,208	18 5/8	3,331
3/4	27	5 1/4	499	9 3/4	1,267	14 1/4	2,237	18 3/4	3,364
7/8	33	5 3/8	517	9 7/8	1,292	14 3/8	2,266	18 7/8	3,398
1	41	5 1/2	535	10	1,316	14 1/2	2,296	19	3,431
1 1/8	49	5 5/8	554	10 1/8	1,341	14 5/8	2,325	19 1/8	3,464
1 1/4	57	5 3/4	573	10 1/4	1,366	14 3/4	2,355	19 1/4	3,498
1 3/8	66	5 7/8	591	10 3/8	1,391	14 7/8	2,385	19 3/8	3,532
1 1/2	75	6	610	10 1/2	1,416	15	2,415	19 1/2	3,565
1 5/8	85	6 1/8	630	10 5/8	1,442	15 1/8	2,445	19 5/8	3,599
1 3/4	95	6 1/4	649	10 3/4	1,467	15 1/4	2,475	19 3/4	3,633
1 7/8	106	6 3/8	669	10 7/8	1,493	15 3/8	2,505	19 7/8	3,667
2	116	6 1/2	689	11	1,519	15 1/2	2,536	20	3,701
2 1/8	128	6 5/8	709	11 1/8	1,545	15 5/8	2,566	20 1/8	3,736
2 1/4	139	6 3/4	729	11 1/4	1,571	15 3/4	2,597	20 1/4	3,770
2 3/8	151	6 7/8	749	11 3/8	1,597	15 7/8	2,628	20 3/8	3,804
2 1/2	163	7	770	11 1/2	1,623	16	2,658	20 1/2	3,839
2 5/8	175	7 1/8	791	11 5/8	1,650	16 1/8	2,689	20 5/8	3,873
2 3/4	188	7 1/4	812	11 3/4	1,677	16 1/4	2,721	20 3/4	3,908
2 7/8	201	7 3/8	833	11 7/8	1,703	16 3/8	2,752	20 7/8	3,943
3	215	7 1/2	854	12	1,730	16 1/2	2,783	21	3,978
3 1/8	228	7 5/8	876	12 1/8	1,757	16 5/8	2,814	21 1/8	4,013
3 1/4	242	7 3/4	898	12 1/4	1,784	16 3/4	2,846	21 1/4	4,048
3 3/8	256	7 7/8	919	12 3/8	1,812	16 7/8	2,878	21 3/8	4,083
3 1/2	271	8	941	12 1/2	1,839	17	2,909	21 1/2	4,118
3 5/8	286	8 1/8	964	12 5/8	1,867	17 1/8	2,941	21 5/8	4,154
3 3/4	301	8 1/4	986	12 3/4	1,895	17 1/4	2,973	21 3/4	4,189
3 7/8	316	8 3/8	1,009	12 7/8	1,922	17 3/8	3,005	21 7/8	4,224
4	331	8 1/2	1,031	13	1,950	17 1/2	3,037	22	4,260
4 1/8	347	8 5/8	1,054	13 1/8	1,978	17 5/8	3,069	22 1/8	4,296
4 1/4	363	8 3/4	1,077	13 1/4	2,007	17 3/4	3,102	22 1/4	4,331
4 3/8	379	8 7/8	1,100	13 3/8	2,035	17 7/8	3,134	22 3/8	4,367
4 1/2	396	9	1,124	13 1/2	2,064	18	3,167	22 1/2	4,403



# Dipstick Calibration Chart

# 10' x 35K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	4,439	27 1/8	5,789	31 5/8	7,229	36 1/8	8,746	40 5/8	10,324
22 3/4	4,475	27 1/4	5,827	31 3/4	7,271	36 1/4	8,789	40 3/4	10,368
22 7/8	4,511	27 3/8	5,866	31 7/8	7,312	36 3/8	8,832	40 7/8	10,413
23	4,548	27 1/2	5,905	32	7,353	36 1/2	8,875	41	10,458
23 1/8	4,584	27 5/8	5,945	32 1/8	7,394	36 5/8	8,918	41 1/8	10,502
23 1/4	4,621	27 3/4	5,984	32 1/4	7,436	36 3/4	8,962	41 1/4	10,547
23 3/8	4,657	27 7/8	6,023	32 3/8	7,477	36 7/8	9,005	41 3/8	10,592
23 1/2	4,694	28	6,062	32 1/2	7,519	37	9,048	41 1/2	10,637
23 5/8	4,730	28 1/8	6,101	32 5/8	7,560	37 1/8	9,092	41 5/8	10,681
23 3/4	4,767	28 1/4	6,141	32 3/4	7,602	37 1/4	9,135	41 3/4	10,726
23 7/8	4,804	28 3/8	6,180	32 7/8	7,644	37 3/8	9,178	41 7/8	10,771
24	4,841	28 1/2	6,220	33	7,685	37 1/2	9,222	42	10,816
24 1/8	4,878	28 5/8	6,260	33 1/8	7,727	37 5/8	9,266	42 1/8	10,861
24 1/4	4,915	28 3/4	6,299	33 1/4	7,769	37 3/4	9,309	42 1/4	10,906
24 3/8	4,952	28 7/8	6,339	33 3/8	7,811	37 7/8	9,353	42 3/8	10,951
24 1/2	4,989	29	6,379	33 1/2	7,853	38	9,397	42 1/2	10,996
24 5/8	5,027	29 1/8	6,419	33 5/8	7,895	38 1/8	9,440	42 5/8	11,041
24 3/4	5,064	29 1/4	6,459	33 3/4	7,937	38 1/4	9,484	42 3/4	11,087
24 7/8	5,101	29 3/8	6,499	33 7/8	7,979	38 3/8	9,528	42 7/8	11,132
25	5,139	29 1/2	6,539	34	8,021	38 1/2	9,572	43	11,177
25 1/8	5,177	29 5/8	6,579	34 1/8	8,063	38 5/8	9,616	43 1/8	11,222
25 1/4	5,214	29 3/4	6,619	34 1/4	8,106	38 3/4	9,660	43 1/4	11,268
25 3/8	5,252	29 7/8	6,659	34 3/8	8,148	38 7/8	9,704	43 3/8	11,313
25 1/2	5,290	30	6,700	34 1/2	8,190	39	9,748	43 1/2	11,358
25 5/8	5,328	30 1/8	6,740	34 5/8	8,233	39 1/8	9,792	43 5/8	11,404
25 3/4	5,366	30 1/4	6,780	34 3/4	8,275	39 1/4	9,836	43 3/4	11,449
25 7/8	5,404	30 3/8	6,821	34 7/8	8,318	39 3/8	9,880	43 7/8	11,494
26	5,442	30 1/2	6,862	35	8,360	39 1/2	9,924	44	11,540
26 1/8	5,480	30 5/8	6,902	35 1/8	8,403	39 5/8	9,968	44 1/8	11,585
26 1/4	5,519	30 3/4	6,943	35 1/4	8,446	39 3/4	10,013	44 1/4	11,631
26 3/8	5,557	30 7/8	6,984	35 3/8	8,488	39 7/8	10,057	44 3/8	11,677
26 1/2	5,595	31	7,024	35 1/2	8,531	40	10,101	44 1/2	11,722
26 5/8	5,634	31 1/8	7,065	35 5/8	8,574	40 1/8	10,146	44 5/8	11,768
26 3/4	5,672	31 1/4	7,106	35 3/4	8,617	40 1/4	10,190	44 3/4	11,813
26 7/8	5,711	31 3/8	7,147	35 7/8	8,660	40 3/8	10,235	44 7/8	11,859
27	5,750	31 1/2	7,188	36	8,703	40 1/2	10,279	45	11,905



# Dipstick Calibration Chart

# 10' x 35K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	11,951	49 5/8	13,614	54 1/8	15,303	58 5/8	17,006	63 1/8	18,713
45 1/4	11,996	49 3/4	13,661	54 1/4	15,350	58 3/4	17,053	63 1/4	18,760
45 3/8	12,042	49 7/8	13,707	54 3/8	15,397	58 7/8	17,101	63 3/8	18,807
45 1/2	12,088	50	13,754	54 1/2	15,445	59	17,148	63 1/2	18,855
45 5/8	12,134	50 1/8	13,801	54 5/8	15,492	59 1/8	17,196	63 5/8	18,902
45 3/4	12,180	50 1/4	13,847	54 3/4	15,539	59 1/4	17,243	63 3/4	18,949
45 7/8	12,226	50 3/8	13,894	54 7/8	15,586	59 3/8	17,291	63 7/8	18,996
46	12,272	50 1/2	13,941	55	15,633	59 1/2	17,338	64	19,044
46 1/8	12,317	50 5/8	13,988	55 1/8	15,681	59 5/8	17,385	64 1/8	19,091
46 1/4	12,363	50 3/4	14,034	55 1/4	15,728	59 3/4	17,433	64 1/4	19,138
46 3/8	12,409	50 7/8	14,081	55 3/8	15,775	59 7/8	17,480	64 3/8	19,186
46 1/2	12,456	51	14,128	55 1/2	15,822	60	17,528	64 1/2	19,233
46 5/8	12,502	51 1/8	14,175	55 5/8	15,870	60 1/8	17,575	64 5/8	19,280
46 3/4	12,548	51 1/4	14,222	55 3/4	15,917	60 1/4	17,622	64 3/4	19,327
46 7/8	12,594	51 3/8	14,269	55 7/8	15,964	60 3/8	17,670	64 7/8	19,375
47	12,640	51 1/2	14,315	56	16,012	60 1/2	17,717	65	19,422
47 1/8	12,686	51 5/8	14,362	56 1/8	16,059	60 5/8	17,765	65 1/8	19,469
47 1/4	12,732	51 3/4	14,409	56 1/4	16,106	60 3/4	17,812	65 1/4	19,516
47 3/8	12,778	51 7/8	14,456	56 3/8	16,153	60 7/8	17,860	65 3/8	19,564
47 1/2	12,825	52	14,503	56 1/2	16,201	61	17,907	65 1/2	19,611
47 5/8	12,871	52 1/8	14,550	56 5/8	16,248	61 1/8	17,954	65 5/8	19,658
47 3/4	12,917	52 1/4	14,597	56 3/4	16,295	61 1/4	18,002	65 3/4	19,705
47 7/8	12,964	52 3/8	14,644	56 7/8	16,343	61 3/8	18,049	65 7/8	19,752
48	13,010	52 1/2	14,691	57	16,390	61 1/2	18,097	66	19,799
48 1/8	13,056	52 5/8	14,738	57 1/8	16,437	61 5/8	18,144	66 1/8	19,847
48 1/4	13,103	52 3/4	14,785	57 1/4	16,485	61 3/4	18,191	66 1/4	19,894
48 3/8	13,149	52 7/8	14,832	57 3/8	16,532	61 7/8	18,239	66 3/8	19,941
48 1/2	13,195	53	14,879	57 1/2	16,580	62	18,286	66 1/2	19,988
48 5/8	13,242	53 1/8	14,926	57 5/8	16,627	62 1/8	18,334	66 5/8	20,035
48 3/4	13,288	53 1/4	14,973	57 3/4	16,674	62 1/4	18,381	66 3/4	20,082
48 7/8	13,335	53 3/8	15,020	57 7/8	16,722	62 3/8	18,428	66 7/8	20,129
49	13,381	53 1/2	15,067	58	16,769	62 1/2	18,476	67	20,176
49 1/8	13,428	53 5/8	15,114	58 1/8	16,816	62 5/8	18,523	67 1/8	20,223
49 1/4	13,474	53 3/4	15,162	58 1/4	16,864	62 3/4	18,570	67 1/4	20,270
49 3/8	13,521	53 7/8	15,209	58 3/8	16,911	62 7/8	18,618	67 3/8	20,317
49 1/2	13,568	54	15,256	58 1/2	16,959	63	18,665	67 1/2	20,364



# Dipstick Calibration Chart

# 10' x 35K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	20,411	72 1/8	22,092	76 5/8	23,742	81 1/8	25,352	85 5/8	26,907
67 3/4	20,458	72 1/4	22,138	76 3/4	23,788	81 1/4	25,396	85 3/4	26,950
67 7/8	20,505	72 3/8	22,184	76 7/8	23,833	81 3/8	25,440	85 7/8	26,992
68	20,552	72 1/2	22,231	77	23,878	81 1/2	25,484	86	27,034
68 1/8	20,599	72 5/8	22,277	77 1/8	23,923	81 5/8	25,527	86 1/8	27,076
68 1/4	20,646	72 3/4	22,323	77 1/4	23,969	81 3/4	25,571	86 1/4	27,118
68 3/8	20,693	72 7/8	22,369	77 3/8	24,014	81 7/8	25,615	86 3/8	27,160
68 1/2	20,740	73	22,415	77 1/2	24,059	82	25,659	86 1/2	27,202
68 5/8	20,787	73 1/8	22,462	77 5/8	24,104	82 1/8	25,702	86 5/8	27,244
68 3/4	20,834	73 1/4	22,508	77 3/4	24,149	82 1/4	25,746	86 3/4	27,286
68 7/8	20,880	73 3/8	22,554	77 7/8	24,194	82 3/8	25,790	86 7/8	27,328
69	20,927	73 1/2	22,600	78	24,239	82 1/2	25,833	87	27,370
69 1/8	20,974	73 5/8	22,646	78 1/8	24,284	82 5/8	25,877	87 1/8	27,412
69 1/4	21,021	73 3/4	22,692	78 1/4	24,329	82 3/4	25,920	87 1/4	27,453
69 3/8	21,068	73 7/8	22,738	78 3/8	24,374	82 7/8	25,964	87 3/8	27,495
69 1/2	21,114	74	22,784	78 1/2	24,419	83	26,007	87 1/2	27,537
69 5/8	21,161	74 1/8	22,830	78 5/8	24,463	83 1/8	26,050	87 5/8	27,578
69 3/4	21,208	74 1/4	22,876	78 3/4	24,508	83 1/4	26,094	87 3/4	27,619
69 7/8	21,255	74 3/8	22,921	78 7/8	24,553	83 3/8	26,137	87 7/8	27,661
70	21,301	74 1/2	22,967	79	24,598	83 1/2	26,180	88	27,702
70 1/8	21,348	74 5/8	23,013	79 1/8	24,642	83 5/8	26,223	88 1/8	27,744
70 1/4	21,395	74 3/4	23,059	79 1/4	24,687	83 3/4	26,266	88 1/4	27,785
70 3/8	21,441	74 7/8	23,105	79 3/8	24,732	83 7/8	26,310	88 3/8	27,826
70 1/2	21,488	75	23,150	79 1/2	24,776	84	26,353	88 1/2	27,867
70 5/8	21,534	75 1/8	23,196	79 5/8	24,821	84 1/8	26,395	88 5/8	27,908
70 3/4	21,581	75 1/4	23,242	79 3/4	24,865	84 1/4	26,438	88 3/4	27,949
70 7/8	21,627	75 3/8	23,288	79 7/8	24,909	84 3/8	26,481	88 7/8	27,990
71	21,674	75 1/2	23,333	80	24,954	84 1/2	26,524	89	28,031
71 1/8	21,720	75 5/8	23,379	80 1/8	24,998	84 5/8	26,567	89 1/8	28,072
71 1/4	21,767	75 3/4	23,424	80 1/4	25,043	84 3/4	26,610	89 1/4	28,112
71 3/8	21,813	75 7/8	23,470	80 3/8	25,087	84 7/8	26,652	89 3/8	28,153
71 1/2	21,860	76	23,515	80 1/2	25,131	85	26,695	89 1/2	28,194
71 5/8	21,906	76 1/8	23,561	80 5/8	25,175	85 1/8	26,737	89 5/8	28,234
71 3/4	21,953	76 1/4	23,606	80 3/4	25,219	85 1/4	26,780	89 3/4	28,275
71 7/8	21,999	76 3/8	23,652	80 7/8	25,264	85 3/8	26,822	89 7/8	28,315
72	22,045	76 1/2	23,697	81	25,308	85 1/2	26,865	90	28,356



# Dipstick Calibration Chart

# 10' x 35K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	28,396	94 5/8	29,803	99 1/8	31,112	103 5/8	32,304	108 1/8	33,352
90 1/4	28,436	94 3/4	29,841	99 1/4	31,147	103 3/4	32,335	108 1/4	33,379
90 3/8	28,476	94 7/8	29,879	99 3/8	31,182	103 7/8	32,366	108 3/8	33,405
90 1/2	28,517	95	29,916	99 1/2	31,216	104	32,397	108 1/2	33,432
90 5/8	28,557	95 1/8	29,954	99 5/8	31,251	104 1/8	32,428	108 5/8	33,458
90 3/4	28,597	95 1/4	29,991	99 3/4	31,285	104 1/4	32,458	108 3/4	33,484
90 7/8	28,637	95 3/8	30,029	99 7/8	31,320	104 3/8	32,489	108 7/8	33,511
91	28,676	95 1/2	30,066	100	31,354	104 1/2	32,520	109	33,537
91 1/8	28,716	95 5/8	30,103	100 1/8	31,388	104 5/8	32,550	109 1/8	33,562
91 1/4	28,756	95 3/4	30,140	100 1/4	31,422	104 3/4	32,580	109 1/4	33,588
91 3/8	28,796	95 7/8	30,177	100 3/8	31,456	104 7/8	32,610	109 3/8	33,613
91 1/2	28,835	96	30,214	100 1/2	31,490	105	32,640	109 1/2	33,639
91 5/8	28,875	96 1/8	30,251	100 5/8	31,524	105 1/8	32,670	109 5/8	33,664
91 3/4	28,914	96 1/4	30,288	100 3/4	31,557	105 1/4	32,700	109 3/4	33,689
91 7/8	28,954	96 3/8	30,325	100 7/8	31,591	105 3/8	32,730	109 7/8	33,714
92	28,993	96 1/2	30,362	101	31,624	105 1/2	32,759	110	33,739
92 1/8	29,032	96 5/8	30,398	101 1/8	31,658	105 5/8	32,789	110 1/8	33,763
92 1/4	29,072	96 3/4	30,435	101 1/4	31,691	105 3/4	32,818	110 1/4	33,788
92 3/8	29,111	96 7/8	30,471	101 3/8	31,724	105 7/8	32,848	110 3/8	33,812
92 1/2	29,150	97	30,508	101 1/2	31,757	106	32,877	110 1/2	33,836
92 5/8	29,189	97 1/8	30,544	101 5/8	31,790	106 1/8	32,906	110 5/8	33,860
92 3/4	29,228	97 1/4	30,580	101 3/4	31,823	106 1/4	32,934	110 3/4	33,884
92 7/8	29,267	97 3/8	30,616	101 7/8	31,856	106 3/8	32,963	110 7/8	33,908
93	29,305	97 1/2	30,652	102	31,888	106 1/2	32,992	111	33,931
93 1/8	29,344	97 5/8	30,688	102 1/8	31,921	106 5/8	33,020	111 1/8	33,955
93 1/4	29,383	97 3/4	30,724	102 1/4	31,953	106 3/4	33,049	111 1/4	33,978
93 3/8	29,421	97 7/8	30,760	102 3/8	31,986	106 7/8	33,077	111 3/8	34,001
93 1/2	29,460	98	30,795	102 1/2	32,018	107	33,105	111 1/2	34,024
93 5/8	29,498	98 1/8	30,831	102 5/8	32,050	107 1/8	33,133	111 5/8	34,047
93 3/4	29,537	98 1/4	30,866	102 3/4	32,082	107 1/4	33,161	111 3/4	34,069
93 7/8	29,575	98 3/8	30,902	102 7/8	32,114	107 3/8	33,188	111 7/8	34,092
94	29,613	98 1/2	30,937	103	32,146	107 1/2	33,216	112	34,114
94 1/8	29,651	98 5/8	30,972	103 1/8	32,178	107 5/8	33,243	112 1/8	34,136
94 1/4	29,689	98 3/4	31,007	103 1/4	32,209	107 3/4	33,271	112 1/4	34,158
94 3/8	29,727	98 7/8	31,043	103 3/8	32,241	107 7/8	33,298	112 3/8	34,179
94 1/2	29,765	99	31,077	103 1/2	32,272	108	33,325	112 1/2	34,201



# Dipstick Calibration Chart

# 10' x 35K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	34,222	117 1/8	34,854
112 3/4	34,243	117 1/4	34,867
112 7/8	34,264	117 3/8	34,880
113	34,285	117 1/2	34,892
113 1/8	34,306	117 5/8	34,904
113 1/4	34,326	117 3/4	34,916
113 3/8	34,347	117 7/8	34,928
113 1/2	34,367	118	34,939
113 5/8	34,386	118 1/8	34,950
113 3/4	34,406	118 1/4	34,960
113 7/8	34,426	118 3/8	34,970
114	34,445	118 1/2	34,980
114 1/8	34,464	118 5/8	34,989
114 1/4	34,483	118 3/4	34,998
114 3/8	34,501	118 7/8	35,006
114 1/2	34,520	119	35,014
114 5/8	34,538	119 1/8	35,022
114 3/4	34,556	119 1/4	35,029
114 7/8	34,574	119 3/8	35,035
115	34,592	119 1/2	35,041
115 1/8	34,609	119 5/8	35,046
115 1/4	34,626	119 3/4	35,050
115 3/8	34,643	119 7/8	35,053
115 1/2	34,660	120	35,055
115 5/8	34,676		
115 3/4	34,692		
115 7/8	34,708		
116	34,724		
116 1/8	34,740		
116 1/4	34,755		
116 3/8	34,770		
116 1/2	34,784		
116 5/8	34,799		
116 3/4	34,813		
116 7/8	34,827		
117	34,841		