



Dipstick Calibration Chart

10' x 40K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	2	4 5/8	479	9 1/8	1,331	13 5/8	2,424	18 1/8	3,702
1/4	6	4 3/4	499	9 1/4	1,359	13 3/4	2,457	18 1/4	3,740
3/8	11	4 7/8	519	9 3/8	1,386	13 7/8	2,490	18 3/8	3,778
1/2	17	5	539	9 1/2	1,414	14	2,524	18 1/2	3,816
5/8	24	5 1/8	560	9 5/8	1,442	14 1/8	2,557	18 5/8	3,854
3/4	31	5 1/4	580	9 3/4	1,470	14 1/4	2,591	18 3/4	3,892
7/8	39	5 3/8	601	9 7/8	1,498	14 3/8	2,625	18 7/8	3,930
1	48	5 1/2	622	10	1,527	14 1/2	2,659	19	3,969
1 1/8	57	5 5/8	644	10 1/8	1,556	14 5/8	2,693	19 1/8	4,007
1 1/4	67	5 3/4	665	10 1/4	1,584	14 3/4	2,727	19 1/4	4,046
1 3/8	77	5 7/8	687	10 3/8	1,613	14 7/8	2,762	19 3/8	4,085
1 1/2	88	6	709	10 1/2	1,643	15	2,796	19 1/2	4,124
1 5/8	99	6 1/8	732	10 5/8	1,672	15 1/8	2,831	19 5/8	4,163
1 3/4	111	6 1/4	754	10 3/4	1,701	15 1/4	2,866	19 3/4	4,202
1 7/8	123	6 3/8	777	10 7/8	1,731	15 3/8	2,901	19 7/8	4,241
2	136	6 1/2	800	11	1,761	15 1/2	2,936	20	4,281
2 1/8	149	6 5/8	823	11 1/8	1,791	15 5/8	2,971	20 1/8	4,320
2 1/4	162	6 3/4	847	11 1/4	1,821	15 3/4	3,006	20 1/4	4,360
2 3/8	176	6 7/8	870	11 3/8	1,851	15 7/8	3,042	20 3/8	4,399
2 1/2	190	7	894	11 1/2	1,882	16	3,078	20 1/2	4,439
2 5/8	204	7 1/8	918	11 5/8	1,913	16 1/8	3,113	20 5/8	4,479
2 3/4	219	7 1/4	943	11 3/4	1,943	16 1/4	3,149	20 3/4	4,519
2 7/8	234	7 3/8	967	11 7/8	1,974	16 3/8	3,185	20 7/8	4,559
3	250	7 1/2	992	12	2,005	16 1/2	3,221	21	4,599
3 1/8	266	7 5/8	1,017	12 1/8	2,037	16 5/8	3,258	21 1/8	4,640
3 1/4	282	7 3/4	1,042	12 1/4	2,068	16 3/4	3,294	21 1/4	4,680
3 3/8	298	7 7/8	1,067	12 3/8	2,100	16 7/8	3,330	21 3/8	4,721
3 1/2	315	8	1,093	12 1/2	2,131	17	3,367	21 1/2	4,761
3 5/8	332	8 1/8	1,119	12 5/8	2,163	17 1/8	3,404	21 5/8	4,802
3 3/4	350	8 1/4	1,144	12 3/4	2,195	17 1/4	3,441	21 3/4	4,843
3 7/8	367	8 3/8	1,171	12 7/8	2,227	17 3/8	3,478	21 7/8	4,884
4	385	8 1/2	1,197	13	2,260	17 1/2	3,515	22	4,925
4 1/8	404	8 5/8	1,223	13 1/8	2,292	17 5/8	3,552	22 1/8	4,966
4 1/4	422	8 3/4	1,250	13 1/4	2,325	17 3/4	3,589	22 1/4	5,007
4 3/8	441	8 7/8	1,277	13 3/8	2,358	17 7/8	3,627	22 3/8	5,048
4 1/2	460	9	1,304	13 1/2	2,391	18	3,664	22 1/2	5,090



Dipstick Calibration Chart

10' x 40K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	5,131	27 1/8	6,685	31 5/8	8,343	36 1/8	10,086	40 5/8	11,900
22 3/4	5,173	27 1/4	6,730	31 3/4	8,390	36 1/4	10,136	40 3/4	11,951
22 7/8	5,214	27 3/8	6,775	31 7/8	8,438	36 3/8	10,185	40 7/8	12,002
23	5,256	27 1/2	6,819	32	8,485	36 1/2	10,235	41	12,054
23 1/8	5,298	27 5/8	6,864	32 1/8	8,533	36 5/8	10,285	41 1/8	12,105
23 1/4	5,340	27 3/4	6,909	32 1/4	8,580	36 3/4	10,334	41 1/4	12,156
23 3/8	5,382	27 7/8	6,955	32 3/8	8,628	36 7/8	10,384	41 3/8	12,208
23 1/2	5,424	28	7,000	32 1/2	8,676	37	10,434	41 1/2	12,259
23 5/8	5,466	28 1/8	7,045	32 5/8	8,723	37 1/8	10,484	41 5/8	12,311
23 3/4	5,509	28 1/4	7,090	32 3/4	8,771	37 1/4	10,534	41 3/4	12,362
23 7/8	5,551	28 3/8	7,136	32 7/8	8,819	37 3/8	10,584	41 7/8	12,414
24	5,594	28 1/2	7,181	33	8,867	37 1/2	10,634	42	12,466
24 1/8	5,636	28 5/8	7,227	33 1/8	8,915	37 5/8	10,684	42 1/8	12,517
24 1/4	5,679	28 3/4	7,273	33 1/4	8,963	37 3/4	10,734	42 1/4	12,569
24 3/8	5,722	28 7/8	7,318	33 3/8	9,012	37 7/8	10,784	42 3/8	12,621
24 1/2	5,765	29	7,364	33 1/2	9,060	38	10,834	42 1/2	12,672
24 5/8	5,808	29 1/8	7,410	33 5/8	9,108	38 1/8	10,885	42 5/8	12,724
24 3/4	5,851	29 1/4	7,456	33 3/4	9,156	38 1/4	10,935	42 3/4	12,776
24 7/8	5,894	29 3/8	7,502	33 7/8	9,205	38 3/8	10,985	42 7/8	12,828
25	5,937	29 1/2	7,548	34	9,253	38 1/2	11,036	43	12,880
25 1/8	5,980	29 5/8	7,594	34 1/8	9,302	38 5/8	11,086	43 1/8	12,932
25 1/4	6,024	29 3/4	7,641	34 1/4	9,351	38 3/4	11,137	43 1/4	12,984
25 3/8	6,067	29 7/8	7,687	34 3/8	9,399	38 7/8	11,187	43 3/8	13,036
25 1/2	6,111	30	7,733	34 1/2	9,448	39	11,238	43 1/2	13,088
25 5/8	6,155	30 1/8	7,780	34 5/8	9,497	39 1/8	11,288	43 5/8	13,140
25 3/4	6,198	30 1/4	7,826	34 3/4	9,545	39 1/4	11,339	43 3/4	13,192
25 7/8	6,242	30 3/8	7,873	34 7/8	9,594	39 3/8	11,390	43 7/8	13,245
26	6,286	30 1/2	7,920	35	9,643	39 1/2	11,441	44	13,297
26 1/8	6,330	30 5/8	7,966	35 1/8	9,692	39 5/8	11,492	44 1/8	13,349
26 1/4	6,374	30 3/4	8,013	35 1/4	9,741	39 3/4	11,542	44 1/4	13,401
26 3/8	6,418	30 7/8	8,060	35 3/8	9,791	39 7/8	11,593	44 3/8	13,454
26 1/2	6,463	31	8,107	35 1/2	9,840	40	11,644	44 1/2	13,506
26 5/8	6,507	31 1/8	8,154	35 5/8	9,889	40 1/8	11,695	44 5/8	13,559
26 3/4	6,551	31 1/4	8,201	35 3/4	9,938	40 1/4	11,746	44 3/4	13,611
26 7/8	6,596	31 3/8	8,248	35 7/8	9,988	40 3/8	11,797	44 7/8	13,663
27	6,640	31 1/2	8,295	36	10,037	40 1/2	11,849	45	13,716



Dipstick Calibration Chart

10' x 40K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	13,768	49 5/8	15,679	54 1/8	17,618	58 5/8	19,573	63 1/8	21,532
45 1/4	13,821	49 3/4	15,732	54 1/4	17,672	58 3/4	19,627	63 1/4	21,586
45 3/8	13,874	49 7/8	15,786	54 3/8	17,726	58 7/8	19,682	63 3/8	21,640
45 1/2	13,926	50	15,839	54 1/2	17,780	59	19,736	63 1/2	21,695
45 5/8	13,979	50 1/8	15,893	54 5/8	17,834	59 1/8	19,790	63 5/8	21,749
45 3/4	14,032	50 1/4	15,947	54 3/4	17,889	59 1/4	19,845	63 3/4	21,803
45 7/8	14,084	50 3/8	16,000	54 7/8	17,943	59 3/8	19,899	63 7/8	21,858
46	14,137	50 1/2	16,054	55	17,997	59 1/2	19,954	64	21,912
46 1/8	14,190	50 5/8	16,108	55 1/8	18,051	59 5/8	20,008	64 1/8	21,966
46 1/4	14,243	50 3/4	16,161	55 1/4	18,105	59 3/4	20,063	64 1/4	22,020
46 3/8	14,296	50 7/8	16,215	55 3/8	18,160	59 7/8	20,117	64 3/8	22,075
46 1/2	14,348	51	16,269	55 1/2	18,214	60	20,171	64 1/2	22,129
46 5/8	14,401	51 1/8	16,323	55 5/8	18,268	60 1/8	20,226	64 5/8	22,183
46 3/4	14,454	51 1/4	16,376	55 3/4	18,323	60 1/4	20,280	64 3/4	22,237
46 7/8	14,507	51 3/8	16,430	55 7/8	18,377	60 3/8	20,335	64 7/8	22,292
47	14,560	51 1/2	16,484	56	18,431	60 1/2	20,389	65	22,346
47 1/8	14,613	51 5/8	16,538	56 1/8	18,485	60 5/8	20,444	65 1/8	22,400
47 1/4	14,666	51 3/4	16,592	56 1/4	18,540	60 3/4	20,498	65 1/4	22,454
47 3/8	14,719	51 7/8	16,645	56 3/8	18,594	60 7/8	20,552	65 3/8	22,509
47 1/2	14,772	52	16,699	56 1/2	18,648	61	20,607	65 1/2	22,563
47 5/8	14,825	52 1/8	16,753	56 5/8	18,703	61 1/8	20,661	65 5/8	22,617
47 3/4	14,879	52 1/4	16,807	56 3/4	18,757	61 1/4	20,716	65 3/4	22,671
47 7/8	14,932	52 3/8	16,861	56 7/8	18,811	61 3/8	20,770	65 7/8	22,725
48	14,985	52 1/2	16,915	57	18,866	61 1/2	20,825	66	22,779
48 1/8	15,038	52 5/8	16,969	57 1/8	18,920	61 5/8	20,879	66 1/8	22,833
48 1/4	15,091	52 3/4	17,023	57 1/4	18,974	61 3/4	20,933	66 1/4	22,888
48 3/8	15,145	52 7/8	17,077	57 3/8	19,029	61 7/8	20,988	66 3/8	22,942
48 1/2	15,198	53	17,131	57 1/2	19,083	62	21,042	66 1/2	22,996
48 5/8	15,251	53 1/8	17,185	57 5/8	19,138	62 1/8	21,097	66 5/8	23,050
48 3/4	15,305	53 1/4	17,239	57 3/4	19,192	62 1/4	21,151	66 3/4	23,104
48 7/8	15,358	53 3/8	17,293	57 7/8	19,246	62 3/8	21,205	66 7/8	23,158
49	15,411	53 1/2	17,347	58	19,301	62 1/2	21,260	67	23,212
49 1/8	15,465	53 5/8	17,401	58 1/8	19,355	62 5/8	21,314	67 1/8	23,266
49 1/4	15,518	53 3/4	17,455	58 1/4	19,410	62 3/4	21,369	67 1/4	23,320
49 3/8	15,572	53 7/8	17,509	58 3/8	19,464	62 7/8	21,423	67 3/8	23,374
49 1/2	15,625	54	17,564	58 1/2	19,518	63	21,477	67 1/2	23,428



Dipstick Calibration Chart

10' x 40K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	23,482	72 1/8	25,411	76 5/8	27,307	81 1/8	29,156	85 5/8	30,944
67 3/4	23,536	72 1/4	25,464	76 3/4	27,359	81 1/4	29,206	85 3/4	30,992
67 7/8	23,590	72 3/8	25,517	76 7/8	27,411	81 3/8	29,257	85 7/8	31,041
68	23,644	72 1/2	25,571	77	27,463	81 1/2	29,307	86	31,090
68 1/8	23,697	72 5/8	25,624	77 1/8	27,515	81 5/8	29,358	86 1/8	31,138
68 1/4	23,751	72 3/4	25,677	77 1/4	27,567	81 3/4	29,408	86 1/4	31,186
68 3/8	23,805	72 7/8	25,730	77 3/8	27,619	81 7/8	29,458	86 3/8	31,235
68 1/2	23,859	73	25,783	77 1/2	27,670	82	29,509	86 1/2	31,283
68 5/8	23,913	73 1/8	25,836	77 5/8	27,722	82 1/8	29,559	86 5/8	31,331
68 3/4	23,967	73 1/4	25,889	77 3/4	27,774	82 1/4	29,609	86 3/4	31,380
68 7/8	24,020	73 3/8	25,942	77 7/8	27,826	82 3/8	29,659	86 7/8	31,428
69	24,074	73 1/2	25,995	78	27,877	82 1/2	29,709	87	31,476
69 1/8	24,128	73 5/8	26,047	78 1/8	27,929	82 5/8	29,759	87 1/8	31,524
69 1/4	24,182	73 3/4	26,100	78 1/4	27,981	82 3/4	29,809	87 1/4	31,572
69 3/8	24,235	73 7/8	26,153	78 3/8	28,032	82 7/8	29,859	87 3/8	31,620
69 1/2	24,289	74	26,206	78 1/2	28,084	83	29,909	87 1/2	31,667
69 5/8	24,343	74 1/8	26,259	78 5/8	28,135	83 1/8	29,959	87 5/8	31,715
69 3/4	24,396	74 1/4	26,311	78 3/4	28,187	83 1/4	30,009	87 3/4	31,763
69 7/8	24,450	74 3/8	26,364	78 7/8	28,238	83 3/8	30,058	87 7/8	31,810
70	24,504	74 1/2	26,417	79	28,289	83 1/2	30,108	88	31,858
70 1/8	24,557	74 5/8	26,469	79 1/8	28,341	83 5/8	30,158	88 1/8	31,905
70 1/4	24,611	74 3/4	26,522	79 1/4	28,392	83 3/4	30,207	88 1/4	31,953
70 3/8	24,664	74 7/8	26,574	79 3/8	28,443	83 7/8	30,257	88 3/8	32,000
70 1/2	24,718	75	26,627	79 1/2	28,494	84	30,306	88 1/2	32,047
70 5/8	24,771	75 1/8	26,680	79 5/8	28,545	84 1/8	30,355	88 5/8	32,095
70 3/4	24,825	75 1/4	26,732	79 3/4	28,597	84 1/4	30,405	88 3/4	32,142
70 7/8	24,878	75 3/8	26,784	79 7/8	28,648	84 3/8	30,454	88 7/8	32,189
71	24,931	75 1/2	26,837	80	28,699	84 1/2	30,503	89	32,236
71 1/8	24,985	75 5/8	26,889	80 1/8	28,750	84 5/8	30,552	89 1/8	32,283
71 1/4	25,038	75 3/4	26,942	80 1/4	28,801	84 3/4	30,602	89 1/4	32,330
71 3/8	25,092	75 7/8	26,994	80 3/8	28,851	84 7/8	30,651	89 3/8	32,377
71 1/2	25,145	76	27,046	80 1/2	28,902	85	30,700	89 1/2	32,423
71 5/8	25,198	76 1/8	27,098	80 5/8	28,953	85 1/8	30,749	89 5/8	32,470
71 3/4	25,252	76 1/4	27,150	80 3/4	29,004	85 1/4	30,797	89 3/4	32,517
71 7/8	25,305	76 3/8	27,203	80 7/8	29,054	85 3/8	30,846	89 7/8	32,563
72	25,358	76 1/2	27,255	81	29,105	85 1/2	30,895	90	32,610



Dipstick Calibration Chart

10' x 40K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	32,656	94 5/8	34,276	99 1/8	35,784	103 5/8	37,158	108 1/8	38,369
90 1/4	32,702	94 3/4	34,319	99 1/4	35,824	103 3/4	37,194	108 1/4	38,400
90 3/8	32,749	94 7/8	34,363	99 3/8	35,864	103 7/8	37,230	108 3/8	38,430
90 1/2	32,795	95	34,406	99 1/2	35,904	104	37,265	108 1/2	38,461
90 5/8	32,841	95 1/8	34,449	99 5/8	35,944	104 1/8	37,301	108 5/8	38,492
90 3/4	32,887	95 1/4	34,492	99 3/4	35,983	104 1/4	37,336	108 3/4	38,522
90 7/8	32,933	95 3/8	34,535	99 7/8	36,023	104 3/8	37,372	108 7/8	38,552
91	32,979	95 1/2	34,578	100	36,062	104 1/2	37,407	109	38,582
91 1/8	33,025	95 5/8	34,621	100 1/8	36,102	104 5/8	37,442	109 1/8	38,612
91 1/4	33,070	95 3/4	34,664	100 1/4	36,141	104 3/4	37,477	109 1/4	38,642
91 3/8	33,116	95 7/8	34,707	100 3/8	36,180	104 7/8	37,512	109 3/8	38,671
91 1/2	33,162	96	34,749	100 1/2	36,219	105	37,547	109 1/2	38,700
91 5/8	33,207	96 1/8	34,792	100 5/8	36,258	105 1/8	37,581	109 5/8	38,730
91 3/4	33,252	96 1/4	34,834	100 3/4	36,297	105 1/4	37,616	109 3/4	38,759
91 7/8	33,298	96 3/8	34,877	100 7/8	36,336	105 3/8	37,650	109 7/8	38,787
92	33,343	96 1/2	34,919	101	36,374	105 1/2	37,684	110	38,816
92 1/8	33,388	96 5/8	34,961	101 1/8	36,413	105 5/8	37,718	110 1/8	38,845
92 1/4	33,433	96 3/4	35,003	101 1/4	36,451	105 3/4	37,752	110 1/4	38,873
92 3/8	33,479	96 7/8	35,045	101 3/8	36,489	105 7/8	37,786	110 3/8	38,901
92 1/2	33,524	97	35,087	101 1/2	36,527	106	37,819	110 1/2	38,929
92 5/8	33,568	97 1/8	35,129	101 5/8	36,565	106 1/8	37,853	110 5/8	38,957
92 3/4	33,613	97 1/4	35,170	101 3/4	36,603	106 1/4	37,886	110 3/4	38,984
92 7/8	33,658	97 3/8	35,212	101 7/8	36,641	106 3/8	37,919	110 7/8	39,012
93	33,703	97 1/2	35,253	102	36,679	106 1/2	37,952	111	39,039
93 1/8	33,747	97 5/8	35,295	102 1/8	36,716	106 5/8	37,985	111 1/8	39,066
93 1/4	33,792	97 3/4	35,336	102 1/4	36,754	106 3/4	38,018	111 1/4	39,093
93 3/8	33,836	97 7/8	35,377	102 3/8	36,791	106 7/8	38,051	111 3/8	39,120
93 1/2	33,880	98	35,418	102 1/2	36,828	107	38,083	111 1/2	39,146
93 5/8	33,925	98 1/8	35,459	102 5/8	36,865	107 1/8	38,115	111 5/8	39,172
93 3/4	33,969	98 1/4	35,500	102 3/4	36,902	107 1/4	38,148	111 3/4	39,199
93 7/8	34,013	98 3/8	35,541	102 7/8	36,939	107 3/8	38,180	111 7/8	39,224
94	34,057	98 1/2	35,582	103	36,976	107 1/2	38,212	112	39,250
94 1/8	34,101	98 5/8	35,622	103 1/8	37,013	107 5/8	38,243	112 1/8	39,276
94 1/4	34,145	98 3/4	35,663	103 1/4	37,049	107 3/4	38,275	112 1/4	39,301
94 3/8	34,188	98 7/8	35,703	103 3/8	37,085	107 7/8	38,306	112 3/8	39,326
94 1/2	34,232	99	35,744	103 1/2	37,122	108	38,338	112 1/2	39,351



Dipstick Calibration Chart

10' x 40K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	39,376	117 1/8	40,109
112 3/4	39,400	117 1/4	40,124
112 7/8	39,425	117 3/8	40,139
113	39,449	117 1/2	40,153
113 1/8	39,473	117 5/8	40,167
113 1/4	39,496	117 3/4	40,181
113 3/8	39,520	117 7/8	40,194
113 1/2	39,543	118	40,207
113 5/8	39,566	118 1/8	40,220
113 3/4	39,589	118 1/4	40,232
113 7/8	39,611	118 3/8	40,244
114	39,634	118 1/2	40,255
114 1/8	39,656	118 5/8	40,266
114 1/4	39,678	118 3/4	40,276
114 3/8	39,699	118 7/8	40,286
114 1/2	39,721	119	40,295
114 5/8	39,742	119 1/8	40,304
114 3/4	39,763	119 1/4	40,312
114 7/8	39,783	119 3/8	40,319
115	39,804	119 1/2	40,326
115 1/8	39,824	119 5/8	40,332
115 1/4	39,844	119 3/4	40,337
115 3/8	39,863	119 7/8	40,341
115 1/2	39,883	120	40,343
115 5/8	39,902		
115 3/4	39,921		
115 7/8	39,939		
116	39,958		
116 1/8	39,976		
116 1/4	39,993		
116 3/8	40,011		
116 1/2	40,028		
116 5/8	40,045		
116 3/4	40,061		
116 7/8	40,077		
117	40,093		