



# Dipstick Calibration Chart 10' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	90	9 1/8	245	13 5/8	442	18 1/8	670
1/4	1	4 3/4	93	9 1/4	250	13 3/4	448	18 1/4	677
3/8	2	4 7/8	97	9 3/8	255	13 7/8	454	18 3/8	683
1/2	3	5	101	9 1/2	260	14	460	18 1/2	690
5/8	4	5 1/8	104	9 5/8	265	14 1/8	466	18 5/8	697
3/4	6	5 1/4	108	9 3/4	270	14 1/4	472	18 3/4	704
7/8	7	5 3/8	112	9 7/8	275	14 3/8	478	18 7/8	710
1	9	5 1/2	116	10	281	14 1/2	484	19	717
1 1/8	11	5 5/8	120	10 1/8	286	14 5/8	490	19 1/8	724
1 1/4	13	5 3/4	124	10 1/4	291	14 3/4	496	19 1/4	731
1 3/8	15	5 7/8	128	10 3/8	296	14 7/8	502	19 3/8	738
1 1/2	17	6	132	10 1/2	302	15	509	19 1/2	745
1 5/8	19	6 1/8	136	10 5/8	307	15 1/8	515	19 5/8	752
1 3/4	21	6 1/4	140	10 3/4	312	15 1/4	521	19 3/4	758
1 7/8	23	6 3/8	144	10 7/8	318	15 3/8	527	19 7/8	765
2	26	6 1/2	148	11	323	15 1/2	534	20	772
2 1/8	28	6 5/8	153	11 1/8	328	15 5/8	540	20 1/8	779
2 1/4	31	6 3/4	157	11 1/4	334	15 3/4	546	20 1/4	786
2 3/8	33	6 7/8	161	11 3/8	339	15 7/8	552	20 3/8	793
2 1/2	36	7	166	11 1/2	345	16	559	20 1/2	800
2 5/8	38	7 1/8	170	11 5/8	350	16 1/8	565	20 5/8	807
2 3/4	41	7 1/4	174	11 3/4	356	16 1/4	572	20 3/4	814
2 7/8	44	7 3/8	179	11 7/8	361	16 3/8	578	20 7/8	822
3	47	7 1/2	183	12	367	16 1/2	584	21	829
3 1/8	50	7 5/8	188	12 1/8	373	16 5/8	591	21 1/8	836
3 1/4	53	7 3/4	193	12 1/4	378	16 3/4	597	21 1/4	843
3 3/8	56	7 7/8	197	12 3/8	384	16 7/8	604	21 3/8	850
3 1/2	59	8	202	12 1/2	390	17	610	21 1/2	857
3 5/8	62	8 1/8	207	12 5/8	395	17 1/8	617	21 5/8	864
3 3/4	65	8 1/4	211	12 3/4	401	17 1/4	623	21 3/4	872
3 7/8	69	8 3/8	216	12 7/8	407	17 3/8	630	21 7/8	879
4	72	8 1/2	221	13	413	17 1/2	637	22	886
4 1/8	75	8 5/8	226	13 1/8	418	17 5/8	643	22 1/8	893
4 1/4	79	8 3/4	230	13 1/4	424	17 3/4	650	22 1/4	901
4 3/8	82	8 7/8	235	13 3/8	430	17 7/8	656	22 3/8	908
4 1/2	86	9	240	13 1/2	436	18	663	22 1/2	915



# Dipstick Calibration Chart 10' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	922	27 1/8	1,195	31 5/8	1,485	36 1/8	1,787	40 5/8	2,101
22 3/4	930	27 1/4	1,203	31 3/4	1,493	36 1/4	1,796	40 3/4	2,110
22 7/8	937	27 3/8	1,211	31 7/8	1,501	36 3/8	1,805	40 7/8	2,119
23	944	27 1/2	1,219	32	1,509	36 1/2	1,813	41	2,128
23 1/8	952	27 5/8	1,227	32 1/8	1,518	36 5/8	1,822	41 1/8	2,137
23 1/4	959	27 3/4	1,234	32 1/4	1,526	36 3/4	1,830	41 1/4	2,146
23 3/8	967	27 7/8	1,242	32 3/8	1,534	36 7/8	1,839	41 3/8	2,155
23 1/2	974	28	1,250	32 1/2	1,542	37	1,848	41 1/2	2,163
23 5/8	981	28 1/8	1,258	32 5/8	1,551	37 1/8	1,856	41 5/8	2,172
23 3/4	989	28 1/4	1,266	32 3/4	1,559	37 1/4	1,865	41 3/4	2,181
23 7/8	996	28 3/8	1,274	32 7/8	1,567	37 3/8	1,874	41 7/8	2,190
24	1,004	28 1/2	1,282	33	1,576	37 1/2	1,882	42	2,199
24 1/8	1,011	28 5/8	1,290	33 1/8	1,584	37 5/8	1,891	42 1/8	2,208
24 1/4	1,019	28 3/4	1,298	33 1/4	1,592	37 3/4	1,900	42 1/4	2,217
24 3/8	1,026	28 7/8	1,306	33 3/8	1,601	37 7/8	1,908	42 3/8	2,226
24 1/2	1,034	29	1,314	33 1/2	1,609	38	1,917	42 1/2	2,235
24 5/8	1,041	29 1/8	1,322	33 5/8	1,618	38 1/8	1,926	42 5/8	2,244
24 3/4	1,049	29 1/4	1,330	33 3/4	1,626	38 1/4	1,934	42 3/4	2,253
24 7/8	1,057	29 3/8	1,338	33 7/8	1,634	38 3/8	1,943	42 7/8	2,262
25	1,064	29 1/2	1,346	34	1,643	38 1/2	1,952	43	2,271
25 1/8	1,072	29 5/8	1,354	34 1/8	1,651	38 5/8	1,961	43 1/8	2,280
25 1/4	1,079	29 3/4	1,362	34 1/4	1,660	38 3/4	1,969	43 1/4	2,289
25 3/8	1,087	29 7/8	1,370	34 3/8	1,668	38 7/8	1,978	43 3/8	2,298
25 1/2	1,095	30	1,378	34 1/2	1,677	39	1,987	43 1/2	2,307
25 5/8	1,102	30 1/8	1,386	34 5/8	1,685	39 1/8	1,996	43 5/8	2,316
25 3/4	1,110	30 1/4	1,395	34 3/4	1,694	39 1/4	2,004	43 3/4	2,325
25 7/8	1,118	30 3/8	1,403	34 7/8	1,702	39 3/8	2,013	43 7/8	2,334
26	1,125	30 1/2	1,411	35	1,711	39 1/2	2,022	44	2,343
26 1/8	1,133	30 5/8	1,419	35 1/8	1,719	39 5/8	2,031	44 1/8	2,352
26 1/4	1,141	30 3/4	1,427	35 1/4	1,728	39 3/4	2,040	44 1/4	2,361
26 3/8	1,148	30 7/8	1,435	35 3/8	1,736	39 7/8	2,048	44 3/8	2,370
26 1/2	1,156	31	1,443	35 1/2	1,745	40	2,057	44 1/2	2,379
26 5/8	1,164	31 1/8	1,452	35 5/8	1,753	40 1/8	2,066	44 5/8	2,388
26 3/4	1,172	31 1/4	1,460	35 3/4	1,762	40 1/4	2,075	44 3/4	2,397
26 7/8	1,180	31 3/8	1,468	35 7/8	1,770	40 3/8	2,084	44 7/8	2,406
27	1,187	31 1/2	1,476	36	1,779	40 1/2	2,093	45	2,415



# Dipstick Calibration Chart 10' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,424	49 5/8	2,753	54 1/8	3,086	58 5/8	3,422	63 1/8	3,759
45 1/4	2,433	49 3/4	2,762	54 1/4	3,096	58 3/4	3,432	63 1/4	3,768
45 3/8	2,442	49 7/8	2,771	54 3/8	3,105	58 7/8	3,441	63 3/8	3,777
45 1/2	2,451	50	2,781	54 1/2	3,114	59	3,450	63 1/2	3,787
45 5/8	2,460	50 1/8	2,790	54 5/8	3,124	59 1/8	3,460	63 5/8	3,796
45 3/4	2,469	50 1/4	2,799	54 3/4	3,133	59 1/4	3,469	63 3/4	3,805
45 7/8	2,478	50 3/8	2,808	54 7/8	3,142	59 3/8	3,478	63 7/8	3,815
46	2,487	50 1/2	2,817	55	3,152	59 1/2	3,488	64	3,824
46 1/8	2,497	50 5/8	2,827	55 1/8	3,161	59 5/8	3,497	64 1/8	3,833
46 1/4	2,506	50 3/4	2,836	55 1/4	3,170	59 3/4	3,506	64 1/4	3,843
46 3/8	2,515	50 7/8	2,845	55 3/8	3,179	59 7/8	3,516	64 3/8	3,852
46 1/2	2,524	51	2,854	55 1/2	3,189	60	3,525	64 1/2	3,861
46 5/8	2,533	51 1/8	2,864	55 5/8	3,198	60 1/8	3,534	64 5/8	3,871
46 3/4	2,542	51 1/4	2,873	55 3/4	3,207	60 1/4	3,544	64 3/4	3,880
46 7/8	2,551	51 3/8	2,882	55 7/8	3,217	60 3/8	3,553	64 7/8	3,889
47	2,560	51 1/2	2,891	56	3,226	60 1/2	3,563	65	3,899
47 1/8	2,569	51 5/8	2,901	56 1/8	3,235	60 5/8	3,572	65 1/8	3,908
47 1/4	2,579	51 3/4	2,910	56 1/4	3,245	60 3/4	3,581	65 1/4	3,917
47 3/8	2,588	51 7/8	2,919	56 3/8	3,254	60 7/8	3,591	65 3/8	3,927
47 1/2	2,597	52	2,928	56 1/2	3,263	61	3,600	65 1/2	3,936
47 5/8	2,606	52 1/8	2,938	56 5/8	3,273	61 1/8	3,609	65 5/8	3,945
47 3/4	2,615	52 1/4	2,947	56 3/4	3,282	61 1/4	3,619	65 3/4	3,955
47 7/8	2,624	52 3/8	2,956	56 7/8	3,291	61 3/8	3,628	65 7/8	3,964
48	2,633	52 1/2	2,966	57	3,301	61 1/2	3,637	66	3,973
48 1/8	2,643	52 5/8	2,975	57 1/8	3,310	61 5/8	3,647	66 1/8	3,982
48 1/4	2,652	52 3/4	2,984	57 1/4	3,319	61 3/4	3,656	66 1/4	3,992
48 3/8	2,661	52 7/8	2,993	57 3/8	3,329	61 7/8	3,665	66 3/8	4,001
48 1/2	2,670	53	3,003	57 1/2	3,338	62	3,675	66 1/2	4,010
48 5/8	2,679	53 1/8	3,012	57 5/8	3,347	62 1/8	3,684	66 5/8	4,020
48 3/4	2,689	53 1/4	3,021	57 3/4	3,357	62 1/4	3,693	66 3/4	4,029
48 7/8	2,698	53 3/8	3,031	57 7/8	3,366	62 3/8	3,703	66 7/8	4,038
49	2,707	53 1/2	3,040	58	3,376	62 1/2	3,712	67	4,048
49 1/8	2,716	53 5/8	3,049	58 1/8	3,385	62 5/8	3,721	67 1/8	4,057
49 1/4	2,725	53 3/4	3,058	58 1/4	3,394	62 3/4	3,731	67 1/4	4,066
49 3/8	2,734	53 7/8	3,068	58 3/8	3,404	62 7/8	3,740	67 3/8	4,075
49 1/2	2,744	54	3,077	58 1/2	3,413	63	3,749	67 1/2	4,085



# Dipstick Calibration Chart 10' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	4,094	72 1/8	4,426	76 5/8	4,753	81 1/8	5,072	85 5/8	5,382
67 3/4	4,103	72 1/4	4,435	76 3/4	4,762	81 1/4	5,081	85 3/4	5,390
67 7/8	4,113	72 3/8	4,444	76 7/8	4,771	81 3/8	5,090	85 7/8	5,399
68	4,122	72 1/2	4,453	77	4,780	81 1/2	5,098	86	5,407
68 1/8	4,131	72 5/8	4,463	77 1/8	4,789	81 5/8	5,107	86 1/8	5,416
68 1/4	4,140	72 3/4	4,472	77 1/4	4,797	81 3/4	5,116	86 1/4	5,424
68 3/8	4,150	72 7/8	4,481	77 3/8	4,806	81 7/8	5,124	86 3/8	5,433
68 1/2	4,159	73	4,490	77 1/2	4,815	82	5,133	86 1/2	5,441
68 5/8	4,168	73 1/8	4,499	77 5/8	4,824	82 1/8	5,142	86 5/8	5,449
68 3/4	4,177	73 1/4	4,508	77 3/4	4,833	82 1/4	5,151	86 3/4	5,458
68 7/8	4,187	73 3/8	4,517	77 7/8	4,842	82 3/8	5,159	86 7/8	5,466
69	4,196	73 1/2	4,526	78	4,851	82 1/2	5,168	87	5,474
69 1/8	4,205	73 5/8	4,536	78 1/8	4,860	82 5/8	5,177	87 1/8	5,483
69 1/4	4,214	73 3/4	4,545	78 1/4	4,869	82 3/4	5,185	87 1/4	5,491
69 3/8	4,224	73 7/8	4,554	78 3/8	4,878	82 7/8	5,194	87 3/8	5,499
69 1/2	4,233	74	4,563	78 1/2	4,887	83	5,203	87 1/2	5,508
69 5/8	4,242	74 1/8	4,572	78 5/8	4,896	83 1/8	5,211	87 5/8	5,516
69 3/4	4,251	74 1/4	4,581	78 3/4	4,905	83 1/4	5,220	87 3/4	5,524
69 7/8	4,260	74 3/8	4,590	78 7/8	4,913	83 3/8	5,228	87 7/8	5,533
70	4,270	74 1/2	4,599	79	4,922	83 1/2	5,237	88	5,541
70 1/8	4,279	74 5/8	4,608	79 1/8	4,931	83 5/8	5,246	88 1/8	5,549
70 1/4	4,288	74 3/4	4,617	79 1/4	4,940	83 3/4	5,254	88 1/4	5,557
70 3/8	4,297	74 7/8	4,626	79 3/8	4,949	83 7/8	5,263	88 3/8	5,566
70 1/2	4,307	75	4,635	79 1/2	4,958	84	5,271	88 1/2	5,574
70 5/8	4,316	75 1/8	4,644	79 5/8	4,967	84 1/8	5,280	88 5/8	5,582
70 3/4	4,325	75 1/4	4,653	79 3/4	4,975	84 1/4	5,288	88 3/4	5,590
70 7/8	4,334	75 3/8	4,663	79 7/8	4,984	84 3/8	5,297	88 7/8	5,599
71	4,343	75 1/2	4,672	80	4,993	84 1/2	5,306	89	5,607
71 1/8	4,353	75 5/8	4,681	80 1/8	5,002	84 5/8	5,314	89 1/8	5,615
71 1/4	4,362	75 3/4	4,690	80 1/4	5,011	84 3/4	5,323	89 1/4	5,623
71 3/8	4,371	75 7/8	4,699	80 3/8	5,019	84 7/8	5,331	89 3/8	5,631
71 1/2	4,380	76	4,708	80 1/2	5,028	85	5,340	89 1/2	5,639
71 5/8	4,389	76 1/8	4,717	80 5/8	5,037	85 1/8	5,348	89 5/8	5,648
71 3/4	4,398	76 1/4	4,726	80 3/4	5,046	85 1/4	5,357	89 3/4	5,656
71 7/8	4,408	76 3/8	4,735	80 7/8	5,055	85 3/8	5,365	89 7/8	5,664
72	4,417	76 1/2	4,744	81	5,063	85 1/2	5,374	90	5,672



# Dipstick Calibration Chart 10' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	5,680	94 5/8	5,963	99 1/8	6,229	103 5/8	6,472	108 1/8	6,689
90 1/4	5,688	94 3/4	5,971	99 1/4	6,236	103 3/4	6,479	108 1/4	6,694
90 3/8	5,696	94 7/8	5,979	99 3/8	6,243	103 7/8	6,485	108 3/8	6,700
90 1/2	5,704	95	5,986	99 1/2	6,250	104	6,491	108 1/2	6,706
90 5/8	5,712	95 1/8	5,994	99 5/8	6,257	104 1/8	6,498	108 5/8	6,711
90 3/4	5,720	95 1/4	6,001	99 3/4	6,264	104 1/4	6,504	108 3/4	6,716
90 7/8	5,728	95 3/8	6,009	99 7/8	6,271	104 3/8	6,510	108 7/8	6,722
91	5,736	95 1/2	6,016	100	6,278	104 1/2	6,517	109	6,727
91 1/8	5,744	95 5/8	6,024	100 1/8	6,285	104 5/8	6,523	109 1/8	6,733
91 1/4	5,752	95 3/4	6,031	100 1/4	6,292	104 3/4	6,529	109 1/4	6,738
91 3/8	5,760	95 7/8	6,039	100 3/8	6,299	104 7/8	6,535	109 3/8	6,743
91 1/2	5,768	96	6,046	100 1/2	6,306	105	6,542	109 1/2	6,749
91 5/8	5,776	96 1/8	6,054	100 5/8	6,312	105 1/8	6,548	109 5/8	6,754
91 3/4	5,784	96 1/4	6,061	100 3/4	6,319	105 1/4	6,554	109 3/4	6,759
91 7/8	5,792	96 3/8	6,069	100 7/8	6,326	105 3/8	6,560	109 7/8	6,764
92	5,800	96 1/2	6,076	101	6,333	105 1/2	6,566	110	6,770
92 1/8	5,808	96 5/8	6,084	101 1/8	6,340	105 5/8	6,572	110 1/8	6,775
92 1/4	5,816	96 3/4	6,091	101 1/4	6,347	105 3/4	6,578	110 1/4	6,780
92 3/8	5,824	96 7/8	6,098	101 3/8	6,353	105 7/8	6,584	110 3/8	6,785
92 1/2	5,832	97	6,106	101 1/2	6,360	106	6,590	110 1/2	6,790
92 5/8	5,839	97 1/8	6,113	101 5/8	6,367	106 1/8	6,596	110 5/8	6,795
92 3/4	5,847	97 1/4	6,120	101 3/4	6,374	106 1/4	6,602	110 3/4	6,800
92 7/8	5,855	97 3/8	6,128	101 7/8	6,380	106 3/8	6,608	110 7/8	6,805
93	5,863	97 1/2	6,135	102	6,387	106 1/2	6,614	111	6,810
93 1/8	5,871	97 5/8	6,142	102 1/8	6,394	106 5/8	6,620	111 1/8	6,815
93 1/4	5,878	97 3/4	6,150	102 1/4	6,400	106 3/4	6,626	111 1/4	6,820
93 3/8	5,886	97 7/8	6,157	102 3/8	6,407	106 7/8	6,632	111 3/8	6,825
93 1/2	5,894	98	6,164	102 1/2	6,414	107	6,638	111 1/2	6,829
93 5/8	5,902	98 1/8	6,171	102 5/8	6,420	107 1/8	6,643	111 5/8	6,834
93 3/4	5,909	98 1/4	6,179	102 3/4	6,427	107 1/4	6,649	111 3/4	6,839
93 7/8	5,917	98 3/8	6,186	102 7/8	6,433	107 3/8	6,655	111 7/8	6,844
94	5,925	98 1/2	6,193	103	6,440	107 1/2	6,661	112	6,848
94 1/8	5,933	98 5/8	6,200	103 1/8	6,446	107 5/8	6,666	112 1/8	6,853
94 1/4	5,940	98 3/4	6,207	103 1/4	6,453	107 3/4	6,672	112 1/4	6,858
94 3/8	5,948	98 7/8	6,214	103 3/8	6,459	107 7/8	6,678	112 3/8	6,862
94 1/2	5,956	99	6,222	103 1/2	6,466	108	6,683	112 1/2	6,867



# Dipstick Calibration Chart

# 10' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	6,871	117 1/8	7,006
112 3/4	6,876	117 1/4	7,009
112 7/8	6,880	117 3/8	7,012
113	6,885	117 1/2	7,014
113 1/8	6,889	117 5/8	7,017
113 1/4	6,893	117 3/4	7,020
113 3/8	6,898	117 7/8	7,022
113 1/2	6,902	118	7,025
113 5/8	6,906	118 1/8	7,027
113 3/4	6,910	118 1/4	7,029
113 7/8	6,914	118 3/8	7,031
114	6,918	118 1/2	7,034
114 1/8	6,922	118 5/8	7,036
114 1/4	6,927	118 3/4	7,038
114 3/8	6,930	118 7/8	7,039
114 1/2	6,934	119	7,041
114 5/8	6,938	119 1/8	7,043
114 3/4	6,942	119 1/4	7,044
114 7/8	6,946	119 3/8	7,046
115	6,950	119 1/2	7,047
115 1/8	6,953	119 5/8	7,048
115 1/4	6,957	119 3/4	7,049
115 3/8	6,961	119 7/8	7,050
115 1/2	6,964	120	7,050
115 5/8	6,968		
115 3/4	6,971		
115 7/8	6,975		
116	6,978		
116 1/8	6,981		
116 1/4	6,985		
116 3/8	6,988		
116 1/2	6,991		
116 5/8	6,994		
116 3/4	6,997		
116 7/8	7,000		
117	7,003		