



Dipstick Calibration Chart

10' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	104	9 1/8	286	13 5/8	516	18 1/8	781
1/4	1	4 3/4	109	9 1/4	292	13 3/4	523	18 1/4	789
3/8	2	4 7/8	113	9 3/8	298	13 7/8	530	18 3/8	797
1/2	4	5	117	9 1/2	304	14	537	18 1/2	805
5/8	5	5 1/8	122	9 5/8	309	14 1/8	544	18 5/8	813
3/4	7	5 1/4	126	9 3/4	315	14 1/4	551	18 3/4	821
7/8	9	5 3/8	131	9 7/8	321	14 3/8	558	18 7/8	829
1	11	5 1/2	135	10	327	14 1/2	565	19	837
1 1/8	13	5 5/8	140	10 1/8	333	14 5/8	572	19 1/8	845
1 1/4	15	5 3/4	144	10 1/4	340	14 3/4	579	19 1/4	853
1 3/8	17	5 7/8	149	10 3/8	346	14 7/8	586	19 3/8	861
1 1/2	19	6	154	10 1/2	352	15	593	19 1/2	869
1 5/8	22	6 1/8	159	10 5/8	358	15 1/8	601	19 5/8	877
1 3/4	24	6 1/4	163	10 3/4	364	15 1/4	608	19 3/4	885
1 7/8	27	6 3/8	168	10 7/8	370	15 3/8	615	19 7/8	893
2	30	6 1/2	173	11	377	15 1/2	622	20	901
2 1/8	33	6 5/8	178	11 1/8	383	15 5/8	630	20 1/8	909
2 1/4	36	6 3/4	183	11 1/4	389	15 3/4	637	20 1/4	917
2 3/8	39	6 7/8	188	11 3/8	396	15 7/8	645	20 3/8	926
2 1/2	42	7	193	11 1/2	402	16	652	20 1/2	934
2 5/8	45	7 1/8	198	11 5/8	409	16 1/8	659	20 5/8	942
2 3/4	48	7 1/4	204	11 3/4	415	16 1/4	667	20 3/4	950
2 7/8	51	7 3/8	209	11 7/8	422	16 3/8	674	20 7/8	958
3	55	7 1/2	214	12	428	16 1/2	682	21	967
3 1/8	58	7 5/8	219	12 1/8	435	16 5/8	689	21 1/8	975
3 1/4	62	7 3/4	225	12 1/4	441	16 3/4	697	21 1/4	983
3 3/8	65	7 7/8	230	12 3/8	448	16 7/8	704	21 3/8	992
3 1/2	69	8	235	12 1/2	454	17	712	21 1/2	1,000
3 5/8	73	8 1/8	241	12 5/8	461	17 1/8	720	21 5/8	1,008
3 3/4	76	8 1/4	246	12 3/4	468	17 1/4	727	21 3/4	1,017
3 7/8	80	8 3/8	252	12 7/8	475	17 3/8	735	21 7/8	1,025
4	84	8 1/2	258	13	481	17 1/2	743	22	1,034
4 1/8	88	8 5/8	263	13 1/8	488	17 5/8	750	22 1/8	1,042
4 1/4	92	8 3/4	269	13 1/4	495	17 3/4	758	22 1/4	1,051
4 3/8	96	8 7/8	275	13 3/8	502	17 7/8	766	22 3/8	1,059
4 1/2	100	9	280	13 1/2	509	18	774	22 1/2	1,068



Dipstick Calibration Chart

10' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,076	27 1/8	1,394	31 5/8	1,732	36 1/8	2,085	40 5/8	2,452
22 3/4	1,085	27 1/4	1,404	31 3/4	1,742	36 1/4	2,095	40 3/4	2,462
22 7/8	1,093	27 3/8	1,413	31 7/8	1,751	36 3/8	2,105	40 7/8	2,472
23	1,102	27 1/2	1,422	32	1,761	36 1/2	2,115	41	2,483
23 1/8	1,110	27 5/8	1,431	32 1/8	1,770	36 5/8	2,125	41 1/8	2,493
23 1/4	1,119	27 3/4	1,440	32 1/4	1,780	36 3/4	2,136	41 1/4	2,503
23 3/8	1,128	27 7/8	1,449	32 3/8	1,790	36 7/8	2,146	41 3/8	2,514
23 1/2	1,136	28	1,459	32 1/2	1,800	37	2,156	41 1/2	2,524
23 5/8	1,145	28 1/8	1,468	32 5/8	1,809	37 1/8	2,166	41 5/8	2,534
23 3/4	1,154	28 1/4	1,477	32 3/4	1,819	37 1/4	2,176	41 3/4	2,545
23 7/8	1,162	28 3/8	1,486	32 7/8	1,829	37 3/8	2,186	41 7/8	2,555
24	1,171	28 1/2	1,496	33	1,838	37 1/2	2,196	42	2,566
24 1/8	1,180	28 5/8	1,505	33 1/8	1,848	37 5/8	2,206	42 1/8	2,576
24 1/4	1,189	28 3/4	1,514	33 1/4	1,858	37 3/4	2,216	42 1/4	2,586
24 3/8	1,197	28 7/8	1,524	33 3/8	1,868	37 7/8	2,226	42 3/8	2,597
24 1/2	1,206	29	1,533	33 1/2	1,877	38	2,237	42 1/2	2,607
24 5/8	1,215	29 1/8	1,542	33 5/8	1,887	38 1/8	2,247	42 5/8	2,618
24 3/4	1,224	29 1/4	1,552	33 3/4	1,897	38 1/4	2,257	42 3/4	2,628
24 7/8	1,233	29 3/8	1,561	33 7/8	1,907	38 3/8	2,267	42 7/8	2,639
25	1,241	29 1/2	1,570	34	1,917	38 1/2	2,277	43	2,649
25 1/8	1,250	29 5/8	1,580	34 1/8	1,927	38 5/8	2,287	43 1/8	2,660
25 1/4	1,259	29 3/4	1,589	34 1/4	1,936	38 3/4	2,298	43 1/4	2,670
25 3/8	1,268	29 7/8	1,599	34 3/8	1,946	38 7/8	2,308	43 3/8	2,681
25 1/2	1,277	30	1,608	34 1/2	1,956	39	2,318	43 1/2	2,691
25 5/8	1,286	30 1/8	1,618	34 5/8	1,966	39 1/8	2,328	43 5/8	2,701
25 3/4	1,295	30 1/4	1,627	34 3/4	1,976	39 1/4	2,338	43 3/4	2,712
25 7/8	1,304	30 3/8	1,636	34 7/8	1,986	39 3/8	2,349	43 7/8	2,722
26	1,313	30 1/2	1,646	35	1,996	39 1/2	2,359	44	2,733
26 1/8	1,322	30 5/8	1,655	35 1/8	2,006	39 5/8	2,369	44 1/8	2,744
26 1/4	1,331	30 3/4	1,665	35 1/4	2,016	39 3/4	2,380	44 1/4	2,754
26 3/8	1,340	30 7/8	1,674	35 3/8	2,025	39 7/8	2,390	44 3/8	2,765
26 1/2	1,349	31	1,684	35 1/2	2,035	40	2,400	44 1/2	2,775
26 5/8	1,358	31 1/8	1,694	35 5/8	2,045	40 1/8	2,410	44 5/8	2,786
26 3/4	1,367	31 1/4	1,703	35 3/4	2,055	40 1/4	2,421	44 3/4	2,796
26 7/8	1,376	31 3/8	1,713	35 7/8	2,065	40 3/8	2,431	44 7/8	2,807
27	1,385	31 1/2	1,722	36	2,075	40 1/2	2,441	45	2,817



Dipstick Calibration Chart

10' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,828	49 5/8	3,212	54 1/8	3,601	58 5/8	3,993	63 1/8	4,385
45 1/4	2,838	49 3/4	3,222	54 1/4	3,612	58 3/4	4,004	63 1/4	4,396
45 3/8	2,849	49 7/8	3,233	54 3/8	3,622	58 7/8	4,014	63 3/8	4,407
45 1/2	2,860	50	3,244	54 1/2	3,633	59	4,025	63 1/2	4,418
45 5/8	2,870	50 1/8	3,255	54 5/8	3,644	59 1/8	4,036	63 5/8	4,429
45 3/4	2,881	50 1/4	3,265	54 3/4	3,655	59 1/4	4,047	63 3/4	4,440
45 7/8	2,891	50 3/8	3,276	54 7/8	3,666	59 3/8	4,058	63 7/8	4,451
46	2,902	50 1/2	3,287	55	3,677	59 1/2	4,069	64	4,461
46 1/8	2,913	50 5/8	3,298	55 1/8	3,688	59 5/8	4,080	64 1/8	4,472
46 1/4	2,923	50 3/4	3,309	55 1/4	3,699	59 3/4	4,091	64 1/4	4,483
46 3/8	2,934	50 7/8	3,319	55 3/8	3,709	59 7/8	4,102	64 3/8	4,494
46 1/2	2,944	51	3,330	55 1/2	3,720	60	4,113	64 1/2	4,505
46 5/8	2,955	51 1/8	3,341	55 5/8	3,731	60 1/8	4,124	64 5/8	4,516
46 3/4	2,966	51 1/4	3,352	55 3/4	3,742	60 1/4	4,134	64 3/4	4,527
46 7/8	2,976	51 3/8	3,363	55 7/8	3,753	60 3/8	4,145	64 7/8	4,538
47	2,987	51 1/2	3,373	56	3,764	60 1/2	4,156	65	4,548
47 1/8	2,998	51 5/8	3,384	56 1/8	3,775	60 5/8	4,167	65 1/8	4,559
47 1/4	3,008	51 3/4	3,395	56 1/4	3,786	60 3/4	4,178	65 1/4	4,570
47 3/8	3,019	51 7/8	3,406	56 3/8	3,796	60 7/8	4,189	65 3/8	4,581
47 1/2	3,030	52	3,417	56 1/2	3,807	61	4,200	65 1/2	4,592
47 5/8	3,040	52 1/8	3,427	56 5/8	3,818	61 1/8	4,211	65 5/8	4,603
47 3/4	3,051	52 1/4	3,438	56 3/4	3,829	61 1/4	4,222	65 3/4	4,614
47 7/8	3,062	52 3/8	3,449	56 7/8	3,840	61 3/8	4,233	65 7/8	4,625
48	3,072	52 1/2	3,460	57	3,851	61 1/2	4,244	66	4,635
48 1/8	3,083	52 5/8	3,471	57 1/8	3,862	61 5/8	4,254	66 1/8	4,646
48 1/4	3,094	52 3/4	3,481	57 1/4	3,873	61 3/4	4,265	66 1/4	4,657
48 3/8	3,104	52 7/8	3,492	57 3/8	3,884	61 7/8	4,276	66 3/8	4,668
48 1/2	3,115	53	3,503	57 1/2	3,895	62	4,287	66 1/2	4,679
48 5/8	3,126	53 1/8	3,514	57 5/8	3,905	62 1/8	4,298	66 5/8	4,690
48 3/4	3,137	53 1/4	3,525	57 3/4	3,916	62 1/4	4,309	66 3/4	4,700
48 7/8	3,147	53 3/8	3,536	57 7/8	3,927	62 3/8	4,320	66 7/8	4,711
49	3,158	53 1/2	3,546	58	3,938	62 1/2	4,331	67	4,722
49 1/8	3,169	53 5/8	3,557	58 1/8	3,949	62 5/8	4,342	67 1/8	4,733
49 1/4	3,179	53 3/4	3,568	58 1/4	3,960	62 3/4	4,353	67 1/4	4,744
49 3/8	3,190	53 7/8	3,579	58 3/8	3,971	62 7/8	4,363	67 3/8	4,755
49 1/2	3,201	54	3,590	58 1/2	3,982	63	4,374	67 1/2	4,765



Dipstick Calibration Chart

10' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	4,776	72 1/8	5,164	76 5/8	5,545	81 1/8	5,917	85 5/8	6,279
67 3/4	4,787	72 1/4	5,174	76 3/4	5,555	81 1/4	5,928	85 3/4	6,289
67 7/8	4,798	72 3/8	5,185	76 7/8	5,566	81 3/8	5,938	85 7/8	6,299
68	4,809	72 1/2	5,196	77	5,576	81 1/2	5,948	86	6,309
68 1/8	4,820	72 5/8	5,206	77 1/8	5,587	81 5/8	5,958	86 1/8	6,318
68 1/4	4,830	72 3/4	5,217	77 1/4	5,597	81 3/4	5,968	86 1/4	6,328
68 3/8	4,841	72 7/8	5,228	77 3/8	5,608	81 7/8	5,979	86 3/8	6,338
68 1/2	4,852	73	5,238	77 1/2	5,618	82	5,989	86 1/2	6,348
68 5/8	4,863	73 1/8	5,249	77 5/8	5,628	82 1/8	5,999	86 5/8	6,358
68 3/4	4,874	73 1/4	5,260	77 3/4	5,639	82 1/4	6,009	86 3/4	6,367
68 7/8	4,884	73 3/8	5,270	77 7/8	5,649	82 3/8	6,019	86 7/8	6,377
69	4,895	73 1/2	5,281	78	5,660	82 1/2	6,029	87	6,387
69 1/8	4,906	73 5/8	5,291	78 1/8	5,670	82 5/8	6,039	87 1/8	6,397
69 1/4	4,917	73 3/4	5,302	78 1/4	5,680	82 3/4	6,049	87 1/4	6,406
69 3/8	4,927	73 7/8	5,313	78 3/8	5,691	82 7/8	6,060	87 3/8	6,416
69 1/2	4,938	74	5,323	78 1/2	5,701	83	6,070	87 1/2	6,426
69 5/8	4,949	74 1/8	5,334	78 5/8	5,712	83 1/8	6,080	87 5/8	6,435
69 3/4	4,960	74 1/4	5,344	78 3/4	5,722	83 1/4	6,090	87 3/4	6,445
69 7/8	4,971	74 3/8	5,355	78 7/8	5,732	83 3/8	6,100	87 7/8	6,455
70	4,981	74 1/2	5,366	79	5,743	83 1/2	6,110	88	6,464
70 1/8	4,992	74 5/8	5,376	79 1/8	5,753	83 5/8	6,120	88 1/8	6,474
70 1/4	5,003	74 3/4	5,387	79 1/4	5,763	83 3/4	6,130	88 1/4	6,484
70 3/8	5,014	74 7/8	5,397	79 3/8	5,774	83 7/8	6,140	88 3/8	6,493
70 1/2	5,024	75	5,408	79 1/2	5,784	84	6,150	88 1/2	6,503
70 5/8	5,035	75 1/8	5,419	79 5/8	5,794	84 1/8	6,160	88 5/8	6,513
70 3/4	5,046	75 1/4	5,429	79 3/4	5,805	84 1/4	6,170	88 3/4	6,522
70 7/8	5,056	75 3/8	5,440	79 7/8	5,815	84 3/8	6,180	88 7/8	6,532
71	5,067	75 1/2	5,450	80	5,825	84 1/2	6,190	89	6,541
71 1/8	5,078	75 5/8	5,461	80 1/8	5,835	84 5/8	6,200	89 1/8	6,551
71 1/4	5,089	75 3/4	5,471	80 1/4	5,846	84 3/4	6,210	89 1/4	6,560
71 3/8	5,099	75 7/8	5,482	80 3/8	5,856	84 7/8	6,220	89 3/8	6,570
71 1/2	5,110	76	5,492	80 1/2	5,866	85	6,230	89 1/2	6,579
71 5/8	5,121	76 1/8	5,503	80 5/8	5,877	85 1/8	6,239	89 5/8	6,589
71 3/4	5,131	76 1/4	5,513	80 3/4	5,887	85 1/4	6,249	89 3/4	6,598
71 7/8	5,142	76 3/8	5,524	80 7/8	5,897	85 3/8	6,259	89 7/8	6,608
72	5,153	76 1/2	5,534	81	5,907	85 1/2	6,269	90	6,617



Dipstick Calibration Chart

10' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	6,627	94 5/8	6,957	99 1/8	7,267	103 5/8	7,551	108 1/8	7,804
90 1/4	6,636	94 3/4	6,966	99 1/4	7,275	103 3/4	7,558	108 1/4	7,810
90 3/8	6,645	94 7/8	6,975	99 3/8	7,283	103 7/8	7,566	108 3/8	7,817
90 1/2	6,655	95	6,984	99 1/2	7,291	104	7,573	108 1/2	7,823
90 5/8	6,664	95 1/8	6,993	99 5/8	7,300	104 1/8	7,581	108 5/8	7,830
90 3/4	6,674	95 1/4	7,001	99 3/4	7,308	104 1/4	7,588	108 3/4	7,836
90 7/8	6,683	95 3/8	7,010	99 7/8	7,316	104 3/8	7,595	108 7/8	7,842
91	6,692	95 1/2	7,019	100	7,324	104 1/2	7,603	109	7,849
91 1/8	6,702	95 5/8	7,028	100 1/8	7,332	104 5/8	7,610	109 1/8	7,855
91 1/4	6,711	95 3/4	7,037	100 1/4	7,340	104 3/4	7,617	109 1/4	7,861
91 3/8	6,720	95 7/8	7,045	100 3/8	7,348	104 7/8	7,625	109 3/8	7,867
91 1/2	6,730	96	7,054	100 1/2	7,357	105	7,632	109 1/2	7,873
91 5/8	6,739	96 1/8	7,063	100 5/8	7,365	105 1/8	7,639	109 5/8	7,880
91 3/4	6,748	96 1/4	7,072	100 3/4	7,373	105 1/4	7,646	109 3/4	7,886
91 7/8	6,757	96 3/8	7,080	100 7/8	7,381	105 3/8	7,653	109 7/8	7,892
92	6,767	96 1/2	7,089	101	7,389	105 1/2	7,660	110	7,898
92 1/8	6,776	96 5/8	7,098	101 1/8	7,397	105 5/8	7,668	110 1/8	7,904
92 1/4	6,785	96 3/4	7,106	101 1/4	7,404	105 3/4	7,675	110 1/4	7,910
92 3/8	6,794	96 7/8	7,115	101 3/8	7,412	105 7/8	7,682	110 3/8	7,916
92 1/2	6,803	97	7,123	101 1/2	7,420	106	7,689	110 1/2	7,922
92 5/8	6,813	97 1/8	7,132	101 5/8	7,428	106 1/8	7,696	110 5/8	7,928
92 3/4	6,822	97 1/4	7,141	101 3/4	7,436	106 1/4	7,703	110 3/4	7,933
92 7/8	6,831	97 3/8	7,149	101 7/8	7,444	106 3/8	7,710	110 7/8	7,939
93	6,840	97 1/2	7,158	102	7,452	106 1/2	7,717	111	7,945
93 1/8	6,849	97 5/8	7,166	102 1/8	7,459	106 5/8	7,723	111 1/8	7,951
93 1/4	6,858	97 3/4	7,175	102 1/4	7,467	106 3/4	7,730	111 1/4	7,956
93 3/8	6,867	97 7/8	7,183	102 3/8	7,475	106 7/8	7,737	111 3/8	7,962
93 1/2	6,876	98	7,192	102 1/2	7,483	107	7,744	111 1/2	7,968
93 5/8	6,885	98 1/8	7,200	102 5/8	7,490	107 1/8	7,751	111 5/8	7,973
93 3/4	6,894	98 1/4	7,208	102 3/4	7,498	107 1/4	7,757	111 3/4	7,979
93 7/8	6,903	98 3/8	7,217	102 7/8	7,506	107 3/8	7,764	111 7/8	7,984
94	6,912	98 1/2	7,225	103	7,513	107 1/2	7,771	112	7,990
94 1/8	6,921	98 5/8	7,234	103 1/8	7,521	107 5/8	7,777	112 1/8	7,995
94 1/4	6,930	98 3/4	7,242	103 1/4	7,528	107 3/4	7,784	112 1/4	8,001
94 3/8	6,939	98 7/8	7,250	103 3/8	7,536	107 7/8	7,791	112 3/8	8,006
94 1/2	6,948	99	7,258	103 1/2	7,543	108	7,797	112 1/2	8,011



Dipstick Calibration Chart

10' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	8,016	117 1/8	8,174
112 3/4	8,022	117 1/4	8,177
112 7/8	8,027	117 3/8	8,180
113	8,032	117 1/2	8,184
113 1/8	8,037	117 5/8	8,187
113 1/4	8,042	117 3/4	8,190
113 3/8	8,047	117 7/8	8,193
113 1/2	8,052	118	8,195
113 5/8	8,057	118 1/8	8,198
113 3/4	8,062	118 1/4	8,201
113 7/8	8,067	118 3/8	8,203
114	8,072	118 1/2	8,206
114 1/8	8,076	118 5/8	8,208
114 1/4	8,081	118 3/4	8,210
114 3/8	8,086	118 7/8	8,213
114 1/2	8,090	119	8,215
114 5/8	8,095	119 1/8	8,217
114 3/4	8,099	119 1/4	8,218
114 7/8	8,104	119 3/8	8,220
115	8,108	119 1/2	8,222
115 1/8	8,112	119 5/8	8,223
115 1/4	8,117	119 3/4	8,224
115 3/8	8,121	119 7/8	8,225
115 1/2	8,125	120	8,225
115 5/8	8,129		
115 3/4	8,133		
115 7/8	8,137		
116	8,141		
116 1/8	8,145		
116 1/4	8,149		
116 3/8	8,153		
116 1/2	8,156		
116 5/8	8,160		
116 3/4	8,164		
116 7/8	8,167		
117	8,170		