



Dipstick Calibration Chart

8' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	160	9 1/8	451	13 5/8	828	18 1/8	1,272
1/4	2	4 3/4	166	9 1/4	460	13 3/4	839	18 1/4	1,285
3/8	4	4 7/8	173	9 3/8	469	13 7/8	851	18 3/8	1,298
1/2	5	5	180	9 1/2	479	14	862	18 1/2	1,311
5/8	8	5 1/8	187	9 5/8	489	14 1/8	874	18 5/8	1,325
3/4	10	5 1/4	194	9 3/4	498	14 1/4	886	18 3/4	1,338
7/8	13	5 3/8	201	9 7/8	508	14 3/8	898	18 7/8	1,351
1	16	5 1/2	208	10	518	14 1/2	909	19	1,365
1 1/8	19	5 5/8	215	10 1/8	528	14 5/8	921	19 1/8	1,378
1 1/4	22	5 3/4	223	10 1/4	538	14 3/4	933	19 1/4	1,392
1 3/8	25	5 7/8	230	10 3/8	548	14 7/8	945	19 3/8	1,405
1 1/2	29	6	238	10 1/2	558	15	957	19 1/2	1,419
1 5/8	32	6 1/8	245	10 5/8	568	15 1/8	969	19 5/8	1,432
1 3/4	36	6 1/4	253	10 3/4	578	15 1/4	981	19 3/4	1,446
1 7/8	40	6 3/8	261	10 7/8	588	15 3/8	993	19 7/8	1,460
2	45	6 1/2	269	11	599	15 1/2	1,006	20	1,473
2 1/8	49	6 5/8	277	11 1/8	609	15 5/8	1,018	20 1/8	1,487
2 1/4	53	6 3/4	285	11 1/4	619	15 3/4	1,030	20 1/4	1,501
2 3/8	58	6 7/8	293	11 3/8	630	15 7/8	1,042	20 3/8	1,515
2 1/2	63	7	301	11 1/2	640	16	1,055	20 1/2	1,529
2 5/8	67	7 1/8	309	11 5/8	651	16 1/8	1,067	20 5/8	1,542
2 3/4	72	7 1/4	317	11 3/4	662	16 1/4	1,080	20 3/4	1,556
2 7/8	77	7 3/8	326	11 7/8	672	16 3/8	1,092	20 7/8	1,570
3	83	7 1/2	334	12	683	16 1/2	1,105	21	1,584
3 1/8	88	7 5/8	343	12 1/8	694	16 5/8	1,117	21 1/8	1,598
3 1/4	93	7 3/4	351	12 1/4	705	16 3/4	1,130	21 1/4	1,612
3 3/8	99	7 7/8	360	12 3/8	716	16 7/8	1,143	21 3/8	1,627
3 1/2	104	8	369	12 1/2	727	17	1,155	21 1/2	1,641
3 5/8	110	8 1/8	378	12 5/8	738	17 1/8	1,168	21 5/8	1,655
3 3/4	116	8 1/4	386	12 3/4	749	17 1/4	1,181	21 3/4	1,669
3 7/8	122	8 3/8	395	12 7/8	760	17 3/8	1,194	21 7/8	1,683
4	128	8 1/2	404	13	771	17 1/2	1,207	22	1,698
4 1/8	134	8 5/8	413	13 1/8	782	17 5/8	1,220	22 1/8	1,712
4 1/4	141	8 3/4	423	13 1/4	794	17 3/4	1,233	22 1/4	1,726
4 3/8	147	8 7/8	432	13 3/8	805	17 7/8	1,246	22 3/8	1,741
4 1/2	153	9	441	13 1/2	816	18	1,259	22 1/2	1,755



Dipstick Calibration Chart

8' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,770	27 1/8	2,310	31 5/8	2,885	36 1/8	3,485	40 5/8	4,104
22 3/4	1,784	27 1/4	2,326	31 3/4	2,901	36 1/4	3,502	40 3/4	4,121
22 7/8	1,799	27 3/8	2,341	31 7/8	2,917	36 3/8	3,519	40 7/8	4,138
23	1,813	27 1/2	2,357	32	2,934	36 1/2	3,536	41	4,156
23 1/8	1,828	27 5/8	2,372	32 1/8	2,950	36 5/8	3,553	41 1/8	4,173
23 1/4	1,842	27 3/4	2,388	32 1/4	2,967	36 3/4	3,570	41 1/4	4,191
23 3/8	1,857	27 7/8	2,404	32 3/8	2,983	36 7/8	3,587	41 3/8	4,208
23 1/2	1,872	28	2,419	32 1/2	2,999	37	3,604	41 1/2	4,225
23 5/8	1,886	28 1/8	2,435	32 5/8	3,016	37 1/8	3,621	41 5/8	4,243
23 3/4	1,901	28 1/4	2,451	32 3/4	3,033	37 1/4	3,638	41 3/4	4,260
23 7/8	1,916	28 3/8	2,467	32 7/8	3,049	37 3/8	3,655	41 7/8	4,278
24	1,931	28 1/2	2,482	33	3,066	37 1/2	3,672	42	4,295
24 1/8	1,945	28 5/8	2,498	33 1/8	3,082	37 5/8	3,689	42 1/8	4,313
24 1/4	1,960	28 3/4	2,514	33 1/4	3,099	37 3/4	3,707	42 1/4	4,330
24 3/8	1,975	28 7/8	2,530	33 3/8	3,115	37 7/8	3,724	42 3/8	4,348
24 1/2	1,990	29	2,546	33 1/2	3,132	38	3,741	42 1/2	4,365
24 5/8	2,005	29 1/8	2,562	33 5/8	3,149	38 1/8	3,758	42 5/8	4,383
24 3/4	2,020	29 1/4	2,578	33 3/4	3,165	38 1/4	3,775	42 3/4	4,400
24 7/8	2,035	29 3/8	2,594	33 7/8	3,182	38 3/8	3,792	42 7/8	4,418
25	2,050	29 1/2	2,610	34	3,199	38 1/2	3,810	43	4,435
25 1/8	2,065	29 5/8	2,626	34 1/8	3,215	38 5/8	3,827	43 1/8	4,453
25 1/4	2,080	29 3/4	2,642	34 1/4	3,232	38 3/4	3,844	43 1/4	4,470
25 3/8	2,095	29 7/8	2,658	34 3/8	3,249	38 7/8	3,861	43 3/8	4,488
25 1/2	2,111	30	2,674	34 1/2	3,266	39	3,879	43 1/2	4,505
25 5/8	2,126	30 1/8	2,690	34 5/8	3,282	39 1/8	3,896	43 5/8	4,523
25 3/4	2,141	30 1/4	2,706	34 3/4	3,299	39 1/4	3,913	43 3/4	4,540
25 7/8	2,156	30 3/8	2,722	34 7/8	3,316	39 3/8	3,930	43 7/8	4,558
26	2,171	30 1/2	2,738	35	3,333	39 1/2	3,948	44	4,575
26 1/8	2,187	30 5/8	2,754	35 1/8	3,350	39 5/8	3,965	44 1/8	4,593
26 1/4	2,202	30 3/4	2,771	35 1/4	3,366	39 3/4	3,982	44 1/4	4,611
26 3/8	2,217	30 7/8	2,787	35 3/8	3,383	39 7/8	4,000	44 3/8	4,628
26 1/2	2,233	31	2,803	35 1/2	3,400	40	4,017	44 1/2	4,646
26 5/8	2,248	31 1/8	2,819	35 5/8	3,417	40 1/8	4,034	44 5/8	4,663
26 3/4	2,264	31 1/4	2,836	35 3/4	3,434	40 1/4	4,052	44 3/4	4,681
26 7/8	2,279	31 3/8	2,852	35 7/8	3,451	40 3/8	4,069	44 7/8	4,698
27	2,295	31 1/2	2,868	36	3,468	40 1/2	4,086	45	4,716



Dipstick Calibration Chart

8' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,734	49 5/8	5,368	54 1/8	6,000	58 5/8	6,622	63 1/8	7,229
45 1/4	4,751	49 3/4	5,386	54 1/4	6,017	58 3/4	6,640	63 1/4	7,245
45 3/8	4,769	49 7/8	5,403	54 3/8	6,035	58 7/8	6,657	63 3/8	7,262
45 1/2	4,786	50	5,421	54 1/2	6,052	59	6,674	63 1/2	7,278
45 5/8	4,804	50 1/8	5,438	54 5/8	6,070	59 1/8	6,691	63 5/8	7,295
45 3/4	4,822	50 1/4	5,456	54 3/4	6,087	59 1/4	6,708	63 3/4	7,311
45 7/8	4,839	50 3/8	5,474	54 7/8	6,104	59 3/8	6,725	63 7/8	7,328
46	4,857	50 1/2	5,491	55	6,122	59 1/2	6,742	64	7,344
46 1/8	4,874	50 5/8	5,509	55 1/8	6,139	59 5/8	6,759	64 1/8	7,360
46 1/4	4,892	50 3/4	5,526	55 1/4	6,157	59 3/4	6,776	64 1/4	7,377
46 3/8	4,910	50 7/8	5,544	55 3/8	6,174	59 7/8	6,793	64 3/8	7,393
46 1/2	4,927	51	5,562	55 1/2	6,191	60	6,810	64 1/2	7,409
46 5/8	4,945	51 1/8	5,579	55 5/8	6,209	60 1/8	6,827	64 5/8	7,426
46 3/4	4,963	51 1/4	5,597	55 3/4	6,226	60 1/4	6,844	64 3/4	7,442
46 7/8	4,980	51 3/8	5,614	55 7/8	6,243	60 3/8	6,861	64 7/8	7,458
47	4,998	51 1/2	5,632	56	6,261	60 1/2	6,877	65	7,475
47 1/8	5,015	51 5/8	5,650	56 1/8	6,278	60 5/8	6,894	65 1/8	7,491
47 1/4	5,033	51 3/4	5,667	56 1/4	6,295	60 3/4	6,911	65 1/4	7,507
47 3/8	5,051	51 7/8	5,685	56 3/8	6,313	60 7/8	6,928	65 3/8	7,523
47 1/2	5,068	52	5,702	56 1/2	6,330	61	6,945	65 1/2	7,539
47 5/8	5,086	52 1/8	5,720	56 5/8	6,347	61 1/8	6,962	65 5/8	7,556
47 3/4	5,104	52 1/4	5,737	56 3/4	6,365	61 1/4	6,979	65 3/4	7,572
47 7/8	5,121	52 3/8	5,755	56 7/8	6,382	61 3/8	6,995	65 7/8	7,588
48	5,139	52 1/2	5,772	57	6,399	61 1/2	7,012	66	7,604
48 1/8	5,156	52 5/8	5,790	57 1/8	6,416	61 5/8	7,029	66 1/8	7,620
48 1/4	5,174	52 3/4	5,807	57 1/4	6,434	61 3/4	7,046	66 1/4	7,636
48 3/8	5,192	52 7/8	5,825	57 3/8	6,451	61 7/8	7,062	66 3/8	7,652
48 1/2	5,209	53	5,843	57 1/2	6,468	62	7,079	66 1/2	7,668
48 5/8	5,227	53 1/8	5,860	57 5/8	6,485	62 1/8	7,096	66 5/8	7,684
48 3/4	5,245	53 1/4	5,878	57 3/4	6,502	62 1/4	7,112	66 3/4	7,700
48 7/8	5,262	53 3/8	5,895	57 7/8	6,520	62 3/8	7,129	66 7/8	7,716
49	5,280	53 1/2	5,913	58	6,537	62 1/2	7,146	67	7,732
49 1/8	5,297	53 5/8	5,930	58 1/8	6,554	62 5/8	7,162	67 1/8	7,748
49 1/4	5,315	53 3/4	5,947	58 1/4	6,571	62 3/4	7,179	67 1/4	7,764
49 3/8	5,333	53 7/8	5,965	58 3/8	6,588	62 7/8	7,195	67 3/8	7,779
49 1/2	5,350	54	5,982	58 1/2	6,605	63	7,212	67 1/2	7,795



Dipstick Calibration Chart

8' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	7,811	72 1/8	8,362	76 5/8	8,872	81 1/8	9,333	85 5/8	9,730
67 3/4	7,827	72 1/4	8,377	76 3/4	8,886	81 1/4	9,345	85 3/4	9,740
67 7/8	7,843	72 3/8	8,391	76 7/8	8,899	81 3/8	9,356	85 7/8	9,750
68	7,858	72 1/2	8,406	77	8,913	81 1/2	9,368	86	9,760
68 1/8	7,874	72 5/8	8,421	77 1/8	8,926	81 5/8	9,380	86 1/8	9,770
68 1/4	7,890	72 3/4	8,435	77 1/4	8,940	81 3/4	9,392	86 1/4	9,779
68 3/8	7,905	72 7/8	8,450	77 3/8	8,953	81 7/8	9,404	86 3/8	9,789
68 1/2	7,921	73	8,465	77 1/2	8,966	82	9,415	86 1/2	9,799
68 5/8	7,936	73 1/8	8,479	77 5/8	8,979	82 1/8	9,427	86 5/8	9,808
68 3/4	7,952	73 1/4	8,494	77 3/4	8,993	82 1/4	9,438	86 3/4	9,818
68 7/8	7,968	73 3/8	8,508	77 7/8	9,006	82 3/8	9,450	86 7/8	9,827
69	7,983	73 1/2	8,523	78	9,019	82 1/2	9,461	87	9,837
69 1/8	7,999	73 5/8	8,537	78 1/8	9,032	82 5/8	9,473	87 1/8	9,846
69 1/4	8,014	73 3/4	8,551	78 1/4	9,045	82 3/4	9,484	87 1/4	9,855
69 3/8	8,029	73 7/8	8,566	78 3/8	9,058	82 7/8	9,495	87 3/8	9,864
69 1/2	8,045	74	8,580	78 1/2	9,071	83	9,507	87 1/2	9,873
69 5/8	8,060	74 1/8	8,594	78 5/8	9,084	83 1/8	9,518	87 5/8	9,882
69 3/4	8,076	74 1/4	8,609	78 3/4	9,097	83 1/4	9,529	87 3/4	9,891
69 7/8	8,091	74 3/8	8,623	78 7/8	9,109	83 3/8	9,540	87 7/8	9,900
70	8,106	74 1/2	8,637	79	9,122	83 1/2	9,551	88	9,909
70 1/8	8,122	74 5/8	8,651	79 1/8	9,135	83 5/8	9,562	88 1/8	9,918
70 1/4	8,137	74 3/4	8,665	79 1/4	9,148	83 3/4	9,573	88 1/4	9,926
70 3/8	8,152	74 7/8	8,679	79 3/8	9,160	83 7/8	9,584	88 3/8	9,935
70 1/2	8,167	75	8,693	79 1/2	9,173	84	9,595	88 1/2	9,943
70 5/8	8,182	75 1/8	8,707	79 5/8	9,185	84 1/8	9,605	88 5/8	9,952
70 3/4	8,197	75 1/4	8,721	79 3/4	9,198	84 1/4	9,616	88 3/4	9,960
70 7/8	8,213	75 3/8	8,735	79 7/8	9,210	84 3/8	9,627	88 7/8	9,969
71	8,228	75 1/2	8,749	80	9,223	84 1/2	9,637	89	9,977
71 1/8	8,243	75 5/8	8,763	80 1/8	9,235	84 5/8	9,648	89 1/8	9,985
71 1/4	8,258	75 3/4	8,777	80 1/4	9,248	84 3/4	9,658	89 1/4	9,993
71 3/8	8,273	75 7/8	8,791	80 3/8	9,260	84 7/8	9,669	89 3/8	10,001
71 1/2	8,288	76	8,804	80 1/2	9,272	85	9,679	89 1/2	10,009
71 5/8	8,303	76 1/8	8,818	80 5/8	9,284	85 1/8	9,689	89 5/8	10,017
71 3/4	8,317	76 1/4	8,832	80 3/4	9,296	85 1/4	9,700	89 3/4	10,025
71 7/8	8,332	76 3/8	8,845	80 7/8	9,309	85 3/8	9,710	89 7/8	10,032
72	8,347	76 1/2	8,859	81	9,321	85 1/2	9,720	90	10,040



Dipstick Calibration Chart

8' x 10K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	10,047	94 5/8	10,252
90 1/4	10,055	94 3/4	10,256
90 3/8	10,062	94 7/8	10,259
90 1/2	10,069	95	10,262
90 5/8	10,077	95 1/8	10,265
90 3/4	10,084	95 1/4	10,268
90 7/8	10,091	95 3/8	10,270
91	10,098	95 1/2	10,272
91 1/8	10,104	95 5/8	10,274
91 1/4	10,111	95 3/4	10,276
91 3/8	10,118	95 7/8	10,277
91 1/2	10,124	96	10,278
91 5/8	10,131		
91 3/4	10,137		
91 7/8	10,143		
92	10,150		
92 1/8	10,156		
92 1/4	10,162		
92 3/8	10,167		
92 1/2	10,173		
92 5/8	10,179		
92 3/4	10,184		
92 7/8	10,190		
93	10,195		
93 1/8	10,200		
93 1/4	10,205		
93 3/8	10,210		
93 1/2	10,215		
93 5/8	10,220		
93 3/4	10,224		
93 7/8	10,229		
94	10,233		
94 1/8	10,237		
94 1/4	10,241		
94 3/8	10,245		
94 1/2	10,249		