



Dipstick Calibration Chart 8' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	180	9 1/8	490	13 5/8	881	18 1/8	1,331
1/4	2	4 3/4	187	9 1/4	500	13 3/4	893	18 1/4	1,344
3/8	4	4 7/8	194	9 3/8	510	13 7/8	905	18 3/8	1,357
1/2	6	5	202	9 1/2	520	14	917	18 1/2	1,371
5/8	9	5 1/8	209	9 5/8	530	14 1/8	929	18 5/8	1,384
3/4	12	5 1/4	217	9 3/4	541	14 1/4	941	18 3/4	1,397
7/8	15	5 3/8	224	9 7/8	551	14 3/8	953	18 7/8	1,411
1	18	5 1/2	232	10	561	14 1/2	965	19	1,424
1 1/8	22	5 5/8	240	10 1/8	571	14 5/8	977	19 1/8	1,437
1 1/4	26	5 3/4	248	10 1/4	582	14 3/4	989	19 1/4	1,451
1 3/8	29	5 7/8	256	10 3/8	592	14 7/8	1,001	19 3/8	1,464
1 1/2	34	6	264	10 1/2	603	15	1,013	19 1/2	1,478
1 5/8	38	6 1/8	272	10 5/8	613	15 1/8	1,025	19 5/8	1,491
1 3/4	42	6 1/4	281	10 3/4	624	15 1/4	1,038	19 3/4	1,505
1 7/8	47	6 3/8	289	10 7/8	634	15 3/8	1,050	19 7/8	1,519
2	52	6 1/2	297	11	645	15 1/2	1,062	20	1,532
2 1/8	56	6 5/8	306	11 1/8	656	15 5/8	1,075	20 1/8	1,546
2 1/4	61	6 3/4	314	11 1/4	667	15 3/4	1,087	20 1/4	1,560
2 3/8	67	6 7/8	323	11 3/8	677	15 7/8	1,100	20 3/8	1,573
2 1/2	72	7	332	11 1/2	688	16	1,112	20 1/2	1,587
2 5/8	77	7 1/8	341	11 5/8	699	16 1/8	1,125	20 5/8	1,601
2 3/4	83	7 1/4	349	11 3/4	710	16 1/4	1,137	20 3/4	1,615
2 7/8	89	7 3/8	358	11 7/8	721	16 3/8	1,150	20 7/8	1,629
3	94	7 1/2	367	12	732	16 1/2	1,163	21	1,643
3 1/8	100	7 5/8	376	12 1/8	744	16 5/8	1,175	21 1/8	1,657
3 1/4	106	7 3/4	386	12 1/4	755	16 3/4	1,188	21 1/4	1,671
3 3/8	112	7 7/8	395	12 3/8	766	16 7/8	1,201	21 3/8	1,685
3 1/2	119	8	404	12 1/2	777	17	1,214	21 1/2	1,699
3 5/8	125	8 1/8	413	12 5/8	789	17 1/8	1,227	21 5/8	1,713
3 3/4	131	8 1/4	423	12 3/4	800	17 1/4	1,240	21 3/4	1,727
3 7/8	138	8 3/8	432	12 7/8	812	17 3/8	1,253	21 7/8	1,741
4	145	8 1/2	442	13	823	17 1/2	1,265	22	1,755
4 1/8	152	8 5/8	451	13 1/8	835	17 5/8	1,278	22 1/8	1,769
4 1/4	158	8 3/4	461	13 1/4	846	17 3/4	1,292	22 1/4	1,783
4 3/8	165	8 7/8	471	13 3/8	858	17 7/8	1,305	22 3/8	1,798
4 1/2	172	9	481	13 1/2	870	18	1,318	22 1/2	1,812



Dipstick Calibration Chart 8' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,826	27 1/8	2,357	31 5/8	2,915	36 1/8	3,494	40 5/8	4,087
22 3/4	1,840	27 1/4	2,372	31 3/4	2,931	36 1/4	3,510	40 3/4	4,104
22 7/8	1,855	27 3/8	2,387	31 7/8	2,946	36 3/8	3,526	40 7/8	4,120
23	1,869	27 1/2	2,402	32	2,962	36 1/2	3,543	41	4,137
23 1/8	1,883	27 5/8	2,417	32 1/8	2,978	36 5/8	3,559	41 1/8	4,154
23 1/4	1,898	27 3/4	2,433	32 1/4	2,994	36 3/4	3,575	41 1/4	4,170
23 3/8	1,912	27 7/8	2,448	32 3/8	3,010	36 7/8	3,592	41 3/8	4,187
23 1/2	1,927	28	2,463	32 1/2	3,026	37	3,608	41 1/2	4,204
23 5/8	1,941	28 1/8	2,479	32 5/8	3,042	37 1/8	3,624	41 5/8	4,220
23 3/4	1,956	28 1/4	2,494	32 3/4	3,058	37 1/4	3,641	41 3/4	4,237
23 7/8	1,970	28 3/8	2,509	32 7/8	3,074	37 3/8	3,657	41 7/8	4,254
24	1,985	28 1/2	2,525	33	3,090	37 1/2	3,674	42	4,270
24 1/8	1,999	28 5/8	2,540	33 1/8	3,106	37 5/8	3,690	42 1/8	4,287
24 1/4	2,014	28 3/4	2,555	33 1/4	3,122	37 3/4	3,707	42 1/4	4,304
24 3/8	2,029	28 7/8	2,571	33 3/8	3,138	37 7/8	3,723	42 3/8	4,320
24 1/2	2,043	29	2,586	33 1/2	3,154	38	3,739	42 1/2	4,337
24 5/8	2,058	29 1/8	2,602	33 5/8	3,170	38 1/8	3,756	42 5/8	4,354
24 3/4	2,073	29 1/4	2,617	33 3/4	3,186	38 1/4	3,772	42 3/4	4,371
24 7/8	2,087	29 3/8	2,633	33 7/8	3,202	38 3/8	3,789	42 7/8	4,387
25	2,102	29 1/2	2,648	34	3,218	38 1/2	3,805	43	4,404
25 1/8	2,117	29 5/8	2,664	34 1/8	3,234	38 5/8	3,822	43 1/8	4,421
25 1/4	2,132	29 3/4	2,679	34 1/4	3,250	38 3/4	3,838	43 1/4	4,438
25 3/8	2,147	29 7/8	2,695	34 3/8	3,267	38 7/8	3,855	43 3/8	4,454
25 1/2	2,161	30	2,711	34 1/2	3,283	39	3,871	43 1/2	4,471
25 5/8	2,176	30 1/8	2,726	34 5/8	3,299	39 1/8	3,888	43 5/8	4,488
25 3/4	2,191	30 1/4	2,742	34 3/4	3,315	39 1/4	3,905	43 3/4	4,505
25 7/8	2,206	30 3/8	2,757	34 7/8	3,331	39 3/8	3,921	43 7/8	4,521
26	2,221	30 1/2	2,773	35	3,347	39 1/2	3,938	44	4,538
26 1/8	2,236	30 5/8	2,789	35 1/8	3,364	39 5/8	3,954	44 1/8	4,555
26 1/4	2,251	30 3/4	2,804	35 1/4	3,380	39 3/4	3,971	44 1/4	4,572
26 3/8	2,266	30 7/8	2,820	35 3/8	3,396	39 7/8	3,987	44 3/8	4,589
26 1/2	2,281	31	2,836	35 1/2	3,412	40	4,004	44 1/2	4,605
26 5/8	2,296	31 1/8	2,852	35 5/8	3,429	40 1/8	4,021	44 5/8	4,622
26 3/4	2,311	31 1/4	2,867	35 3/4	3,445	40 1/4	4,037	44 3/4	4,639
26 7/8	2,326	31 3/8	2,883	35 7/8	3,461	40 3/8	4,054	44 7/8	4,656
27	2,342	31 1/2	2,899	36	3,477	40 1/2	4,070	45	4,672



Dipstick Calibration Chart 8' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,689	49 5/8	5,295	54 1/8	5,899	58 5/8	6,495	63 1/8	7,079
45 1/4	4,706	49 3/4	5,312	54 1/4	5,915	58 3/4	6,511	63 1/4	7,094
45 3/8	4,723	49 7/8	5,329	54 3/8	5,932	58 7/8	6,528	63 3/8	7,110
45 1/2	4,740	50	5,345	54 1/2	5,949	59	6,544	63 1/2	7,126
45 5/8	4,756	50 1/8	5,362	54 5/8	5,965	59 1/8	6,561	63 5/8	7,142
45 3/4	4,773	50 1/4	5,379	54 3/4	5,982	59 1/4	6,577	63 3/4	7,158
45 7/8	4,790	50 3/8	5,396	54 7/8	5,999	59 3/8	6,593	63 7/8	7,174
46	4,807	50 1/2	5,413	55	6,015	59 1/2	6,610	64	7,190
46 1/8	4,824	50 5/8	5,429	55 1/8	6,032	59 5/8	6,626	64 1/8	7,206
46 1/4	4,841	50 3/4	5,446	55 1/4	6,049	59 3/4	6,642	64 1/4	7,222
46 3/8	4,857	50 7/8	5,463	55 3/8	6,065	59 7/8	6,659	64 3/8	7,237
46 1/2	4,874	51	5,480	55 1/2	6,082	60	6,675	64 1/2	7,253
46 5/8	4,891	51 1/8	5,497	55 5/8	6,099	60 1/8	6,691	64 5/8	7,269
46 3/4	4,908	51 1/4	5,513	55 3/4	6,115	60 1/4	6,708	64 3/4	7,285
46 7/8	4,925	51 3/8	5,530	55 7/8	6,132	60 3/8	6,724	64 7/8	7,301
47	4,942	51 1/2	5,547	56	6,148	60 1/2	6,740	65	7,316
47 1/8	4,958	51 5/8	5,564	56 1/8	6,165	60 5/8	6,756	65 1/8	7,332
47 1/4	4,975	51 3/4	5,581	56 1/4	6,182	60 3/4	6,773	65 1/4	7,348
47 3/8	4,992	51 7/8	5,597	56 3/8	6,198	60 7/8	6,789	65 3/8	7,364
47 1/2	5,009	52	5,614	56 1/2	6,215	61	6,805	65 1/2	7,379
47 5/8	5,026	52 1/8	5,631	56 5/8	6,231	61 1/8	6,821	65 5/8	7,395
47 3/4	5,042	52 1/4	5,648	56 3/4	6,248	61 1/4	6,837	65 3/4	7,411
47 7/8	5,059	52 3/8	5,664	56 7/8	6,264	61 3/8	6,854	65 7/8	7,426
48	5,076	52 1/2	5,681	57	6,281	61 1/2	6,870	66	7,442
48 1/8	5,093	52 5/8	5,698	57 1/8	6,297	61 5/8	6,886	66 1/8	7,457
48 1/4	5,110	52 3/4	5,715	57 1/4	6,314	61 3/4	6,902	66 1/4	7,473
48 3/8	5,127	52 7/8	5,731	57 3/8	6,330	61 7/8	6,918	66 3/8	7,489
48 1/2	5,143	53	5,748	57 1/2	6,347	62	6,934	66 1/2	7,504
48 5/8	5,160	53 1/8	5,765	57 5/8	6,363	62 1/8	6,950	66 5/8	7,520
48 3/4	5,177	53 1/4	5,782	57 3/4	6,380	62 1/4	6,966	66 3/4	7,535
48 7/8	5,194	53 3/8	5,798	57 7/8	6,396	62 3/8	6,982	66 7/8	7,551
49	5,211	53 1/2	5,815	58	6,413	62 1/2	6,998	67	7,566
49 1/8	5,228	53 5/8	5,832	58 1/8	6,429	62 5/8	7,014	67 1/8	7,581
49 1/4	5,244	53 3/4	5,849	58 1/4	6,446	62 3/4	7,031	67 1/4	7,597
49 3/8	5,261	53 7/8	5,865	58 3/8	6,462	62 7/8	7,047	67 3/8	7,612
49 1/2	5,278	54	5,882	58 1/2	6,479	63	7,063	67 1/2	7,628



Dipstick Calibration Chart 8' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	7,643	72 1/8	8,182	76 5/8	8,688	81 1/8	9,151	85 5/8	9,560
67 3/4	7,658	72 1/4	8,197	76 3/4	8,701	81 1/4	9,164	85 3/4	9,571
67 7/8	7,674	72 3/8	8,211	76 7/8	8,715	81 3/8	9,176	85 7/8	9,581
68	7,689	72 1/2	8,226	77	8,728	81 1/2	9,188	86	9,591
68 1/8	7,704	72 5/8	8,240	77 1/8	8,742	81 5/8	9,200	86 1/8	9,602
68 1/4	7,720	72 3/4	8,255	77 1/4	8,755	81 3/4	9,212	86 1/4	9,612
68 3/8	7,735	72 7/8	8,269	77 3/8	8,768	81 7/8	9,224	86 3/8	9,622
68 1/2	7,750	73	8,283	77 1/2	8,782	82	9,236	86 1/2	9,632
68 5/8	7,765	73 1/8	8,298	77 5/8	8,795	82 1/8	9,247	86 5/8	9,642
68 3/4	7,780	73 1/4	8,312	77 3/4	8,808	82 1/4	9,259	86 3/4	9,652
68 7/8	7,796	73 3/8	8,326	77 7/8	8,821	82 3/8	9,271	86 7/8	9,662
69	7,811	73 1/2	8,341	78	8,835	82 1/2	9,283	87	9,672
69 1/8	7,826	73 5/8	8,355	78 1/8	8,848	82 5/8	9,294	87 1/8	9,682
69 1/4	7,841	73 3/4	8,369	78 1/4	8,861	82 3/4	9,306	87 1/4	9,691
69 3/8	7,856	73 7/8	8,383	78 3/8	8,874	82 7/8	9,318	87 3/8	9,701
69 1/2	7,871	74	8,397	78 1/2	8,887	83	9,329	87 1/2	9,710
69 5/8	7,886	74 1/8	8,412	78 5/8	8,900	83 1/8	9,341	87 5/8	9,720
69 3/4	7,901	74 1/4	8,426	78 3/4	8,913	83 1/4	9,352	87 3/4	9,729
69 7/8	7,916	74 3/8	8,440	78 7/8	8,926	83 3/8	9,364	87 7/8	9,739
70	7,931	74 1/2	8,454	79	8,939	83 1/2	9,375	88	9,748
70 1/8	7,946	74 5/8	8,468	79 1/8	8,951	83 5/8	9,386	88 1/8	9,758
70 1/4	7,961	74 3/4	8,482	79 1/4	8,964	83 3/4	9,397	88 1/4	9,767
70 3/8	7,976	74 7/8	8,496	79 3/8	8,977	83 7/8	9,409	88 3/8	9,776
70 1/2	7,991	75	8,510	79 1/2	8,990	84	9,420	88 1/2	9,785
70 5/8	8,006	75 1/8	8,524	79 5/8	9,002	84 1/8	9,431	88 5/8	9,794
70 3/4	8,021	75 1/4	8,537	79 3/4	9,015	84 1/4	9,442	88 3/4	9,803
70 7/8	8,035	75 3/8	8,551	79 7/8	9,028	84 3/8	9,453	88 7/8	9,812
71	8,050	75 1/2	8,565	80	9,040	84 1/2	9,464	89	9,820
71 1/8	8,065	75 5/8	8,579	80 1/8	9,053	84 5/8	9,475	89 1/8	9,829
71 1/4	8,080	75 3/4	8,593	80 1/4	9,065	84 3/4	9,486	89 1/4	9,838
71 3/8	8,094	75 7/8	8,606	80 3/8	9,078	84 7/8	9,497	89 3/8	9,846
71 1/2	8,109	76	8,620	80 1/2	9,090	85	9,507	89 1/2	9,855
71 5/8	8,124	76 1/8	8,634	80 5/8	9,102	85 1/8	9,518	89 5/8	9,863
71 3/4	8,138	76 1/4	8,647	80 3/4	9,115	85 1/4	9,529	89 3/4	9,872
71 7/8	8,153	76 3/8	8,661	80 7/8	9,127	85 3/8	9,539	89 7/8	9,880
72	8,168	76 1/2	8,674	81	9,139	85 1/2	9,550	90	9,888



Dipstick Calibration Chart 8' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	9,896	94 5/8	10,123
90 1/4	9,904	94 3/4	10,127
90 3/8	9,912	94 7/8	10,131
90 1/2	9,920	95	10,134
90 5/8	9,928	95 1/8	10,137
90 3/4	9,936	95 1/4	10,140
90 7/8	9,943	95 3/8	10,143
91	9,951	95 1/2	10,146
91 1/8	9,958	95 5/8	10,148
91 1/4	9,965	95 3/4	10,150
91 3/8	9,973	95 7/8	10,152
91 1/2	9,980	96	10,152
91 5/8	9,987		
91 3/4	9,994		
91 7/8	10,001		
92	10,008		
92 1/8	10,014		
92 1/4	10,021		
92 3/8	10,027		
92 1/2	10,034		
92 5/8	10,040		
92 3/4	10,046		
92 7/8	10,052		
93	10,058		
93 1/8	10,064		
93 1/4	10,069		
93 3/8	10,075		
93 1/2	10,080		
93 5/8	10,086		
93 3/4	10,091		
93 7/8	10,096		
94	10,101		
94 1/8	10,106		
94 1/4	10,110		
94 3/8	10,115		
94 1/2	10,119		