



Dipstick Calibration Chart

8' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	193	9 1/8	541	13 5/8	991	18 1/8	1,518
1/4	2	4 3/4	201	9 1/4	553	13 3/4	1,005	18 1/4	1,534
3/8	4	4 7/8	209	9 3/8	564	13 7/8	1,018	18 3/8	1,550
1/2	7	5	217	9 1/2	575	14	1,032	18 1/2	1,565
5/8	9	5 1/8	226	9 5/8	587	14 1/8	1,046	18 5/8	1,581
3/4	12	5 1/4	234	9 3/4	598	14 1/4	1,060	18 3/4	1,597
7/8	15	5 3/8	243	9 7/8	610	14 3/8	1,074	18 7/8	1,613
1	19	5 1/2	251	10	622	14 1/2	1,088	19	1,629
1 1/8	23	5 5/8	260	10 1/8	634	14 5/8	1,102	19 1/8	1,644
1 1/4	27	5 3/4	269	10 1/4	645	14 3/4	1,116	19 1/4	1,660
1 3/8	31	5 7/8	278	10 3/8	657	14 7/8	1,130	19 3/8	1,676
1 1/2	35	6	287	10 1/2	669	15	1,145	19 1/2	1,692
1 5/8	39	6 1/8	296	10 5/8	681	15 1/8	1,159	19 5/8	1,709
1 3/4	44	6 1/4	305	10 3/4	693	15 1/4	1,173	19 3/4	1,725
1 7/8	49	6 3/8	314	10 7/8	706	15 3/8	1,188	19 7/8	1,741
2	54	6 1/2	324	11	718	15 1/2	1,202	20	1,757
2 1/8	59	6 5/8	333	11 1/8	730	15 5/8	1,217	20 1/8	1,773
2 1/4	65	6 3/4	343	11 1/4	743	15 3/4	1,231	20 1/4	1,790
2 3/8	70	6 7/8	352	11 3/8	755	15 7/8	1,246	20 3/8	1,806
2 1/2	76	7	362	11 1/2	768	16	1,261	20 1/2	1,823
2 5/8	82	7 1/8	372	11 5/8	780	16 1/8	1,275	20 5/8	1,839
2 3/4	88	7 1/4	382	11 3/4	793	16 1/4	1,290	20 3/4	1,855
2 7/8	94	7 3/8	392	11 7/8	806	16 3/8	1,305	20 7/8	1,872
3	100	7 1/2	402	12	819	16 1/2	1,320	21	1,889
3 1/8	106	7 5/8	412	12 1/8	832	16 5/8	1,335	21 1/8	1,905
3 1/4	113	7 3/4	423	12 1/4	844	16 3/4	1,350	21 1/4	1,922
3 3/8	120	7 7/8	433	12 3/8	857	16 7/8	1,365	21 3/8	1,939
3 1/2	126	8	444	12 1/2	871	17	1,380	21 1/2	1,955
3 5/8	133	8 1/8	454	12 5/8	884	17 1/8	1,395	21 5/8	1,972
3 3/4	140	8 1/4	465	12 3/4	897	17 1/4	1,411	21 3/4	1,989
3 7/8	148	8 3/8	475	12 7/8	910	17 3/8	1,426	21 7/8	2,006
4	155	8 1/2	486	13	923	17 1/2	1,441	22	2,023
4 1/8	162	8 5/8	497	13 1/8	937	17 5/8	1,456	22 1/8	2,040
4 1/4	170	8 3/4	508	13 1/4	950	17 3/4	1,472	22 1/4	2,057
4 3/8	177	8 7/8	519	13 3/8	964	17 7/8	1,487	22 3/8	2,074
4 1/2	185	9	530	13 1/2	977	18	1,503	22 1/2	2,091



Dipstick Calibration Chart

8' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,108	27 1/8	2,746	31 5/8	3,424	36 1/8	4,132	40 5/8	4,860
22 3/4	2,125	27 1/4	2,765	31 3/4	3,444	36 1/4	4,152	40 3/4	4,881
22 7/8	2,142	27 3/8	2,783	31 7/8	3,463	36 3/8	4,172	40 7/8	4,901
23	2,159	27 1/2	2,802	32	3,482	36 1/2	4,192	41	4,922
23 1/8	2,176	27 5/8	2,820	32 1/8	3,502	36 5/8	4,212	41 1/8	4,942
23 1/4	2,194	27 3/4	2,839	32 1/4	3,521	36 3/4	4,232	41 1/4	4,963
23 3/8	2,211	27 7/8	2,857	32 3/8	3,540	36 7/8	4,252	41 3/8	4,983
23 1/2	2,228	28	2,876	32 1/2	3,560	37	4,272	41 1/2	5,004
23 5/8	2,246	28 1/8	2,894	32 5/8	3,579	37 1/8	4,292	41 5/8	5,024
23 3/4	2,263	28 1/4	2,913	32 3/4	3,599	37 1/4	4,312	41 3/4	5,045
23 7/8	2,281	28 3/8	2,931	32 7/8	3,618	37 3/8	4,332	41 7/8	5,065
24	2,298	28 1/2	2,950	33	3,638	37 1/2	4,353	42	5,086
24 1/8	2,316	28 5/8	2,969	33 1/8	3,657	37 5/8	4,373	42 1/8	5,107
24 1/4	2,333	28 3/4	2,987	33 1/4	3,677	37 3/4	4,393	42 1/4	5,127
24 3/8	2,351	28 7/8	3,006	33 3/8	3,696	37 7/8	4,413	42 3/8	5,148
24 1/2	2,368	29	3,025	33 1/2	3,716	38	4,433	42 1/2	5,168
24 5/8	2,386	29 1/8	3,044	33 5/8	3,736	38 1/8	4,454	42 5/8	5,189
24 3/4	2,404	29 1/4	3,062	33 3/4	3,755	38 1/4	4,474	42 3/4	5,210
24 7/8	2,422	29 3/8	3,081	33 7/8	3,775	38 3/8	4,494	42 7/8	5,230
25	2,439	29 1/2	3,100	34	3,795	38 1/2	4,514	43	5,251
25 1/8	2,457	29 5/8	3,119	34 1/8	3,814	38 5/8	4,535	43 1/8	5,271
25 1/4	2,475	29 3/4	3,138	34 1/4	3,834	38 3/4	4,555	43 1/4	5,292
25 3/8	2,493	29 7/8	3,157	34 3/8	3,854	38 7/8	4,575	43 3/8	5,313
25 1/2	2,511	30	3,176	34 1/2	3,873	39	4,595	43 1/2	5,333
25 5/8	2,529	30 1/8	3,195	34 5/8	3,893	39 1/8	4,616	43 5/8	5,354
25 3/4	2,547	30 1/4	3,214	34 3/4	3,913	39 1/4	4,636	43 3/4	5,375
25 7/8	2,565	30 3/8	3,233	34 7/8	3,933	39 3/8	4,656	43 7/8	5,395
26	2,583	30 1/2	3,252	35	3,953	39 1/2	4,677	44	5,416
26 1/8	2,601	30 5/8	3,271	35 1/8	3,973	39 5/8	4,697	44 1/8	5,437
26 1/4	2,619	30 3/4	3,290	35 1/4	3,992	39 3/4	4,718	44 1/4	5,457
26 3/8	2,637	30 7/8	3,309	35 3/8	4,012	39 7/8	4,738	44 3/8	5,478
26 1/2	2,655	31	3,328	35 1/2	4,032	40	4,758	44 1/2	5,499
26 5/8	2,673	31 1/8	3,347	35 5/8	4,052	40 1/8	4,779	44 5/8	5,519
26 3/4	2,692	31 1/4	3,367	35 3/4	4,072	40 1/4	4,799	44 3/4	5,540
26 7/8	2,710	31 3/8	3,386	35 7/8	4,092	40 3/8	4,820	44 7/8	5,561
27	2,728	31 1/2	3,405	36	4,112	40 1/2	4,840	45	5,581



Dipstick Calibration Chart

8' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	5,602	49 5/8	6,349	54 1/8	7,092	58 5/8	7,825	63 1/8	8,539
45 1/4	5,623	49 3/4	6,369	54 1/4	7,113	58 3/4	7,845	63 1/4	8,559
45 3/8	5,643	49 7/8	6,390	54 3/8	7,133	58 7/8	7,865	63 3/8	8,578
45 1/2	5,664	50	6,411	54 1/2	7,154	59	7,886	63 1/2	8,598
45 5/8	5,685	50 1/8	6,431	54 5/8	7,174	59 1/8	7,906	63 5/8	8,617
45 3/4	5,706	50 1/4	6,452	54 3/4	7,195	59 1/4	7,926	63 3/4	8,637
45 7/8	5,726	50 3/8	6,473	54 7/8	7,215	59 3/8	7,946	63 7/8	8,656
46	5,747	50 1/2	6,494	55	7,236	59 1/2	7,966	64	8,675
46 1/8	5,768	50 5/8	6,514	55 1/8	7,256	59 5/8	7,986	64 1/8	8,695
46 1/4	5,788	50 3/4	6,535	55 1/4	7,277	59 3/4	8,006	64 1/4	8,714
46 3/8	5,809	50 7/8	6,556	55 3/8	7,297	59 7/8	8,026	64 3/8	8,733
46 1/2	5,830	51	6,576	55 1/2	7,318	60	8,046	64 1/2	8,753
46 5/8	5,851	51 1/8	6,597	55 5/8	7,338	60 1/8	8,066	64 5/8	8,772
46 3/4	5,871	51 1/4	6,618	55 3/4	7,359	60 1/4	8,086	64 3/4	8,791
46 7/8	5,892	51 3/8	6,639	55 7/8	7,379	60 3/8	8,106	64 7/8	8,810
47	5,913	51 1/2	6,659	56	7,399	60 1/2	8,126	65	8,830
47 1/8	5,934	51 5/8	6,680	56 1/8	7,420	60 5/8	8,145	65 1/8	8,849
47 1/4	5,954	51 3/4	6,701	56 1/4	7,440	60 3/4	8,165	65 1/4	8,868
47 3/8	5,975	51 7/8	6,721	56 3/8	7,461	60 7/8	8,185	65 3/8	8,887
47 1/2	5,996	52	6,742	56 1/2	7,481	61	8,205	65 1/2	8,906
47 5/8	6,017	52 1/8	6,763	56 5/8	7,501	61 1/8	8,225	65 5/8	8,925
47 3/4	6,037	52 1/4	6,783	56 3/4	7,522	61 1/4	8,245	65 3/4	8,944
47 7/8	6,058	52 3/8	6,804	56 7/8	7,542	61 3/8	8,264	65 7/8	8,963
48	6,079	52 1/2	6,824	57	7,562	61 1/2	8,284	66	8,982
48 1/8	6,100	52 5/8	6,845	57 1/8	7,583	61 5/8	8,304	66 1/8	9,001
48 1/4	6,120	52 3/4	6,866	57 1/4	7,603	61 3/4	8,324	66 1/4	9,020
48 3/8	6,141	52 7/8	6,886	57 3/8	7,623	61 7/8	8,343	66 3/8	9,039
48 1/2	6,162	53	6,907	57 1/2	7,643	62	8,363	66 1/2	9,058
48 5/8	6,183	53 1/8	6,928	57 5/8	7,664	62 1/8	8,383	66 5/8	9,077
48 3/4	6,203	53 1/4	6,948	57 3/4	7,684	62 1/4	8,402	66 3/4	9,095
48 7/8	6,224	53 3/8	6,969	57 7/8	7,704	62 3/8	8,422	66 7/8	9,114
49	6,245	53 1/2	6,989	58	7,724	62 1/2	8,442	67	9,133
49 1/8	6,266	53 5/8	7,010	58 1/8	7,745	62 5/8	8,461	67 1/8	9,152
49 1/4	6,286	53 3/4	7,031	58 1/4	7,765	62 3/4	8,481	67 1/4	9,170
49 3/8	6,307	53 7/8	7,051	58 3/8	7,785	62 7/8	8,500	67 3/8	9,189
49 1/2	6,328	54	7,072	58 1/2	7,805	63	8,520	67 1/2	9,208



Dipstick Calibration Chart

8' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	9,226	72 1/8	9,877	76 5/8	10,481	81 1/8	11,027	85 5/8	11,500
67 3/4	9,245	72 1/4	9,895	76 3/4	10,497	81 1/4	11,041	85 3/4	11,512
67 7/8	9,264	72 3/8	9,912	76 7/8	10,513	81 3/8	11,056	85 7/8	11,524
68	9,282	72 1/2	9,929	77	10,529	81 1/2	11,070	86	11,536
68 1/8	9,301	72 5/8	9,947	77 1/8	10,545	81 5/8	11,084	86 1/8	11,548
68 1/4	9,319	72 3/4	9,964	77 1/4	10,561	81 3/4	11,098	86 1/4	11,559
68 3/8	9,338	72 7/8	9,981	77 3/8	10,577	81 7/8	11,112	86 3/8	11,571
68 1/2	9,356	73	9,999	77 1/2	10,592	82	11,126	86 1/2	11,582
68 5/8	9,375	73 1/8	10,016	77 5/8	10,608	82 1/8	11,139	86 5/8	11,594
68 3/4	9,393	73 1/4	10,033	77 3/4	10,624	82 1/4	11,153	86 3/4	11,605
68 7/8	9,411	73 3/8	10,050	77 7/8	10,639	82 3/8	11,167	86 7/8	11,616
69	9,430	73 1/2	10,067	78	10,655	82 1/2	11,180	87	11,628
69 1/8	9,448	73 5/8	10,084	78 1/8	10,670	82 5/8	11,194	87 1/8	11,639
69 1/4	9,466	73 3/4	10,101	78 1/4	10,686	82 3/4	11,207	87 1/4	11,650
69 3/8	9,484	73 7/8	10,118	78 3/8	10,701	82 7/8	11,221	87 3/8	11,661
69 1/2	9,503	74	10,135	78 1/2	10,717	83	11,234	87 1/2	11,672
69 5/8	9,521	74 1/8	10,152	78 5/8	10,732	83 1/8	11,248	87 5/8	11,682
69 3/4	9,539	74 1/4	10,169	78 3/4	10,747	83 1/4	11,261	87 3/4	11,693
69 7/8	9,557	74 3/8	10,186	78 7/8	10,762	83 3/8	11,274	87 7/8	11,704
70	9,575	74 1/2	10,202	79	10,778	83 1/2	11,287	88	11,714
70 1/8	9,593	74 5/8	10,219	79 1/8	10,793	83 5/8	11,300	88 1/8	11,725
70 1/4	9,611	74 3/4	10,236	79 1/4	10,808	83 3/4	11,313	88 1/4	11,735
70 3/8	9,629	74 7/8	10,253	79 3/8	10,823	83 7/8	11,326	88 3/8	11,745
70 1/2	9,647	75	10,269	79 1/2	10,838	84	11,339	88 1/2	11,756
70 5/8	9,665	75 1/8	10,286	79 5/8	10,853	84 1/8	11,352	88 5/8	11,766
70 3/4	9,683	75 1/4	10,302	79 3/4	10,867	84 1/4	11,365	88 3/4	11,776
70 7/8	9,701	75 3/8	10,319	79 7/8	10,882	84 3/8	11,377	88 7/8	11,786
71	9,718	75 1/2	10,335	80	10,897	84 1/2	11,390	89	11,795
71 1/8	9,736	75 5/8	10,352	80 1/8	10,912	84 5/8	11,403	89 1/8	11,805
71 1/4	9,754	75 3/4	10,368	80 1/4	10,926	84 3/4	11,415	89 1/4	11,815
71 3/8	9,772	75 7/8	10,384	80 3/8	10,941	84 7/8	11,427	89 3/8	11,824
71 1/2	9,789	76	10,401	80 1/2	10,955	85	11,440	89 1/2	11,834
71 5/8	9,807	76 1/8	10,417	80 5/8	10,970	85 1/8	11,452	89 5/8	11,843
71 3/4	9,824	76 1/4	10,433	80 3/4	10,984	85 1/4	11,464	89 3/4	11,853
71 7/8	9,842	76 3/8	10,449	80 7/8	10,999	85 3/8	11,476	89 7/8	11,862
72	9,860	76 1/2	10,465	81	11,013	85 1/2	11,488	90	11,871



Dipstick Calibration Chart

8' x 12K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	11,880	94 5/8	12,127
90 1/4	11,889	94 3/4	12,131
90 3/8	11,898	94 7/8	12,135
90 1/2	11,906	95	12,139
90 5/8	11,915	95 1/8	12,142
90 3/4	11,924	95 1/4	12,145
90 7/8	11,932	95 3/8	12,148
91	11,940	95 1/2	12,151
91 1/8	11,949	95 5/8	12,153
91 1/4	11,957	95 3/4	12,155
91 3/8	11,965	95 7/8	12,157
91 1/2	11,972	96	12,158
91 5/8	11,980		
91 3/4	11,988		
91 7/8	11,995		
92	12,003		
92 1/8	12,010		
92 1/4	12,017		
92 3/8	12,024		
92 1/2	12,031		
92 5/8	12,038		
92 3/4	12,045		
92 7/8	12,051		
93	12,058		
93 1/8	12,064		
93 1/4	12,070		
93 3/8	12,076		
93 1/2	12,082		
93 5/8	12,088		
93 3/4	12,093		
93 7/8	12,098		
94	12,104		
94 1/8	12,109		
94 1/4	12,114		
94 3/8	12,118		
94 1/2	12,123		