



Dipstick Calibration Chart

8' x 19K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	319	9 1/8	886	13 5/8	1,611	18 1/8	2,455
1/4	4	4 3/4	333	9 1/4	905	13 3/4	1,633	18 1/4	2,480
3/8	7	4 7/8	346	9 3/8	923	13 7/8	1,655	18 3/8	2,505
1/2	11	5	359	9 1/2	941	14	1,677	18 1/2	2,530
5/8	16	5 1/8	373	9 5/8	960	14 1/8	1,700	18 5/8	2,555
3/4	21	5 1/4	387	9 3/4	979	14 1/4	1,722	18 3/4	2,580
7/8	26	5 3/8	401	9 7/8	998	14 3/8	1,744	18 7/8	2,605
1	32	5 1/2	415	10	1,016	14 1/2	1,767	19	2,631
1 1/8	38	5 5/8	429	10 1/8	1,036	14 5/8	1,789	19 1/8	2,656
1 1/4	44	5 3/4	443	10 1/4	1,055	14 3/4	1,812	19 1/4	2,681
1 3/8	51	5 7/8	458	10 3/8	1,074	14 7/8	1,835	19 3/8	2,707
1 1/2	59	6	473	10 1/2	1,093	15	1,858	19 1/2	2,732
1 5/8	66	6 1/8	488	10 5/8	1,113	15 1/8	1,881	19 5/8	2,758
1 3/4	74	6 1/4	503	10 3/4	1,132	15 1/4	1,904	19 3/4	2,784
1 7/8	82	6 3/8	518	10 7/8	1,152	15 3/8	1,927	19 7/8	2,810
2	90	6 1/2	533	11	1,172	15 1/2	1,950	20	2,835
2 1/8	99	6 5/8	549	11 1/8	1,192	15 5/8	1,973	20 1/8	2,861
2 1/4	108	6 3/4	564	11 1/4	1,212	15 3/4	1,996	20 1/4	2,887
2 3/8	117	6 7/8	580	11 3/8	1,232	15 7/8	2,020	20 3/8	2,913
2 1/2	126	7	596	11 1/2	1,252	16	2,043	20 1/2	2,939
2 5/8	136	7 1/8	612	11 5/8	1,272	16 1/8	2,067	20 5/8	2,966
2 3/4	146	7 1/4	628	11 3/4	1,293	16 1/4	2,091	20 3/4	2,992
2 7/8	156	7 3/8	644	11 7/8	1,313	16 3/8	2,114	20 7/8	3,018
3	166	7 1/2	661	12	1,334	16 1/2	2,138	21	3,045
3 1/8	177	7 5/8	677	12 1/8	1,355	16 5/8	2,162	21 1/8	3,071
3 1/4	188	7 3/4	694	12 1/4	1,376	16 3/4	2,186	21 1/4	3,097
3 3/8	199	7 7/8	711	12 3/8	1,397	16 7/8	2,210	21 3/8	3,124
3 1/2	210	8	728	12 1/2	1,418	17	2,234	21 1/2	3,151
3 5/8	221	8 1/8	745	12 5/8	1,439	17 1/8	2,259	21 5/8	3,177
3 3/4	233	8 1/4	762	12 3/4	1,460	17 1/4	2,283	21 3/4	3,204
3 7/8	245	8 3/8	780	12 7/8	1,481	17 3/8	2,307	21 7/8	3,231
4	257	8 1/2	797	13	1,503	17 1/2	2,332	22	3,258
4 1/8	269	8 5/8	815	13 1/8	1,524	17 5/8	2,356	22 1/8	3,284
4 1/4	281	8 3/4	832	13 1/4	1,546	17 3/4	2,381	22 1/4	3,311
4 3/8	294	8 7/8	850	13 3/8	1,567	17 7/8	2,405	22 3/8	3,338
4 1/2	307	9	868	13 1/2	1,589	18	2,430	22 1/2	3,366



Dipstick Calibration Chart

8' x 19K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,393	27 1/8	4,405	31 5/8	5,476	36 1/8	6,590	40 5/8	7,737
22 3/4	3,420	27 1/4	4,434	31 3/4	5,506	36 1/4	6,622	40 3/4	7,769
22 7/8	3,447	27 3/8	4,463	31 7/8	5,536	36 3/8	6,653	40 7/8	7,801
23	3,474	27 1/2	4,492	32	5,567	36 1/2	6,685	41	7,833
23 1/8	3,502	27 5/8	4,521	32 1/8	5,597	36 5/8	6,716	41 1/8	7,865
23 1/4	3,529	27 3/4	4,550	32 1/4	5,628	36 3/4	6,748	41 1/4	7,898
23 3/8	3,557	27 7/8	4,580	32 3/8	5,659	36 7/8	6,780	41 3/8	7,930
23 1/2	3,584	28	4,609	32 1/2	5,689	37	6,811	41 1/2	7,962
23 5/8	3,612	28 1/8	4,638	32 5/8	5,720	37 1/8	6,843	41 5/8	7,994
23 3/4	3,639	28 1/4	4,668	32 3/4	5,751	37 1/4	6,874	41 3/4	8,027
23 7/8	3,667	28 3/8	4,697	32 7/8	5,781	37 3/8	6,906	41 7/8	8,059
24	3,695	28 1/2	4,727	33	5,812	37 1/2	6,938	42	8,091
24 1/8	3,723	28 5/8	4,756	33 1/8	5,843	37 5/8	6,970	42 1/8	8,123
24 1/4	3,750	28 3/4	4,786	33 1/4	5,874	37 3/4	7,001	42 1/4	8,156
24 3/8	3,778	28 7/8	4,815	33 3/8	5,905	37 7/8	7,033	42 3/8	8,188
24 1/2	3,806	29	4,845	33 1/2	5,935	38	7,065	42 1/2	8,220
24 5/8	3,834	29 1/8	4,874	33 5/8	5,966	38 1/8	7,097	42 5/8	8,253
24 3/4	3,862	29 1/4	4,904	33 3/4	5,997	38 1/4	7,128	42 3/4	8,285
24 7/8	3,891	29 3/8	4,934	33 7/8	6,028	38 3/8	7,160	42 7/8	8,318
25	3,919	29 1/2	4,964	34	6,059	38 1/2	7,192	43	8,350
25 1/8	3,947	29 5/8	4,993	34 1/8	6,090	38 5/8	7,224	43 1/8	8,382
25 1/4	3,975	29 3/4	5,023	34 1/4	6,121	38 3/4	7,256	43 1/4	8,415
25 3/8	4,003	29 7/8	5,053	34 3/8	6,152	38 7/8	7,288	43 3/8	8,447
25 1/2	4,032	30	5,083	34 1/2	6,184	39	7,320	43 1/2	8,480
25 5/8	4,060	30 1/8	5,113	34 5/8	6,215	39 1/8	7,352	43 5/8	8,512
25 3/4	4,089	30 1/4	5,143	34 3/4	6,246	39 1/4	7,384	43 3/4	8,544
25 7/8	4,117	30 3/8	5,173	34 7/8	6,277	39 3/8	7,416	43 7/8	8,577
26	4,146	30 1/2	5,203	35	6,308	39 1/2	7,448	44	8,609
26 1/8	4,174	30 5/8	5,233	35 1/8	6,339	39 5/8	7,480	44 1/8	8,642
26 1/4	4,203	30 3/4	5,263	35 1/4	6,371	39 3/4	7,512	44 1/4	8,674
26 3/8	4,232	30 7/8	5,294	35 3/8	6,402	39 7/8	7,544	44 3/8	8,707
26 1/2	4,260	31	5,324	35 1/2	6,433	40	7,576	44 1/2	8,739
26 5/8	4,289	31 1/8	5,354	35 5/8	6,465	40 1/8	7,608	44 5/8	8,772
26 3/4	4,318	31 1/4	5,384	35 3/4	6,496	40 1/4	7,640	44 3/4	8,804
26 7/8	4,347	31 3/8	5,415	35 7/8	6,527	40 3/8	7,672	44 7/8	8,837
27	4,376	31 1/2	5,445	36	6,559	40 1/2	7,704	45	8,869



Dipstick Calibration Chart

8' x 19K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	8,902	49 5/8	10,075	54 1/8	11,243	58 5/8	12,396	63 1/8	13,521
45 1/4	8,934	49 3/4	10,107	54 1/4	11,275	58 3/4	12,427	63 1/4	13,551
45 3/8	8,967	49 7/8	10,140	54 3/8	11,308	58 7/8	12,459	63 3/8	13,582
45 1/2	8,999	50	10,172	54 1/2	11,340	59	12,491	63 1/2	13,613
45 5/8	9,032	50 1/8	10,205	54 5/8	11,372	59 1/8	12,522	63 5/8	13,643
45 3/4	9,065	50 1/4	10,237	54 3/4	11,404	59 1/4	12,554	63 3/4	13,674
45 7/8	9,097	50 3/8	10,270	54 7/8	11,437	59 3/8	12,586	63 7/8	13,705
46	9,130	50 1/2	10,302	55	11,469	59 1/2	12,617	64	13,735
46 1/8	9,162	50 5/8	10,335	55 1/8	11,501	59 5/8	12,649	64 1/8	13,766
46 1/4	9,195	50 3/4	10,368	55 1/4	11,533	59 3/4	12,680	64 1/4	13,796
46 3/8	9,227	50 7/8	10,400	55 3/8	11,565	59 7/8	12,712	64 3/8	13,826
46 1/2	9,260	51	10,433	55 1/2	11,598	60	12,743	64 1/2	13,857
46 5/8	9,293	51 1/8	10,465	55 5/8	11,630	60 1/8	12,774	64 5/8	13,887
46 3/4	9,325	51 1/4	10,498	55 3/4	11,662	60 1/4	12,806	64 3/4	13,918
46 7/8	9,358	51 3/8	10,530	55 7/8	11,694	60 3/8	12,837	64 7/8	13,948
47	9,390	51 1/2	10,563	56	11,726	60 1/2	12,869	65	13,978
47 1/8	9,423	51 5/8	10,595	56 1/8	11,758	60 5/8	12,900	65 1/8	14,008
47 1/4	9,455	51 3/4	10,628	56 1/4	11,790	60 3/4	12,931	65 1/4	14,039
47 3/8	9,488	51 7/8	10,660	56 3/8	11,822	60 7/8	12,962	65 3/8	14,069
47 1/2	9,521	52	10,693	56 1/2	11,854	61	12,994	65 1/2	14,099
47 5/8	9,553	52 1/8	10,725	56 5/8	11,886	61 1/8	13,025	65 5/8	14,129
47 3/4	9,586	52 1/4	10,757	56 3/4	11,918	61 1/4	13,056	65 3/4	14,159
47 7/8	9,618	52 3/8	10,790	56 7/8	11,950	61 3/8	13,087	65 7/8	14,189
48	9,651	52 1/2	10,822	57	11,982	61 1/2	13,118	66	14,219
48 1/8	9,684	52 5/8	10,855	57 1/8	12,014	61 5/8	13,150	66 1/8	14,249
48 1/4	9,716	52 3/4	10,887	57 1/4	12,046	61 3/4	13,181	66 1/4	14,279
48 3/8	9,749	52 7/8	10,920	57 3/8	12,078	61 7/8	13,212	66 3/8	14,309
48 1/2	9,781	53	10,952	57 1/2	12,110	62	13,243	66 1/2	14,338
48 5/8	9,814	53 1/8	10,984	57 5/8	12,142	62 1/8	13,274	66 5/8	14,368
48 3/4	9,847	53 1/4	11,017	57 3/4	12,173	62 1/4	13,305	66 3/4	14,398
48 7/8	9,879	53 3/8	11,049	57 7/8	12,205	62 3/8	13,336	66 7/8	14,428
49	9,912	53 1/2	11,082	58	12,237	62 1/2	13,367	67	14,457
49 1/8	9,944	53 5/8	11,114	58 1/8	12,269	62 5/8	13,397	67 1/8	14,487
49 1/4	9,977	53 3/4	11,146	58 1/4	12,301	62 3/4	13,428	67 1/4	14,516
49 3/8	10,009	53 7/8	11,179	58 3/8	12,332	62 7/8	13,459	67 3/8	14,546
49 1/2	10,042	54	11,211	58 1/2	12,364	63	13,490	67 1/2	14,575



Dipstick Calibration Chart

8' x 19K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	14,605	72 1/8	15,635	76 5/8	16,595	81 1/8	17,467	85 5/8	18,228
67 3/4	14,634	72 1/4	15,663	76 3/4	16,621	81 1/4	17,490	85 3/4	18,247
67 7/8	14,664	72 3/8	15,690	76 7/8	16,646	81 3/8	17,513	85 7/8	18,266
68	14,693	72 1/2	15,718	77	16,671	81 1/2	17,535	86	18,285
68 1/8	14,722	72 5/8	15,745	77 1/8	16,697	81 5/8	17,558	86 1/8	18,304
68 1/4	14,752	72 3/4	15,773	77 1/4	16,722	81 3/4	17,580	86 1/4	18,323
68 3/8	14,781	72 7/8	15,800	77 3/8	16,747	81 7/8	17,602	86 3/8	18,342
68 1/2	14,810	73	15,828	77 1/2	16,772	82	17,625	86 1/2	18,360
68 5/8	14,839	73 1/8	15,855	77 5/8	16,797	82 1/8	17,647	86 5/8	18,379
68 3/4	14,868	73 1/4	15,882	77 3/4	16,822	82 1/4	17,669	86 3/4	18,397
68 7/8	14,897	73 3/8	15,909	77 7/8	16,847	82 3/8	17,691	86 7/8	18,416
69	14,926	73 1/2	15,936	78	16,872	82 1/2	17,713	87	18,434
69 1/8	14,955	73 5/8	15,964	78 1/8	16,897	82 5/8	17,735	87 1/8	18,452
69 1/4	14,984	73 3/4	15,991	78 1/4	16,921	82 3/4	17,756	87 1/4	18,469
69 3/8	15,013	73 7/8	16,017	78 3/8	16,946	82 7/8	17,778	87 3/8	18,487
69 1/2	15,041	74	16,044	78 1/2	16,970	83	17,799	87 1/2	18,505
69 5/8	15,070	74 1/8	16,071	78 5/8	16,995	83 1/8	17,821	87 5/8	18,522
69 3/4	15,099	74 1/4	16,098	78 3/4	17,019	83 1/4	17,842	87 3/4	18,540
69 7/8	15,128	74 3/8	16,125	78 7/8	17,043	83 3/8	17,863	87 7/8	18,557
70	15,156	74 1/2	16,151	79	17,068	83 1/2	17,884	88	18,574
70 1/8	15,185	74 5/8	16,178	79 1/8	17,092	83 5/8	17,905	88 1/8	18,591
70 1/4	15,213	74 3/4	16,205	79 1/4	17,116	83 3/4	17,926	88 1/4	18,608
70 3/8	15,242	74 7/8	16,231	79 3/8	17,140	83 7/8	17,947	88 3/8	18,625
70 1/2	15,270	75	16,257	79 1/2	17,164	84	17,968	88 1/2	18,641
70 5/8	15,298	75 1/8	16,284	79 5/8	17,188	84 1/8	17,989	88 5/8	18,658
70 3/4	15,327	75 1/4	16,310	79 3/4	17,211	84 1/4	18,009	88 3/4	18,674
70 7/8	15,355	75 3/8	16,336	79 7/8	17,235	84 3/8	18,029	88 7/8	18,690
71	15,383	75 1/2	16,362	80	17,259	84 1/2	18,050	89	18,706
71 1/8	15,411	75 5/8	16,389	80 1/8	17,282	84 5/8	18,070	89 1/8	18,722
71 1/4	15,440	75 3/4	16,415	80 1/4	17,305	84 3/4	18,090	89 1/4	18,738
71 3/8	15,468	75 7/8	16,441	80 3/8	17,329	84 7/8	18,110	89 3/8	18,753
71 1/2	15,496	76	16,466	80 1/2	17,352	85	18,130	89 1/2	18,769
71 5/8	15,524	76 1/8	16,492	80 5/8	17,375	85 1/8	18,150	89 5/8	18,784
71 3/4	15,551	76 1/4	16,518	80 3/4	17,398	85 1/4	18,170	89 3/4	18,799
71 7/8	15,579	76 3/8	16,544	80 7/8	17,421	85 3/8	18,189	89 7/8	18,814
72	15,607	76 1/2	16,569	81	17,444	85 1/2	18,209	90	18,829



Dipstick Calibration Chart

8' x 19K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	18,844	94 5/8	19,251
90 1/4	18,859	94 3/4	19,257
90 3/8	18,873	94 7/8	19,264
90 1/2	18,887	95	19,270
90 5/8	18,901	95 1/8	19,276
90 3/4	18,915	95 1/4	19,281
90 7/8	18,929	95 3/8	19,286
91	18,943	95 1/2	19,291
91 1/8	18,956	95 5/8	19,295
91 1/4	18,969	95 3/4	19,298
91 3/8	18,982	95 7/8	19,301
91 1/2	18,995	96	19,302
91 5/8	19,008		
91 3/4	19,021		
91 7/8	19,033		
92	19,045		
92 1/8	19,057		
92 1/4	19,069		
92 3/8	19,081		
92 1/2	19,092		
92 5/8	19,103		
92 3/4	19,114		
92 7/8	19,125		
93	19,136		
93 1/8	19,146		
93 1/4	19,156		
93 3/8	19,166		
93 1/2	19,176		
93 5/8	19,185		
93 3/4	19,194		
93 7/8	19,203		
94	19,212		
94 1/8	19,220		
94 1/4	19,228		
94 3/8	19,236		
94 1/2	19,243		