



# Dipstick Calibration Chart 8' x 4K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	73	9 1/8	200	13 5/8	359	18 1/8	542
1/4	1	4 3/4	76	9 1/4	204	13 3/4	364	18 1/4	548
3/8	2	4 7/8	79	9 3/8	208	13 7/8	369	18 3/8	553
1/2	3	5	82	9 1/2	212	14	373	18 1/2	558
5/8	4	5 1/8	85	9 5/8	216	14 1/8	378	18 5/8	564
3/4	5	5 1/4	88	9 3/4	220	14 1/4	383	18 3/4	569
7/8	6	5 3/8	91	9 7/8	224	14 3/8	388	18 7/8	575
1	7	5 1/2	95	10	229	14 1/2	393	19	580
1 1/8	9	5 5/8	98	10 1/8	233	14 5/8	398	19 1/8	586
1 1/4	10	5 3/4	101	10 1/4	237	14 3/4	403	19 1/4	591
1 3/8	12	5 7/8	104	10 3/8	241	14 7/8	408	19 3/8	597
1 1/2	14	6	108	10 1/2	245	15	413	19 1/2	602
1 5/8	15	6 1/8	111	10 5/8	250	15 1/8	418	19 5/8	608
1 3/4	17	6 1/4	114	10 3/4	254	15 1/4	423	19 3/4	613
1 7/8	19	6 3/8	118	10 7/8	258	15 3/8	428	19 7/8	619
2	21	6 1/2	121	11	263	15 1/2	433	20	624
2 1/8	23	6 5/8	125	11 1/8	267	15 5/8	438	20 1/8	630
2 1/4	25	6 3/4	128	11 1/4	272	15 3/4	443	20 1/4	635
2 3/8	27	6 7/8	132	11 3/8	276	15 7/8	448	20 3/8	641
2 1/2	29	7	135	11 1/2	280	16	453	20 1/2	647
2 5/8	31	7 1/8	139	11 5/8	285	16 1/8	458	20 5/8	652
2 3/4	34	7 1/4	142	11 3/4	289	16 1/4	463	20 3/4	658
2 7/8	36	7 3/8	146	11 7/8	294	16 3/8	469	20 7/8	664
3	38	7 1/2	150	12	298	16 1/2	474	21	669
3 1/8	41	7 5/8	153	12 1/8	303	16 5/8	479	21 1/8	675
3 1/4	43	7 3/4	157	12 1/4	308	16 3/4	484	21 1/4	681
3 3/8	46	7 7/8	161	12 3/8	312	16 7/8	489	21 3/8	686
3 1/2	48	8	165	12 1/2	317	17	495	21 1/2	692
3 5/8	51	8 1/8	168	12 5/8	321	17 1/8	500	21 5/8	698
3 3/4	54	8 1/4	172	12 3/4	326	17 1/4	505	21 3/4	703
3 7/8	56	8 3/8	176	12 7/8	331	17 3/8	510	21 7/8	709
4	59	8 1/2	180	13	335	17 1/2	516	22	715
4 1/8	62	8 5/8	184	13 1/8	340	17 5/8	521	22 1/8	721
4 1/4	65	8 3/4	188	13 1/4	345	17 3/4	526	22 1/4	727
4 3/8	67	8 7/8	192	13 3/8	349	17 7/8	532	22 3/8	732
4 1/2	70	9	196	13 1/2	354	18	537	22 1/2	738



# Dipstick Calibration Chart 8' x 4K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	744	27 1/8	960	31 5/8	1,188	36 1/8	1,423	40 5/8	1,665
22 3/4	750	27 1/4	966	31 3/4	1,194	36 1/4	1,430	40 3/4	1,672
22 7/8	756	27 3/8	972	31 7/8	1,200	36 3/8	1,437	40 7/8	1,679
23	761	27 1/2	979	32	1,207	36 1/2	1,443	41	1,685
23 1/8	767	27 5/8	985	32 1/8	1,213	36 5/8	1,450	41 1/8	1,692
23 1/4	773	27 3/4	991	32 1/4	1,220	36 3/4	1,457	41 1/4	1,699
23 3/8	779	27 7/8	997	32 3/8	1,226	36 7/8	1,463	41 3/8	1,706
23 1/2	785	28	1,004	32 1/2	1,233	37	1,470	41 1/2	1,713
23 5/8	791	28 1/8	1,010	32 5/8	1,239	37 1/8	1,477	41 5/8	1,719
23 3/4	797	28 1/4	1,016	32 3/4	1,246	37 1/4	1,483	41 3/4	1,726
23 7/8	803	28 3/8	1,022	32 7/8	1,252	37 3/8	1,490	41 7/8	1,733
24	809	28 1/2	1,029	33	1,259	37 1/2	1,497	42	1,740
24 1/8	815	28 5/8	1,035	33 1/8	1,265	37 5/8	1,503	42 1/8	1,747
24 1/4	821	28 3/4	1,041	33 1/4	1,272	37 3/4	1,510	42 1/4	1,753
24 3/8	826	28 7/8	1,047	33 3/8	1,278	37 7/8	1,517	42 3/8	1,760
24 1/2	832	29	1,054	33 1/2	1,285	38	1,523	42 1/2	1,767
24 5/8	838	29 1/8	1,060	33 5/8	1,291	38 1/8	1,530	42 5/8	1,774
24 3/4	844	29 1/4	1,066	33 3/4	1,298	38 1/4	1,537	42 3/4	1,781
24 7/8	850	29 3/8	1,073	33 7/8	1,305	38 3/8	1,544	42 7/8	1,787
25	856	29 1/2	1,079	34	1,311	38 1/2	1,550	43	1,794
25 1/8	862	29 5/8	1,085	34 1/8	1,318	38 5/8	1,557	43 1/8	1,801
25 1/4	869	29 3/4	1,092	34 1/4	1,324	38 3/4	1,564	43 1/4	1,808
25 3/8	875	29 7/8	1,098	34 3/8	1,331	38 7/8	1,571	43 3/8	1,815
25 1/2	881	30	1,104	34 1/2	1,337	39	1,577	43 1/2	1,822
25 5/8	887	30 1/8	1,111	34 5/8	1,344	39 1/8	1,584	43 5/8	1,828
25 3/4	893	30 1/4	1,117	34 3/4	1,351	39 1/4	1,591	43 3/4	1,835
25 7/8	899	30 3/8	1,123	34 7/8	1,357	39 3/8	1,597	43 7/8	1,842
26	905	30 1/2	1,130	35	1,364	39 1/2	1,604	44	1,849
26 1/8	911	30 5/8	1,136	35 1/8	1,370	39 5/8	1,611	44 1/8	1,856
26 1/4	917	30 3/4	1,143	35 1/4	1,377	39 3/4	1,618	44 1/4	1,863
26 3/8	923	30 7/8	1,149	35 3/8	1,384	39 7/8	1,624	44 3/8	1,869
26 1/2	929	31	1,155	35 1/2	1,390	40	1,631	44 1/2	1,876
26 5/8	935	31 1/8	1,162	35 5/8	1,397	40 1/8	1,638	44 5/8	1,883
26 3/4	942	31 1/4	1,168	35 3/4	1,403	40 1/4	1,645	44 3/4	1,890
26 7/8	948	31 3/8	1,175	35 7/8	1,410	40 3/8	1,652	44 7/8	1,897
27	954	31 1/2	1,181	36	1,417	40 1/2	1,658	45	1,904



# Dipstick Calibration Chart

# 8' x 4K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	1,910	49 5/8	2,157	54 1/8	2,403	58 5/8	2,646	63 1/8	2,884
45 1/4	1,917	49 3/4	2,164	54 1/4	2,410	58 3/4	2,653	63 1/4	2,890
45 3/8	1,924	49 7/8	2,171	54 3/8	2,417	58 7/8	2,659	63 3/8	2,897
45 1/2	1,931	50	2,178	54 1/2	2,424	59	2,666	63 1/2	2,903
45 5/8	1,938	50 1/8	2,185	54 5/8	2,430	59 1/8	2,673	63 5/8	2,910
45 3/4	1,945	50 1/4	2,191	54 3/4	2,437	59 1/4	2,680	63 3/4	2,916
45 7/8	1,952	50 3/8	2,198	54 7/8	2,444	59 3/8	2,686	63 7/8	2,923
46	1,958	50 1/2	2,205	55	2,451	59 1/2	2,693	64	2,929
46 1/8	1,965	50 5/8	2,212	55 1/8	2,457	59 5/8	2,699	64 1/8	2,936
46 1/4	1,972	50 3/4	2,219	55 1/4	2,464	59 3/4	2,706	64 1/4	2,942
46 3/8	1,979	50 7/8	2,226	55 3/8	2,471	59 7/8	2,713	64 3/8	2,949
46 1/2	1,986	51	2,233	55 1/2	2,478	60	2,719	64 1/2	2,955
46 5/8	1,993	51 1/8	2,239	55 5/8	2,485	60 1/8	2,726	64 5/8	2,961
46 3/4	2,000	51 1/4	2,246	55 3/4	2,491	60 1/4	2,733	64 3/4	2,968
46 7/8	2,006	51 3/8	2,253	55 7/8	2,498	60 3/8	2,739	64 7/8	2,974
47	2,013	51 1/2	2,260	56	2,505	60 1/2	2,746	65	2,981
47 1/8	2,020	51 5/8	2,267	56 1/8	2,512	60 5/8	2,753	65 1/8	2,987
47 1/4	2,027	51 3/4	2,274	56 1/4	2,518	60 3/4	2,759	65 1/4	2,994
47 3/8	2,034	51 7/8	2,280	56 3/8	2,525	60 7/8	2,766	65 3/8	3,000
47 1/2	2,041	52	2,287	56 1/2	2,532	61	2,772	65 1/2	3,006
47 5/8	2,047	52 1/8	2,294	56 5/8	2,539	61 1/8	2,779	65 5/8	3,013
47 3/4	2,054	52 1/4	2,301	56 3/4	2,545	61 1/4	2,786	65 3/4	3,019
47 7/8	2,061	52 3/8	2,308	56 7/8	2,552	61 3/8	2,792	65 7/8	3,025
48	2,068	52 1/2	2,315	57	2,559	61 1/2	2,799	66	3,032
48 1/8	2,075	52 5/8	2,321	57 1/8	2,566	61 5/8	2,805	66 1/8	3,038
48 1/4	2,082	52 3/4	2,328	57 1/4	2,572	61 3/4	2,812	66 1/4	3,045
48 3/8	2,089	52 7/8	2,335	57 3/8	2,579	61 7/8	2,818	66 3/8	3,051
48 1/2	2,095	53	2,342	57 1/2	2,586	62	2,825	66 1/2	3,057
48 5/8	2,102	53 1/8	2,349	57 5/8	2,593	62 1/8	2,832	66 5/8	3,064
48 3/4	2,109	53 1/4	2,355	57 3/4	2,599	62 1/4	2,838	66 3/4	3,070
48 7/8	2,116	53 3/8	2,362	57 7/8	2,606	62 3/8	2,845	66 7/8	3,076
49	2,123	53 1/2	2,369	58	2,613	62 1/2	2,851	67	3,082
49 1/8	2,130	53 5/8	2,376	58 1/8	2,619	62 5/8	2,858	67 1/8	3,089
49 1/4	2,137	53 3/4	2,383	58 1/4	2,626	62 3/4	2,864	67 1/4	3,095
49 3/8	2,143	53 7/8	2,390	58 3/8	2,633	62 7/8	2,871	67 3/8	3,101
49 1/2	2,150	54	2,396	58 1/2	2,639	63	2,877	67 1/2	3,108



# Dipstick Calibration Chart

# 8' x 4K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	3,114	72 1/8	3,333	76 5/8	3,540	81 1/8	3,728	85 5/8	3,895
67 3/4	3,120	72 1/4	3,339	76 3/4	3,545	81 1/4	3,733	85 3/4	3,899
67 7/8	3,126	72 3/8	3,345	76 7/8	3,551	81 3/8	3,738	85 7/8	3,903
68	3,133	72 1/2	3,351	77	3,556	81 1/2	3,743	86	3,908
68 1/8	3,139	72 5/8	3,357	77 1/8	3,561	81 5/8	3,748	86 1/8	3,912
68 1/4	3,145	72 3/4	3,363	77 1/4	3,567	81 3/4	3,753	86 1/4	3,916
68 3/8	3,151	72 7/8	3,369	77 3/8	3,572	81 7/8	3,758	86 3/8	3,920
68 1/2	3,157	73	3,375	77 1/2	3,578	82	3,763	86 1/2	3,924
68 5/8	3,164	73 1/8	3,381	77 5/8	3,583	82 1/8	3,767	86 5/8	3,928
68 3/4	3,170	73 1/4	3,386	77 3/4	3,589	82 1/4	3,772	86 3/4	3,932
68 7/8	3,176	73 3/8	3,392	77 7/8	3,594	82 3/8	3,777	86 7/8	3,936
69	3,182	73 1/2	3,398	78	3,599	82 1/2	3,782	87	3,940
69 1/8	3,188	73 5/8	3,404	78 1/8	3,605	82 5/8	3,787	87 1/8	3,944
69 1/4	3,194	73 3/4	3,410	78 1/4	3,610	82 3/4	3,791	87 1/4	3,948
69 3/8	3,201	73 7/8	3,415	78 3/8	3,615	82 7/8	3,796	87 3/8	3,952
69 1/2	3,207	74	3,421	78 1/2	3,621	83	3,801	87 1/2	3,956
69 5/8	3,213	74 1/8	3,427	78 5/8	3,626	83 1/8	3,805	87 5/8	3,960
69 3/4	3,219	74 1/4	3,433	78 3/4	3,631	83 1/4	3,810	87 3/4	3,964
69 7/8	3,225	74 3/8	3,438	78 7/8	3,636	83 3/8	3,815	87 7/8	3,968
70	3,231	74 1/2	3,444	79	3,642	83 1/2	3,819	88	3,972
70 1/8	3,237	74 5/8	3,450	79 1/8	3,647	83 5/8	3,824	88 1/8	3,975
70 1/4	3,243	74 3/4	3,456	79 1/4	3,652	83 3/4	3,829	88 1/4	3,979
70 3/8	3,249	74 7/8	3,461	79 3/8	3,657	83 7/8	3,833	88 3/8	3,983
70 1/2	3,256	75	3,467	79 1/2	3,662	84	3,838	88 1/2	3,986
70 5/8	3,262	75 1/8	3,473	79 5/8	3,668	84 1/8	3,842	88 5/8	3,990
70 3/4	3,268	75 1/4	3,478	79 3/4	3,673	84 1/4	3,847	88 3/4	3,994
70 7/8	3,274	75 3/8	3,484	79 7/8	3,678	84 3/8	3,851	88 7/8	3,997
71	3,280	75 1/2	3,489	80	3,683	84 1/2	3,856	89	4,001
71 1/8	3,286	75 5/8	3,495	80 1/8	3,688	84 5/8	3,860	89 1/8	4,004
71 1/4	3,292	75 3/4	3,501	80 1/4	3,693	84 3/4	3,865	89 1/4	4,008
71 3/8	3,298	75 7/8	3,506	80 3/8	3,698	84 7/8	3,869	89 3/8	4,012
71 1/2	3,304	76	3,512	80 1/2	3,703	85	3,873	89 1/2	4,015
71 5/8	3,310	76 1/8	3,517	80 5/8	3,708	85 1/8	3,878	89 5/8	4,018
71 3/4	3,316	76 1/4	3,523	80 3/4	3,713	85 1/4	3,882	89 3/4	4,022
71 7/8	3,322	76 3/8	3,529	80 7/8	3,718	85 3/8	3,886	89 7/8	4,025
72	3,328	76 1/2	3,534	81	3,723	85 1/2	3,891	90	4,028



# Dipstick Calibration Chart

# 8' x 4K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	4,032	94 5/8	4,124
90 1/4	4,035	94 3/4	4,126
90 3/8	4,038	94 7/8	4,127
90 1/2	4,042	95	4,129
90 5/8	4,045	95 1/8	4,130
90 3/4	4,048	95 1/4	4,131
90 7/8	4,051	95 3/8	4,132
91	4,054	95 1/2	4,133
91 1/8	4,057	95 5/8	4,134
91 1/4	4,060	95 3/4	4,135
91 3/8	4,063	95 7/8	4,136
91 1/2	4,066	96	4,136
91 5/8	4,069		
91 3/4	4,072		
91 7/8	4,074		
92	4,077		
92 1/8	4,080		
92 1/4	4,083		
92 3/8	4,085		
92 1/2	4,088		
92 5/8	4,090		
92 3/4	4,093		
92 7/8	4,095		
93	4,098		
93 1/8	4,100		
93 1/4	4,102		
93 3/8	4,105		
93 1/2	4,107		
93 5/8	4,109		
93 3/4	4,111		
93 7/8	4,113		
94	4,115		
94 1/8	4,117		
94 1/4	4,119		
94 3/8	4,121		
94 1/2	4,122		