



# Dipstick Calibration Chart 8' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	90	9 1/8	245	13 5/8	441	18 1/8	665
1/4	1	4 3/4	93	9 1/4	250	13 3/4	447	18 1/4	672
3/8	2	4 7/8	97	9 3/8	255	13 7/8	452	18 3/8	679
1/2	3	5	101	9 1/2	260	14	458	18 1/2	685
5/8	5	5 1/8	105	9 5/8	265	14 1/8	464	18 5/8	692
3/4	6	5 1/4	108	9 3/4	270	14 1/4	470	18 3/4	699
7/8	7	5 3/8	112	9 7/8	275	14 3/8	476	18 7/8	705
1	9	5 1/2	116	10	280	14 1/2	482	19	712
1 1/8	11	5 5/8	120	10 1/8	286	14 5/8	488	19 1/8	719
1 1/4	13	5 3/4	124	10 1/4	291	14 3/4	494	19 1/4	725
1 3/8	15	5 7/8	128	10 3/8	296	14 7/8	500	19 3/8	732
1 1/2	17	6	132	10 1/2	301	15	507	19 1/2	739
1 5/8	19	6 1/8	136	10 5/8	307	15 1/8	513	19 5/8	746
1 3/4	21	6 1/4	140	10 3/4	312	15 1/4	519	19 3/4	753
1 7/8	23	6 3/8	144	10 7/8	317	15 3/8	525	19 7/8	759
2	26	6 1/2	149	11	323	15 1/2	531	20	766
2 1/8	28	6 5/8	153	11 1/8	328	15 5/8	537	20 1/8	773
2 1/4	31	6 3/4	157	11 1/4	333	15 3/4	544	20 1/4	780
2 3/8	33	6 7/8	162	11 3/8	339	15 7/8	550	20 3/8	787
2 1/2	36	7	166	11 1/2	344	16	556	20 1/2	794
2 5/8	39	7 1/8	170	11 5/8	350	16 1/8	562	20 5/8	801
2 3/4	41	7 1/4	175	11 3/4	355	16 1/4	569	20 3/4	807
2 7/8	44	7 3/8	179	11 7/8	361	16 3/8	575	20 7/8	814
3	47	7 1/2	184	12	366	16 1/2	581	21	821
3 1/8	50	7 5/8	188	12 1/8	372	16 5/8	588	21 1/8	828
3 1/4	53	7 3/4	193	12 1/4	377	16 3/4	594	21 1/4	835
3 3/8	56	7 7/8	197	12 3/8	383	16 7/8	600	21 3/8	842
3 1/2	59	8	202	12 1/2	389	17	607	21 1/2	849
3 5/8	63	8 1/8	207	12 5/8	394	17 1/8	613	21 5/8	856
3 3/4	66	8 1/4	211	12 3/4	400	17 1/4	620	21 3/4	863
3 7/8	69	8 3/8	216	12 7/8	406	17 3/8	626	21 7/8	870
4	72	8 1/2	221	13	412	17 1/2	633	22	877
4 1/8	76	8 5/8	226	13 1/8	417	17 5/8	639	22 1/8	885
4 1/4	79	8 3/4	231	13 1/4	423	17 3/4	646	22 1/4	892
4 3/8	83	8 7/8	235	13 3/8	429	17 7/8	652	22 3/8	899
4 1/2	86	9	240	13 1/2	435	18	659	22 1/2	906



# Dipstick Calibration Chart 8' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	913	27 1/8	1,178	31 5/8	1,457	36 1/8	1,747	40 5/8	2,044
22 3/4	920	27 1/4	1,186	31 3/4	1,465	36 1/4	1,755	40 3/4	2,052
22 7/8	927	27 3/8	1,194	31 7/8	1,473	36 3/8	1,763	40 7/8	2,060
23	935	27 1/2	1,201	32	1,481	36 1/2	1,771	41	2,068
23 1/8	942	27 5/8	1,209	32 1/8	1,489	36 5/8	1,779	41 1/8	2,077
23 1/4	949	27 3/4	1,216	32 1/4	1,497	36 3/4	1,788	41 1/4	2,085
23 3/8	956	27 7/8	1,224	32 3/8	1,505	36 7/8	1,796	41 3/8	2,093
23 1/2	963	28	1,232	32 1/2	1,513	37	1,804	41 1/2	2,102
23 5/8	971	28 1/8	1,239	32 5/8	1,521	37 1/8	1,812	41 5/8	2,110
23 3/4	978	28 1/4	1,247	32 3/4	1,529	37 1/4	1,820	41 3/4	2,118
23 7/8	985	28 3/8	1,255	32 7/8	1,537	37 3/8	1,829	41 7/8	2,127
24	992	28 1/2	1,262	33	1,545	37 1/2	1,837	42	2,135
24 1/8	1,000	28 5/8	1,270	33 1/8	1,553	37 5/8	1,845	42 1/8	2,144
24 1/4	1,007	28 3/4	1,278	33 1/4	1,561	37 3/4	1,853	42 1/4	2,152
24 3/8	1,014	28 7/8	1,285	33 3/8	1,569	37 7/8	1,862	42 3/8	2,160
24 1/2	1,022	29	1,293	33 1/2	1,577	38	1,870	42 1/2	2,169
24 5/8	1,029	29 1/8	1,301	33 5/8	1,585	38 1/8	1,878	42 5/8	2,177
24 3/4	1,036	29 1/4	1,309	33 3/4	1,593	38 1/4	1,886	42 3/4	2,185
24 7/8	1,044	29 3/8	1,316	33 7/8	1,601	38 3/8	1,894	42 7/8	2,194
25	1,051	29 1/2	1,324	34	1,609	38 1/2	1,903	43	2,202
25 1/8	1,058	29 5/8	1,332	34 1/8	1,617	38 5/8	1,911	43 1/8	2,210
25 1/4	1,066	29 3/4	1,340	34 1/4	1,625	38 3/4	1,919	43 1/4	2,219
25 3/8	1,073	29 7/8	1,347	34 3/8	1,633	38 7/8	1,927	43 3/8	2,227
25 1/2	1,081	30	1,355	34 1/2	1,641	39	1,936	43 1/2	2,236
25 5/8	1,088	30 1/8	1,363	34 5/8	1,649	39 1/8	1,944	43 5/8	2,244
25 3/4	1,096	30 1/4	1,371	34 3/4	1,657	39 1/4	1,952	43 3/4	2,252
25 7/8	1,103	30 3/8	1,379	34 7/8	1,666	39 3/8	1,961	43 7/8	2,261
26	1,111	30 1/2	1,387	35	1,674	39 1/2	1,969	44	2,269
26 1/8	1,118	30 5/8	1,394	35 1/8	1,682	39 5/8	1,977	44 1/8	2,277
26 1/4	1,126	30 3/4	1,402	35 1/4	1,690	39 3/4	1,985	44 1/4	2,286
26 3/8	1,133	30 7/8	1,410	35 3/8	1,698	39 7/8	1,994	44 3/8	2,294
26 1/2	1,141	31	1,418	35 1/2	1,706	40	2,002	44 1/2	2,303
26 5/8	1,148	31 1/8	1,426	35 5/8	1,714	40 1/8	2,010	44 5/8	2,311
26 3/4	1,156	31 1/4	1,434	35 3/4	1,722	40 1/4	2,019	44 3/4	2,319
26 7/8	1,163	31 3/8	1,442	35 7/8	1,731	40 3/8	2,027	44 7/8	2,328
27	1,171	31 1/2	1,450	36	1,739	40 1/2	2,035	45	2,336



# Dipstick Calibration Chart

# 8' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,345	49 5/8	2,647	54 1/8	2,949	58 5/8	3,248	63 1/8	3,539
45 1/4	2,353	49 3/4	2,656	54 1/4	2,958	58 3/4	3,256	63 1/4	3,547
45 3/8	2,361	49 7/8	2,664	54 3/8	2,966	58 7/8	3,264	63 3/8	3,555
45 1/2	2,370	50	2,673	54 1/2	2,974	59	3,272	63 1/2	3,563
45 5/8	2,378	50 1/8	2,681	54 5/8	2,983	59 1/8	3,280	63 5/8	3,571
45 3/4	2,387	50 1/4	2,690	54 3/4	2,991	59 1/4	3,288	63 3/4	3,579
45 7/8	2,395	50 3/8	2,698	54 7/8	2,999	59 3/8	3,297	63 7/8	3,587
46	2,403	50 1/2	2,706	55	3,008	59 1/2	3,305	64	3,595
46 1/8	2,412	50 5/8	2,715	55 1/8	3,016	59 5/8	3,313	64 1/8	3,603
46 1/4	2,420	50 3/4	2,723	55 1/4	3,024	59 3/4	3,321	64 1/4	3,611
46 3/8	2,429	50 7/8	2,732	55 3/8	3,033	59 7/8	3,329	64 3/8	3,619
46 1/2	2,437	51	2,740	55 1/2	3,041	60	3,337	64 1/2	3,627
46 5/8	2,446	51 1/8	2,748	55 5/8	3,049	60 1/8	3,346	64 5/8	3,635
46 3/4	2,454	51 1/4	2,757	55 3/4	3,058	60 1/4	3,354	64 3/4	3,642
46 7/8	2,462	51 3/8	2,765	55 7/8	3,066	60 3/8	3,362	64 7/8	3,650
47	2,471	51 1/2	2,774	56	3,074	60 1/2	3,370	65	3,658
47 1/8	2,479	51 5/8	2,782	56 1/8	3,082	60 5/8	3,378	65 1/8	3,666
47 1/4	2,488	51 3/4	2,790	56 1/4	3,091	60 3/4	3,386	65 1/4	3,674
47 3/8	2,496	51 7/8	2,799	56 3/8	3,099	60 7/8	3,394	65 3/8	3,682
47 1/2	2,504	52	2,807	56 1/2	3,107	61	3,402	65 1/2	3,690
47 5/8	2,513	52 1/8	2,815	56 5/8	3,116	61 1/8	3,411	65 5/8	3,697
47 3/4	2,521	52 1/4	2,824	56 3/4	3,124	61 1/4	3,419	65 3/4	3,705
47 7/8	2,530	52 3/8	2,832	56 7/8	3,132	61 3/8	3,427	65 7/8	3,713
48	2,538	52 1/2	2,841	57	3,140	61 1/2	3,435	66	3,721
48 1/8	2,546	52 5/8	2,849	57 1/8	3,149	61 5/8	3,443	66 1/8	3,729
48 1/4	2,555	52 3/4	2,857	57 1/4	3,157	61 3/4	3,451	66 1/4	3,736
48 3/8	2,563	52 7/8	2,866	57 3/8	3,165	61 7/8	3,459	66 3/8	3,744
48 1/2	2,572	53	2,874	57 1/2	3,173	62	3,467	66 1/2	3,752
48 5/8	2,580	53 1/8	2,882	57 5/8	3,182	62 1/8	3,475	66 5/8	3,760
48 3/4	2,589	53 1/4	2,891	57 3/4	3,190	62 1/4	3,483	66 3/4	3,768
48 7/8	2,597	53 3/8	2,899	57 7/8	3,198	62 3/8	3,491	66 7/8	3,775
49	2,605	53 1/2	2,908	58	3,206	62 1/2	3,499	67	3,783
49 1/8	2,614	53 5/8	2,916	58 1/8	3,215	62 5/8	3,507	67 1/8	3,791
49 1/4	2,622	53 3/4	2,924	58 1/4	3,223	62 3/4	3,515	67 1/4	3,798
49 3/8	2,631	53 7/8	2,933	58 3/8	3,231	62 7/8	3,523	67 3/8	3,806
49 1/2	2,639	54	2,941	58 1/2	3,239	63	3,531	67 1/2	3,814



# Dipstick Calibration Chart 8' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	3,822	72 1/8	4,091	76 5/8	4,344	81 1/8	4,576	85 5/8	4,780
67 3/4	3,829	72 1/4	4,098	76 3/4	4,351	81 1/4	4,582	85 3/4	4,785
67 7/8	3,837	72 3/8	4,106	76 7/8	4,357	81 3/8	4,588	85 7/8	4,791
68	3,845	72 1/2	4,113	77	4,364	81 1/2	4,594	86	4,796
68 1/8	3,852	72 5/8	4,120	77 1/8	4,371	81 5/8	4,600	86 1/8	4,801
68 1/4	3,860	72 3/4	4,127	77 1/4	4,378	81 3/4	4,606	86 1/4	4,806
68 3/8	3,867	72 7/8	4,134	77 3/8	4,384	81 7/8	4,612	86 3/8	4,811
68 1/2	3,875	73	4,142	77 1/2	4,391	82	4,618	86 1/2	4,816
68 5/8	3,883	73 1/8	4,149	77 5/8	4,397	82 1/8	4,624	86 5/8	4,821
68 3/4	3,890	73 1/4	4,156	77 3/4	4,404	82 1/4	4,630	86 3/4	4,826
68 7/8	3,898	73 3/8	4,163	77 7/8	4,411	82 3/8	4,636	86 7/8	4,831
69	3,905	73 1/2	4,170	78	4,417	82 1/2	4,641	87	4,836
69 1/8	3,913	73 5/8	4,177	78 1/8	4,424	82 5/8	4,647	87 1/8	4,841
69 1/4	3,921	73 3/4	4,185	78 1/4	4,430	82 3/4	4,653	87 1/4	4,846
69 3/8	3,928	73 7/8	4,192	78 3/8	4,437	82 7/8	4,659	87 3/8	4,850
69 1/2	3,936	74	4,199	78 1/2	4,443	83	4,665	87 1/2	4,855
69 5/8	3,943	74 1/8	4,206	78 5/8	4,450	83 1/8	4,670	87 5/8	4,860
69 3/4	3,951	74 1/4	4,213	78 3/4	4,456	83 1/4	4,676	87 3/4	4,865
69 7/8	3,958	74 3/8	4,220	78 7/8	4,463	83 3/8	4,682	87 7/8	4,869
70	3,966	74 1/2	4,227	79	4,469	83 1/2	4,687	88	4,874
70 1/8	3,973	74 5/8	4,234	79 1/8	4,476	83 5/8	4,693	88 1/8	4,879
70 1/4	3,981	74 3/4	4,241	79 1/4	4,482	83 3/4	4,699	88 1/4	4,883
70 3/8	3,988	74 7/8	4,248	79 3/8	4,488	83 7/8	4,704	88 3/8	4,888
70 1/2	3,995	75	4,255	79 1/2	4,495	84	4,710	88 1/2	4,892
70 5/8	4,003	75 1/8	4,262	79 5/8	4,501	84 1/8	4,715	88 5/8	4,897
70 3/4	4,010	75 1/4	4,269	79 3/4	4,507	84 1/4	4,721	88 3/4	4,901
70 7/8	4,018	75 3/8	4,276	79 7/8	4,514	84 3/8	4,727	88 7/8	4,906
71	4,025	75 1/2	4,283	80	4,520	84 1/2	4,732	89	4,910
71 1/8	4,032	75 5/8	4,289	80 1/8	4,526	84 5/8	4,737	89 1/8	4,915
71 1/4	4,040	75 3/4	4,296	80 1/4	4,533	84 3/4	4,743	89 1/4	4,919
71 3/8	4,047	75 7/8	4,303	80 3/8	4,539	84 7/8	4,748	89 3/8	4,923
71 1/2	4,055	76	4,310	80 1/2	4,545	85	4,754	89 1/2	4,927
71 5/8	4,062	76 1/8	4,317	80 5/8	4,551	85 1/8	4,759	89 5/8	4,932
71 3/4	4,069	76 1/4	4,324	80 3/4	4,557	85 1/4	4,764	89 3/4	4,936
71 7/8	4,076	76 3/8	4,330	80 7/8	4,563	85 3/8	4,770	89 7/8	4,940
72	4,084	76 1/2	4,337	81	4,570	85 1/2	4,775	90	4,944



# Dipstick Calibration Chart 8' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	4,948	94 5/8	5,061
90 1/4	4,952	94 3/4	5,063
90 3/8	4,956	94 7/8	5,065
90 1/2	4,960	95	5,067
90 5/8	4,964	95 1/8	5,069
90 3/4	4,968	95 1/4	5,070
90 7/8	4,972	95 3/8	5,072
91	4,975	95 1/2	5,073
91 1/8	4,979	95 5/8	5,074
91 1/4	4,983	95 3/4	5,075
91 3/8	4,986	95 7/8	5,076
91 1/2	4,990	96	5,076
91 5/8	4,993		
91 3/4	4,997		
91 7/8	5,000		
92	5,004		
92 1/8	5,007		
92 1/4	5,010		
92 3/8	5,014		
92 1/2	5,017		
92 5/8	5,020		
92 3/4	5,023		
92 7/8	5,026		
93	5,029		
93 1/8	5,032		
93 1/4	5,035		
93 3/8	5,038		
93 1/2	5,040		
93 5/8	5,043		
93 3/4	5,045		
93 7/8	5,048		
94	5,050		
94 1/8	5,053		
94 1/4	5,055		
94 3/8	5,057		
94 1/2	5,059		