



Dipstick Calibration Chart

10' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	174	9 1/8	494	13 5/8	913	18 1/8	1,413
1/4	2	4 3/4	181	9 1/4	504	13 3/4	926	18 1/4	1,428
3/8	4	4 7/8	188	9 3/8	514	13 7/8	939	18 3/8	1,443
1/2	6	5	196	9 1/2	525	14	952	18 1/2	1,458
5/8	8	5 1/8	203	9 5/8	536	14 1/8	965	18 5/8	1,473
3/4	11	5 1/4	211	9 3/4	546	14 1/4	978	18 3/4	1,488
7/8	14	5 3/8	219	9 7/8	557	14 3/8	992	18 7/8	1,503
1	17	5 1/2	227	10	568	14 1/2	1,005	19	1,519
1 1/8	20	5 5/8	235	10 1/8	579	14 5/8	1,018	19 1/8	1,534
1 1/4	23	5 3/4	243	10 1/4	590	14 3/4	1,032	19 1/4	1,549
1 3/8	27	5 7/8	251	10 3/8	601	14 7/8	1,045	19 3/8	1,564
1 1/2	31	6	259	10 1/2	612	15	1,058	19 1/2	1,580
1 5/8	35	6 1/8	267	10 5/8	624	15 1/8	1,072	19 5/8	1,595
1 3/4	39	6 1/4	276	10 3/4	635	15 1/4	1,086	19 3/4	1,611
1 7/8	44	6 3/8	284	10 7/8	646	15 3/8	1,099	19 7/8	1,626
2	48	6 1/2	293	11	658	15 1/2	1,113	20	1,642
2 1/8	53	6 5/8	302	11 1/8	669	15 5/8	1,127	20 1/8	1,657
2 1/4	58	6 3/4	310	11 1/4	681	15 3/4	1,140	20 1/4	1,673
2 3/8	63	6 7/8	319	11 3/8	693	15 7/8	1,154	20 3/8	1,689
2 1/2	68	7	328	11 1/2	704	16	1,168	20 1/2	1,705
2 5/8	73	7 1/8	337	11 5/8	716	16 1/8	1,182	20 5/8	1,720
2 3/4	78	7 1/4	347	11 3/4	728	16 1/4	1,196	20 3/4	1,736
2 7/8	84	7 3/8	356	11 7/8	740	16 3/8	1,210	20 7/8	1,752
3	89	7 1/2	365	12	752	16 1/2	1,225	21	1,768
3 1/8	95	7 5/8	374	12 1/8	764	16 5/8	1,239	21 1/8	1,784
3 1/4	101	7 3/4	384	12 1/4	776	16 3/4	1,253	21 1/4	1,800
3 3/8	107	7 7/8	393	12 3/8	788	16 7/8	1,267	21 3/8	1,816
3 1/2	113	8	403	12 1/2	800	17	1,282	21 1/2	1,832
3 5/8	119	8 1/8	413	12 5/8	813	17 1/8	1,296	21 5/8	1,848
3 3/4	126	8 1/4	423	12 3/4	825	17 1/4	1,311	21 3/4	1,865
3 7/8	132	8 3/8	433	12 7/8	838	17 3/8	1,325	21 7/8	1,881
4	139	8 1/2	443	13	850	17 1/2	1,340	22	1,897
4 1/8	146	8 5/8	453	13 1/8	863	17 5/8	1,354	22 1/8	1,914
4 1/4	153	8 3/4	463	13 1/4	875	17 3/4	1,369	22 1/4	1,930
4 3/8	159	8 7/8	473	13 3/8	888	17 7/8	1,384	22 3/8	1,946
4 1/2	166	9	483	13 1/2	901	18	1,398	22 1/2	1,963



Dipstick Calibration Chart

10' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,979	27 1/8	2,601	31 5/8	3,271	36 1/8	3,979	40 5/8	4,720
22 3/4	1,996	27 1/4	2,619	31 3/4	3,290	36 1/4	3,999	40 3/4	4,741
22 7/8	2,013	27 3/8	2,637	31 7/8	3,309	36 3/8	4,020	40 7/8	4,762
23	2,029	27 1/2	2,656	32	3,328	36 1/2	4,040	41	4,783
23 1/8	2,046	27 5/8	2,674	32 1/8	3,348	36 5/8	4,060	41 1/8	4,804
23 1/4	2,063	27 3/4	2,692	32 1/4	3,367	36 3/4	4,080	41 1/4	4,825
23 3/8	2,079	27 7/8	2,710	32 3/8	3,386	36 7/8	4,101	41 3/8	4,846
23 1/2	2,096	28	2,728	32 1/2	3,406	37	4,121	41 1/2	4,867
23 5/8	2,113	28 1/8	2,746	32 5/8	3,425	37 1/8	4,141	41 5/8	4,889
23 3/4	2,130	28 1/4	2,765	32 3/4	3,444	37 1/4	4,162	41 3/4	4,910
23 7/8	2,147	28 3/8	2,783	32 7/8	3,464	37 3/8	4,182	41 7/8	4,931
24	2,164	28 1/2	2,801	33	3,483	37 1/2	4,202	42	4,952
24 1/8	2,181	28 5/8	2,820	33 1/8	3,503	37 5/8	4,223	42 1/8	4,973
24 1/4	2,198	28 3/4	2,838	33 1/4	3,522	37 3/4	4,243	42 1/4	4,994
24 3/8	2,215	28 7/8	2,857	33 3/8	3,542	37 7/8	4,264	42 3/8	5,016
24 1/2	2,232	29	2,875	33 1/2	3,562	38	4,284	42 1/2	5,037
24 5/8	2,250	29 1/8	2,894	33 5/8	3,581	38 1/8	4,305	42 5/8	5,058
24 3/4	2,267	29 1/4	2,912	33 3/4	3,601	38 1/4	4,325	42 3/4	5,079
24 7/8	2,284	29 3/8	2,931	33 7/8	3,620	38 3/8	4,346	42 7/8	5,101
25	2,301	29 1/2	2,949	34	3,640	38 1/2	4,367	43	5,122
25 1/8	2,319	29 5/8	2,968	34 1/8	3,660	38 5/8	4,387	43 1/8	5,143
25 1/4	2,336	29 3/4	2,987	34 1/4	3,680	38 3/4	4,408	43 1/4	5,165
25 3/8	2,354	29 7/8	3,005	34 3/8	3,699	38 7/8	4,429	43 3/8	5,186
25 1/2	2,371	30	3,024	34 1/2	3,719	39	4,449	43 1/2	5,207
25 5/8	2,388	30 1/8	3,043	34 5/8	3,739	39 1/8	4,470	43 5/8	5,229
25 3/4	2,406	30 1/4	3,062	34 3/4	3,759	39 1/4	4,491	43 3/4	5,250
25 7/8	2,424	30 3/8	3,081	34 7/8	3,779	39 3/8	4,511	43 7/8	5,272
26	2,441	30 1/2	3,099	35	3,799	39 1/2	4,532	44	5,293
26 1/8	2,459	30 5/8	3,118	35 1/8	3,819	39 5/8	4,553	44 1/8	5,315
26 1/4	2,477	30 3/4	3,137	35 1/4	3,839	39 3/4	4,574	44 1/4	5,336
26 3/8	2,494	30 7/8	3,156	35 3/8	3,859	39 7/8	4,595	44 3/8	5,358
26 1/2	2,512	31	3,175	35 1/2	3,879	40	4,616	44 1/2	5,379
26 5/8	2,530	31 1/8	3,194	35 5/8	3,899	40 1/8	4,636	44 5/8	5,401
26 3/4	2,548	31 1/4	3,213	35 3/4	3,919	40 1/4	4,657	44 3/4	5,422
26 7/8	2,566	31 3/8	3,232	35 7/8	3,939	40 3/8	4,678	44 7/8	5,444
27	2,584	31 1/2	3,251	36	3,959	40 1/2	4,699	45	5,465



Dipstick Calibration Chart

10' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	5,487	49 5/8	6,273	54 1/8	7,073	58 5/8	7,880	63 1/8	8,689
45 1/4	5,508	49 3/4	6,295	54 1/4	7,095	58 3/4	7,903	63 1/4	8,712
45 3/8	5,530	49 7/8	6,317	54 3/8	7,117	58 7/8	7,925	63 3/8	8,734
45 1/2	5,552	50	6,339	54 1/2	7,140	59	7,947	63 1/2	8,756
45 5/8	5,573	50 1/8	6,361	54 5/8	7,162	59 1/8	7,970	63 5/8	8,779
45 3/4	5,595	50 1/4	6,383	54 3/4	7,185	59 1/4	7,992	63 3/4	8,801
45 7/8	5,617	50 3/8	6,406	54 7/8	7,207	59 3/8	8,015	63 7/8	8,824
46	5,638	50 1/2	6,428	55	7,229	59 1/2	8,037	64	8,846
46 1/8	5,660	50 5/8	6,450	55 1/8	7,252	59 5/8	8,060	64 1/8	8,869
46 1/4	5,682	50 3/4	6,472	55 1/4	7,274	59 3/4	8,082	64 1/4	8,891
46 3/8	5,704	50 7/8	6,494	55 3/8	7,296	59 7/8	8,105	64 3/8	8,913
46 1/2	5,725	51	6,516	55 1/2	7,319	60	8,127	64 1/2	8,936
46 5/8	5,747	51 1/8	6,538	55 5/8	7,341	60 1/8	8,150	64 5/8	8,958
46 3/4	5,769	51 1/4	6,561	55 3/4	7,364	60 1/4	8,172	64 3/4	8,981
46 7/8	5,791	51 3/8	6,583	55 7/8	7,386	60 3/8	8,195	64 7/8	9,003
47	5,812	51 1/2	6,605	56	7,409	60 1/2	8,217	65	9,025
47 1/8	5,834	51 5/8	6,627	56 1/8	7,431	60 5/8	8,240	65 1/8	9,048
47 1/4	5,856	51 3/4	6,649	56 1/4	7,453	60 3/4	8,262	65 1/4	9,070
47 3/8	5,878	51 7/8	6,672	56 3/8	7,476	60 7/8	8,285	65 3/8	9,092
47 1/2	5,900	52	6,694	56 1/2	7,498	61	8,307	65 1/2	9,115
47 5/8	5,922	52 1/8	6,716	56 5/8	7,521	61 1/8	8,330	65 5/8	9,137
47 3/4	5,943	52 1/4	6,738	56 3/4	7,543	61 1/4	8,352	65 3/4	9,160
47 7/8	5,965	52 3/8	6,761	56 7/8	7,566	61 3/8	8,375	65 7/8	9,182
48	5,987	52 1/2	6,783	57	7,588	61 1/2	8,397	66	9,204
48 1/8	6,009	52 5/8	6,805	57 1/8	7,610	61 5/8	8,420	66 1/8	9,227
48 1/4	6,031	52 3/4	6,827	57 1/4	7,633	61 3/4	8,442	66 1/4	9,249
48 3/8	6,053	52 7/8	6,850	57 3/8	7,655	61 7/8	8,465	66 3/8	9,271
48 1/2	6,075	53	6,872	57 1/2	7,678	62	8,487	66 1/2	9,294
48 5/8	6,097	53 1/8	6,894	57 5/8	7,700	62 1/8	8,509	66 5/8	9,316
48 3/4	6,119	53 1/4	6,916	57 3/4	7,723	62 1/4	8,532	66 3/4	9,338
48 7/8	6,141	53 3/8	6,939	57 7/8	7,745	62 3/8	8,554	66 7/8	9,360
49	6,163	53 1/2	6,961	58	7,768	62 1/2	8,577	67	9,383
49 1/8	6,185	53 5/8	6,983	58 1/8	7,790	62 5/8	8,599	67 1/8	9,405
49 1/4	6,207	53 3/4	7,006	58 1/4	7,813	62 3/4	8,622	67 1/4	9,427
49 3/8	6,229	53 7/8	7,028	58 3/8	7,835	62 7/8	8,644	67 3/8	9,450
49 1/2	6,251	54	7,050	58 1/2	7,858	63	8,667	67 1/2	9,472



Dipstick Calibration Chart

10' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	9,494	72 1/8	10,289	76 5/8	11,069	81 1/8	11,826	85 5/8	12,555
67 3/4	9,516	72 1/4	10,311	76 3/4	11,090	81 1/4	11,847	85 3/4	12,575
67 7/8	9,539	72 3/8	10,333	76 7/8	11,111	81 3/8	11,867	85 7/8	12,595
68	9,561	72 1/2	10,355	77	11,133	81 1/2	11,888	86	12,615
68 1/8	9,583	72 5/8	10,377	77 1/8	11,154	81 5/8	11,909	86 1/8	12,634
68 1/4	9,605	72 3/4	10,399	77 1/4	11,175	81 3/4	11,929	86 1/4	12,654
68 3/8	9,628	72 7/8	10,420	77 3/8	11,197	81 7/8	11,950	86 3/8	12,674
68 1/2	9,650	73	10,442	77 1/2	11,218	82	11,970	86 1/2	12,693
68 5/8	9,672	73 1/8	10,464	77 5/8	11,239	82 1/8	11,991	86 5/8	12,713
68 3/4	9,694	73 1/4	10,486	77 3/4	11,260	82 1/4	12,011	86 3/4	12,732
68 7/8	9,716	73 3/8	10,508	77 7/8	11,282	82 3/8	12,032	86 7/8	12,752
69	9,738	73 1/2	10,529	78	11,303	82 1/2	12,052	87	12,771
69 1/8	9,761	73 5/8	10,551	78 1/8	11,324	82 5/8	12,073	87 1/8	12,791
69 1/4	9,783	73 3/4	10,573	78 1/4	11,345	82 3/4	12,093	87 1/4	12,810
69 3/8	9,805	73 7/8	10,595	78 3/8	11,366	82 7/8	12,113	87 3/8	12,830
69 1/2	9,827	74	10,616	78 1/2	11,387	83	12,134	87 1/2	12,849
69 5/8	9,849	74 1/8	10,638	78 5/8	11,408	83 1/8	12,154	87 5/8	12,868
69 3/4	9,871	74 1/4	10,660	78 3/4	11,429	83 1/4	12,174	87 3/4	12,888
69 7/8	9,893	74 3/8	10,681	78 7/8	11,451	83 3/8	12,195	87 7/8	12,907
70	9,915	74 1/2	10,703	79	11,472	83 1/2	12,215	88	12,926
70 1/8	9,937	74 5/8	10,725	79 1/8	11,493	83 5/8	12,235	88 1/8	12,946
70 1/4	9,960	74 3/4	10,746	79 1/4	11,514	83 3/4	12,255	88 1/4	12,965
70 3/8	9,982	74 7/8	10,768	79 3/8	11,535	83 7/8	12,275	88 3/8	12,984
70 1/2	10,004	75	10,789	79 1/2	11,555	84	12,296	88 1/2	13,003
70 5/8	10,026	75 1/8	10,811	79 5/8	11,576	84 1/8	12,316	88 5/8	13,022
70 3/4	10,048	75 1/4	10,833	79 3/4	11,597	84 1/4	12,336	88 3/4	13,041
70 7/8	10,070	75 3/8	10,854	79 7/8	11,618	84 3/8	12,356	88 7/8	13,060
71	10,092	75 1/2	10,876	80	11,639	84 1/2	12,376	89	13,080
71 1/8	10,114	75 5/8	10,897	80 1/8	11,660	84 5/8	12,396	89 1/8	13,099
71 1/4	10,136	75 3/4	10,919	80 1/4	11,681	84 3/4	12,416	89 1/4	13,117
71 3/8	10,158	75 7/8	10,940	80 3/8	11,702	84 7/8	12,436	89 3/8	13,136
71 1/2	10,180	76	10,962	80 1/2	11,722	85	12,456	89 1/2	13,155
71 5/8	10,202	76 1/8	10,983	80 5/8	11,743	85 1/8	12,476	89 5/8	13,174
71 3/4	10,224	76 1/4	11,004	80 3/4	11,764	85 1/4	12,496	89 3/4	13,193
71 7/8	10,245	76 3/8	11,026	80 7/8	11,785	85 3/8	12,516	89 7/8	13,212
72	10,267	76 1/2	11,047	81	11,805	85 1/2	12,535	90	13,231



Dipstick Calibration Chart

10' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	13,249	94 5/8	13,901	99 1/8	14,503	103 5/8	15,044	108 1/8	15,515
90 1/4	13,268	94 3/4	13,919	99 1/4	14,519	103 3/4	15,058	108 1/4	15,527
90 3/8	13,287	94 7/8	13,936	99 3/8	14,534	103 7/8	15,072	108 3/8	15,539
90 1/2	13,305	95	13,953	99 1/2	14,550	104	15,086	108 1/2	15,550
90 5/8	13,324	95 1/8	13,971	99 5/8	14,566	104 1/8	15,100	108 5/8	15,562
90 3/4	13,343	95 1/4	13,988	99 3/4	14,582	104 1/4	15,114	108 3/4	15,574
90 7/8	13,361	95 3/8	14,005	99 7/8	14,597	104 3/8	15,128	108 7/8	15,585
91	13,380	95 1/2	14,022	100	14,613	104 1/2	15,142	109	15,597
91 1/8	13,398	95 5/8	14,039	100 1/8	14,629	104 5/8	15,155	109 1/8	15,608
91 1/4	13,417	95 3/4	14,057	100 1/4	14,644	104 3/4	15,169	109 1/4	15,620
91 3/8	13,435	95 7/8	14,074	100 3/8	14,660	104 7/8	15,183	109 3/8	15,631
91 1/2	13,453	96	14,091	100 1/2	14,675	105	15,196	109 1/2	15,642
91 5/8	13,472	96 1/8	14,108	100 5/8	14,690	105 1/8	15,210	109 5/8	15,653
91 3/4	13,490	96 1/4	14,125	100 3/4	14,706	105 1/4	15,223	109 3/4	15,665
91 7/8	13,508	96 3/8	14,142	100 7/8	14,721	105 3/8	15,236	109 7/8	15,676
92	13,527	96 1/2	14,158	101	14,736	105 1/2	15,250	110	15,687
92 1/8	13,545	96 5/8	14,175	101 1/8	14,751	105 5/8	15,263	110 1/8	15,697
92 1/4	13,563	96 3/4	14,192	101 1/4	14,766	105 3/4	15,276	110 1/4	15,708
92 3/8	13,581	96 7/8	14,209	101 3/8	14,782	105 7/8	15,289	110 3/8	15,719
92 1/2	13,599	97	14,225	101 1/2	14,797	106	15,302	110 1/2	15,730
92 5/8	13,617	97 1/8	14,242	101 5/8	14,812	106 1/8	15,315	110 5/8	15,740
92 3/4	13,635	97 1/4	14,259	101 3/4	14,827	106 1/4	15,328	110 3/4	15,751
92 7/8	13,653	97 3/8	14,275	101 7/8	14,841	106 3/8	15,341	110 7/8	15,761
93	13,671	97 1/2	14,292	102	14,856	106 1/2	15,354	111	15,772
93 1/8	13,689	97 5/8	14,308	102 1/8	14,871	106 5/8	15,367	111 1/8	15,782
93 1/4	13,707	97 3/4	14,325	102 1/4	14,886	106 3/4	15,379	111 1/4	15,792
93 3/8	13,725	97 7/8	14,341	102 3/8	14,900	106 7/8	15,392	111 3/8	15,802
93 1/2	13,743	98	14,357	102 1/2	14,915	107	15,405	111 1/2	15,812
93 5/8	13,760	98 1/8	14,374	102 5/8	14,930	107 1/8	15,417	111 5/8	15,822
93 3/4	13,778	98 1/4	14,390	102 3/4	14,944	107 1/4	15,430	111 3/4	15,832
93 7/8	13,796	98 3/8	14,406	102 7/8	14,959	107 3/8	15,442	111 7/8	15,842
94	13,813	98 1/2	14,422	103	14,973	107 1/2	15,454	112	15,852
94 1/8	13,831	98 5/8	14,439	103 1/8	14,987	107 5/8	15,467	112 1/8	15,861
94 1/4	13,849	98 3/4	14,455	103 1/4	15,002	107 3/4	15,479	112 1/4	15,871
94 3/8	13,866	98 7/8	14,471	103 3/8	15,016	107 7/8	15,491	112 3/8	15,880
94 1/2	13,884	99	14,487	103 1/2	15,030	108	15,503	112 1/2	15,890



Dipstick Calibration Chart

10' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	15,899	117 1/8	16,171
112 3/4	15,908	117 1/4	16,176
112 7/8	15,917	117 3/8	16,182
113	15,926	117 1/2	16,187
113 1/8	15,935	117 5/8	16,192
113 1/4	15,944	117 3/4	16,197
113 3/8	15,953	117 7/8	16,202
113 1/2	15,962	118	16,207
113 5/8	15,970	118 1/8	16,211
113 3/4	15,979	118 1/4	16,215
113 7/8	15,987	118 3/8	16,220
114	15,996	118 1/2	16,224
114 1/8	16,004	118 5/8	16,228
114 1/4	16,012	118 3/4	16,231
114 3/8	16,020	118 7/8	16,235
114 1/2	16,028	119	16,238
114 5/8	16,036	119 1/8	16,241
114 3/4	16,044	119 1/4	16,244
114 7/8	16,051	119 3/8	16,247
115	16,059	119 1/2	16,249
115 1/8	16,066	119 5/8	16,251
115 1/4	16,074	119 3/4	16,253
115 3/8	16,081	119 7/8	16,254
115 1/2	16,088	120	16,255
115 5/8	16,095		
115 3/4	16,102		
115 7/8	16,109		
116	16,116		
116 1/8	16,122		
116 1/4	16,129		
116 3/8	16,135		
116 1/2	16,141		
116 5/8	16,148		
116 3/4	16,154		
116 7/8	16,160		
117	16,165		