



Dipstick Calibration Chart

10' x 25K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	286	9 1/8	800	13 5/8	1,466	18 1/8	2,251
1/4	3	4 3/4	297	9 1/4	817	13 3/4	1,486	18 1/4	2,274
3/8	6	4 7/8	309	9 3/8	833	13 7/8	1,507	18 3/8	2,297
1/2	10	5	321	9 1/2	850	14	1,527	18 1/2	2,321
5/8	14	5 1/8	334	9 5/8	867	14 1/8	1,548	18 5/8	2,344
3/4	18	5 1/4	346	9 3/4	884	14 1/4	1,568	18 3/4	2,368
7/8	23	5 3/8	359	9 7/8	902	14 3/8	1,589	18 7/8	2,391
1	28	5 1/2	371	10	919	14 1/2	1,610	19	2,415
1 1/8	34	5 5/8	384	10 1/8	936	14 5/8	1,631	19 1/8	2,439
1 1/4	39	5 3/4	397	10 1/4	954	14 3/4	1,652	19 1/4	2,463
1 3/8	45	5 7/8	410	10 3/8	972	14 7/8	1,673	19 3/8	2,487
1 1/2	52	6	424	10 1/2	989	15	1,694	19 1/2	2,511
1 5/8	58	6 1/8	437	10 5/8	1,007	15 1/8	1,716	19 5/8	2,535
1 3/4	65	6 1/4	451	10 3/4	1,025	15 1/4	1,737	19 3/4	2,559
1 7/8	73	6 3/8	465	10 7/8	1,043	15 3/8	1,758	19 7/8	2,583
2	80	6 1/2	478	11	1,061	15 1/2	1,780	20	2,607
2 1/8	88	6 5/8	492	11 1/8	1,080	15 5/8	1,801	20 1/8	2,632
2 1/4	96	6 3/4	507	11 1/4	1,098	15 3/4	1,823	20 1/4	2,656
2 3/8	104	6 7/8	521	11 3/8	1,117	15 7/8	1,845	20 3/8	2,680
2 1/2	112	7	535	11 1/2	1,135	16	1,867	20 1/2	2,705
2 5/8	121	7 1/8	550	11 5/8	1,154	16 1/8	1,889	20 5/8	2,730
2 3/4	130	7 1/4	565	11 3/4	1,173	16 1/4	1,911	20 3/4	2,754
2 7/8	139	7 3/8	579	11 7/8	1,191	16 3/8	1,933	20 7/8	2,779
3	148	7 1/2	594	12	1,210	16 1/2	1,955	21	2,804
3 1/8	158	7 5/8	609	12 1/8	1,230	16 5/8	1,977	21 1/8	2,829
3 1/4	167	7 3/4	625	12 1/4	1,249	16 3/4	2,000	21 1/4	2,854
3 3/8	177	7 7/8	640	12 3/8	1,268	16 7/8	2,022	21 3/8	2,879
3 1/2	187	8	655	12 1/2	1,287	17	2,045	21 1/2	2,904
3 5/8	197	8 1/8	671	12 5/8	1,307	17 1/8	2,067	21 5/8	2,929
3 3/4	208	8 1/4	687	12 3/4	1,326	17 1/4	2,090	21 3/4	2,954
3 7/8	218	8 3/8	703	12 7/8	1,346	17 3/8	2,113	21 7/8	2,979
4	229	8 1/2	719	13	1,366	17 1/2	2,135	22	3,005
4 1/8	240	8 5/8	735	13 1/8	1,386	17 5/8	2,158	22 1/8	3,030
4 1/4	251	8 3/4	751	13 1/4	1,406	17 3/4	2,181	22 1/4	3,056
4 3/8	262	8 7/8	767	13 3/8	1,426	17 7/8	2,204	22 3/8	3,081
4 1/2	274	9	783	13 1/2	1,446	18	2,227	22 1/2	3,107



Dipstick Calibration Chart

10' x 25K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,132	27 1/8	4,095	31 5/8	5,126	36 1/8	6,214	40 5/8	7,347
22 3/4	3,158	27 1/4	4,123	31 3/4	5,156	36 1/4	6,244	40 3/4	7,379
22 7/8	3,184	27 3/8	4,151	31 7/8	5,185	36 3/8	6,275	40 7/8	7,411
23	3,210	27 1/2	4,179	32	5,215	36 1/2	6,306	41	7,443
23 1/8	3,236	27 5/8	4,207	32 1/8	5,245	36 5/8	6,337	41 1/8	7,475
23 1/4	3,262	27 3/4	4,235	32 1/4	5,274	36 3/4	6,368	41 1/4	7,507
23 3/8	3,288	27 7/8	4,263	32 3/8	5,304	36 7/8	6,399	41 3/8	7,540
23 1/2	3,314	28	4,291	32 1/2	5,334	37	6,431	41 1/2	7,572
23 5/8	3,340	28 1/8	4,319	32 5/8	5,363	37 1/8	6,462	41 5/8	7,604
23 3/4	3,366	28 1/4	4,347	32 3/4	5,393	37 1/4	6,493	41 3/4	7,636
23 7/8	3,392	28 3/8	4,376	32 7/8	5,423	37 3/8	6,524	41 7/8	7,669
24	3,419	28 1/2	4,404	33	5,453	37 1/2	6,555	42	7,701
24 1/8	3,445	28 5/8	4,432	33 1/8	5,483	37 5/8	6,587	42 1/8	7,733
24 1/4	3,472	28 3/4	4,461	33 1/4	5,513	37 3/4	6,618	42 1/4	7,766
24 3/8	3,498	28 7/8	4,489	33 3/8	5,543	37 7/8	6,649	42 3/8	7,798
24 1/2	3,525	29	4,517	33 1/2	5,573	38	6,681	42 1/2	7,830
24 5/8	3,551	29 1/8	4,546	33 5/8	5,603	38 1/8	6,712	42 5/8	7,863
24 3/4	3,578	29 1/4	4,575	33 3/4	5,633	38 1/4	6,744	42 3/4	7,895
24 7/8	3,605	29 3/8	4,603	33 7/8	5,664	38 3/8	6,775	42 7/8	7,928
25	3,631	29 1/2	4,632	34	5,694	38 1/2	6,807	43	7,960
25 1/8	3,658	29 5/8	4,661	34 1/8	5,724	38 5/8	6,838	43 1/8	7,993
25 1/4	3,685	29 3/4	4,689	34 1/4	5,754	38 3/4	6,870	43 1/4	8,025
25 3/8	3,712	29 7/8	4,718	34 3/8	5,785	38 7/8	6,901	43 3/8	8,058
25 1/2	3,739	30	4,747	34 1/2	5,815	39	6,933	43 1/2	8,091
25 5/8	3,766	30 1/8	4,776	34 5/8	5,846	39 1/8	6,965	43 5/8	8,123
25 3/4	3,793	30 1/4	4,805	34 3/4	5,876	39 1/4	6,996	43 3/4	8,156
25 7/8	3,821	30 3/8	4,834	34 7/8	5,906	39 3/8	7,028	43 7/8	8,189
26	3,848	30 1/2	4,863	35	5,937	39 1/2	7,060	44	8,221
26 1/8	3,875	30 5/8	4,892	35 1/8	5,968	39 5/8	7,092	44 1/8	8,254
26 1/4	3,903	30 3/4	4,921	35 1/4	5,998	39 3/4	7,123	44 1/4	8,287
26 3/8	3,930	30 7/8	4,950	35 3/8	6,029	39 7/8	7,155	44 3/8	8,320
26 1/2	3,957	31	4,980	35 1/2	6,060	40	7,187	44 1/2	8,352
26 5/8	3,985	31 1/8	5,009	35 5/8	6,090	40 1/8	7,219	44 5/8	8,385
26 3/4	4,012	31 1/4	5,038	35 3/4	6,121	40 1/4	7,251	44 3/4	8,418
26 7/8	4,040	31 3/8	5,067	35 7/8	6,152	40 3/8	7,283	44 7/8	8,451
27	4,068	31 1/2	5,097	36	6,183	40 1/2	7,315	45	8,484



Dipstick Calibration Chart

10' x 25K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	8,517	49 5/8	9,714	54 1/8	10,931	58 5/8	12,158	63 1/8	13,388
45 1/4	8,550	49 3/4	9,748	54 1/4	10,965	58 3/4	12,192	63 1/4	13,422
45 3/8	8,583	49 7/8	9,781	54 3/8	10,999	58 7/8	12,226	63 3/8	13,456
45 1/2	8,616	50	9,815	54 1/2	11,033	59	12,260	63 1/2	13,490
45 5/8	8,649	50 1/8	9,849	54 5/8	11,067	59 1/8	12,295	63 5/8	13,524
45 3/4	8,682	50 1/4	9,882	54 3/4	11,101	59 1/4	12,329	63 3/4	13,558
45 7/8	8,715	50 3/8	9,916	54 7/8	11,135	59 3/8	12,363	63 7/8	13,592
46	8,748	50 1/2	9,949	55	11,169	59 1/2	12,397	64	13,626
46 1/8	8,781	50 5/8	9,983	55 1/8	11,203	59 5/8	12,431	64 1/8	13,660
46 1/4	8,814	50 3/4	10,017	55 1/4	11,237	59 3/4	12,465	64 1/4	13,694
46 3/8	8,847	50 7/8	10,051	55 3/8	11,271	59 7/8	12,500	64 3/8	13,729
46 1/2	8,880	51	10,084	55 1/2	11,305	60	12,534	64 1/2	13,763
46 5/8	8,913	51 1/8	10,118	55 5/8	11,339	60 1/8	12,568	64 5/8	13,797
46 3/4	8,946	51 1/4	10,152	55 3/4	11,373	60 1/4	12,602	64 3/4	13,831
46 7/8	8,980	51 3/8	10,185	55 7/8	11,407	60 3/8	12,636	64 7/8	13,865
47	9,013	51 1/2	10,219	56	11,441	60 1/2	12,670	65	13,899
47 1/8	9,046	51 5/8	10,253	56 1/8	11,475	60 5/8	12,705	65 1/8	13,933
47 1/4	9,079	51 3/4	10,287	56 1/4	11,509	60 3/4	12,739	65 1/4	13,967
47 3/8	9,113	51 7/8	10,321	56 3/8	11,543	60 7/8	12,773	65 3/8	14,001
47 1/2	9,146	52	10,354	56 1/2	11,578	61	12,807	65 1/2	14,035
47 5/8	9,179	52 1/8	10,388	56 5/8	11,612	61 1/8	12,841	65 5/8	14,069
47 3/4	9,212	52 1/4	10,422	56 3/4	11,646	61 1/4	12,875	65 3/4	14,103
47 7/8	9,246	52 3/8	10,456	56 7/8	11,680	61 3/8	12,910	65 7/8	14,137
48	9,279	52 1/2	10,490	57	11,714	61 1/2	12,944	66	14,171
48 1/8	9,312	52 5/8	10,524	57 1/8	11,748	61 5/8	12,978	66 1/8	14,205
48 1/4	9,346	52 3/4	10,557	57 1/4	11,782	61 3/4	13,012	66 1/4	14,239
48 3/8	9,379	52 7/8	10,591	57 3/8	11,816	61 7/8	13,046	66 3/8	14,273
48 1/2	9,413	53	10,625	57 1/2	11,851	62	13,080	66 1/2	14,307
48 5/8	9,446	53 1/8	10,659	57 5/8	11,885	62 1/8	13,115	66 5/8	14,341
48 3/4	9,480	53 1/4	10,693	57 3/4	11,919	62 1/4	13,149	66 3/4	14,374
48 7/8	9,513	53 3/8	10,727	57 7/8	11,953	62 3/8	13,183	66 7/8	14,408
49	9,547	53 1/2	10,761	58	11,987	62 1/2	13,217	67	14,442
49 1/8	9,580	53 5/8	10,795	58 1/8	12,021	62 5/8	13,251	67 1/8	14,476
49 1/4	9,614	53 3/4	10,829	58 1/4	12,055	62 3/4	13,285	67 1/4	14,510
49 3/8	9,647	53 7/8	10,863	58 3/8	12,090	62 7/8	13,319	67 3/8	14,544
49 1/2	9,681	54	10,897	58 1/2	12,124	63	13,353	67 1/2	14,578



Dipstick Calibration Chart

10' x 25K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	14,612	72 1/8	15,822	76 5/8	17,009	81 1/8	18,166	85 5/8	19,283
67 3/4	14,645	72 1/4	15,855	76 3/4	17,042	81 1/4	18,198	85 3/4	19,313
67 7/8	14,679	72 3/8	15,888	76 7/8	17,075	81 3/8	18,229	85 7/8	19,343
68	14,713	72 1/2	15,922	77	17,107	81 1/2	18,261	86	19,374
68 1/8	14,747	72 5/8	15,955	77 1/8	17,140	81 5/8	18,292	86 1/8	19,404
68 1/4	14,781	72 3/4	15,988	77 1/4	17,172	81 3/4	18,324	86 1/4	19,434
68 3/8	14,814	72 7/8	16,021	77 3/8	17,205	81 7/8	18,355	86 3/8	19,464
68 1/2	14,848	73	16,055	77 1/2	17,237	82	18,387	86 1/2	19,494
68 5/8	14,882	73 1/8	16,088	77 5/8	17,270	82 1/8	18,418	86 5/8	19,524
68 3/4	14,916	73 1/4	16,121	77 3/4	17,302	82 1/4	18,449	86 3/4	19,554
68 7/8	14,949	73 3/8	16,154	77 7/8	17,334	82 3/8	18,481	86 7/8	19,584
69	14,983	73 1/2	16,187	78	17,367	82 1/2	18,512	87	19,614
69 1/8	15,017	73 5/8	16,221	78 1/8	17,399	82 5/8	18,543	87 1/8	19,644
69 1/4	15,051	73 3/4	16,254	78 1/4	17,431	82 3/4	18,575	87 1/4	19,674
69 3/8	15,084	73 7/8	16,287	78 3/8	17,463	82 7/8	18,606	87 3/8	19,704
69 1/2	15,118	74	16,320	78 1/2	17,496	83	18,637	87 1/2	19,734
69 5/8	15,152	74 1/8	16,353	78 5/8	17,528	83 1/8	18,668	87 5/8	19,764
69 3/4	15,185	74 1/4	16,386	78 3/4	17,560	83 1/4	18,699	87 3/4	19,793
69 7/8	15,219	74 3/8	16,419	78 7/8	17,592	83 3/8	18,730	87 7/8	19,823
70	15,253	74 1/2	16,452	79	17,624	83 1/2	18,761	88	19,853
70 1/8	15,286	74 5/8	16,485	79 1/8	17,657	83 5/8	18,792	88 1/8	19,882
70 1/4	15,320	74 3/4	16,518	79 1/4	17,689	83 3/4	18,823	88 1/4	19,912
70 3/8	15,353	74 7/8	16,551	79 3/8	17,721	83 7/8	18,854	88 3/8	19,941
70 1/2	15,387	75	16,584	79 1/2	17,753	84	18,885	88 1/2	19,971
70 5/8	15,420	75 1/8	16,617	79 5/8	17,785	84 1/8	18,916	88 5/8	20,000
70 3/4	15,454	75 1/4	16,649	79 3/4	17,817	84 1/4	18,946	88 3/4	20,029
70 7/8	15,487	75 3/8	16,682	79 7/8	17,849	84 3/8	18,977	88 7/8	20,059
71	15,521	75 1/2	16,715	80	17,880	84 1/2	19,008	89	20,088
71 1/8	15,554	75 5/8	16,748	80 1/8	17,912	84 5/8	19,039	89 1/8	20,117
71 1/4	15,588	75 3/4	16,781	80 1/4	17,944	84 3/4	19,069	89 1/4	20,146
71 3/8	15,621	75 7/8	16,813	80 3/8	17,976	84 7/8	19,100	89 3/8	20,175
71 1/2	15,655	76	16,846	80 1/2	18,008	85	19,130	89 1/2	20,205
71 5/8	15,688	76 1/8	16,879	80 5/8	18,039	85 1/8	19,161	89 5/8	20,234
71 3/4	15,722	76 1/4	16,912	80 3/4	18,071	85 1/4	19,191	89 3/4	20,263
71 7/8	15,755	76 3/8	16,944	80 7/8	18,103	85 3/8	19,222	89 7/8	20,292
72	15,788	76 1/2	16,977	81	18,135	85 1/2	19,252	90	20,320



Dipstick Calibration Chart

10' x 25K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	20,349	94 5/8	21,355	99 1/8	22,288	103 5/8	23,135	108 1/8	23,876
90 1/4	20,378	94 3/4	21,382	99 1/4	22,313	103 3/4	23,157	108 1/4	23,895
90 3/8	20,407	94 7/8	21,409	99 3/8	22,338	103 7/8	23,179	108 3/8	23,914
90 1/2	20,436	95	21,436	99 1/2	22,362	104	23,201	108 1/2	23,932
90 5/8	20,464	95 1/8	21,463	99 5/8	22,387	104 1/8	23,223	108 5/8	23,951
90 3/4	20,493	95 1/4	21,490	99 3/4	22,412	104 1/4	23,244	108 3/4	23,969
90 7/8	20,522	95 3/8	21,516	99 7/8	22,436	104 3/8	23,266	108 7/8	23,988
91	20,550	95 1/2	21,543	100	22,460	104 1/2	23,288	109	24,006
91 1/8	20,579	95 5/8	21,569	100 1/8	22,485	104 5/8	23,309	109 1/8	24,024
91 1/4	20,607	95 3/4	21,596	100 1/4	22,509	104 3/4	23,331	109 1/4	24,042
91 3/8	20,635	95 7/8	21,622	100 3/8	22,533	104 7/8	23,352	109 3/8	24,060
91 1/2	20,664	96	21,649	100 1/2	22,557	105	23,373	109 1/2	24,078
91 5/8	20,692	96 1/8	21,675	100 5/8	22,581	105 1/8	23,394	109 5/8	24,096
91 3/4	20,720	96 1/4	21,701	100 3/4	22,605	105 1/4	23,416	109 3/4	24,114
91 7/8	20,748	96 3/8	21,728	100 7/8	22,629	105 3/8	23,437	109 7/8	24,131
92	20,777	96 1/2	21,754	101	22,652	105 1/2	23,457	110	24,149
92 1/8	20,805	96 5/8	21,780	101 1/8	22,676	105 5/8	23,478	110 1/8	24,166
92 1/4	20,833	96 3/4	21,806	101 1/4	22,700	105 3/4	23,499	110 1/4	24,183
92 3/8	20,861	96 7/8	21,832	101 3/8	22,723	105 7/8	23,520	110 3/8	24,200
92 1/2	20,889	97	21,858	101 1/2	22,747	106	23,540	110 1/2	24,217
92 5/8	20,916	97 1/8	21,884	101 5/8	22,770	106 1/8	23,561	110 5/8	24,234
92 3/4	20,944	97 1/4	21,909	101 3/4	22,794	106 1/4	23,581	110 3/4	24,251
92 7/8	20,972	97 3/8	21,935	101 7/8	22,817	106 3/8	23,601	110 7/8	24,267
93	21,000	97 1/2	21,961	102	22,840	106 1/2	23,622	111	24,284
93 1/8	21,027	97 5/8	21,986	102 1/8	22,863	106 5/8	23,642	111 1/8	24,300
93 1/4	21,055	97 3/4	22,012	102 1/4	22,886	106 3/4	23,662	111 1/4	24,317
93 3/8	21,083	97 7/8	22,037	102 3/8	22,909	106 7/8	23,682	111 3/8	24,333
93 1/2	21,110	98	22,063	102 1/2	22,932	107	23,702	111 1/2	24,349
93 5/8	21,138	98 1/8	22,088	102 5/8	22,955	107 1/8	23,721	111 5/8	24,365
93 3/4	21,165	98 1/4	22,113	102 3/4	22,978	107 1/4	23,741	111 3/4	24,381
93 7/8	21,192	98 3/8	22,139	102 7/8	23,000	107 3/8	23,761	111 7/8	24,396
94	21,220	98 1/2	22,164	103	23,023	107 1/2	23,780	112	24,412
94 1/8	21,247	98 5/8	22,189	103 1/8	23,045	107 5/8	23,799	112 1/8	24,427
94 1/4	21,274	98 3/4	22,214	103 1/4	23,068	107 3/4	23,819	112 1/4	24,443
94 3/8	21,301	98 7/8	22,239	103 3/8	23,090	107 7/8	23,838	112 3/8	24,458
94 1/2	21,328	99	22,264	103 1/2	23,112	108	23,857	112 1/2	24,473



Dipstick Calibration Chart

10' x 25K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	24,488	117 1/8	24,929
112 3/4	24,503	117 1/4	24,938
112 7/8	24,518	117 3/8	24,947
113	24,532	117 1/2	24,955
113 1/8	24,547	117 5/8	24,964
113 1/4	24,561	117 3/4	24,972
113 3/8	24,575	117 7/8	24,980
113 1/2	24,589	118	24,987
113 5/8	24,603	118 1/8	24,995
113 3/4	24,617	118 1/4	25,002
113 7/8	24,630	118 3/8	25,009
114	24,644	118 1/2	25,016
114 1/8	24,657	118 5/8	25,022
114 1/4	24,670	118 3/4	25,028
114 3/8	24,683	118 7/8	25,034
114 1/2	24,696	119	25,039
114 5/8	24,709	119 1/8	25,045
114 3/4	24,721	119 1/4	25,049
114 7/8	24,734	119 3/8	25,054
115	24,746	119 1/2	25,058
115 1/8	24,758	119 5/8	25,061
115 1/4	24,770	119 3/4	25,064
115 3/8	24,782	119 7/8	25,066
115 1/2	24,794	120	25,067
115 5/8	24,805		
115 3/4	24,816		
115 7/8	24,827		
116	24,838		
116 1/8	24,849		
116 1/4	24,860		
116 3/8	24,870		
116 1/2	24,880		
116 5/8	24,890		
116 3/4	24,900		
116 7/8	24,910		
117	24,919		