



# Dipstick Calibration Chart

# 8' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	173	9 1/8	487	13 5/8	893	18 1/8	1,370
1/4	2	4 3/4	180	9 1/4	497	13 3/4	905	18 1/4	1,385
3/8	4	4 7/8	188	9 3/8	507	13 7/8	918	18 3/8	1,399
1/2	6	5	195	9 1/2	518	14	930	18 1/2	1,413
5/8	8	5 1/8	202	9 5/8	528	14 1/8	943	18 5/8	1,427
3/4	11	5 1/4	210	9 3/4	538	14 1/4	955	18 3/4	1,442
7/8	14	5 3/8	218	9 7/8	549	14 3/8	968	18 7/8	1,456
1	17	5 1/2	225	10	559	14 1/2	981	19	1,470
1 1/8	20	5 5/8	233	10 1/8	570	14 5/8	994	19 1/8	1,485
1 1/4	24	5 3/4	241	10 1/4	581	14 3/4	1,006	19 1/4	1,499
1 3/8	27	5 7/8	249	10 3/8	592	14 7/8	1,019	19 3/8	1,514
1 1/2	31	6	257	10 1/2	602	15	1,032	19 1/2	1,528
1 5/8	35	6 1/8	266	10 5/8	613	15 1/8	1,045	19 5/8	1,543
1 3/4	39	6 1/4	274	10 3/4	624	15 1/4	1,058	19 3/4	1,558
1 7/8	44	6 3/8	282	10 7/8	635	15 3/8	1,071	19 7/8	1,572
2	48	6 1/2	291	11	646	15 1/2	1,084	20	1,587
2 1/8	53	6 5/8	299	11 1/8	657	15 5/8	1,097	20 1/8	1,602
2 1/4	58	6 3/4	308	11 1/4	669	15 3/4	1,111	20 1/4	1,616
2 3/8	63	6 7/8	317	11 3/8	680	15 7/8	1,124	20 3/8	1,631
2 1/2	68	7	325	11 1/2	691	16	1,137	20 1/2	1,646
2 5/8	73	7 1/8	334	11 5/8	703	16 1/8	1,151	20 5/8	1,661
2 3/4	78	7 1/4	343	11 3/4	714	16 1/4	1,164	20 3/4	1,676
2 7/8	84	7 3/8	352	11 7/8	726	16 3/8	1,177	20 7/8	1,691
3	90	7 1/2	361	12	737	16 1/2	1,191	21	1,706
3 1/8	95	7 5/8	371	12 1/8	749	16 5/8	1,204	21 1/8	1,721
3 1/4	101	7 3/4	380	12 1/4	761	16 3/4	1,218	21 1/4	1,736
3 3/8	107	7 7/8	389	12 3/8	772	16 7/8	1,232	21 3/8	1,751
3 1/2	113	8	399	12 1/2	784	17	1,245	21 1/2	1,767
3 5/8	119	8 1/8	408	12 5/8	796	17 1/8	1,259	21 5/8	1,782
3 3/4	126	8 1/4	418	12 3/4	808	17 1/4	1,273	21 3/4	1,797
3 7/8	132	8 3/8	427	12 7/8	820	17 3/8	1,287	21 7/8	1,812
4	139	8 1/2	437	13	832	17 1/2	1,300	22	1,828
4 1/8	145	8 5/8	447	13 1/8	844	17 5/8	1,314	22 1/8	1,843
4 1/4	152	8 3/4	457	13 1/4	856	17 3/4	1,328	22 1/4	1,858
4 3/8	159	8 7/8	467	13 3/8	868	17 7/8	1,342	22 3/8	1,874
4 1/2	166	9	477	13 1/2	881	18	1,356	22 1/2	1,889



# Dipstick Calibration Chart

# 8' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,905	27 1/8	2,485	31 5/8	3,100	36 1/8	3,744	40 5/8	4,406
22 3/4	1,920	27 1/4	2,501	31 3/4	3,118	36 1/4	3,762	40 3/4	4,425
22 7/8	1,936	27 3/8	2,518	31 7/8	3,136	36 3/8	3,780	40 7/8	4,444
23	1,952	27 1/2	2,535	32	3,153	36 1/2	3,798	41	4,462
23 1/8	1,967	27 5/8	2,551	32 1/8	3,171	36 5/8	3,816	41 1/8	4,481
23 1/4	1,983	27 3/4	2,568	32 1/4	3,188	36 3/4	3,835	41 1/4	4,500
23 3/8	1,999	27 7/8	2,585	32 3/8	3,206	36 7/8	3,853	41 3/8	4,518
23 1/2	2,014	28	2,602	32 1/2	3,224	37	3,871	41 1/2	4,537
23 5/8	2,030	28 1/8	2,619	32 5/8	3,241	37 1/8	3,890	41 5/8	4,555
23 3/4	2,046	28 1/4	2,636	32 3/4	3,259	37 1/4	3,908	41 3/4	4,574
23 7/8	2,062	28 3/8	2,652	32 7/8	3,277	37 3/8	3,926	41 7/8	4,593
24	2,078	28 1/2	2,669	33	3,294	37 1/2	3,944	42	4,612
24 1/8	2,094	28 5/8	2,686	33 1/8	3,312	37 5/8	3,963	42 1/8	4,630
24 1/4	2,109	28 3/4	2,703	33 1/4	3,330	37 3/4	3,981	42 1/4	4,649
24 3/8	2,125	28 7/8	2,720	33 3/8	3,348	37 7/8	3,999	42 3/8	4,668
24 1/2	2,141	29	2,737	33 1/2	3,366	38	4,018	42 1/2	4,686
24 5/8	2,157	29 1/8	2,754	33 5/8	3,383	38 1/8	4,036	42 5/8	4,705
24 3/4	2,174	29 1/4	2,772	33 3/4	3,401	38 1/4	4,055	42 3/4	4,724
24 7/8	2,190	29 3/8	2,789	33 7/8	3,419	38 3/8	4,073	42 7/8	4,743
25	2,206	29 1/2	2,806	34	3,437	38 1/2	4,091	43	4,761
25 1/8	2,222	29 5/8	2,823	34 1/8	3,455	38 5/8	4,110	43 1/8	4,780
25 1/4	2,238	29 3/4	2,840	34 1/4	3,473	38 3/4	4,128	43 1/4	4,799
25 3/8	2,254	29 7/8	2,857	34 3/8	3,491	38 7/8	4,147	43 3/8	4,818
25 1/2	2,271	30	2,874	34 1/2	3,509	39	4,165	43 1/2	4,836
25 5/8	2,287	30 1/8	2,892	34 5/8	3,527	39 1/8	4,184	43 5/8	4,855
25 3/4	2,303	30 1/4	2,909	34 3/4	3,545	39 1/4	4,202	43 3/4	4,874
25 7/8	2,320	30 3/8	2,926	34 7/8	3,563	39 3/8	4,221	43 7/8	4,893
26	2,336	30 1/2	2,944	35	3,581	39 1/2	4,239	44	4,912
26 1/8	2,352	30 5/8	2,961	35 1/8	3,599	39 5/8	4,258	44 1/8	4,930
26 1/4	2,369	30 3/4	2,978	35 1/4	3,617	39 3/4	4,276	44 1/4	4,949
26 3/8	2,385	30 7/8	2,996	35 3/8	3,635	39 7/8	4,295	44 3/8	4,968
26 1/2	2,402	31	3,013	35 1/2	3,653	40	4,313	44 1/2	4,987
26 5/8	2,418	31 1/8	3,031	35 5/8	3,671	40 1/8	4,332	44 5/8	5,006
26 3/4	2,435	31 1/4	3,048	35 3/4	3,689	40 1/4	4,351	44 3/4	5,024
26 7/8	2,451	31 3/8	3,065	35 7/8	3,707	40 3/8	4,369	44 7/8	5,043
27	2,468	31 1/2	3,083	36	3,726	40 1/2	4,388	45	5,062



# Dipstick Calibration Chart

# 8' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	5,081	49 5/8	5,760	54 1/8	6,437	58 5/8	7,104	63 1/8	7,753
45 1/4	5,100	49 3/4	5,779	54 1/4	6,456	58 3/4	7,122	63 1/4	7,771
45 3/8	5,119	49 7/8	5,798	54 3/8	6,474	58 7/8	7,140	63 3/8	7,788
45 1/2	5,137	50	5,817	54 1/2	6,493	59	7,158	63 1/2	7,806
45 5/8	5,156	50 1/8	5,836	54 5/8	6,512	59 1/8	7,177	63 5/8	7,824
45 3/4	5,175	50 1/4	5,854	54 3/4	6,530	59 1/4	7,195	63 3/4	7,841
45 7/8	5,194	50 3/8	5,873	54 7/8	6,549	59 3/8	7,213	63 7/8	7,859
46	5,213	50 1/2	5,892	55	6,567	59 1/2	7,231	64	7,877
46 1/8	5,232	50 5/8	5,911	55 1/8	6,586	59 5/8	7,250	64 1/8	7,894
46 1/4	5,251	50 3/4	5,930	55 1/4	6,605	59 3/4	7,268	64 1/4	7,912
46 3/8	5,269	50 7/8	5,949	55 3/8	6,623	59 7/8	7,286	64 3/8	7,929
46 1/2	5,288	51	5,968	55 1/2	6,642	60	7,304	64 1/2	7,947
46 5/8	5,307	51 1/8	5,986	55 5/8	6,661	60 1/8	7,322	64 5/8	7,964
46 3/4	5,326	51 1/4	6,005	55 3/4	6,679	60 1/4	7,340	64 3/4	7,982
46 7/8	5,345	51 3/8	6,024	55 7/8	6,698	60 3/8	7,359	64 7/8	7,999
47	5,364	51 1/2	6,043	56	6,716	60 1/2	7,377	65	8,017
47 1/8	5,383	51 5/8	6,062	56 1/8	6,735	60 5/8	7,395	65 1/8	8,034
47 1/4	5,402	51 3/4	6,080	56 1/4	6,753	60 3/4	7,413	65 1/4	8,051
47 3/8	5,420	51 7/8	6,099	56 3/8	6,772	60 7/8	7,431	65 3/8	8,069
47 1/2	5,439	52	6,118	56 1/2	6,790	61	7,449	65 1/2	8,086
47 5/8	5,458	52 1/8	6,137	56 5/8	6,809	61 1/8	7,467	65 5/8	8,103
47 3/4	5,477	52 1/4	6,156	56 3/4	6,827	61 1/4	7,485	65 3/4	8,121
47 7/8	5,496	52 3/8	6,174	56 7/8	6,846	61 3/8	7,503	65 7/8	8,138
48	5,515	52 1/2	6,193	57	6,864	61 1/2	7,521	66	8,155
48 1/8	5,534	52 5/8	6,212	57 1/8	6,883	61 5/8	7,539	66 1/8	8,172
48 1/4	5,553	52 3/4	6,231	57 1/4	6,901	61 3/4	7,557	66 1/4	8,190
48 3/8	5,571	52 7/8	6,250	57 3/8	6,920	61 7/8	7,575	66 3/8	8,207
48 1/2	5,590	53	6,268	57 1/2	6,938	62	7,593	66 1/2	8,224
48 5/8	5,609	53 1/8	6,287	57 5/8	6,957	62 1/8	7,611	66 5/8	8,241
48 3/4	5,628	53 1/4	6,306	57 3/4	6,975	62 1/4	7,628	66 3/4	8,258
48 7/8	5,647	53 3/8	6,325	57 7/8	6,993	62 3/8	7,646	66 7/8	8,275
49	5,666	53 1/2	6,343	58	7,012	62 1/2	7,664	67	8,292
49 1/8	5,685	53 5/8	6,362	58 1/8	7,030	62 5/8	7,682	67 1/8	8,309
49 1/4	5,704	53 3/4	6,381	58 1/4	7,049	62 3/4	7,700	67 1/4	8,326
49 3/8	5,722	53 7/8	6,399	58 3/8	7,067	62 7/8	7,717	67 3/8	8,343
49 1/2	5,741	54	6,418	58 1/2	7,085	63	7,735	67 1/2	8,360



# Dipstick Calibration Chart

# 8' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	8,377	72 1/8	8,968	76 5/8	9,516	81 1/8	10,010	85 5/8	10,438
67 3/4	8,394	72 1/4	8,984	76 3/4	9,530	81 1/4	10,023	85 3/4	10,449
67 7/8	8,411	72 3/8	9,000	76 7/8	9,545	81 3/8	10,036	85 7/8	10,460
68	8,428	72 1/2	9,015	77	9,559	81 1/2	10,049	86	10,470
68 1/8	8,445	72 5/8	9,031	77 1/8	9,574	81 5/8	10,062	86 1/8	10,481
68 1/4	8,461	72 3/4	9,047	77 1/4	9,588	81 3/4	10,074	86 1/4	10,491
68 3/8	8,478	72 7/8	9,063	77 3/8	9,602	81 7/8	10,087	86 3/8	10,502
68 1/2	8,495	73	9,078	77 1/2	9,617	82	10,099	86 1/2	10,512
68 5/8	8,512	73 1/8	9,094	77 5/8	9,631	82 1/8	10,112	86 5/8	10,522
68 3/4	8,528	73 1/4	9,109	77 3/4	9,645	82 1/4	10,124	86 3/4	10,533
68 7/8	8,545	73 3/8	9,125	77 7/8	9,659	82 3/8	10,137	86 7/8	10,543
69	8,562	73 1/2	9,140	78	9,673	82 1/2	10,149	87	10,553
69 1/8	8,578	73 5/8	9,156	78 1/8	9,687	82 5/8	10,161	87 1/8	10,563
69 1/4	8,595	73 3/4	9,171	78 1/4	9,701	82 3/4	10,173	87 1/4	10,573
69 3/8	8,611	73 7/8	9,187	78 3/8	9,715	82 7/8	10,186	87 3/8	10,583
69 1/2	8,628	74	9,202	78 1/2	9,729	83	10,198	87 1/2	10,593
69 5/8	8,644	74 1/8	9,217	78 5/8	9,743	83 1/8	10,210	87 5/8	10,602
69 3/4	8,661	74 1/4	9,233	78 3/4	9,757	83 1/4	10,222	87 3/4	10,612
69 7/8	8,677	74 3/8	9,248	78 7/8	9,771	83 3/8	10,234	87 7/8	10,622
70	8,694	74 1/2	9,263	79	9,784	83 1/2	10,246	88	10,631
70 1/8	8,710	74 5/8	9,278	79 1/8	9,798	83 5/8	10,257	88 1/8	10,640
70 1/4	8,726	74 3/4	9,293	79 1/4	9,812	83 3/4	10,269	88 1/4	10,650
70 3/8	8,743	74 7/8	9,309	79 3/8	9,825	83 7/8	10,281	88 3/8	10,659
70 1/2	8,759	75	9,324	79 1/2	9,839	84	10,292	88 1/2	10,668
70 5/8	8,775	75 1/8	9,339	79 5/8	9,852	84 1/8	10,304	88 5/8	10,677
70 3/4	8,792	75 1/4	9,354	79 3/4	9,866	84 1/4	10,316	88 3/4	10,686
70 7/8	8,808	75 3/8	9,369	79 7/8	9,879	84 3/8	10,327	88 7/8	10,695
71	8,824	75 1/2	9,384	80	9,893	84 1/2	10,338	89	10,704
71 1/8	8,840	75 5/8	9,398	80 1/8	9,906	84 5/8	10,350	89 1/8	10,713
71 1/4	8,856	75 3/4	9,413	80 1/4	9,919	84 3/4	10,361	89 1/4	10,722
71 3/8	8,872	75 7/8	9,428	80 3/8	9,932	84 7/8	10,372	89 3/8	10,730
71 1/2	8,888	76	9,443	80 1/2	9,945	85	10,383	89 1/2	10,739
71 5/8	8,904	76 1/8	9,457	80 5/8	9,959	85 1/8	10,394	89 5/8	10,747
71 3/4	8,920	76 1/4	9,472	80 3/4	9,972	85 1/4	10,405	89 3/4	10,756
71 7/8	8,936	76 3/8	9,487	80 7/8	9,985	85 3/8	10,416	89 7/8	10,764
72	8,952	76 1/2	9,501	81	9,998	85 1/2	10,427	90	10,772



# Dipstick Calibration Chart

8' x 11K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	10,780	94 5/8	11,002
90 1/4	10,788	94 3/4	11,006
90 3/8	10,796	94 7/8	11,010
90 1/2	10,804	95	11,013
90 5/8	10,812	95 1/8	11,016
90 3/4	10,820	95 1/4	11,019
90 7/8	10,827	95 3/8	11,021
91	10,835	95 1/2	11,024
91 1/8	10,842	95 5/8	11,026
91 1/4	10,849	95 3/4	11,028
91 3/8	10,857	95 7/8	11,029
91 1/2	10,864	96	11,030
91 5/8	10,871		
91 3/4	10,877		
91 7/8	10,884		
92	10,891		
92 1/8	10,897		
92 1/4	10,904		
92 3/8	10,910		
92 1/2	10,916		
92 5/8	10,923		
92 3/4	10,928		
92 7/8	10,934		
93	10,940		
93 1/8	10,946		
93 1/4	10,951		
93 3/8	10,957		
93 1/2	10,962		
93 5/8	10,967		
93 3/4	10,972		
93 7/8	10,977		
94	10,981		
94 1/8	10,986		
94 1/4	10,990		
94 3/8	10,994		
94 1/2	10,998		