



Dipstick Calibration Chart

8' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	213	9 1/8	596	13 5/8	1,089	18 1/8	1,666
1/4	3	4 3/4	222	9 1/4	608	13 3/4	1,104	18 1/4	1,683
3/8	5	4 7/8	231	9 3/8	621	13 7/8	1,119	18 3/8	1,700
1/2	7	5	240	9 1/2	633	14	1,134	18 1/2	1,718
5/8	10	5 1/8	249	9 5/8	646	14 1/8	1,149	18 5/8	1,735
3/4	14	5 1/4	258	9 3/4	658	14 1/4	1,164	18 3/4	1,752
7/8	17	5 3/8	268	9 7/8	671	14 3/8	1,180	18 7/8	1,769
1	21	5 1/2	277	10	684	14 1/2	1,195	19	1,787
1 1/8	25	5 5/8	287	10 1/8	697	14 5/8	1,211	19 1/8	1,804
1 1/4	29	5 3/4	296	10 1/4	710	14 3/4	1,226	19 1/4	1,822
1 3/8	34	5 7/8	306	10 3/8	723	14 7/8	1,242	19 3/8	1,839
1 1/2	39	6	316	10 1/2	736	15	1,257	19 1/2	1,857
1 5/8	44	6 1/8	326	10 5/8	749	15 1/8	1,273	19 5/8	1,874
1 3/4	49	6 1/4	336	10 3/4	763	15 1/4	1,289	19 3/4	1,892
1 7/8	54	6 3/8	346	10 7/8	776	15 3/8	1,304	19 7/8	1,910
2	60	6 1/2	357	11	790	15 1/2	1,320	20	1,927
2 1/8	66	6 5/8	367	11 1/8	803	15 5/8	1,336	20 1/8	1,945
2 1/4	71	6 3/4	378	11 1/4	817	15 3/4	1,352	20 1/4	1,963
2 3/8	78	6 7/8	388	11 3/8	830	15 7/8	1,368	20 3/8	1,981
2 1/2	84	7	399	11 1/2	844	16	1,384	20 1/2	1,999
2 5/8	90	7 1/8	410	11 5/8	858	16 1/8	1,400	20 5/8	2,017
2 3/4	97	7 1/4	421	11 3/4	872	16 1/4	1,417	20 3/4	2,035
2 7/8	104	7 3/8	432	11 7/8	886	16 3/8	1,433	20 7/8	2,053
3	111	7 1/2	443	12	900	16 1/2	1,449	21	2,071
3 1/8	118	7 5/8	454	12 1/8	914	16 5/8	1,466	21 1/8	2,089
3 1/4	125	7 3/4	466	12 1/4	928	16 3/4	1,482	21 1/4	2,107
3 3/8	132	7 7/8	477	12 3/8	943	16 7/8	1,499	21 3/8	2,126
3 1/2	140	8	488	12 1/2	957	17	1,515	21 1/2	2,144
3 5/8	147	8 1/8	500	12 5/8	971	17 1/8	1,532	21 5/8	2,162
3 3/4	155	8 1/4	512	12 3/4	986	17 1/4	1,548	21 3/4	2,181
3 7/8	163	8 3/8	523	12 7/8	1,000	17 3/8	1,565	21 7/8	2,199
4	171	8 1/2	535	13	1,015	17 1/2	1,582	22	2,218
4 1/8	179	8 5/8	547	13 1/8	1,030	17 5/8	1,599	22 1/8	2,236
4 1/4	187	8 3/4	559	13 1/4	1,044	17 3/4	1,615	22 1/4	2,255
4 3/8	196	8 7/8	571	13 3/8	1,059	17 7/8	1,632	22 3/8	2,273
4 1/2	204	9	584	13 1/2	1,074	18	1,649	22 1/2	2,292



Dipstick Calibration Chart

8' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,311	27 1/8	3,008	31 5/8	3,748	36 1/8	4,520	40 5/8	5,315
22 3/4	2,329	27 1/4	3,028	31 3/4	3,769	36 1/4	4,542	40 3/4	5,337
22 7/8	2,348	27 3/8	3,048	31 7/8	3,790	36 3/8	4,564	40 7/8	5,359
23	2,367	27 1/2	3,069	32	3,811	36 1/2	4,586	41	5,382
23 1/8	2,386	27 5/8	3,089	32 1/8	3,833	36 5/8	4,607	41 1/8	5,404
23 1/4	2,405	27 3/4	3,109	32 1/4	3,854	36 3/4	4,629	41 1/4	5,426
23 3/8	2,423	27 7/8	3,129	32 3/8	3,875	36 7/8	4,651	41 3/8	5,449
23 1/2	2,442	28	3,149	32 1/2	3,896	37	4,673	41 1/2	5,471
23 5/8	2,461	28 1/8	3,169	32 5/8	3,917	37 1/8	4,695	41 5/8	5,493
23 3/4	2,480	28 1/4	3,190	32 3/4	3,939	37 1/4	4,717	41 3/4	5,516
23 7/8	2,500	28 3/8	3,210	32 7/8	3,960	37 3/8	4,739	41 7/8	5,538
24	2,519	28 1/2	3,230	33	3,981	37 1/2	4,761	42	5,561
24 1/8	2,538	28 5/8	3,251	33 1/8	4,002	37 5/8	4,783	42 1/8	5,583
24 1/4	2,557	28 3/4	3,271	33 1/4	4,024	37 3/4	4,805	42 1/4	5,605
24 3/8	2,576	28 7/8	3,292	33 3/8	4,045	37 7/8	4,827	42 3/8	5,628
24 1/2	2,596	29	3,312	33 1/2	4,066	38	4,849	42 1/2	5,650
24 5/8	2,615	29 1/8	3,333	33 5/8	4,088	38 1/8	4,871	42 5/8	5,673
24 3/4	2,634	29 1/4	3,353	33 3/4	4,109	38 1/4	4,893	42 3/4	5,695
24 7/8	2,654	29 3/8	3,374	33 7/8	4,131	38 3/8	4,915	42 7/8	5,718
25	2,673	29 1/2	3,394	34	4,152	38 1/2	4,937	43	5,740
25 1/8	2,692	29 5/8	3,415	34 1/8	4,174	38 5/8	4,959	43 1/8	5,763
25 1/4	2,712	29 3/4	3,435	34 1/4	4,195	38 3/4	4,981	43 1/4	5,785
25 3/8	2,731	29 7/8	3,456	34 3/8	4,217	38 7/8	5,003	43 3/8	5,808
25 1/2	2,751	30	3,477	34 1/2	4,238	39	5,026	43 1/2	5,830
25 5/8	2,771	30 1/8	3,498	34 5/8	4,260	39 1/8	5,048	43 5/8	5,853
25 3/4	2,790	30 1/4	3,518	34 3/4	4,281	39 1/4	5,070	43 3/4	5,875
25 7/8	2,810	30 3/8	3,539	34 7/8	4,303	39 3/8	5,092	43 7/8	5,898
26	2,830	30 1/2	3,560	35	4,325	39 1/2	5,114	44	5,920
26 1/8	2,849	30 5/8	3,581	35 1/8	4,346	39 5/8	5,137	44 1/8	5,943
26 1/4	2,869	30 3/4	3,602	35 1/4	4,368	39 3/4	5,159	44 1/4	5,965
26 3/8	2,889	30 7/8	3,622	35 3/8	4,390	39 7/8	5,181	44 3/8	5,988
26 1/2	2,909	31	3,643	35 1/2	4,411	40	5,203	44 1/2	6,010
26 5/8	2,929	31 1/8	3,664	35 5/8	4,433	40 1/8	5,225	44 5/8	6,033
26 3/4	2,948	31 1/4	3,685	35 3/4	4,455	40 1/4	5,248	44 3/4	6,055
26 7/8	2,968	31 3/8	3,706	35 7/8	4,476	40 3/8	5,270	44 7/8	6,078
27	2,988	31 1/2	3,727	36	4,498	40 1/2	5,292	45	6,100



Dipstick Calibration Chart

8' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,123	49 5/8	6,937	54 1/8	7,748	58 5/8	8,547	63 1/8	9,326
45 1/4	6,146	49 3/4	6,959	54 1/4	7,770	58 3/4	8,569	63 1/4	9,347
45 3/8	6,168	49 7/8	6,982	54 3/8	7,792	58 7/8	8,591	63 3/8	9,368
45 1/2	6,191	50	7,005	54 1/2	7,815	59	8,613	63 1/2	9,390
45 5/8	6,213	50 1/8	7,027	54 5/8	7,837	59 1/8	8,635	63 5/8	9,411
45 3/4	6,236	50 1/4	7,050	54 3/4	7,860	59 1/4	8,657	63 3/4	9,432
45 7/8	6,259	50 3/8	7,072	54 7/8	7,882	59 3/8	8,678	63 7/8	9,453
46	6,281	50 1/2	7,095	55	7,904	59 1/2	8,700	64	9,474
46 1/8	6,304	50 5/8	7,118	55 1/8	7,927	59 5/8	8,722	64 1/8	9,495
46 1/4	6,326	50 3/4	7,140	55 1/4	7,949	59 3/4	8,744	64 1/4	9,517
46 3/8	6,349	50 7/8	7,163	55 3/8	7,971	59 7/8	8,766	64 3/8	9,538
46 1/2	6,372	51	7,185	55 1/2	7,993	60	8,788	64 1/2	9,559
46 5/8	6,394	51 1/8	7,208	55 5/8	8,016	60 1/8	8,809	64 5/8	9,580
46 3/4	6,417	51 1/4	7,230	55 3/4	8,038	60 1/4	8,831	64 3/4	9,601
46 7/8	6,439	51 3/8	7,253	55 7/8	8,060	60 3/8	8,853	64 7/8	9,622
47	6,462	51 1/2	7,276	56	8,083	60 1/2	8,874	65	9,642
47 1/8	6,485	51 5/8	7,298	56 1/8	8,105	60 5/8	8,896	65 1/8	9,663
47 1/4	6,507	51 3/4	7,321	56 1/4	8,127	60 3/4	8,918	65 1/4	9,684
47 3/8	6,530	51 7/8	7,343	56 3/8	8,149	60 7/8	8,940	65 3/8	9,705
47 1/2	6,552	52	7,366	56 1/2	8,171	61	8,961	65 1/2	9,726
47 5/8	6,575	52 1/8	7,388	56 5/8	8,194	61 1/8	8,983	65 5/8	9,747
47 3/4	6,598	52 1/4	7,411	56 3/4	8,216	61 1/4	9,004	65 3/4	9,767
47 7/8	6,620	52 3/8	7,433	56 7/8	8,238	61 3/8	9,026	65 7/8	9,788
48	6,643	52 1/2	7,456	57	8,260	61 1/2	9,048	66	9,809
48 1/8	6,665	52 5/8	7,478	57 1/8	8,282	61 5/8	9,069	66 1/8	9,830
48 1/4	6,688	52 3/4	7,501	57 1/4	8,304	61 3/4	9,091	66 1/4	9,850
48 3/8	6,711	52 7/8	7,523	57 3/8	8,327	61 7/8	9,112	66 3/8	9,871
48 1/2	6,733	53	7,546	57 1/2	8,349	62	9,134	66 1/2	9,892
48 5/8	6,756	53 1/8	7,568	57 5/8	8,371	62 1/8	9,155	66 5/8	9,912
48 3/4	6,779	53 1/4	7,591	57 3/4	8,393	62 1/4	9,176	66 3/4	9,933
48 7/8	6,801	53 3/8	7,613	57 7/8	8,415	62 3/8	9,198	66 7/8	9,953
49	6,824	53 1/2	7,636	58	8,437	62 1/2	9,219	67	9,974
49 1/8	6,846	53 5/8	7,658	58 1/8	8,459	62 5/8	9,241	67 1/8	9,994
49 1/4	6,869	53 3/4	7,680	58 1/4	8,481	62 3/4	9,262	67 1/4	10,015
49 3/8	6,892	53 7/8	7,703	58 3/8	8,503	62 7/8	9,283	67 3/8	10,035
49 1/2	6,914	54	7,725	58 1/2	8,525	63	9,305	67 1/2	10,055



Dipstick Calibration Chart

8' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	10,076	72 1/8	10,786	76 5/8	11,447	81 1/8	12,044	85 5/8	12,563
67 3/4	10,096	72 1/4	10,805	76 3/4	11,464	81 1/4	12,060	85 3/4	12,576
67 7/8	10,116	72 3/8	10,824	76 7/8	11,482	81 3/8	12,075	85 7/8	12,589
68	10,137	72 1/2	10,843	77	11,499	81 1/2	12,091	86	12,602
68 1/8	10,157	72 5/8	10,862	77 1/8	11,516	81 5/8	12,106	86 1/8	12,615
68 1/4	10,177	72 3/4	10,881	77 1/4	11,534	81 3/4	12,121	86 1/4	12,627
68 3/8	10,197	72 7/8	10,900	77 3/8	11,551	81 7/8	12,137	86 3/8	12,640
68 1/2	10,217	73	10,919	77 1/2	11,568	82	12,152	86 1/2	12,653
68 5/8	10,237	73 1/8	10,938	77 5/8	11,585	82 1/8	12,167	86 5/8	12,665
68 3/4	10,257	73 1/4	10,956	77 3/4	11,602	82 1/4	12,182	86 3/4	12,678
68 7/8	10,277	73 3/8	10,975	77 7/8	11,620	82 3/8	12,197	86 7/8	12,690
69	10,297	73 1/2	10,994	78	11,637	82 1/2	12,212	87	12,702
69 1/8	10,317	73 5/8	11,012	78 1/8	11,653	82 5/8	12,227	87 1/8	12,714
69 1/4	10,337	73 3/4	11,031	78 1/4	11,670	82 3/4	12,241	87 1/4	12,727
69 3/8	10,357	73 7/8	11,050	78 3/8	11,687	82 7/8	12,256	87 3/8	12,739
69 1/2	10,377	74	11,068	78 1/2	11,704	83	12,271	87 1/2	12,750
69 5/8	10,397	74 1/8	11,087	78 5/8	11,721	83 1/8	12,285	87 5/8	12,762
69 3/4	10,417	74 1/4	11,105	78 3/4	11,737	83 1/4	12,300	87 3/4	12,774
69 7/8	10,436	74 3/8	11,123	78 7/8	11,754	83 3/8	12,314	87 7/8	12,786
70	10,456	74 1/2	11,142	79	11,771	83 1/2	12,329	88	12,797
70 1/8	10,476	74 5/8	11,160	79 1/8	11,787	83 5/8	12,343	88 1/8	12,809
70 1/4	10,496	74 3/4	11,178	79 1/4	11,804	83 3/4	12,357	88 1/4	12,820
70 3/8	10,515	74 7/8	11,197	79 3/8	11,820	83 7/8	12,372	88 3/8	12,832
70 1/2	10,535	75	11,215	79 1/2	11,837	84	12,386	88 1/2	12,843
70 5/8	10,554	75 1/8	11,233	79 5/8	11,853	84 1/8	12,400	88 5/8	12,854
70 3/4	10,574	75 1/4	11,251	79 3/4	11,869	84 1/4	12,414	88 3/4	12,865
70 7/8	10,593	75 3/8	11,269	79 7/8	11,885	84 3/8	12,428	88 7/8	12,876
71	10,613	75 1/2	11,287	80	11,901	84 1/2	12,442	89	12,887
71 1/8	10,632	75 5/8	11,305	80 1/8	11,918	84 5/8	12,455	89 1/8	12,897
71 1/4	10,652	75 3/4	11,323	80 1/4	11,934	84 3/4	12,469	89 1/4	12,908
71 3/8	10,671	75 7/8	11,341	80 3/8	11,950	84 7/8	12,483	89 3/8	12,919
71 1/2	10,690	76	11,358	80 1/2	11,965	85	12,496	89 1/2	12,929
71 5/8	10,710	76 1/8	11,376	80 5/8	11,981	85 1/8	12,510	89 5/8	12,939
71 3/4	10,729	76 1/4	11,394	80 3/4	11,997	85 1/4	12,523	89 3/4	12,950
71 7/8	10,748	76 3/8	11,411	80 7/8	12,013	85 3/8	12,536	89 7/8	12,960
72	10,767	76 1/2	11,429	81	12,028	85 1/2	12,550	90	12,970



Dipstick Calibration Chart

8' x 13K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	12,980	94 5/8	13,252
90 1/4	12,989	94 3/4	13,256
90 3/8	12,999	94 7/8	13,261
90 1/2	13,009	95	13,265
90 5/8	13,018	95 1/8	13,269
90 3/4	13,028	95 1/4	13,272
90 7/8	13,037	95 3/8	13,275
91	13,046	95 1/2	13,278
91 1/8	13,055	95 5/8	13,281
91 1/4	13,064	95 3/4	13,283
91 3/8	13,073	95 7/8	13,285
91 1/2	13,081	96	13,286
91 5/8	13,090		
91 3/4	13,098		
91 7/8	13,107		
92	13,115		
92 1/8	13,123		
92 1/4	13,131		
92 3/8	13,138		
92 1/2	13,146		
92 5/8	13,154		
92 3/4	13,161		
92 7/8	13,168		
93	13,175		
93 1/8	13,182		
93 1/4	13,189		
93 3/8	13,195		
93 1/2	13,202		
93 5/8	13,208		
93 3/4	13,214		
93 7/8	13,220		
94	13,226		
94 1/8	13,232		
94 1/4	13,237		
94 3/8	13,242		
94 1/2	13,247		