



# Dipstick Calibration Chart

# 8' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	226	9 1/8	632	13 5/8	1,154	18 1/8	1,765
1/4	3	4 3/4	236	9 1/4	645	13 3/4	1,170	18 1/4	1,783
3/8	5	4 7/8	245	9 3/8	658	13 7/8	1,186	18 3/8	1,801
1/2	8	5	255	9 1/2	672	14	1,202	18 1/2	1,819
5/8	11	5 1/8	264	9 5/8	685	14 1/8	1,218	18 5/8	1,837
3/4	14	5 1/4	274	9 3/4	698	14 1/4	1,234	18 3/4	1,856
7/8	18	5 3/8	284	9 7/8	712	14 3/8	1,250	18 7/8	1,874
1	22	5 1/2	294	10	726	14 1/2	1,267	19	1,892
1 1/8	27	5 5/8	304	10 1/8	739	14 5/8	1,283	19 1/8	1,911
1 1/4	31	5 3/4	315	10 1/4	753	14 3/4	1,299	19 1/4	1,929
1 3/8	36	5 7/8	325	10 3/8	767	14 7/8	1,316	19 3/8	1,948
1 1/2	41	6	336	10 1/2	781	15	1,332	19 1/2	1,966
1 5/8	46	6 1/8	346	10 5/8	795	15 1/8	1,349	19 5/8	1,985
1 3/4	52	6 1/4	357	10 3/4	809	15 1/4	1,366	19 3/4	2,003
1 7/8	58	6 3/8	368	10 7/8	823	15 3/8	1,382	19 7/8	2,022
2	64	6 1/2	379	11	837	15 1/2	1,399	20	2,041
2 1/8	70	6 5/8	390	11 1/8	852	15 5/8	1,416	20 1/8	2,060
2 1/4	76	6 3/4	401	11 1/4	866	15 3/4	1,433	20 1/4	2,079
2 3/8	83	6 7/8	412	11 3/8	881	15 7/8	1,450	20 3/8	2,098
2 1/2	89	7	424	11 1/2	895	16	1,467	20 1/2	2,116
2 5/8	96	7 1/8	435	11 5/8	910	16 1/8	1,484	20 5/8	2,135
2 3/4	103	7 1/4	447	11 3/4	925	16 1/4	1,501	20 3/4	2,155
2 7/8	110	7 3/8	458	11 7/8	939	16 3/8	1,518	20 7/8	2,174
3	118	7 1/2	470	12	954	16 1/2	1,535	21	2,193
3 1/8	125	7 5/8	482	12 1/8	969	16 5/8	1,553	21 1/8	2,212
3 1/4	133	7 3/4	494	12 1/4	984	16 3/4	1,570	21 1/4	2,231
3 3/8	140	7 7/8	506	12 3/8	999	16 7/8	1,587	21 3/8	2,250
3 1/2	148	8	518	12 1/2	1,014	17	1,605	21 1/2	2,270
3 5/8	157	8 1/8	531	12 5/8	1,030	17 1/8	1,622	21 5/8	2,289
3 3/4	165	8 1/4	543	12 3/4	1,045	17 1/4	1,640	21 3/4	2,309
3 7/8	173	8 3/8	555	12 7/8	1,060	17 3/8	1,658	21 7/8	2,328
4	182	8 1/2	568	13	1,076	17 1/2	1,675	22	2,348
4 1/8	190	8 5/8	581	13 1/8	1,091	17 5/8	1,693	22 1/8	2,367
4 1/4	199	8 3/4	593	13 1/4	1,107	17 3/4	1,711	22 1/4	2,387
4 3/8	208	8 7/8	606	13 3/8	1,123	17 7/8	1,729	22 3/8	2,406
4 1/2	217	9	619	13 1/2	1,138	18	1,747	22 1/2	2,426



# Dipstick Calibration Chart

# 8' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,446	27 1/8	3,183	31 5/8	3,964	36 1/8	4,779	40 5/8	5,617
22 3/4	2,466	27 1/4	3,204	31 3/4	3,986	36 1/4	4,802	40 3/4	5,641
22 7/8	2,485	27 3/8	3,225	31 7/8	4,009	36 3/8	4,825	40 7/8	5,664
23	2,505	27 1/2	3,246	32	4,031	36 1/2	4,848	41	5,688
23 1/8	2,525	27 5/8	3,268	32 1/8	4,053	36 5/8	4,871	41 1/8	5,712
23 1/4	2,545	27 3/4	3,289	32 1/4	4,075	36 3/4	4,894	41 1/4	5,735
23 3/8	2,565	27 7/8	3,310	32 3/8	4,098	36 7/8	4,917	41 3/8	5,759
23 1/2	2,585	28	3,332	32 1/2	4,120	37	4,940	41 1/2	5,782
23 5/8	2,605	28 1/8	3,353	32 5/8	4,143	37 1/8	4,963	41 5/8	5,806
23 3/4	2,625	28 1/4	3,375	32 3/4	4,165	37 1/4	4,987	41 3/4	5,830
23 7/8	2,645	28 3/8	3,396	32 7/8	4,187	37 3/8	5,010	41 7/8	5,853
24	2,666	28 1/2	3,417	33	4,210	37 1/2	5,033	42	5,877
24 1/8	2,686	28 5/8	3,439	33 1/8	4,232	37 5/8	5,056	42 1/8	5,901
24 1/4	2,706	28 3/4	3,460	33 1/4	4,255	37 3/4	5,079	42 1/4	5,924
24 3/8	2,727	28 7/8	3,482	33 3/8	4,278	37 7/8	5,103	42 3/8	5,948
24 1/2	2,747	29	3,504	33 1/2	4,300	38	5,126	42 1/2	5,972
24 5/8	2,767	29 1/8	3,525	33 5/8	4,323	38 1/8	5,149	42 5/8	5,995
24 3/4	2,788	29 1/4	3,547	33 3/4	4,345	38 1/4	5,172	42 3/4	6,019
24 7/8	2,808	29 3/8	3,569	33 7/8	4,368	38 3/8	5,196	42 7/8	6,043
25	2,829	29 1/2	3,590	34	4,391	38 1/2	5,219	43	6,066
25 1/8	2,849	29 5/8	3,612	34 1/8	4,413	38 5/8	5,242	43 1/8	6,090
25 1/4	2,870	29 3/4	3,634	34 1/4	4,436	38 3/4	5,266	43 1/4	6,114
25 3/8	2,890	29 7/8	3,656	34 3/8	4,459	38 7/8	5,289	43 3/8	6,137
25 1/2	2,911	30	3,678	34 1/2	4,481	39	5,312	43 1/2	6,161
25 5/8	2,932	30 1/8	3,699	34 5/8	4,504	39 1/8	5,336	43 5/8	6,185
25 3/4	2,952	30 1/4	3,721	34 3/4	4,527	39 1/4	5,359	43 3/4	6,209
25 7/8	2,973	30 3/8	3,743	34 7/8	4,550	39 3/8	5,383	43 7/8	6,232
26	2,994	30 1/2	3,765	35	4,573	39 1/2	5,406	44	6,256
26 1/8	3,015	30 5/8	3,787	35 1/8	4,595	39 5/8	5,429	44 1/8	6,280
26 1/4	3,036	30 3/4	3,809	35 1/4	4,618	39 3/4	5,453	44 1/4	6,304
26 3/8	3,057	30 7/8	3,831	35 3/8	4,641	39 7/8	5,476	44 3/8	6,328
26 1/2	3,078	31	3,853	35 1/2	4,664	40	5,500	44 1/2	6,351
26 5/8	3,099	31 1/8	3,875	35 5/8	4,687	40 1/8	5,523	44 5/8	6,375
26 3/4	3,120	31 1/4	3,898	35 3/4	4,710	40 1/4	5,547	44 3/4	6,399
26 7/8	3,141	31 3/8	3,920	35 7/8	4,733	40 3/8	5,570	44 7/8	6,423
27	3,162	31 1/2	3,942	36	4,756	40 1/2	5,594	45	6,447



# Dipstick Calibration Chart

# 8' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,470	49 5/8	7,329	54 1/8	8,185	58 5/8	9,028	63 1/8	9,850
45 1/4	6,494	49 3/4	7,353	54 1/4	8,208	58 3/4	9,051	63 1/4	9,873
45 3/8	6,518	49 7/8	7,377	54 3/8	8,232	58 7/8	9,074	63 3/8	9,895
45 1/2	6,542	50	7,401	54 1/2	8,255	59	9,097	63 1/2	9,918
45 5/8	6,566	50 1/8	7,424	54 5/8	8,279	59 1/8	9,121	63 5/8	9,940
45 3/4	6,590	50 1/4	7,448	54 3/4	8,303	59 1/4	9,144	63 3/4	9,962
45 7/8	6,613	50 3/8	7,472	54 7/8	8,326	59 3/8	9,167	63 7/8	9,985
46	6,637	50 1/2	7,496	55	8,350	59 1/2	9,190	64	10,007
46 1/8	6,661	50 5/8	7,520	55 1/8	8,373	59 5/8	9,213	64 1/8	10,029
46 1/4	6,685	50 3/4	7,544	55 1/4	8,397	59 3/4	9,236	64 1/4	10,051
46 3/8	6,709	50 7/8	7,567	55 3/8	8,420	59 7/8	9,259	64 3/8	10,074
46 1/2	6,733	51	7,591	55 1/2	8,444	60	9,282	64 1/2	10,096
46 5/8	6,756	51 1/8	7,615	55 5/8	8,468	60 1/8	9,305	64 5/8	10,118
46 3/4	6,780	51 1/4	7,639	55 3/4	8,491	60 1/4	9,328	64 3/4	10,140
46 7/8	6,804	51 3/8	7,663	55 7/8	8,515	60 3/8	9,351	64 7/8	10,162
47	6,828	51 1/2	7,686	56	8,538	60 1/2	9,374	65	10,184
47 1/8	6,852	51 5/8	7,710	56 1/8	8,561	60 5/8	9,397	65 1/8	10,206
47 1/4	6,876	51 3/4	7,734	56 1/4	8,585	60 3/4	9,420	65 1/4	10,229
47 3/8	6,900	51 7/8	7,758	56 3/8	8,608	60 7/8	9,442	65 3/8	10,251
47 1/2	6,923	52	7,782	56 1/2	8,632	61	9,465	65 1/2	10,273
47 5/8	6,947	52 1/8	7,805	56 5/8	8,655	61 1/8	9,488	65 5/8	10,294
47 3/4	6,971	52 1/4	7,829	56 3/4	8,679	61 1/4	9,511	65 3/4	10,316
47 7/8	6,995	52 3/8	7,853	56 7/8	8,702	61 3/8	9,534	65 7/8	10,338
48	7,019	52 1/2	7,877	57	8,725	61 1/2	9,556	66	10,360
48 1/8	7,043	52 5/8	7,900	57 1/8	8,749	61 5/8	9,579	66 1/8	10,382
48 1/4	7,067	52 3/4	7,924	57 1/4	8,772	61 3/4	9,602	66 1/4	10,404
48 3/8	7,090	52 7/8	7,948	57 3/8	8,795	61 7/8	9,625	66 3/8	10,426
48 1/2	7,114	53	7,971	57 1/2	8,819	62	9,647	66 1/2	10,447
48 5/8	7,138	53 1/8	7,995	57 5/8	8,842	62 1/8	9,670	66 5/8	10,469
48 3/4	7,162	53 1/4	8,019	57 3/4	8,865	62 1/4	9,693	66 3/4	10,491
48 7/8	7,186	53 3/8	8,043	57 7/8	8,889	62 3/8	9,715	66 7/8	10,512
49	7,210	53 1/2	8,066	58	8,912	62 1/2	9,738	67	10,534
49 1/8	7,234	53 5/8	8,090	58 1/8	8,935	62 5/8	9,760	67 1/8	10,556
49 1/4	7,258	53 3/4	8,114	58 1/4	8,958	62 3/4	9,783	67 1/4	10,577
49 3/8	7,281	53 7/8	8,137	58 3/8	8,982	62 7/8	9,805	67 3/8	10,599
49 1/2	7,305	54	8,161	58 1/2	9,005	63	9,828	67 1/2	10,620



# Dipstick Calibration Chart

# 8' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	10,642	72 1/8	11,392	76 5/8	12,090	81 1/8	12,722	85 5/8	13,271
67 3/4	10,663	72 1/4	11,412	76 3/4	12,109	81 1/4	12,738	85 3/4	13,285
67 7/8	10,685	72 3/8	11,433	76 7/8	12,127	81 3/8	12,755	85 7/8	13,298
68	10,706	72 1/2	11,453	77	12,146	81 1/2	12,771	86	13,312
68 1/8	10,727	72 5/8	11,473	77 1/8	12,164	81 5/8	12,787	86 1/8	13,326
68 1/4	10,749	72 3/4	11,493	77 1/4	12,182	81 3/4	12,804	86 1/4	13,339
68 3/8	10,770	72 7/8	11,513	77 3/8	12,200	81 7/8	12,820	86 3/8	13,353
68 1/2	10,791	73	11,532	77 1/2	12,219	82	12,836	86 1/2	13,366
68 5/8	10,813	73 1/8	11,552	77 5/8	12,237	82 1/8	12,852	86 5/8	13,379
68 3/4	10,834	73 1/4	11,572	77 3/4	12,255	82 1/4	12,868	86 3/4	13,393
68 7/8	10,855	73 3/8	11,592	77 7/8	12,273	82 3/8	12,884	86 7/8	13,406
69	10,876	73 1/2	11,612	78	12,291	82 1/2	12,899	87	13,419
69 1/8	10,897	73 5/8	11,631	78 1/8	12,309	82 5/8	12,915	87 1/8	13,432
69 1/4	10,918	73 3/4	11,651	78 1/4	12,327	82 3/4	12,931	87 1/4	13,444
69 3/8	10,939	73 7/8	11,671	78 3/8	12,345	82 7/8	12,946	87 3/8	13,457
69 1/2	10,960	74	11,690	78 1/2	12,362	83	12,962	87 1/2	13,470
69 5/8	10,981	74 1/8	11,710	78 5/8	12,380	83 1/8	12,977	87 5/8	13,482
69 3/4	11,002	74 1/4	11,729	78 3/4	12,398	83 1/4	12,993	87 3/4	13,495
69 7/8	11,023	74 3/8	11,749	78 7/8	12,415	83 3/8	13,008	87 7/8	13,507
70	11,044	74 1/2	11,768	79	12,433	83 1/2	13,023	88	13,519
70 1/8	11,065	74 5/8	11,787	79 1/8	12,450	83 5/8	13,038	88 1/8	13,532
70 1/4	11,085	74 3/4	11,807	79 1/4	12,468	83 3/4	13,054	88 1/4	13,544
70 3/8	11,106	74 7/8	11,826	79 3/8	12,485	83 7/8	13,069	88 3/8	13,556
70 1/2	11,127	75	11,845	79 1/2	12,502	84	13,084	88 1/2	13,568
70 5/8	11,147	75 1/8	11,864	79 5/8	12,520	84 1/8	13,098	88 5/8	13,579
70 3/4	11,168	75 1/4	11,883	79 3/4	12,537	84 1/4	13,113	88 3/4	13,591
70 7/8	11,189	75 3/8	11,902	79 7/8	12,554	84 3/8	13,128	88 7/8	13,603
71	11,209	75 1/2	11,921	80	12,571	84 1/2	13,143	89	13,614
71 1/8	11,230	75 5/8	11,940	80 1/8	12,588	84 5/8	13,157	89 1/8	13,625
71 1/4	11,250	75 3/4	11,959	80 1/4	12,605	84 3/4	13,172	89 1/4	13,637
71 3/8	11,271	75 7/8	11,978	80 3/8	12,622	84 7/8	13,186	89 3/8	13,648
71 1/2	11,291	76	11,997	80 1/2	12,639	85	13,200	89 1/2	13,659
71 5/8	11,311	76 1/8	12,016	80 5/8	12,656	85 1/8	13,215	89 5/8	13,670
71 3/4	11,332	76 1/4	12,034	80 3/4	12,672	85 1/4	13,229	89 3/4	13,681
71 7/8	11,352	76 3/8	12,053	80 7/8	12,689	85 3/8	13,243	89 7/8	13,692
72	11,372	76 1/2	12,072	81	12,705	85 1/2	13,257	90	13,702



# Dipstick Calibration Chart

# 8' x 14K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	13,713	94 5/8	14,002
90 1/4	13,723	94 3/4	14,007
90 3/8	13,733	94 7/8	14,011
90 1/2	13,744	95	14,015
90 5/8	13,754	95 1/8	14,020
90 3/4	13,764	95 1/4	14,023
90 7/8	13,773	95 3/8	14,027
91	13,783	95 1/2	14,030
91 1/8	13,793	95 5/8	14,033
91 1/4	13,802	95 3/4	14,035
91 3/8	13,811	95 7/8	14,037
91 1/2	13,821	96	14,038
91 5/8	13,830		
91 3/4	13,839		
91 7/8	13,847		
92	13,856		
92 1/8	13,865		
92 1/4	13,873		
92 3/8	13,881		
92 1/2	13,889		
92 5/8	13,897		
92 3/4	13,905		
92 7/8	13,913		
93	13,920		
93 1/8	13,928		
93 1/4	13,935		
93 3/8	13,942		
93 1/2	13,949		
93 5/8	13,955		
93 3/4	13,962		
93 7/8	13,968		
94	13,974		
94 1/8	13,980		
94 1/4	13,986		
94 3/8	13,991		
94 1/2	13,997		