



Dipstick Calibration Chart

8' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	246	9 1/8	687	13 5/8	1,252	18 1/8	1,913
1/4	3	4 3/4	256	9 1/4	701	13 3/4	1,269	18 1/4	1,932
3/8	6	4 7/8	267	9 3/8	715	13 7/8	1,286	18 3/8	1,952
1/2	9	5	277	9 1/2	730	14	1,304	18 1/2	1,971
5/8	12	5 1/8	288	9 5/8	744	14 1/8	1,321	18 5/8	1,991
3/4	16	5 1/4	298	9 3/4	759	14 1/4	1,339	18 3/4	2,011
7/8	20	5 3/8	309	9 7/8	773	14 3/8	1,356	18 7/8	2,031
1	24	5 1/2	320	10	788	14 1/2	1,374	19	2,050
1 1/8	29	5 5/8	331	10 1/8	803	14 5/8	1,391	19 1/8	2,070
1 1/4	34	5 3/4	342	10 1/4	818	14 3/4	1,409	19 1/4	2,090
1 3/8	39	5 7/8	354	10 3/8	833	14 7/8	1,427	19 3/8	2,110
1 1/2	45	6	365	10 1/2	848	15	1,445	19 1/2	2,130
1 5/8	51	6 1/8	377	10 5/8	863	15 1/8	1,463	19 5/8	2,151
1 3/4	57	6 1/4	388	10 3/4	878	15 1/4	1,481	19 3/4	2,171
1 7/8	63	6 3/8	400	10 7/8	894	15 3/8	1,499	19 7/8	2,191
2	69	6 1/2	412	11	909	15 1/2	1,517	20	2,211
2 1/8	76	6 5/8	424	11 1/8	925	15 5/8	1,535	20 1/8	2,232
2 1/4	83	6 3/4	436	11 1/4	940	15 3/4	1,554	20 1/4	2,252
2 3/8	90	6 7/8	448	11 3/8	956	15 7/8	1,572	20 3/8	2,272
2 1/2	97	7	461	11 1/2	972	16	1,590	20 1/2	2,293
2 5/8	105	7 1/8	473	11 5/8	988	16 1/8	1,609	20 5/8	2,313
2 3/4	112	7 1/4	486	11 3/4	1,004	16 1/4	1,627	20 3/4	2,334
2 7/8	120	7 3/8	498	11 7/8	1,020	16 3/8	1,646	20 7/8	2,355
3	128	7 1/2	511	12	1,036	16 1/2	1,665	21	2,375
3 1/8	136	7 5/8	524	12 1/8	1,052	16 5/8	1,683	21 1/8	2,396
3 1/4	144	7 3/4	537	12 1/4	1,068	16 3/4	1,702	21 1/4	2,417
3 3/8	153	7 7/8	550	12 3/8	1,084	16 7/8	1,721	21 3/8	2,438
3 1/2	162	8	563	12 1/2	1,101	17	1,740	21 1/2	2,459
3 5/8	170	8 1/8	577	12 5/8	1,117	17 1/8	1,759	21 5/8	2,479
3 3/4	179	8 1/4	590	12 3/4	1,134	17 1/4	1,778	21 3/4	2,500
3 7/8	189	8 3/8	604	12 7/8	1,151	17 3/8	1,797	21 7/8	2,522
4	198	8 1/2	617	13	1,167	17 1/2	1,816	22	2,543
4 1/8	207	8 5/8	631	13 1/8	1,184	17 5/8	1,835	22 1/8	2,564
4 1/4	217	8 3/4	645	13 1/4	1,201	17 3/4	1,855	22 1/4	2,585
4 3/8	226	8 7/8	659	13 3/8	1,218	17 7/8	1,874	22 3/8	2,606
4 1/2	236	9	673	13 1/2	1,235	18	1,893	22 1/2	2,627



Dipstick Calibration Chart

8' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,649	27 1/8	3,445	31 5/8	4,288	36 1/8	5,167	40 5/8	6,071
22 3/4	2,670	27 1/4	3,468	31 3/4	4,312	36 1/4	5,192	40 3/4	6,097
22 7/8	2,692	27 3/8	3,490	31 7/8	4,336	36 3/8	5,217	40 7/8	6,122
23	2,713	27 1/2	3,513	32	4,360	36 1/2	5,242	41	6,148
23 1/8	2,734	27 5/8	3,536	32 1/8	4,384	36 5/8	5,266	41 1/8	6,173
23 1/4	2,756	27 3/4	3,559	32 1/4	4,408	36 3/4	5,291	41 1/4	6,199
23 3/8	2,778	27 7/8	3,582	32 3/8	4,432	36 7/8	5,316	41 3/8	6,224
23 1/2	2,799	28	3,605	32 1/2	4,456	37	5,341	41 1/2	6,249
23 5/8	2,821	28 1/8	3,628	32 5/8	4,481	37 1/8	5,366	41 5/8	6,275
23 3/4	2,843	28 1/4	3,652	32 3/4	4,505	37 1/4	5,391	41 3/4	6,300
23 7/8	2,864	28 3/8	3,675	32 7/8	4,529	37 3/8	5,416	41 7/8	6,326
24	2,886	28 1/2	3,698	33	4,553	37 1/2	5,441	42	6,351
24 1/8	2,908	28 5/8	3,721	33 1/8	4,578	37 5/8	5,466	42 1/8	6,377
24 1/4	2,930	28 3/4	3,744	33 1/4	4,602	37 3/4	5,491	42 1/4	6,402
24 3/8	2,952	28 7/8	3,768	33 3/8	4,626	37 7/8	5,516	42 3/8	6,428
24 1/2	2,974	29	3,791	33 1/2	4,651	38	5,541	42 1/2	6,453
24 5/8	2,996	29 1/8	3,814	33 5/8	4,675	38 1/8	5,566	42 5/8	6,479
24 3/4	3,018	29 1/4	3,838	33 3/4	4,699	38 1/4	5,592	42 3/4	6,505
24 7/8	3,040	29 3/8	3,861	33 7/8	4,724	38 3/8	5,617	42 7/8	6,530
25	3,062	29 1/2	3,885	34	4,748	38 1/2	5,642	43	6,556
25 1/8	3,084	29 5/8	3,908	34 1/8	4,773	38 5/8	5,667	43 1/8	6,581
25 1/4	3,107	29 3/4	3,932	34 1/4	4,797	38 3/4	5,692	43 1/4	6,607
25 3/8	3,129	29 7/8	3,955	34 3/8	4,822	38 7/8	5,717	43 3/8	6,632
25 1/2	3,151	30	3,979	34 1/2	4,846	39	5,743	43 1/2	6,658
25 5/8	3,174	30 1/8	4,002	34 5/8	4,871	39 1/8	5,768	43 5/8	6,684
25 3/4	3,196	30 1/4	4,026	34 3/4	4,895	39 1/4	5,793	43 3/4	6,709
25 7/8	3,218	30 3/8	4,050	34 7/8	4,920	39 3/8	5,818	43 7/8	6,735
26	3,241	30 1/2	4,073	35	4,944	39 1/2	5,844	44	6,760
26 1/8	3,263	30 5/8	4,097	35 1/8	4,969	39 5/8	5,869	44 1/8	6,786
26 1/4	3,286	30 3/4	4,121	35 1/4	4,994	39 3/4	5,894	44 1/4	6,812
26 3/8	3,308	30 7/8	4,145	35 3/8	5,018	39 7/8	5,919	44 3/8	6,837
26 1/2	3,331	31	4,168	35 1/2	5,043	40	5,945	44 1/2	6,863
26 5/8	3,354	31 1/8	4,192	35 5/8	5,068	40 1/8	5,970	44 5/8	6,889
26 3/4	3,376	31 1/4	4,216	35 3/4	5,093	40 1/4	5,995	44 3/4	6,914
26 7/8	3,399	31 3/8	4,240	35 7/8	5,117	40 3/8	6,021	44 7/8	6,940
27	3,422	31 1/2	4,264	36	5,142	40 1/2	6,046	45	6,966



Dipstick Calibration Chart

8' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,991	49 5/8	7,917	54 1/8	8,840	58 5/8	9,750	63 1/8	10,637
45 1/4	7,017	49 3/4	7,943	54 1/4	8,865	58 3/4	9,775	63 1/4	10,661
45 3/8	7,043	49 7/8	7,969	54 3/8	8,891	58 7/8	9,800	63 3/8	10,685
45 1/2	7,068	50	7,995	54 1/2	8,916	59	9,825	63 1/2	10,709
45 5/8	7,094	50 1/8	8,020	54 5/8	8,942	59 1/8	9,850	63 5/8	10,734
45 3/4	7,120	50 1/4	8,046	54 3/4	8,967	59 1/4	9,874	63 3/4	10,758
45 7/8	7,146	50 3/8	8,072	54 7/8	8,993	59 3/8	9,899	63 7/8	10,782
46	7,171	50 1/2	8,097	55	9,018	59 1/2	9,924	64	10,806
46 1/8	7,197	50 5/8	8,123	55 1/8	9,044	59 5/8	9,949	64 1/8	10,830
46 1/4	7,223	50 3/4	8,149	55 1/4	9,069	59 3/4	9,974	64 1/4	10,854
46 3/8	7,248	50 7/8	8,174	55 3/8	9,094	59 7/8	9,999	64 3/8	10,878
46 1/2	7,274	51	8,200	55 1/2	9,120	60	10,024	64 1/2	10,902
46 5/8	7,300	51 1/8	8,226	55 5/8	9,145	60 1/8	10,048	64 5/8	10,926
46 3/4	7,326	51 1/4	8,251	55 3/4	9,170	60 1/4	10,073	64 3/4	10,950
46 7/8	7,351	51 3/8	8,277	55 7/8	9,196	60 3/8	10,098	64 7/8	10,973
47	7,377	51 1/2	8,303	56	9,221	60 1/2	10,123	65	10,997
47 1/8	7,403	51 5/8	8,328	56 1/8	9,246	60 5/8	10,147	65 1/8	11,021
47 1/4	7,429	51 3/4	8,354	56 1/4	9,272	60 3/4	10,172	65 1/4	11,045
47 3/8	7,454	51 7/8	8,380	56 3/8	9,297	60 7/8	10,197	65 3/8	11,069
47 1/2	7,480	52	8,405	56 1/2	9,322	61	10,221	65 1/2	11,092
47 5/8	7,506	52 1/8	8,431	56 5/8	9,348	61 1/8	10,246	65 5/8	11,116
47 3/4	7,531	52 1/4	8,457	56 3/4	9,373	61 1/4	10,271	65 3/4	11,140
47 7/8	7,557	52 3/8	8,482	56 7/8	9,398	61 3/8	10,295	65 7/8	11,163
48	7,583	52 1/2	8,508	57	9,423	61 1/2	10,320	66	11,187
48 1/8	7,609	52 5/8	8,533	57 1/8	9,448	61 5/8	10,344	66 1/8	11,211
48 1/4	7,634	52 3/4	8,559	57 1/4	9,474	61 3/4	10,369	66 1/4	11,234
48 3/8	7,660	52 7/8	8,585	57 3/8	9,499	61 7/8	10,393	66 3/8	11,258
48 1/2	7,686	53	8,610	57 1/2	9,524	62	10,418	66 1/2	11,281
48 5/8	7,712	53 1/8	8,636	57 5/8	9,549	62 1/8	10,442	66 5/8	11,305
48 3/4	7,737	53 1/4	8,661	57 3/4	9,574	62 1/4	10,467	66 3/4	11,328
48 7/8	7,763	53 3/8	8,687	57 7/8	9,599	62 3/8	10,491	66 7/8	11,351
49	7,789	53 1/2	8,712	58	9,624	62 1/2	10,515	67	11,375
49 1/8	7,814	53 5/8	8,738	58 1/8	9,650	62 5/8	10,540	67 1/8	11,398
49 1/4	7,840	53 3/4	8,763	58 1/4	9,675	62 3/4	10,564	67 1/4	11,421
49 3/8	7,866	53 7/8	8,789	58 3/8	9,700	62 7/8	10,588	67 3/8	11,445
49 1/2	7,892	54	8,814	58 1/2	9,725	63	10,613	67 1/2	11,468



Dipstick Calibration Chart

8' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	11,491	72 1/8	12,301	76 5/8	13,055	81 1/8	13,739	85 5/8	14,333
67 3/4	11,514	72 1/4	12,323	76 3/4	13,076	81 1/4	13,757	85 3/4	14,348
67 7/8	11,537	72 3/8	12,345	76 7/8	13,095	81 3/8	13,774	85 7/8	14,363
68	11,560	72 1/2	12,367	77	13,115	81 1/2	13,792	86	14,378
68 1/8	11,583	72 5/8	12,388	77 1/8	13,135	81 5/8	13,810	86 1/8	14,393
68 1/4	11,606	72 3/4	12,410	77 1/4	13,155	81 3/4	13,827	86 1/4	14,407
68 3/8	11,629	72 7/8	12,431	77 3/8	13,175	81 7/8	13,845	86 3/8	14,422
68 1/2	11,652	73	12,453	77 1/2	13,194	82	13,862	86 1/2	14,436
68 5/8	11,675	73 1/8	12,474	77 5/8	13,214	82 1/8	13,879	86 5/8	14,451
68 3/4	11,698	73 1/4	12,496	77 3/4	13,234	82 1/4	13,897	86 3/4	14,465
68 7/8	11,721	73 3/8	12,517	77 7/8	13,253	82 3/8	13,914	86 7/8	14,479
69	11,744	73 1/2	12,538	78	13,273	82 1/2	13,931	87	14,493
69 1/8	11,767	73 5/8	12,560	78 1/8	13,292	82 5/8	13,948	87 1/8	14,507
69 1/4	11,789	73 3/4	12,581	78 1/4	13,311	82 3/4	13,965	87 1/4	14,521
69 3/8	11,812	73 7/8	12,602	78 3/8	13,331	82 7/8	13,982	87 3/8	14,535
69 1/2	11,835	74	12,623	78 1/2	13,350	83	13,999	87 1/2	14,549
69 5/8	11,857	74 1/8	12,644	78 5/8	13,369	83 1/8	14,015	87 5/8	14,562
69 3/4	11,880	74 1/4	12,665	78 3/4	13,388	83 1/4	14,032	87 3/4	14,576
69 7/8	11,902	74 3/8	12,686	78 7/8	13,407	83 3/8	14,048	87 7/8	14,589
70	11,925	74 1/2	12,707	79	13,426	83 1/2	14,065	88	14,603
70 1/8	11,947	74 5/8	12,728	79 1/8	13,445	83 5/8	14,081	88 1/8	14,616
70 1/4	11,970	74 3/4	12,749	79 1/4	13,464	83 3/4	14,098	88 1/4	14,629
70 3/8	11,992	74 7/8	12,770	79 3/8	13,483	83 7/8	14,114	88 3/8	14,642
70 1/2	12,015	75	12,791	79 1/2	13,501	84	14,130	88 1/2	14,655
70 5/8	12,037	75 1/8	12,811	79 5/8	13,520	84 1/8	14,146	88 5/8	14,668
70 3/4	12,059	75 1/4	12,832	79 3/4	13,539	84 1/4	14,162	88 3/4	14,680
70 7/8	12,081	75 3/8	12,852	79 7/8	13,557	84 3/8	14,178	88 7/8	14,693
71	12,104	75 1/2	12,873	80	13,576	84 1/2	14,194	89	14,705
71 1/8	12,126	75 5/8	12,893	80 1/8	13,594	84 5/8	14,210	89 1/8	14,718
71 1/4	12,148	75 3/4	12,914	80 1/4	13,612	84 3/4	14,226	89 1/4	14,730
71 3/8	12,170	75 7/8	12,934	80 3/8	13,631	84 7/8	14,241	89 3/8	14,742
71 1/2	12,192	76	12,955	80 1/2	13,649	85	14,257	89 1/2	14,754
71 5/8	12,214	76 1/8	12,975	80 5/8	13,667	85 1/8	14,272	89 5/8	14,766
71 3/4	12,236	76 1/4	12,995	80 3/4	13,685	85 1/4	14,288	89 3/4	14,778
71 7/8	12,258	76 3/8	13,015	80 7/8	13,703	85 3/8	14,303	89 7/8	14,789
72	12,280	76 1/2	13,035	81	13,721	85 1/2	14,318	90	14,801



Dipstick Calibration Chart

8' x 15K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	14,812	94 5/8	15,126
90 1/4	14,824	94 3/4	15,132
90 3/8	14,835	94 7/8	15,137
90 1/2	14,846	95	15,141
90 5/8	14,857	95 1/8	15,146
90 3/4	14,867	95 1/4	15,150
90 7/8	14,878	95 3/8	15,154
91	14,889	95 1/2	15,157
91 1/8	14,899	95 5/8	15,160
91 1/4	14,909	95 3/4	15,163
91 3/8	14,919	95 7/8	15,165
91 1/2	14,929	96	15,166
91 5/8	14,939		
91 3/4	14,949		
91 7/8	14,959		
92	14,968		
92 1/8	14,977		
92 1/4	14,986		
92 3/8	14,995		
92 1/2	15,004		
92 5/8	15,013		
92 3/4	15,021		
92 7/8	15,030		
93	15,038		
93 1/8	15,046		
93 1/4	15,054		
93 3/8	15,061		
93 1/2	15,069		
93 5/8	15,076		
93 3/4	15,083		
93 7/8	15,090		
94	15,096		
94 1/8	15,103		
94 1/4	15,109		
94 3/8	15,115		
94 1/2	15,121		