



Dipstick Calibration Chart

8' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	266	9 1/8	741	13 5/8	1,350	18 1/8	2,061
1/4	3	4 3/4	277	9 1/4	756	13 3/4	1,368	18 1/4	2,082
3/8	6	4 7/8	288	9 3/8	772	13 7/8	1,387	18 3/8	2,103
1/2	9	5	300	9 1/2	787	14	1,406	18 1/2	2,124
5/8	13	5 1/8	311	9 5/8	803	14 1/8	1,424	18 5/8	2,145
3/4	17	5 1/4	322	9 3/4	819	14 1/4	1,443	18 3/4	2,166
7/8	22	5 3/8	334	9 7/8	834	14 3/8	1,462	18 7/8	2,187
1	26	5 1/2	346	10	850	14 1/2	1,481	19	2,209
1 1/8	31	5 5/8	358	10 1/8	866	14 5/8	1,500	19 1/8	2,230
1 1/4	37	5 3/4	370	10 1/4	882	14 3/4	1,519	19 1/4	2,252
1 3/8	43	5 7/8	382	10 3/8	899	14 7/8	1,538	19 3/8	2,273
1 1/2	49	6	394	10 1/2	915	15	1,557	19 1/2	2,295
1 5/8	55	6 1/8	407	10 5/8	931	15 1/8	1,577	19 5/8	2,316
1 3/4	61	6 1/4	419	10 3/4	948	15 1/4	1,596	19 3/4	2,338
1 7/8	68	6 3/8	432	10 7/8	964	15 3/8	1,616	19 7/8	2,360
2	75	6 1/2	445	11	981	15 1/2	1,635	20	2,381
2 1/8	82	6 5/8	458	11 1/8	997	15 5/8	1,655	20 1/8	2,403
2 1/4	90	6 3/4	471	11 1/4	1,014	15 3/4	1,674	20 1/4	2,425
2 3/8	97	6 7/8	484	11 3/8	1,031	15 7/8	1,694	20 3/8	2,447
2 1/2	105	7	497	11 1/2	1,048	16	1,714	20 1/2	2,469
2 5/8	113	7 1/8	511	11 5/8	1,065	16 1/8	1,734	20 5/8	2,491
2 3/4	121	7 1/4	524	11 3/4	1,082	16 1/4	1,754	20 3/4	2,513
2 7/8	130	7 3/8	538	11 7/8	1,100	16 3/8	1,774	20 7/8	2,536
3	138	7 1/2	552	12	1,117	16 1/2	1,794	21	2,558
3 1/8	147	7 5/8	566	12 1/8	1,134	16 5/8	1,814	21 1/8	2,580
3 1/4	156	7 3/4	580	12 1/4	1,152	16 3/4	1,834	21 1/4	2,602
3 3/8	165	7 7/8	594	12 3/8	1,170	16 7/8	1,854	21 3/8	2,625
3 1/2	175	8	608	12 1/2	1,187	17	1,875	21 1/2	2,647
3 5/8	184	8 1/8	623	12 5/8	1,205	17 1/8	1,895	21 5/8	2,670
3 3/4	194	8 1/4	637	12 3/4	1,223	17 1/4	1,916	21 3/4	2,692
3 7/8	204	8 3/8	652	12 7/8	1,241	17 3/8	1,936	21 7/8	2,715
4	214	8 1/2	666	13	1,259	17 1/2	1,957	22	2,738
4 1/8	224	8 5/8	681	13 1/8	1,277	17 5/8	1,977	22 1/8	2,760
4 1/4	234	8 3/4	696	13 1/4	1,295	17 3/4	1,998	22 1/4	2,783
4 3/8	245	8 7/8	711	13 3/8	1,313	17 7/8	2,019	22 3/8	2,806
4 1/2	255	9	726	13 1/2	1,332	18	2,040	22 1/2	2,829



Dipstick Calibration Chart

8' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,852	27 1/8	3,707	31 5/8	4,612	36 1/8	5,555	40 5/8	6,526
22 3/4	2,875	27 1/4	3,731	31 3/4	4,638	36 1/4	5,582	40 3/4	6,553
22 7/8	2,898	27 3/8	3,756	31 7/8	4,663	36 3/8	5,609	40 7/8	6,580
23	2,921	27 1/2	3,780	32	4,689	36 1/2	5,635	41	6,607
23 1/8	2,944	27 5/8	3,805	32 1/8	4,715	36 5/8	5,662	41 1/8	6,635
23 1/4	2,967	27 3/4	3,830	32 1/4	4,741	36 3/4	5,689	41 1/4	6,662
23 3/8	2,990	27 7/8	3,854	32 3/8	4,767	36 7/8	5,715	41 3/8	6,689
23 1/2	3,013	28	3,879	32 1/2	4,793	37	5,742	41 1/2	6,716
23 5/8	3,037	28 1/8	3,904	32 5/8	4,819	37 1/8	5,769	41 5/8	6,744
23 3/4	3,060	28 1/4	3,929	32 3/4	4,845	37 1/4	5,796	41 3/4	6,771
23 7/8	3,083	28 3/8	3,954	32 7/8	4,871	37 3/8	5,822	41 7/8	6,798
24	3,107	28 1/2	3,978	33	4,897	37 1/2	5,849	42	6,826
24 1/8	3,130	28 5/8	4,003	33 1/8	4,923	37 5/8	5,876	42 1/8	6,853
24 1/4	3,154	28 3/4	4,028	33 1/4	4,949	37 3/4	5,903	42 1/4	6,881
24 3/8	3,177	28 7/8	4,053	33 3/8	4,975	37 7/8	5,930	42 3/8	6,908
24 1/2	3,201	29	4,078	33 1/2	5,001	38	5,957	42 1/2	6,935
24 5/8	3,225	29 1/8	4,103	33 5/8	5,027	38 1/8	5,984	42 5/8	6,963
24 3/4	3,248	29 1/4	4,129	33 3/4	5,053	38 1/4	6,011	42 3/4	6,990
24 7/8	3,272	29 3/8	4,154	33 7/8	5,079	38 3/8	6,038	42 7/8	7,018
25	3,296	29 1/2	4,179	34	5,106	38 1/2	6,065	43	7,045
25 1/8	3,320	29 5/8	4,204	34 1/8	5,132	38 5/8	6,092	43 1/8	7,072
25 1/4	3,344	29 3/4	4,229	34 1/4	5,158	38 3/4	6,119	43 1/4	7,100
25 3/8	3,367	29 7/8	4,255	34 3/8	5,185	38 7/8	6,146	43 3/8	7,127
25 1/2	3,391	30	4,280	34 1/2	5,211	39	6,173	43 1/2	7,155
25 5/8	3,415	30 1/8	4,305	34 5/8	5,237	39 1/8	6,200	43 5/8	7,182
25 3/4	3,439	30 1/4	4,331	34 3/4	5,264	39 1/4	6,227	43 3/4	7,210
25 7/8	3,464	30 3/8	4,356	34 7/8	5,290	39 3/8	6,254	43 7/8	7,237
26	3,488	30 1/2	4,382	35	5,316	39 1/2	6,281	44	7,265
26 1/8	3,512	30 5/8	4,407	35 1/8	5,343	39 5/8	6,308	44 1/8	7,292
26 1/4	3,536	30 3/4	4,432	35 1/4	5,369	39 3/4	6,335	44 1/4	7,320
26 3/8	3,560	30 7/8	4,458	35 3/8	5,396	39 7/8	6,362	44 3/8	7,347
26 1/2	3,585	31	4,484	35 1/2	5,422	40	6,390	44 1/2	7,375
26 5/8	3,609	31 1/8	4,509	35 5/8	5,449	40 1/8	6,417	44 5/8	7,402
26 3/4	3,633	31 1/4	4,535	35 3/4	5,475	40 1/4	6,444	44 3/4	7,430
26 7/8	3,658	31 3/8	4,560	35 7/8	5,502	40 3/8	6,471	44 7/8	7,457
27	3,682	31 1/2	4,586	36	5,529	40 1/2	6,498	45	7,485



Dipstick Calibration Chart

8' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	7,512	49 5/8	8,506	54 1/8	9,495	58 5/8	10,471	63 1/8	11,423
45 1/4	7,540	49 3/4	8,533	54 1/4	9,523	58 3/4	10,498	63 1/4	11,449
45 3/8	7,568	49 7/8	8,561	54 3/8	9,550	58 7/8	10,525	63 3/8	11,475
45 1/2	7,595	50	8,588	54 1/2	9,577	59	10,552	63 1/2	11,501
45 5/8	7,623	50 1/8	8,616	54 5/8	9,605	59 1/8	10,579	63 5/8	11,527
45 3/4	7,650	50 1/4	8,644	54 3/4	9,632	59 1/4	10,605	63 3/4	11,553
45 7/8	7,678	50 3/8	8,671	54 7/8	9,659	59 3/8	10,632	63 7/8	11,579
46	7,705	50 1/2	8,699	55	9,687	59 1/2	10,659	64	11,605
46 1/8	7,733	50 5/8	8,726	55 1/8	9,714	59 5/8	10,685	64 1/8	11,630
46 1/4	7,761	50 3/4	8,754	55 1/4	9,741	59 3/4	10,712	64 1/4	11,656
46 3/8	7,788	50 7/8	8,781	55 3/8	9,768	59 7/8	10,739	64 3/8	11,682
46 1/2	7,816	51	8,809	55 1/2	9,796	60	10,765	64 1/2	11,708
46 5/8	7,843	51 1/8	8,836	55 5/8	9,823	60 1/8	10,792	64 5/8	11,733
46 3/4	7,871	51 1/4	8,864	55 3/4	9,850	60 1/4	10,818	64 3/4	11,759
46 7/8	7,899	51 3/8	8,892	55 7/8	9,877	60 3/8	10,845	64 7/8	11,785
47	7,926	51 1/2	8,919	56	9,904	60 1/2	10,872	65	11,810
47 1/8	7,954	51 5/8	8,947	56 1/8	9,931	60 5/8	10,898	65 1/8	11,836
47 1/4	7,981	51 3/4	8,974	56 1/4	9,959	60 3/4	10,925	65 1/4	11,861
47 3/8	8,009	51 7/8	9,002	56 3/8	9,986	60 7/8	10,951	65 3/8	11,887
47 1/2	8,037	52	9,029	56 1/2	10,013	61	10,977	65 1/2	11,912
47 5/8	8,064	52 1/8	9,057	56 5/8	10,040	61 1/8	11,004	65 5/8	11,938
47 3/4	8,092	52 1/4	9,084	56 3/4	10,067	61 1/4	11,030	65 3/4	11,963
47 7/8	8,119	52 3/8	9,112	56 7/8	10,094	61 3/8	11,057	65 7/8	11,989
48	8,147	52 1/2	9,139	57	10,121	61 1/2	11,083	66	12,014
48 1/8	8,175	52 5/8	9,167	57 1/8	10,148	61 5/8	11,109	66 1/8	12,039
48 1/4	8,202	52 3/4	9,194	57 1/4	10,175	61 3/4	11,136	66 1/4	12,064
48 3/8	8,230	52 7/8	9,221	57 3/8	10,202	61 7/8	11,162	66 3/8	12,090
48 1/2	8,257	53	9,249	57 1/2	10,229	62	11,188	66 1/2	12,115
48 5/8	8,285	53 1/8	9,276	57 5/8	10,256	62 1/8	11,214	66 5/8	12,140
48 3/4	8,313	53 1/4	9,304	57 3/4	10,283	62 1/4	11,241	66 3/4	12,165
48 7/8	8,340	53 3/8	9,331	57 7/8	10,310	62 3/8	11,267	66 7/8	12,190
49	8,368	53 1/2	9,359	58	10,337	62 1/2	11,293	67	12,215
49 1/8	8,395	53 5/8	9,386	58 1/8	10,364	62 5/8	11,319	67 1/8	12,240
49 1/4	8,423	53 3/4	9,413	58 1/4	10,391	62 3/4	11,345	67 1/4	12,265
49 3/8	8,451	53 7/8	9,441	58 3/8	10,418	62 7/8	11,371	67 3/8	12,290
49 1/2	8,478	54	9,468	58 1/2	10,445	63	11,397	67 1/2	12,315



Dipstick Calibration Chart

8' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	12,340	72 1/8	13,211	76 5/8	14,021	81 1/8	14,756	85 5/8	15,395
67 3/4	12,365	72 1/4	13,234	76 3/4	14,042	81 1/4	14,775	85 3/4	15,412
67 7/8	12,390	72 3/8	13,257	76 7/8	14,064	81 3/8	14,794	85 7/8	15,428
68	12,415	72 1/2	13,281	77	14,085	81 1/2	14,813	86	15,444
68 1/8	12,440	72 5/8	13,304	77 1/8	14,107	81 5/8	14,832	86 1/8	15,459
68 1/4	12,464	72 3/4	13,327	77 1/4	14,128	81 3/4	14,851	86 1/4	15,475
68 3/8	12,489	72 7/8	13,350	77 3/8	14,149	81 7/8	14,869	86 3/8	15,491
68 1/2	12,514	73	13,373	77 1/2	14,170	82	14,888	86 1/2	15,507
68 5/8	12,538	73 1/8	13,396	77 5/8	14,191	82 1/8	14,907	86 5/8	15,522
68 3/4	12,563	73 1/4	13,419	77 3/4	14,212	82 1/4	14,925	86 3/4	15,537
68 7/8	12,587	73 3/8	13,442	77 7/8	14,233	82 3/8	14,944	86 7/8	15,553
69	12,612	73 1/2	13,465	78	14,254	82 1/2	14,962	87	15,568
69 1/8	12,636	73 5/8	13,488	78 1/8	14,275	82 5/8	14,981	87 1/8	15,583
69 1/4	12,661	73 3/4	13,511	78 1/4	14,296	82 3/4	14,999	87 1/4	15,598
69 3/8	12,685	73 7/8	13,534	78 3/8	14,317	82 7/8	15,017	87 3/8	15,613
69 1/2	12,709	74	13,556	78 1/2	14,337	83	15,035	87 1/2	15,628
69 5/8	12,734	74 1/8	13,579	78 5/8	14,358	83 1/8	15,053	87 5/8	15,642
69 3/4	12,758	74 1/4	13,602	78 3/4	14,378	83 1/4	15,071	87 3/4	15,657
69 7/8	12,782	74 3/8	13,624	78 7/8	14,399	83 3/8	15,089	87 7/8	15,671
70	12,806	74 1/2	13,647	79	14,419	83 1/2	15,107	88	15,686
70 1/8	12,830	74 5/8	13,669	79 1/8	14,440	83 5/8	15,124	88 1/8	15,700
70 1/4	12,854	74 3/4	13,691	79 1/4	14,460	83 3/4	15,142	88 1/4	15,714
70 3/8	12,878	74 7/8	13,714	79 3/8	14,480	83 7/8	15,159	88 3/8	15,728
70 1/2	12,902	75	13,736	79 1/2	14,500	84	15,177	88 1/2	15,742
70 5/8	12,926	75 1/8	13,758	79 5/8	14,520	84 1/8	15,194	88 5/8	15,756
70 3/4	12,950	75 1/4	13,780	79 3/4	14,540	84 1/4	15,211	88 3/4	15,769
70 7/8	12,974	75 3/8	13,803	79 7/8	14,560	84 3/8	15,229	88 7/8	15,783
71	12,998	75 1/2	13,825	80	14,580	84 1/2	15,246	89	15,796
71 1/8	13,022	75 5/8	13,847	80 1/8	14,600	84 5/8	15,263	89 1/8	15,810
71 1/4	13,046	75 3/4	13,869	80 1/4	14,620	84 3/4	15,280	89 1/4	15,823
71 3/8	13,069	75 7/8	13,891	80 3/8	14,639	84 7/8	15,296	89 3/8	15,836
71 1/2	13,093	76	13,912	80 1/2	14,659	85	15,313	89 1/2	15,849
71 5/8	13,117	76 1/8	13,934	80 5/8	14,678	85 1/8	15,330	89 5/8	15,862
71 3/4	13,140	76 1/4	13,956	80 3/4	14,698	85 1/4	15,346	89 3/4	15,874
71 7/8	13,164	76 3/8	13,978	80 7/8	14,717	85 3/8	15,363	89 7/8	15,887
72	13,187	76 1/2	13,999	81	14,736	85 1/2	15,379	90	15,900



Dipstick Calibration Chart

8' x 16K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	15,912	94 5/8	16,251
90 1/4	15,924	94 3/4	16,257
90 3/8	15,936	94 7/8	16,262
90 1/2	15,948	95	16,267
90 5/8	15,960	95 1/8	16,272
90 3/4	15,971	95 1/4	16,277
90 7/8	15,983	95 3/8	16,281
91	15,994	95 1/2	16,285
91 1/8	16,006	95 5/8	16,288
91 1/4	16,017	95 3/4	16,291
91 3/8	16,028	95 7/8	16,293
91 1/2	16,038	96	16,294
91 5/8	16,049		
91 3/4	16,059		
91 7/8	16,070		
92	16,080		
92 1/8	16,090		
92 1/4	16,100		
92 3/8	16,110		
92 1/2	16,119		
92 5/8	16,128		
92 3/4	16,138		
92 7/8	16,147		
93	16,155		
93 1/8	16,164		
93 1/4	16,172		
93 3/8	16,181		
93 1/2	16,189		
93 5/8	16,197		
93 3/4	16,204		
93 7/8	16,212		
94	16,219		
94 1/8	16,226		
94 1/4	16,233		
94 3/8	16,239		
94 1/2	16,245		