



Dipstick Calibration Chart

8' x 17K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	280	9 1/8	777	13 5/8	1,415	18 1/8	2,159
1/4	3	4 3/4	291	9 1/4	793	13 3/4	1,435	18 1/4	2,181
3/8	6	4 7/8	303	9 3/8	810	13 7/8	1,454	18 3/8	2,203
1/2	10	5	314	9 1/2	826	14	1,474	18 1/2	2,225
5/8	14	5 1/8	326	9 5/8	842	14 1/8	1,493	18 5/8	2,247
3/4	18	5 1/4	338	9 3/4	859	14 1/4	1,513	18 3/4	2,270
7/8	23	5 3/8	351	9 7/8	875	14 3/8	1,533	18 7/8	2,292
1	28	5 1/2	363	10	892	14 1/2	1,552	19	2,314
1 1/8	33	5 5/8	376	10 1/8	909	14 5/8	1,572	19 1/8	2,337
1 1/4	39	5 3/4	388	10 1/4	925	14 3/4	1,592	19 1/4	2,359
1 3/8	45	5 7/8	401	10 3/8	942	14 7/8	1,612	19 3/8	2,381
1 1/2	51	6	414	10 1/2	959	15	1,632	19 1/2	2,404
1 5/8	58	6 1/8	427	10 5/8	977	15 1/8	1,653	19 5/8	2,427
1 3/4	64	6 1/4	440	10 3/4	994	15 1/4	1,673	19 3/4	2,449
1 7/8	72	6 3/8	453	10 7/8	1,011	15 3/8	1,693	19 7/8	2,472
2	79	6 1/2	467	11	1,029	15 1/2	1,714	20	2,495
2 1/8	86	6 5/8	481	11 1/8	1,046	15 5/8	1,734	20 1/8	2,518
2 1/4	94	6 3/4	494	11 1/4	1,064	15 3/4	1,755	20 1/4	2,541
2 3/8	102	6 7/8	508	11 3/8	1,081	15 7/8	1,776	20 3/8	2,564
2 1/2	110	7	522	11 1/2	1,099	16	1,796	20 1/2	2,587
2 5/8	119	7 1/8	536	11 5/8	1,117	16 1/8	1,817	20 5/8	2,610
2 3/4	128	7 1/4	550	11 3/4	1,135	16 1/4	1,838	20 3/4	2,633
2 7/8	136	7 3/8	565	11 7/8	1,153	16 3/8	1,859	20 7/8	2,656
3	145	7 1/2	579	12	1,171	16 1/2	1,880	21	2,679
3 1/8	155	7 5/8	594	12 1/8	1,190	16 5/8	1,901	21 1/8	2,703
3 1/4	164	7 3/4	608	12 1/4	1,208	16 3/4	1,922	21 1/4	2,726
3 3/8	174	7 7/8	623	12 3/8	1,226	16 7/8	1,943	21 3/8	2,750
3 1/2	184	8	638	12 1/2	1,245	17	1,965	21 1/2	2,773
3 5/8	194	8 1/8	653	12 5/8	1,263	17 1/8	1,986	21 5/8	2,797
3 3/4	204	8 1/4	668	12 3/4	1,282	17 1/4	2,007	21 3/4	2,820
3 7/8	214	8 3/8	684	12 7/8	1,301	17 3/8	2,029	21 7/8	2,844
4	225	8 1/2	699	13	1,320	17 1/2	2,050	22	2,868
4 1/8	235	8 5/8	714	13 1/8	1,339	17 5/8	2,072	22 1/8	2,891
4 1/4	246	8 3/4	730	13 1/4	1,358	17 3/4	2,094	22 1/4	2,915
4 3/8	257	8 7/8	746	13 3/8	1,377	17 7/8	2,115	22 3/8	2,939
4 1/2	268	9	762	13 1/2	1,396	18	2,137	22 1/2	2,963



Dipstick Calibration Chart

8' x 17K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,987	27 1/8	3,881	31 5/8	4,828	36 1/8	5,814	40 5/8	6,828
22 3/4	3,011	27 1/4	3,907	31 3/4	4,855	36 1/4	5,842	40 3/4	6,857
22 7/8	3,035	27 3/8	3,933	31 7/8	4,882	36 3/8	5,870	40 7/8	6,885
23	3,059	27 1/2	3,958	32	4,909	36 1/2	5,898	41	6,914
23 1/8	3,083	27 5/8	3,984	32 1/8	4,936	36 5/8	5,926	41 1/8	6,942
23 1/4	3,107	27 3/4	4,010	32 1/4	4,963	36 3/4	5,953	41 1/4	6,971
23 3/8	3,132	27 7/8	4,036	32 3/8	4,990	36 7/8	5,981	41 3/8	6,999
23 1/2	3,156	28	4,062	32 1/2	5,017	37	6,009	41 1/2	7,028
23 5/8	3,180	28 1/8	4,087	32 5/8	5,044	37 1/8	6,037	41 5/8	7,056
23 3/4	3,205	28 1/4	4,113	32 3/4	5,071	37 1/4	6,065	41 3/4	7,085
23 7/8	3,229	28 3/8	4,139	32 7/8	5,098	37 3/8	6,093	41 7/8	7,114
24	3,254	28 1/2	4,165	33	5,125	37 1/2	6,121	42	7,142
24 1/8	3,278	28 5/8	4,192	33 1/8	5,153	37 5/8	6,150	42 1/8	7,171
24 1/4	3,303	28 3/4	4,218	33 1/4	5,180	37 3/4	6,178	42 1/4	7,199
24 3/8	3,328	28 7/8	4,244	33 3/8	5,207	37 7/8	6,206	42 3/8	7,228
24 1/2	3,352	29	4,270	33 1/2	5,235	38	6,234	42 1/2	7,257
24 5/8	3,377	29 1/8	4,296	33 5/8	5,262	38 1/8	6,262	42 5/8	7,285
24 3/4	3,402	29 1/4	4,322	33 3/4	5,289	38 1/4	6,290	42 3/4	7,314
24 7/8	3,427	29 3/8	4,349	33 7/8	5,317	38 3/8	6,318	42 7/8	7,343
25	3,452	29 1/2	4,375	34	5,344	38 1/2	6,347	43	7,371
25 1/8	3,476	29 5/8	4,401	34 1/8	5,372	38 5/8	6,375	43 1/8	7,400
25 1/4	3,501	29 3/4	4,428	34 1/4	5,399	38 3/4	6,403	43 1/4	7,429
25 3/8	3,526	29 7/8	4,454	34 3/8	5,427	38 7/8	6,431	43 3/8	7,457
25 1/2	3,552	30	4,481	34 1/2	5,454	39	6,459	43 1/2	7,486
25 5/8	3,577	30 1/8	4,507	34 5/8	5,482	39 1/8	6,488	43 5/8	7,515
25 3/4	3,602	30 1/4	4,534	34 3/4	5,509	39 1/4	6,516	43 3/4	7,543
25 7/8	3,627	30 3/8	4,560	34 7/8	5,537	39 3/8	6,544	43 7/8	7,572
26	3,652	30 1/2	4,587	35	5,564	39 1/2	6,573	44	7,601
26 1/8	3,677	30 5/8	4,614	35 1/8	5,592	39 5/8	6,601	44 1/8	7,630
26 1/4	3,703	30 3/4	4,640	35 1/4	5,620	39 3/4	6,629	44 1/4	7,658
26 3/8	3,728	30 7/8	4,667	35 3/8	5,647	39 7/8	6,658	44 3/8	7,687
26 1/2	3,754	31	4,694	35 1/2	5,675	40	6,686	44 1/2	7,716
26 5/8	3,779	31 1/8	4,720	35 5/8	5,703	40 1/8	6,715	44 5/8	7,745
26 3/4	3,804	31 1/4	4,747	35 3/4	5,731	40 1/4	6,743	44 3/4	7,773
26 7/8	3,830	31 3/8	4,774	35 7/8	5,758	40 3/8	6,771	44 7/8	7,802
27	3,856	31 1/2	4,801	36	5,786	40 1/2	6,800	45	7,831



Dipstick Calibration Chart

8' x 17K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	7,860	49 5/8	8,898	54 1/8	9,932	58 5/8	10,952	63 1/8	11,948
45 1/4	7,889	49 3/4	8,927	54 1/4	9,961	58 3/4	10,981	63 1/4	11,975
45 3/8	7,917	49 7/8	8,956	54 3/8	9,989	58 7/8	11,009	63 3/8	12,002
45 1/2	7,946	50	8,984	54 1/2	10,018	59	11,037	63 1/2	12,029
45 5/8	7,975	50 1/8	9,013	54 5/8	10,047	59 1/8	11,064	63 5/8	12,056
45 3/4	8,004	50 1/4	9,042	54 3/4	10,075	59 1/4	11,092	63 3/4	12,083
45 7/8	8,033	50 3/8	9,071	54 7/8	10,104	59 3/8	11,120	63 7/8	12,110
46	8,061	50 1/2	9,100	55	10,132	59 1/2	11,148	64	12,137
46 1/8	8,090	50 5/8	9,128	55 1/8	10,161	59 5/8	11,176	64 1/8	12,164
46 1/4	8,119	50 3/4	9,157	55 1/4	10,189	59 3/4	11,204	64 1/4	12,191
46 3/8	8,148	50 7/8	9,186	55 3/8	10,218	59 7/8	11,232	64 3/8	12,218
46 1/2	8,177	51	9,215	55 1/2	10,246	60	11,260	64 1/2	12,245
46 5/8	8,206	51 1/8	9,244	55 5/8	10,274	60 1/8	11,288	64 5/8	12,272
46 3/4	8,234	51 1/4	9,272	55 3/4	10,303	60 1/4	11,315	64 3/4	12,299
46 7/8	8,263	51 3/8	9,301	55 7/8	10,331	60 3/8	11,343	64 7/8	12,325
47	8,292	51 1/2	9,330	56	10,360	60 1/2	11,371	65	12,352
47 1/8	8,321	51 5/8	9,359	56 1/8	10,388	60 5/8	11,399	65 1/8	12,379
47 1/4	8,350	51 3/4	9,387	56 1/4	10,416	60 3/4	11,426	65 1/4	12,406
47 3/8	8,379	51 7/8	9,416	56 3/8	10,445	60 7/8	11,454	65 3/8	12,432
47 1/2	8,408	52	9,445	56 1/2	10,473	61	11,482	65 1/2	12,459
47 5/8	8,436	52 1/8	9,474	56 5/8	10,502	61 1/8	11,509	65 5/8	12,486
47 3/4	8,465	52 1/4	9,502	56 3/4	10,530	61 1/4	11,537	65 3/4	12,512
47 7/8	8,494	52 3/8	9,531	56 7/8	10,558	61 3/8	11,564	65 7/8	12,539
48	8,523	52 1/2	9,560	57	10,586	61 1/2	11,592	66	12,565
48 1/8	8,552	52 5/8	9,589	57 1/8	10,615	61 5/8	11,619	66 1/8	12,592
48 1/4	8,581	52 3/4	9,617	57 1/4	10,643	61 3/4	11,647	66 1/4	12,618
48 3/8	8,609	52 7/8	9,646	57 3/8	10,671	61 7/8	11,674	66 3/8	12,644
48 1/2	8,638	53	9,675	57 1/2	10,699	62	11,702	66 1/2	12,671
48 5/8	8,667	53 1/8	9,703	57 5/8	10,728	62 1/8	11,729	66 5/8	12,697
48 3/4	8,696	53 1/4	9,732	57 3/4	10,756	62 1/4	11,757	66 3/4	12,723
48 7/8	8,725	53 3/8	9,761	57 7/8	10,784	62 3/8	11,784	66 7/8	12,750
49	8,754	53 1/2	9,789	58	10,812	62 1/2	11,811	67	12,776
49 1/8	8,783	53 5/8	9,818	58 1/8	10,840	62 5/8	11,839	67 1/8	12,802
49 1/4	8,811	53 3/4	9,847	58 1/4	10,868	62 3/4	11,866	67 1/4	12,828
49 3/8	8,840	53 7/8	9,875	58 3/8	10,896	62 7/8	11,893	67 3/8	12,854
49 1/2	8,869	54	9,904	58 1/2	10,924	63	11,920	67 1/2	12,880



Dipstick Calibration Chart

8' x 17K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	12,906	72 1/8	13,817	76 5/8	14,664	81 1/8	15,434	85 5/8	16,104
67 3/4	12,932	72 1/4	13,841	76 3/4	14,687	81 1/4	15,454	85 3/4	16,120
67 7/8	12,958	72 3/8	13,865	76 7/8	14,709	81 3/8	15,474	85 7/8	16,137
68	12,984	72 1/2	13,890	77	14,732	81 1/2	15,493	86	16,154
68 1/8	13,010	72 5/8	13,914	77 1/8	14,754	81 5/8	15,513	86 1/8	16,171
68 1/4	13,036	72 3/4	13,938	77 1/4	14,776	81 3/4	15,533	86 1/4	16,187
68 3/8	13,062	72 7/8	13,963	77 3/8	14,799	81 7/8	15,553	86 3/8	16,204
68 1/2	13,088	73	13,987	77 1/2	14,821	82	15,572	86 1/2	16,220
68 5/8	13,113	73 1/8	14,011	77 5/8	14,843	82 1/8	15,592	86 5/8	16,236
68 3/4	13,139	73 1/4	14,035	77 3/4	14,865	82 1/4	15,611	86 3/4	16,252
68 7/8	13,165	73 3/8	14,059	77 7/8	14,887	82 3/8	15,631	86 7/8	16,268
69	13,190	73 1/2	14,083	78	14,909	82 1/2	15,650	87	16,284
69 1/8	13,216	73 5/8	14,107	78 1/8	14,930	82 5/8	15,669	87 1/8	16,300
69 1/4	13,241	73 3/4	14,131	78 1/4	14,952	82 3/4	15,688	87 1/4	16,316
69 3/8	13,267	73 7/8	14,155	78 3/8	14,974	82 7/8	15,707	87 3/8	16,331
69 1/2	13,292	74	14,178	78 1/2	14,995	83	15,726	87 1/2	16,347
69 5/8	13,318	74 1/8	14,202	78 5/8	15,017	83 1/8	15,745	87 5/8	16,362
69 3/4	13,343	74 1/4	14,226	78 3/4	15,039	83 1/4	15,764	87 3/4	16,378
69 7/8	13,368	74 3/8	14,249	78 7/8	15,060	83 3/8	15,782	87 7/8	16,393
70	13,394	74 1/2	14,273	79	15,081	83 1/2	15,801	88	16,408
70 1/8	13,419	74 5/8	14,296	79 1/8	15,103	83 5/8	15,820	88 1/8	16,423
70 1/4	13,444	74 3/4	14,320	79 1/4	15,124	83 3/4	15,838	88 1/4	16,438
70 3/8	13,469	74 7/8	14,343	79 3/8	15,145	83 7/8	15,856	88 3/8	16,452
70 1/2	13,494	75	14,366	79 1/2	15,166	84	15,875	88 1/2	16,467
70 5/8	13,519	75 1/8	14,390	79 5/8	15,187	84 1/8	15,893	88 5/8	16,481
70 3/4	13,544	75 1/4	14,413	79 3/4	15,208	84 1/4	15,911	88 3/4	16,496
70 7/8	13,569	75 3/8	14,436	79 7/8	15,229	84 3/8	15,929	88 7/8	16,510
71	13,594	75 1/2	14,459	80	15,250	84 1/2	15,947	89	16,524
71 1/8	13,619	75 5/8	14,482	80 1/8	15,270	84 5/8	15,964	89 1/8	16,538
71 1/4	13,644	75 3/4	14,505	80 1/4	15,291	84 3/4	15,982	89 1/4	16,552
71 3/8	13,669	75 7/8	14,528	80 3/8	15,312	84 7/8	16,000	89 3/8	16,565
71 1/2	13,694	76	14,551	80 1/2	15,332	85	16,017	89 1/2	16,579
71 5/8	13,718	76 1/8	14,574	80 5/8	15,353	85 1/8	16,035	89 5/8	16,592
71 3/4	13,743	76 1/4	14,596	80 3/4	15,373	85 1/4	16,052	89 3/4	16,606
71 7/8	13,768	76 3/8	14,619	80 7/8	15,393	85 3/8	16,069	89 7/8	16,619
72	13,792	76 1/2	14,642	81	15,413	85 1/2	16,086	90	16,632



Dipstick Calibration Chart

8' x 17K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	16,645	94 5/8	17,001
90 1/4	16,658	94 3/4	17,007
90 3/8	16,670	94 7/8	17,013
90 1/2	16,683	95	17,018
90 5/8	16,695	95 1/8	17,023
90 3/4	16,707	95 1/4	17,028
90 7/8	16,719	95 3/8	17,032
91	16,731	95 1/2	17,036
91 1/8	16,743	95 5/8	17,040
91 1/4	16,755	95 3/4	17,042
91 3/8	16,766	95 7/8	17,045
91 1/2	16,778	96	17,046
91 5/8	16,789		
91 3/4	16,800		
91 7/8	16,811		
92	16,821		
92 1/8	16,832		
92 1/4	16,842		
92 3/8	16,852		
92 1/2	16,862		
92 5/8	16,872		
92 3/4	16,882		
92 7/8	16,891		
93	16,900		
93 1/8	16,909		
93 1/4	16,918		
93 3/8	16,927		
93 1/2	16,935		
93 5/8	16,944		
93 3/4	16,952		
93 7/8	16,959		
94	16,967		
94 1/8	16,974		
94 1/4	16,981		
94 3/8	16,988		
94 1/2	16,995		