



Dipstick Calibration Chart

8' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	300	9 1/8	832	13 5/8	1,513	18 1/8	2,307
1/4	4	4 3/4	312	9 1/4	849	13 3/4	1,534	18 1/4	2,330
3/8	7	4 7/8	324	9 3/8	866	13 7/8	1,555	18 3/8	2,354
1/2	10	5	337	9 1/2	884	14	1,575	18 1/2	2,378
5/8	15	5 1/8	350	9 5/8	901	14 1/8	1,596	18 5/8	2,401
3/4	19	5 1/4	363	9 3/4	919	14 1/4	1,617	18 3/4	2,425
7/8	24	5 3/8	376	9 7/8	936	14 3/8	1,638	18 7/8	2,449
1	30	5 1/2	389	10	954	14 1/2	1,660	19	2,472
1 1/8	36	5 5/8	402	10 1/8	972	14 5/8	1,681	19 1/8	2,496
1 1/4	42	5 3/4	416	10 1/4	990	14 3/4	1,702	19 1/4	2,520
1 3/8	48	5 7/8	429	10 3/8	1,008	14 7/8	1,724	19 3/8	2,544
1 1/2	55	6	443	10 1/2	1,026	15	1,745	19 1/2	2,568
1 5/8	62	6 1/8	457	10 5/8	1,045	15 1/8	1,767	19 5/8	2,592
1 3/4	69	6 1/4	471	10 3/4	1,063	15 1/4	1,788	19 3/4	2,617
1 7/8	77	6 3/8	486	10 7/8	1,082	15 3/8	1,810	19 7/8	2,641
2	85	6 1/2	500	11	1,100	15 1/2	1,832	20	2,665
2 1/8	93	6 5/8	515	11 1/8	1,119	15 5/8	1,854	20 1/8	2,690
2 1/4	101	6 3/4	529	11 1/4	1,138	15 3/4	1,876	20 1/4	2,714
2 3/8	110	6 7/8	544	11 3/8	1,157	15 7/8	1,898	20 3/8	2,739
2 1/2	118	7	559	11 1/2	1,176	16	1,920	20 1/2	2,763
2 5/8	128	7 1/8	574	11 5/8	1,195	16 1/8	1,942	20 5/8	2,788
2 3/4	137	7 1/4	589	11 3/4	1,214	16 1/4	1,964	20 3/4	2,812
2 7/8	146	7 3/8	604	11 7/8	1,233	16 3/8	1,987	20 7/8	2,837
3	156	7 1/2	620	12	1,253	16 1/2	2,009	21	2,862
3 1/8	166	7 5/8	636	12 1/8	1,272	16 5/8	2,032	21 1/8	2,887
3 1/4	176	7 3/4	651	12 1/4	1,292	16 3/4	2,054	21 1/4	2,912
3 3/8	186	7 7/8	667	12 3/8	1,311	16 7/8	2,077	21 3/8	2,937
3 1/2	197	8	683	12 1/2	1,331	17	2,099	21 1/2	2,962
3 5/8	207	8 1/8	699	12 5/8	1,351	17 1/8	2,122	21 5/8	2,987
3 3/4	218	8 1/4	715	12 3/4	1,371	17 1/4	2,145	21 3/4	3,012
3 7/8	229	8 3/8	732	12 7/8	1,391	17 3/8	2,168	21 7/8	3,037
4	241	8 1/2	748	13	1,411	17 1/2	2,191	22	3,063
4 1/8	252	8 5/8	765	13 1/8	1,431	17 5/8	2,214	22 1/8	3,088
4 1/4	264	8 3/4	781	13 1/4	1,452	17 3/4	2,237	22 1/4	3,113
4 3/8	275	8 7/8	798	13 3/8	1,472	17 7/8	2,260	22 3/8	3,139
4 1/2	287	9	815	13 1/2	1,493	18	2,284	22 1/2	3,164



Dipstick Calibration Chart

8' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,190	27 1/8	4,143	31 5/8	5,152	36 1/8	6,202	40 5/8	7,282
22 3/4	3,215	27 1/4	4,170	31 3/4	5,180	36 1/4	6,232	40 3/4	7,313
22 7/8	3,241	27 3/8	4,198	31 7/8	5,209	36 3/8	6,262	40 7/8	7,343
23	3,267	27 1/2	4,225	32	5,238	36 1/2	6,291	41	7,373
23 1/8	3,293	27 5/8	4,253	32 1/8	5,267	36 5/8	6,321	41 1/8	7,404
23 1/4	3,318	27 3/4	4,280	32 1/4	5,295	36 3/4	6,351	41 1/4	7,434
23 3/8	3,344	27 7/8	4,308	32 3/8	5,324	36 7/8	6,380	41 3/8	7,465
23 1/2	3,370	28	4,335	32 1/2	5,353	37	6,410	41 1/2	7,495
23 5/8	3,396	28 1/8	4,363	32 5/8	5,382	37 1/8	6,440	41 5/8	7,525
23 3/4	3,422	28 1/4	4,391	32 3/4	5,411	37 1/4	6,470	41 3/4	7,556
23 7/8	3,448	28 3/8	4,418	32 7/8	5,440	37 3/8	6,500	41 7/8	7,586
24	3,474	28 1/2	4,446	33	5,469	37 1/2	6,530	42	7,617
24 1/8	3,500	28 5/8	4,474	33 1/8	5,498	37 5/8	6,560	42 1/8	7,647
24 1/4	3,527	28 3/4	4,502	33 1/4	5,527	37 3/4	6,589	42 1/4	7,678
24 3/8	3,553	28 7/8	4,529	33 3/8	5,556	37 7/8	6,619	42 3/8	7,708
24 1/2	3,579	29	4,557	33 1/2	5,585	38	6,649	42 1/2	7,739
24 5/8	3,606	29 1/8	4,585	33 5/8	5,614	38 1/8	6,679	42 5/8	7,769
24 3/4	3,632	29 1/4	4,613	33 3/4	5,643	38 1/4	6,709	42 3/4	7,800
24 7/8	3,659	29 3/8	4,641	33 7/8	5,672	38 3/8	6,739	42 7/8	7,830
25	3,685	29 1/2	4,669	34	5,702	38 1/2	6,769	43	7,861
25 1/8	3,712	29 5/8	4,697	34 1/8	5,731	38 5/8	6,799	43 1/8	7,891
25 1/4	3,738	29 3/4	4,726	34 1/4	5,760	38 3/4	6,829	43 1/4	7,922
25 3/8	3,765	29 7/8	4,754	34 3/8	5,789	38 7/8	6,860	43 3/8	7,952
25 1/2	3,792	30	4,782	34 1/2	5,819	39	6,890	43 1/2	7,983
25 5/8	3,818	30 1/8	4,810	34 5/8	5,848	39 1/8	6,920	43 5/8	8,013
25 3/4	3,845	30 1/4	4,838	34 3/4	5,877	39 1/4	6,950	43 3/4	8,044
25 7/8	3,872	30 3/8	4,867	34 7/8	5,907	39 3/8	6,980	43 7/8	8,075
26	3,899	30 1/2	4,895	35	5,936	39 1/2	7,010	44	8,105
26 1/8	3,926	30 5/8	4,923	35 1/8	5,966	39 5/8	7,040	44 1/8	8,136
26 1/4	3,953	30 3/4	4,952	35 1/4	5,995	39 3/4	7,071	44 1/4	8,166
26 3/8	3,980	30 7/8	4,980	35 3/8	6,025	39 7/8	7,101	44 3/8	8,197
26 1/2	4,007	31	5,009	35 1/2	6,054	40	7,131	44 1/2	8,228
26 5/8	4,034	31 1/8	5,037	35 5/8	6,084	40 1/8	7,161	44 5/8	8,258
26 3/4	4,061	31 1/4	5,066	35 3/4	6,113	40 1/4	7,192	44 3/4	8,289
26 7/8	4,088	31 3/8	5,094	35 7/8	6,143	40 3/8	7,222	44 7/8	8,320
27	4,116	31 1/2	5,123	36	6,173	40 1/2	7,252	45	8,350



Dipstick Calibration Chart

8' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	8,381	49 5/8	9,486	54 1/8	10,588	58 5/8	11,674	63 1/8	12,734
45 1/4	8,411	49 3/4	9,517	54 1/4	10,618	58 3/4	11,704	63 1/4	12,763
45 3/8	8,442	49 7/8	9,548	54 3/8	10,649	58 7/8	11,734	63 3/8	12,792
45 1/2	8,473	50	9,578	54 1/2	10,679	59	11,764	63 1/2	12,821
45 5/8	8,504	50 1/8	9,609	54 5/8	10,709	59 1/8	11,793	63 5/8	12,850
45 3/4	8,534	50 1/4	9,640	54 3/4	10,740	59 1/4	11,823	63 3/4	12,879
45 7/8	8,565	50 3/8	9,670	54 7/8	10,770	59 3/8	11,853	63 7/8	12,907
46	8,596	50 1/2	9,701	55	10,800	59 1/2	11,883	64	12,936
46 1/8	8,626	50 5/8	9,732	55 1/8	10,831	59 5/8	11,912	64 1/8	12,965
46 1/4	8,657	50 3/4	9,762	55 1/4	10,861	59 3/4	11,942	64 1/4	12,994
46 3/8	8,688	50 7/8	9,793	55 3/8	10,891	59 7/8	11,972	64 3/8	13,022
46 1/2	8,718	51	9,824	55 1/2	10,922	60	12,001	64 1/2	13,051
46 5/8	8,749	51 1/8	9,854	55 5/8	10,952	60 1/8	12,031	64 5/8	13,080
46 3/4	8,780	51 1/4	9,885	55 3/4	10,982	60 1/4	12,061	64 3/4	13,108
46 7/8	8,810	51 3/8	9,916	55 7/8	11,013	60 3/8	12,090	64 7/8	13,137
47	8,841	51 1/2	9,946	56	11,043	60 1/2	12,120	65	13,165
47 1/8	8,872	51 5/8	9,977	56 1/8	11,073	60 5/8	12,149	65 1/8	13,194
47 1/4	8,903	51 3/4	10,008	56 1/4	11,103	60 3/4	12,179	65 1/4	13,222
47 3/8	8,933	51 7/8	10,038	56 3/8	11,134	60 7/8	12,208	65 3/8	13,250
47 1/2	8,964	52	10,069	56 1/2	11,164	61	12,238	65 1/2	13,279
47 5/8	8,995	52 1/8	10,099	56 5/8	11,194	61 1/8	12,267	65 5/8	13,307
47 3/4	9,026	52 1/4	10,130	56 3/4	11,224	61 1/4	12,296	65 3/4	13,336
47 7/8	9,056	52 3/8	10,161	56 7/8	11,254	61 3/8	12,326	65 7/8	13,364
48	9,087	52 1/2	10,191	57	11,284	61 1/2	12,355	66	13,392
48 1/8	9,118	52 5/8	10,222	57 1/8	11,314	61 5/8	12,384	66 1/8	13,420
48 1/4	9,148	52 3/4	10,252	57 1/4	11,344	61 3/4	12,414	66 1/4	13,448
48 3/8	9,179	52 7/8	10,283	57 3/8	11,375	61 7/8	12,443	66 3/8	13,476
48 1/2	9,210	53	10,313	57 1/2	11,405	62	12,472	66 1/2	13,505
48 5/8	9,241	53 1/8	10,344	57 5/8	11,435	62 1/8	12,501	66 5/8	13,533
48 3/4	9,271	53 1/4	10,374	57 3/4	11,465	62 1/4	12,531	66 3/4	13,561
48 7/8	9,302	53 3/8	10,405	57 7/8	11,495	62 3/8	12,560	66 7/8	13,589
49	9,333	53 1/2	10,435	58	11,525	62 1/2	12,589	67	13,617
49 1/8	9,363	53 5/8	10,466	58 1/8	11,555	62 5/8	12,618	67 1/8	13,644
49 1/4	9,394	53 3/4	10,496	58 1/4	11,584	62 3/4	12,647	67 1/4	13,672
49 3/8	9,425	53 7/8	10,527	58 3/8	11,614	62 7/8	12,676	67 3/8	13,700
49 1/2	9,456	54	10,557	58 1/2	11,644	63	12,705	67 1/2	13,728



Dipstick Calibration Chart

8' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	13,756	72 1/8	14,726	76 5/8	15,630	81 1/8	16,450	85 5/8	17,166
67 3/4	13,783	72 1/4	14,752	76 3/4	15,654	81 1/4	16,472	85 3/4	17,184
67 7/8	13,811	72 3/8	14,778	76 7/8	15,678	81 3/8	16,493	85 7/8	17,202
68	13,839	72 1/2	14,804	77	15,702	81 1/2	16,514	86	17,220
68 1/8	13,866	72 5/8	14,830	77 1/8	15,725	81 5/8	16,535	86 1/8	17,238
68 1/4	13,894	72 3/4	14,856	77 1/4	15,749	81 3/4	16,557	86 1/4	17,255
68 3/8	13,921	72 7/8	14,881	77 3/8	15,773	81 7/8	16,578	86 3/8	17,273
68 1/2	13,949	73	14,907	77 1/2	15,796	82	16,598	86 1/2	17,290
68 5/8	13,976	73 1/8	14,933	77 5/8	15,820	82 1/8	16,619	86 5/8	17,308
68 3/4	14,004	73 1/4	14,959	77 3/4	15,843	82 1/4	16,640	86 3/4	17,325
68 7/8	14,031	73 3/8	14,984	77 7/8	15,867	82 3/8	16,661	86 7/8	17,342
69	14,058	73 1/2	15,010	78	15,890	82 1/2	16,681	87	17,359
69 1/8	14,085	73 5/8	15,035	78 1/8	15,913	82 5/8	16,702	87 1/8	17,376
69 1/4	14,113	73 3/4	15,061	78 1/4	15,937	82 3/4	16,722	87 1/4	17,393
69 3/8	14,140	73 7/8	15,086	78 3/8	15,960	82 7/8	16,743	87 3/8	17,409
69 1/2	14,167	74	15,111	78 1/2	15,983	83	16,763	87 1/2	17,426
69 5/8	14,194	74 1/8	15,137	78 5/8	16,006	83 1/8	16,783	87 5/8	17,442
69 3/4	14,221	74 1/4	15,162	78 3/4	16,029	83 1/4	16,803	87 3/4	17,459
69 7/8	14,248	74 3/8	15,187	78 7/8	16,052	83 3/8	16,823	87 7/8	17,475
70	14,275	74 1/2	15,212	79	16,074	83 1/2	16,843	88	17,491
70 1/8	14,302	74 5/8	15,237	79 1/8	16,097	83 5/8	16,862	88 1/8	17,507
70 1/4	14,329	74 3/4	15,262	79 1/4	16,120	83 3/4	16,882	88 1/4	17,523
70 3/8	14,355	74 7/8	15,287	79 3/8	16,142	83 7/8	16,902	88 3/8	17,538
70 1/2	14,382	75	15,312	79 1/2	16,165	84	16,921	88 1/2	17,554
70 5/8	14,409	75 1/8	15,337	79 5/8	16,187	84 1/8	16,941	88 5/8	17,569
70 3/4	14,436	75 1/4	15,361	79 3/4	16,210	84 1/4	16,960	88 3/4	17,585
70 7/8	14,462	75 3/8	15,386	79 7/8	16,232	84 3/8	16,979	88 7/8	17,600
71	14,489	75 1/2	15,411	80	16,254	84 1/2	16,998	89	17,615
71 1/8	14,515	75 5/8	15,435	80 1/8	16,276	84 5/8	17,017	89 1/8	17,630
71 1/4	14,542	75 3/4	15,460	80 1/4	16,298	84 3/4	17,036	89 1/4	17,645
71 3/8	14,568	75 7/8	15,484	80 3/8	16,320	84 7/8	17,055	89 3/8	17,659
71 1/2	14,595	76	15,509	80 1/2	16,342	85	17,074	89 1/2	17,674
71 5/8	14,621	76 1/8	15,533	80 5/8	16,364	85 1/8	17,092	89 5/8	17,688
71 3/4	14,647	76 1/4	15,557	80 3/4	16,386	85 1/4	17,111	89 3/4	17,703
71 7/8	14,673	76 3/8	15,582	80 7/8	16,407	85 3/8	17,129	89 7/8	17,717
72	14,700	76 1/2	15,606	81	16,429	85 1/2	17,148	90	17,731



Dipstick Calibration Chart

8' x 18K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	17,744	94 5/8	18,126
90 1/4	17,758	94 3/4	18,132
90 3/8	17,772	94 7/8	18,138
90 1/2	17,785	95	18,144
90 5/8	17,798	95 1/8	18,150
90 3/4	17,811	95 1/4	18,155
90 7/8	17,824	95 3/8	18,159
91	17,837	95 1/2	18,163
91 1/8	17,850	95 5/8	18,167
91 1/4	17,862	95 3/4	18,170
91 3/8	17,874	95 7/8	18,173
91 1/2	17,886	96	18,174
91 5/8	17,898		
91 3/4	17,910		
91 7/8	17,922		
92	17,933		
92 1/8	17,944		
92 1/4	17,956		
92 3/8	17,966		
92 1/2	17,977		
92 5/8	17,988		
92 3/4	17,998		
92 7/8	18,008		
93	18,018		
93 1/8	18,028		
93 1/4	18,037		
93 3/8	18,046		
93 1/2	18,055		
93 5/8	18,064		
93 3/4	18,073		
93 7/8	18,081		
94	18,089		
94 1/8	18,097		
94 1/4	18,105		
94 3/8	18,112		
94 1/2	18,119		