



Dipstick Calibration Chart

8' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	333	9 1/8	923	13 5/8	1,676	18 1/8	2,554
1/4	4	4 3/4	346	9 1/4	942	13 3/4	1,699	18 1/4	2,579
3/8	8	4 7/8	360	9 3/8	961	13 7/8	1,722	18 3/8	2,605
1/2	12	5	374	9 1/2	980	14	1,745	18 1/2	2,631
5/8	16	5 1/8	388	9 5/8	999	14 1/8	1,768	18 5/8	2,657
3/4	21	5 1/4	403	9 3/4	1,019	14 1/4	1,792	18 3/4	2,684
7/8	27	5 3/8	417	9 7/8	1,038	14 3/8	1,815	18 7/8	2,710
1	33	5 1/2	432	10	1,058	14 1/2	1,838	19	2,736
1 1/8	40	5 5/8	447	10 1/8	1,078	14 5/8	1,862	19 1/8	2,762
1 1/4	46	5 3/4	462	10 1/4	1,098	14 3/4	1,885	19 1/4	2,789
1 3/8	54	5 7/8	477	10 3/8	1,118	14 7/8	1,909	19 3/8	2,815
1 1/2	61	6	492	10 1/2	1,138	15	1,933	19 1/2	2,842
1 5/8	69	6 1/8	508	10 5/8	1,158	15 1/8	1,957	19 5/8	2,869
1 3/4	77	6 1/4	523	10 3/4	1,179	15 1/4	1,980	19 3/4	2,895
1 7/8	85	6 3/8	539	10 7/8	1,199	15 3/8	2,004	19 7/8	2,922
2	94	6 1/2	555	11	1,220	15 1/2	2,029	20	2,949
2 1/8	103	6 5/8	571	11 1/8	1,240	15 5/8	2,053	20 1/8	2,976
2 1/4	112	6 3/4	587	11 1/4	1,261	15 3/4	2,077	20 1/4	3,003
2 3/8	122	6 7/8	604	11 3/8	1,282	15 7/8	2,101	20 3/8	3,030
2 1/2	132	7	620	11 1/2	1,303	16	2,126	20 1/2	3,057
2 5/8	142	7 1/8	637	11 5/8	1,324	16 1/8	2,150	20 5/8	3,084
2 3/4	152	7 1/4	654	11 3/4	1,346	16 1/4	2,175	20 3/4	3,111
2 7/8	163	7 3/8	671	11 7/8	1,367	16 3/8	2,200	20 7/8	3,139
3	173	7 1/2	688	12	1,388	16 1/2	2,224	21	3,166
3 1/8	184	7 5/8	705	12 1/8	1,410	16 5/8	2,249	21 1/8	3,194
3 1/4	196	7 3/4	723	12 1/4	1,432	16 3/4	2,274	21 1/4	3,221
3 3/8	207	7 7/8	740	12 3/8	1,453	16 7/8	2,299	21 3/8	3,249
3 1/2	219	8	758	12 1/2	1,475	17	2,324	21 1/2	3,276
3 5/8	231	8 1/8	776	12 5/8	1,497	17 1/8	2,349	21 5/8	3,304
3 3/4	243	8 1/4	794	12 3/4	1,519	17 1/4	2,375	21 3/4	3,332
3 7/8	255	8 3/8	812	12 7/8	1,541	17 3/8	2,400	21 7/8	3,360
4	267	8 1/2	830	13	1,564	17 1/2	2,425	22	3,388
4 1/8	280	8 5/8	848	13 1/8	1,586	17 5/8	2,451	22 1/8	3,416
4 1/4	293	8 3/4	867	13 1/4	1,608	17 3/4	2,476	22 1/4	3,444
4 3/8	306	8 7/8	885	13 3/8	1,631	17 7/8	2,502	22 3/8	3,472
4 1/2	319	9	904	13 1/2	1,654	18	2,528	22 1/2	3,500



Dipstick Calibration Chart

8' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	3,528	27 1/8	4,579	31 5/8	5,691	36 1/8	6,849	40 5/8	8,039
22 3/4	3,556	27 1/4	4,610	31 3/4	5,723	36 1/4	6,882	40 3/4	8,073
22 7/8	3,584	27 3/8	4,640	31 7/8	5,755	36 3/8	6,915	40 7/8	8,106
23	3,613	27 1/2	4,670	32	5,786	36 1/2	6,947	41	8,140
23 1/8	3,641	27 5/8	4,700	32 1/8	5,818	36 5/8	6,980	41 1/8	8,173
23 1/4	3,670	27 3/4	4,731	32 1/4	5,850	36 3/4	7,013	41 1/4	8,206
23 3/8	3,698	27 7/8	4,761	32 3/8	5,882	36 7/8	7,046	41 3/8	8,240
23 1/2	3,727	28	4,791	32 1/2	5,913	37	7,078	41 1/2	8,273
23 5/8	3,756	28 1/8	4,822	32 5/8	5,945	37 1/8	7,111	41 5/8	8,307
23 3/4	3,784	28 1/4	4,852	32 3/4	5,977	37 1/4	7,144	41 3/4	8,340
23 7/8	3,813	28 3/8	4,883	32 7/8	6,009	37 3/8	7,177	41 7/8	8,374
24	3,842	28 1/2	4,914	33	6,041	37 1/2	7,210	42	8,407
24 1/8	3,871	28 5/8	4,944	33 1/8	6,073	37 5/8	7,243	42 1/8	8,441
24 1/4	3,900	28 3/4	4,975	33 1/4	6,105	37 3/4	7,276	42 1/4	8,475
24 3/8	3,929	28 7/8	5,006	33 3/8	6,137	37 7/8	7,309	42 3/8	8,508
24 1/2	3,958	29	5,036	33 1/2	6,169	38	7,342	42 1/2	8,542
24 5/8	3,987	29 1/8	5,067	33 5/8	6,201	38 1/8	7,375	42 5/8	8,575
24 3/4	4,016	29 1/4	5,098	33 3/4	6,233	38 1/4	7,408	42 3/4	8,609
24 7/8	4,045	29 3/8	5,129	33 7/8	6,265	38 3/8	7,441	42 7/8	8,643
25	4,074	29 1/2	5,160	34	6,298	38 1/2	7,474	43	8,676
25 1/8	4,104	29 5/8	5,191	34 1/8	6,330	38 5/8	7,507	43 1/8	8,710
25 1/4	4,133	29 3/4	5,222	34 1/4	6,362	38 3/4	7,540	43 1/4	8,743
25 3/8	4,162	29 7/8	5,253	34 3/8	6,394	38 7/8	7,573	43 3/8	8,777
25 1/2	4,192	30	5,284	34 1/2	6,427	39	7,607	43 1/2	8,811
25 5/8	4,221	30 1/8	5,315	34 5/8	6,459	39 1/8	7,640	43 5/8	8,844
25 3/4	4,251	30 1/4	5,346	34 3/4	6,491	39 1/4	7,673	43 3/4	8,878
25 7/8	4,281	30 3/8	5,377	34 7/8	6,524	39 3/8	7,706	43 7/8	8,912
26	4,310	30 1/2	5,409	35	6,556	39 1/2	7,739	44	8,946
26 1/8	4,340	30 5/8	5,440	35 1/8	6,589	39 5/8	7,773	44 1/8	8,979
26 1/4	4,370	30 3/4	5,471	35 1/4	6,621	39 3/4	7,806	44 1/4	9,013
26 3/8	4,400	30 7/8	5,503	35 3/8	6,654	39 7/8	7,839	44 3/8	9,047
26 1/2	4,429	31	5,534	35 1/2	6,686	40	7,873	44 1/2	9,080
26 5/8	4,459	31 1/8	5,565	35 5/8	6,719	40 1/8	7,906	44 5/8	9,114
26 3/4	4,489	31 1/4	5,597	35 3/4	6,751	40 1/4	7,939	44 3/4	9,148
26 7/8	4,519	31 3/8	5,628	35 7/8	6,784	40 3/8	7,973	44 7/8	9,182
27	4,549	31 1/2	5,660	36	6,816	40 1/2	8,006	45	9,215



Dipstick Calibration Chart

8' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	9,249	49 5/8	10,467	54 1/8	11,680	58 5/8	12,877	63 1/8	14,045
45 1/4	9,283	49 3/4	10,501	54 1/4	11,714	58 3/4	12,910	63 1/4	14,077
45 3/8	9,317	49 7/8	10,534	54 3/8	11,747	58 7/8	12,943	63 3/8	14,109
45 1/2	9,351	50	10,568	54 1/2	11,781	59	12,976	63 1/2	14,141
45 5/8	9,384	50 1/8	10,602	54 5/8	11,814	59 1/8	13,008	63 5/8	14,172
45 3/4	9,418	50 1/4	10,636	54 3/4	11,848	59 1/4	13,041	63 3/4	14,204
45 7/8	9,452	50 3/8	10,670	54 7/8	11,881	59 3/8	13,074	63 7/8	14,236
46	9,486	50 1/2	10,703	55	11,914	59 1/2	13,107	64	14,268
46 1/8	9,520	50 5/8	10,737	55 1/8	11,948	59 5/8	13,139	64 1/8	14,299
46 1/4	9,553	50 3/4	10,771	55 1/4	11,981	59 3/4	13,172	64 1/4	14,331
46 3/8	9,587	50 7/8	10,805	55 3/8	12,015	59 7/8	13,205	64 3/8	14,363
46 1/2	9,621	51	10,839	55 1/2	12,048	60	13,237	64 1/2	14,394
46 5/8	9,655	51 1/8	10,872	55 5/8	12,081	60 1/8	13,270	64 5/8	14,426
46 3/4	9,689	51 1/4	10,906	55 3/4	12,115	60 1/4	13,303	64 3/4	14,457
46 7/8	9,722	51 3/8	10,940	55 7/8	12,148	60 3/8	13,335	64 7/8	14,489
47	9,756	51 1/2	10,974	56	12,181	60 1/2	13,368	65	14,520
47 1/8	9,790	51 5/8	11,007	56 1/8	12,215	60 5/8	13,400	65 1/8	14,551
47 1/4	9,824	51 3/4	11,041	56 1/4	12,248	60 3/4	13,433	65 1/4	14,583
47 3/8	9,858	51 7/8	11,075	56 3/8	12,281	60 7/8	13,465	65 3/8	14,614
47 1/2	9,892	52	11,108	56 1/2	12,315	61	13,498	65 1/2	14,645
47 5/8	9,925	52 1/8	11,142	56 5/8	12,348	61 1/8	13,530	65 5/8	14,677
47 3/4	9,959	52 1/4	11,176	56 3/4	12,381	61 1/4	13,563	65 3/4	14,708
47 7/8	9,993	52 3/8	11,210	56 7/8	12,414	61 3/8	13,595	65 7/8	14,739
48	10,027	52 1/2	11,243	57	12,447	61 1/2	13,627	66	14,770
48 1/8	10,061	52 5/8	11,277	57 1/8	12,481	61 5/8	13,660	66 1/8	14,801
48 1/4	10,095	52 3/4	11,311	57 1/4	12,514	61 3/4	13,692	66 1/4	14,832
48 3/8	10,129	52 7/8	11,344	57 3/8	12,547	61 7/8	13,724	66 3/8	14,863
48 1/2	10,162	53	11,378	57 1/2	12,580	62	13,756	66 1/2	14,894
48 5/8	10,196	53 1/8	11,411	57 5/8	12,613	62 1/8	13,789	66 5/8	14,925
48 3/4	10,230	53 1/4	11,445	57 3/4	12,646	62 1/4	13,821	66 3/4	14,956
48 7/8	10,264	53 3/8	11,479	57 7/8	12,679	62 3/8	13,853	66 7/8	14,987
49	10,298	53 1/2	11,512	58	12,712	62 1/2	13,885	67	15,018
49 1/8	10,332	53 5/8	11,546	58 1/8	12,745	62 5/8	13,917	67 1/8	15,048
49 1/4	10,365	53 3/4	11,579	58 1/4	12,778	62 3/4	13,949	67 1/4	15,079
49 3/8	10,399	53 7/8	11,613	58 3/8	12,811	62 7/8	13,981	67 3/8	15,110
49 1/2	10,433	54	11,647	58 1/2	12,844	63	14,013	67 1/2	15,140



Dipstick Calibration Chart

8' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	15,171	72 1/8	16,241	76 5/8	17,239	81 1/8	18,145	85 5/8	18,936
67 3/4	15,202	72 1/4	16,270	76 3/4	17,265	81 1/4	18,169	85 3/4	18,956
67 7/8	15,232	72 3/8	16,298	76 7/8	17,292	81 3/8	18,192	85 7/8	18,976
68	15,263	72 1/2	16,327	77	17,318	81 1/2	18,216	86	18,996
68 1/8	15,293	72 5/8	16,356	77 1/8	17,344	81 5/8	18,239	86 1/8	19,016
68 1/4	15,323	72 3/4	16,384	77 1/4	17,370	81 3/4	18,262	86 1/4	19,035
68 3/8	15,354	72 7/8	16,413	77 3/8	17,397	81 7/8	18,286	86 3/8	19,055
68 1/2	15,384	73	16,441	77 1/2	17,423	82	18,309	86 1/2	19,074
68 5/8	15,414	73 1/8	16,469	77 5/8	17,449	82 1/8	18,332	86 5/8	19,093
68 3/4	15,444	73 1/4	16,498	77 3/4	17,475	82 1/4	18,355	86 3/4	19,112
68 7/8	15,475	73 3/8	16,526	77 7/8	17,500	82 3/8	18,378	86 7/8	19,131
69	15,505	73 1/2	16,554	78	17,526	82 1/2	18,400	87	19,150
69 1/8	15,535	73 5/8	16,582	78 1/8	17,552	82 5/8	18,423	87 1/8	19,169
69 1/4	15,565	73 3/4	16,610	78 1/4	17,578	82 3/4	18,446	87 1/4	19,187
69 3/8	15,595	73 7/8	16,638	78 3/8	17,603	82 7/8	18,468	87 3/8	19,206
69 1/2	15,625	74	16,666	78 1/2	17,629	83	18,490	87 1/2	19,224
69 5/8	15,654	74 1/8	16,694	78 5/8	17,654	83 1/8	18,513	87 5/8	19,242
69 3/4	15,684	74 1/4	16,722	78 3/4	17,679	83 1/4	18,535	87 3/4	19,260
69 7/8	15,714	74 3/8	16,750	78 7/8	17,705	83 3/8	18,557	87 7/8	19,278
70	15,744	74 1/2	16,778	79	17,730	83 1/2	18,579	88	19,296
70 1/8	15,773	74 5/8	16,805	79 1/8	17,755	83 5/8	18,601	88 1/8	19,314
70 1/4	15,803	74 3/4	16,833	79 1/4	17,780	83 3/4	18,622	88 1/4	19,331
70 3/8	15,833	74 7/8	16,860	79 3/8	17,805	83 7/8	18,644	88 3/8	19,349
70 1/2	15,862	75	16,888	79 1/2	17,830	84	18,666	88 1/2	19,366
70 5/8	15,891	75 1/8	16,915	79 5/8	17,854	84 1/8	18,687	88 5/8	19,383
70 3/4	15,921	75 1/4	16,942	79 3/4	17,879	84 1/4	18,708	88 3/4	19,400
70 7/8	15,950	75 3/8	16,970	79 7/8	17,904	84 3/8	18,730	88 7/8	19,417
71	15,980	75 1/2	16,997	80	17,928	84 1/2	18,751	89	19,434
71 1/8	16,009	75 5/8	17,024	80 1/8	17,953	84 5/8	18,772	89 1/8	19,450
71 1/4	16,038	75 3/4	17,051	80 1/4	17,977	84 3/4	18,793	89 1/4	19,467
71 3/8	16,067	75 7/8	17,078	80 3/8	18,001	84 7/8	18,814	89 3/8	19,483
71 1/2	16,096	76	17,105	80 1/2	18,025	85	18,834	89 1/2	19,499
71 5/8	16,125	76 1/8	17,132	80 5/8	18,050	85 1/8	18,855	89 5/8	19,515
71 3/4	16,154	76 1/4	17,159	80 3/4	18,074	85 1/4	18,875	89 3/4	19,531
71 7/8	16,183	76 3/8	17,185	80 7/8	18,097	85 3/8	18,896	89 7/8	19,546
72	16,212	76 1/2	17,212	81	18,121	85 1/2	18,916	90	19,562



Dipstick Calibration Chart

8' x 20K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	19,577	94 5/8	20,000
90 1/4	19,592	94 3/4	20,008
90 3/8	19,607	94 7/8	20,014
90 1/2	19,622	95	20,021
90 5/8	19,637	95 1/8	20,027
90 3/4	19,651	95 1/4	20,032
90 7/8	19,666	95 3/8	20,038
91	19,680	95 1/2	20,042
91 1/8	19,694	95 5/8	20,046
91 1/4	19,708	95 3/4	20,050
91 3/8	19,721	95 7/8	20,053
91 1/2	19,735	96	20,054
91 5/8	19,748		
91 3/4	19,761		
91 7/8	19,774		
92	19,787		
92 1/8	19,799		
92 1/4	19,811		
92 3/8	19,823		
92 1/2	19,835		
92 5/8	19,847		
92 3/4	19,858		
92 7/8	19,870		
93	19,881		
93 1/8	19,891		
93 1/4	19,902		
93 3/8	19,912		
93 1/2	19,922		
93 5/8	19,932		
93 3/4	19,942		
93 7/8	19,951		
94	19,960		
94 1/8	19,969		
94 1/4	19,977		
94 3/8	19,985		
94 1/2	19,993		