



# Dipstick Calibration Chart

# 8' x 5K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	67	9 1/8	196	13 5/8	371	18 1/8	582
1/4	1	4 3/4	70	9 1/4	201	13 3/4	376	18 1/4	588
3/8	1	4 7/8	73	9 3/8	205	13 7/8	382	18 3/8	594
1/2	2	5	75	9 1/2	209	14	387	18 1/2	601
5/8	3	5 1/8	79	9 5/8	214	14 1/8	393	18 5/8	607
3/4	4	5 1/4	82	9 3/4	218	14 1/4	398	18 3/4	614
7/8	5	5 3/8	85	9 7/8	222	14 3/8	404	18 7/8	620
1	6	5 1/2	88	10	227	14 1/2	409	19	626
1 1/8	7	5 5/8	91	10 1/8	231	14 5/8	415	19 1/8	633
1 1/4	9	5 3/4	94	10 1/4	236	14 3/4	420	19 1/4	639
1 3/8	10	5 7/8	97	10 3/8	241	14 7/8	426	19 3/8	646
1 1/2	11	6	101	10 1/2	245	15	432	19 1/2	653
1 5/8	13	6 1/8	104	10 5/8	250	15 1/8	437	19 5/8	659
1 3/4	14	6 1/4	108	10 3/4	255	15 1/4	443	19 3/4	666
1 7/8	16	6 3/8	111	10 7/8	259	15 3/8	449	19 7/8	672
2	18	6 1/2	114	11	264	15 1/2	455	20	679
2 1/8	20	6 5/8	118	11 1/8	269	15 5/8	461	20 1/8	686
2 1/4	21	6 3/4	122	11 1/4	274	15 3/4	466	20 1/4	692
2 3/8	23	6 7/8	125	11 3/8	279	15 7/8	472	20 3/8	699
2 1/2	25	7	129	11 1/2	283	16	478	20 1/2	706
2 5/8	27	7 1/8	132	11 5/8	288	16 1/8	484	20 5/8	712
2 3/4	29	7 1/4	136	11 3/4	293	16 1/4	490	20 3/4	719
2 7/8	32	7 3/8	140	11 7/8	298	16 3/8	496	20 7/8	726
3	34	7 1/2	144	12	303	16 1/2	502	21	733
3 1/8	36	7 5/8	147	12 1/8	308	16 5/8	508	21 1/8	739
3 1/4	38	7 3/4	151	12 1/4	313	16 3/4	514	21 1/4	746
3 3/8	41	7 7/8	155	12 3/8	318	16 7/8	520	21 3/8	753
3 1/2	43	8	159	12 1/2	323	17	526	21 1/2	760
3 5/8	45	8 1/8	163	12 5/8	329	17 1/8	532	21 5/8	767
3 3/4	48	8 1/4	167	12 3/4	334	17 1/4	538	21 3/4	774
3 7/8	50	8 3/8	171	12 7/8	339	17 3/8	544	21 7/8	781
4	53	8 1/2	175	13	344	17 1/2	551	22	788
4 1/8	56	8 5/8	179	13 1/8	349	17 5/8	557	22 1/8	795
4 1/4	58	8 3/4	184	13 1/4	355	17 3/4	563	22 1/4	802
4 3/8	61	8 7/8	188	13 3/8	360	17 7/8	569	22 3/8	809
4 1/2	64	9	192	13 1/2	365	18	576	22 1/2	816



# Dipstick Calibration Chart

# 8' x 5K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	823	27 1/8	1,088	31 5/8	1,373	36 1/8	1,673	40 5/8	1,984
22 3/4	830	27 1/4	1,096	31 3/4	1,381	36 1/4	1,682	40 3/4	1,993
22 7/8	837	27 3/8	1,103	31 7/8	1,389	36 3/8	1,690	40 7/8	2,002
23	844	27 1/2	1,111	32	1,398	36 1/2	1,699	41	2,011
23 1/8	851	27 5/8	1,119	32 1/8	1,406	36 5/8	1,707	41 1/8	2,019
23 1/4	858	27 3/4	1,127	32 1/4	1,414	36 3/4	1,716	41 1/4	2,028
23 3/8	865	27 7/8	1,134	32 3/8	1,422	36 7/8	1,725	41 3/8	2,037
23 1/2	873	28	1,142	32 1/2	1,430	37	1,733	41 1/2	2,046
23 5/8	880	28 1/8	1,150	32 5/8	1,439	37 1/8	1,742	41 5/8	2,055
23 3/4	887	28 1/4	1,158	32 3/4	1,447	37 1/4	1,750	41 3/4	2,063
23 7/8	894	28 3/8	1,166	32 7/8	1,455	37 3/8	1,759	41 7/8	2,072
24	901	28 1/2	1,173	33	1,463	37 1/2	1,767	42	2,081
24 1/8	909	28 5/8	1,181	33 1/8	1,472	37 5/8	1,776	42 1/8	2,090
24 1/4	916	28 3/4	1,189	33 1/4	1,480	37 3/4	1,785	42 1/4	2,099
24 3/8	923	28 7/8	1,197	33 3/8	1,488	37 7/8	1,793	42 3/8	2,107
24 1/2	931	29	1,205	33 1/2	1,497	38	1,802	42 1/2	2,116
24 5/8	938	29 1/8	1,213	33 5/8	1,505	38 1/8	1,811	42 5/8	2,125
24 3/4	945	29 1/4	1,221	33 3/4	1,513	38 1/4	1,819	42 3/4	2,134
24 7/8	953	29 3/8	1,228	33 7/8	1,522	38 3/8	1,828	42 7/8	2,143
25	960	29 1/2	1,236	34	1,530	38 1/2	1,836	43	2,152
25 1/8	967	29 5/8	1,244	34 1/8	1,538	38 5/8	1,845	43 1/8	2,160
25 1/4	975	29 3/4	1,252	34 1/4	1,547	38 3/4	1,854	43 1/4	2,169
25 3/8	982	29 7/8	1,260	34 3/8	1,555	38 7/8	1,862	43 3/8	2,178
25 1/2	990	30	1,268	34 1/2	1,563	39	1,871	43 1/2	2,187
25 5/8	997	30 1/8	1,276	34 5/8	1,572	39 1/8	1,880	43 5/8	2,196
25 3/4	1,005	30 1/4	1,284	34 3/4	1,580	39 1/4	1,888	43 3/4	2,205
25 7/8	1,012	30 3/8	1,292	34 7/8	1,589	39 3/8	1,897	43 7/8	2,213
26	1,020	30 1/2	1,300	35	1,597	39 1/2	1,906	44	2,222
26 1/8	1,027	30 5/8	1,308	35 1/8	1,606	39 5/8	1,915	44 1/8	2,231
26 1/4	1,035	30 3/4	1,316	35 1/4	1,614	39 3/4	1,923	44 1/4	2,240
26 3/8	1,042	30 7/8	1,324	35 3/8	1,622	39 7/8	1,932	44 3/8	2,249
26 1/2	1,050	31	1,333	35 1/2	1,631	40	1,941	44 1/2	2,258
26 5/8	1,058	31 1/8	1,341	35 5/8	1,639	40 1/8	1,949	44 5/8	2,267
26 3/4	1,065	31 1/4	1,349	35 3/4	1,648	40 1/4	1,958	44 3/4	2,276
26 7/8	1,073	31 3/8	1,357	35 7/8	1,656	40 3/8	1,967	44 7/8	2,284
27	1,080	31 1/2	1,365	36	1,665	40 1/2	1,976	45	2,293



# Dipstick Calibration Chart

# 8' x 5K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,302	49 5/8	2,622	54 1/8	2,941	58 5/8	3,255	63 1/8	3,558
45 1/4	2,311	49 3/4	2,631	54 1/4	2,950	58 3/4	3,263	63 1/4	3,567
45 3/8	2,320	49 7/8	2,640	54 3/8	2,959	58 7/8	3,272	63 3/8	3,575
45 1/2	2,329	50	2,649	54 1/2	2,968	59	3,280	63 1/2	3,583
45 5/8	2,338	50 1/8	2,658	54 5/8	2,976	59 1/8	3,289	63 5/8	3,591
45 3/4	2,347	50 1/4	2,667	54 3/4	2,985	59 1/4	3,297	63 3/4	3,599
45 7/8	2,355	50 3/8	2,676	54 7/8	2,994	59 3/8	3,306	63 7/8	3,608
46	2,364	50 1/2	2,685	55	3,003	59 1/2	3,315	64	3,616
46 1/8	2,373	50 5/8	2,694	55 1/8	3,012	59 5/8	3,323	64 1/8	3,624
46 1/4	2,382	50 3/4	2,702	55 1/4	3,020	59 3/4	3,332	64 1/4	3,632
46 3/8	2,391	50 7/8	2,711	55 3/8	3,029	59 7/8	3,340	64 3/8	3,640
46 1/2	2,400	51	2,720	55 1/2	3,038	60	3,349	64 1/2	3,648
46 5/8	2,409	51 1/8	2,729	55 5/8	3,047	60 1/8	3,357	64 5/8	3,657
46 3/4	2,418	51 1/4	2,738	55 3/4	3,055	60 1/4	3,366	64 3/4	3,665
46 7/8	2,427	51 3/8	2,747	55 7/8	3,064	60 3/8	3,374	64 7/8	3,673
47	2,436	51 1/2	2,756	56	3,073	60 1/2	3,383	65	3,681
47 1/8	2,444	51 5/8	2,765	56 1/8	3,082	60 5/8	3,391	65 1/8	3,689
47 1/4	2,453	51 3/4	2,773	56 1/4	3,090	60 3/4	3,399	65 1/4	3,697
47 3/8	2,462	51 7/8	2,782	56 3/8	3,099	60 7/8	3,408	65 3/8	3,705
47 1/2	2,471	52	2,791	56 1/2	3,108	61	3,416	65 1/2	3,713
47 5/8	2,480	52 1/8	2,800	56 5/8	3,116	61 1/8	3,425	65 5/8	3,721
47 3/4	2,489	52 1/4	2,809	56 3/4	3,125	61 1/4	3,433	65 3/4	3,729
47 7/8	2,498	52 3/8	2,818	56 7/8	3,134	61 3/8	3,442	65 7/8	3,737
48	2,507	52 1/2	2,827	57	3,142	61 1/2	3,450	66	3,745
48 1/8	2,516	52 5/8	2,835	57 1/8	3,151	61 5/8	3,458	66 1/8	3,753
48 1/4	2,525	52 3/4	2,844	57 1/4	3,160	61 3/4	3,467	66 1/4	3,761
48 3/8	2,533	52 7/8	2,853	57 3/8	3,168	61 7/8	3,475	66 3/8	3,769
48 1/2	2,542	53	2,862	57 1/2	3,177	62	3,484	66 1/2	3,777
48 5/8	2,551	53 1/8	2,871	57 5/8	3,186	62 1/8	3,492	66 5/8	3,785
48 3/4	2,560	53 1/4	2,880	57 3/4	3,194	62 1/4	3,500	66 3/4	3,793
48 7/8	2,569	53 3/8	2,888	57 7/8	3,203	62 3/8	3,509	66 7/8	3,801
49	2,578	53 1/2	2,897	58	3,212	62 1/2	3,517	67	3,809
49 1/8	2,587	53 5/8	2,906	58 1/8	3,220	62 5/8	3,525	67 1/8	3,817
49 1/4	2,596	53 3/4	2,915	58 1/4	3,229	62 3/4	3,533	67 1/4	3,824
49 3/8	2,605	53 7/8	2,924	58 3/8	3,237	62 7/8	3,542	67 3/8	3,832
49 1/2	2,614	54	2,933	58 1/2	3,246	63	3,550	67 1/2	3,840



# Dipstick Calibration Chart

# 8' x 5K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	3,848	72 1/8	4,119	76 5/8	4,368	81 1/8	4,587	85 5/8	4,773
67 3/4	3,856	72 1/4	4,127	76 3/4	4,374	81 1/4	4,593	85 3/4	4,777
67 7/8	3,864	72 3/8	4,134	76 7/8	4,381	81 3/8	4,599	85 7/8	4,782
68	3,871	72 1/2	4,141	77	4,387	81 1/2	4,604	86	4,787
68 1/8	3,879	72 5/8	4,148	77 1/8	4,393	81 5/8	4,610	86 1/8	4,791
68 1/4	3,887	72 3/4	4,155	77 1/4	4,400	81 3/4	4,615	86 1/4	4,795
68 3/8	3,895	72 7/8	4,162	77 3/8	4,406	81 7/8	4,621	86 3/8	4,800
68 1/2	3,902	73	4,170	77 1/2	4,413	82	4,626	86 1/2	4,804
68 5/8	3,910	73 1/8	4,177	77 5/8	4,419	82 1/8	4,632	86 5/8	4,809
68 3/4	3,918	73 1/4	4,184	77 3/4	4,425	82 1/4	4,637	86 3/4	4,813
68 7/8	3,925	73 3/8	4,191	77 7/8	4,432	82 3/8	4,643	86 7/8	4,817
69	3,933	73 1/2	4,198	78	4,438	82 1/2	4,648	87	4,822
69 1/8	3,941	73 5/8	4,205	78 1/8	4,444	82 5/8	4,653	87 1/8	4,826
69 1/4	3,948	73 3/4	4,212	78 1/4	4,450	82 3/4	4,659	87 1/4	4,830
69 3/8	3,956	73 7/8	4,219	78 3/8	4,457	82 7/8	4,664	87 3/8	4,834
69 1/2	3,964	74	4,226	78 1/2	4,463	83	4,669	87 1/2	4,838
69 5/8	3,971	74 1/8	4,233	78 5/8	4,469	83 1/8	4,674	87 5/8	4,842
69 3/4	3,979	74 1/4	4,240	78 3/4	4,475	83 1/4	4,680	87 3/4	4,846
69 7/8	3,986	74 3/8	4,247	78 7/8	4,481	83 3/8	4,685	87 7/8	4,850
70	3,994	74 1/2	4,254	79	4,487	83 1/2	4,690	88	4,854
70 1/8	4,001	74 5/8	4,260	79 1/8	4,494	83 5/8	4,695	88 1/8	4,858
70 1/4	4,009	74 3/4	4,267	79 1/4	4,500	83 3/4	4,700	88 1/4	4,862
70 3/8	4,016	74 7/8	4,274	79 3/8	4,506	83 7/8	4,705	88 3/8	4,866
70 1/2	4,024	75	4,281	79 1/2	4,512	84	4,710	88 1/2	4,870
70 5/8	4,031	75 1/8	4,288	79 5/8	4,518	84 1/8	4,715	88 5/8	4,874
70 3/4	4,039	75 1/4	4,294	79 3/4	4,524	84 1/4	4,720	88 3/4	4,877
70 7/8	4,046	75 3/8	4,301	79 7/8	4,530	84 3/8	4,725	88 7/8	4,881
71	4,053	75 1/2	4,308	80	4,535	84 1/2	4,730	89	4,885
71 1/8	4,061	75 5/8	4,315	80 1/8	4,541	84 5/8	4,735	89 1/8	4,888
71 1/4	4,068	75 3/4	4,321	80 1/4	4,547	84 3/4	4,740	89 1/4	4,892
71 3/8	4,076	75 7/8	4,328	80 3/8	4,553	84 7/8	4,745	89 3/8	4,896
71 1/2	4,083	76	4,335	80 1/2	4,559	85	4,749	89 1/2	4,899
71 5/8	4,090	76 1/8	4,341	80 5/8	4,565	85 1/8	4,754	89 5/8	4,903
71 3/4	4,098	76 1/4	4,348	80 3/4	4,570	85 1/4	4,759	89 3/4	4,906
71 7/8	4,105	76 3/8	4,354	80 7/8	4,576	85 3/8	4,764	89 7/8	4,909
72	4,112	76 1/2	4,361	81	4,582	85 1/2	4,768	90	4,913



# Dipstick Calibration Chart

# 8' x 5K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	4,916	94 5/8	5,004
90 1/4	4,919	94 3/4	5,005
90 3/8	4,923	94 7/8	5,006
90 1/2	4,926	95	5,007
90 5/8	4,929	95 1/8	5,009
90 3/4	4,932	95 1/4	5,010
90 7/8	4,935	95 3/8	5,011
91	4,938	95 1/2	5,011
91 1/8	4,941	95 5/8	5,012
91 1/4	4,944	95 3/4	5,013
91 3/8	4,947	95 7/8	5,013
91 1/2	4,950	96	5,013
91 5/8	4,952		
91 3/4	4,955		
91 7/8	4,958		
92	4,960		
92 1/8	4,963		
92 1/4	4,966		
92 3/8	4,968		
92 1/2	4,971		
92 5/8	4,973		
92 3/4	4,975		
92 7/8	4,978		
93	4,980		
93 1/8	4,982		
93 1/4	4,984		
93 3/8	4,986		
93 1/2	4,988		
93 5/8	4,990		
93 3/4	4,992		
93 7/8	4,994		
94	4,996		
94 1/8	4,997		
94 1/4	4,999		
94 3/8	5,001		
94 1/2	5,002		