



Dipstick Calibration Chart

8' x 6K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	87	9 1/8	251	13 5/8	469	18 1/8	730
1/4	1	4 3/4	90	9 1/4	256	13 3/4	475	18 1/4	737
3/8	2	4 7/8	94	9 3/8	262	13 7/8	482	18 3/8	745
1/2	3	5	98	9 1/2	267	14	489	18 1/2	753
5/8	4	5 1/8	102	9 5/8	273	14 1/8	496	18 5/8	761
3/4	5	5 1/4	106	9 3/4	278	14 1/4	503	18 3/4	769
7/8	7	5 3/8	110	9 7/8	284	14 3/8	509	18 7/8	777
1	8	5 1/2	114	10	289	14 1/2	516	19	785
1 1/8	10	5 5/8	118	10 1/8	295	14 5/8	523	19 1/8	793
1 1/4	11	5 3/4	122	10 1/4	301	14 3/4	530	19 1/4	801
1 3/8	13	5 7/8	126	10 3/8	306	14 7/8	537	19 3/8	809
1 1/2	15	6	130	10 1/2	312	15	544	19 1/2	817
1 5/8	17	6 1/8	134	10 5/8	318	15 1/8	551	19 5/8	825
1 3/4	19	6 1/4	139	10 3/4	324	15 1/4	558	19 3/4	833
1 7/8	21	6 3/8	143	10 7/8	330	15 3/8	566	19 7/8	841
2	24	6 1/2	148	11	336	15 1/2	573	20	849
2 1/8	26	6 5/8	152	11 1/8	342	15 5/8	580	20 1/8	857
2 1/4	28	6 3/4	156	11 1/4	348	15 3/4	587	20 1/4	865
2 3/8	31	6 7/8	161	11 3/8	354	15 7/8	594	20 3/8	874
2 1/2	33	7	166	11 1/2	360	16	602	20 1/2	882
2 5/8	36	7 1/8	170	11 5/8	366	16 1/8	609	20 5/8	890
2 3/4	39	7 1/4	175	11 3/4	372	16 1/4	616	20 3/4	898
2 7/8	41	7 3/8	180	11 7/8	378	16 3/8	624	20 7/8	907
3	44	7 1/2	184	12	385	16 1/2	631	21	915
3 1/8	47	7 5/8	189	12 1/8	391	16 5/8	638	21 1/8	923
3 1/4	50	7 3/4	194	12 1/4	397	16 3/4	646	21 1/4	932
3 3/8	53	7 7/8	199	12 3/8	403	16 7/8	653	21 3/8	940
3 1/2	56	8	204	12 1/2	410	17	661	21 1/2	949
3 5/8	59	8 1/8	209	12 5/8	416	17 1/8	668	21 5/8	957
3 3/4	63	8 1/4	214	12 3/4	423	17 1/4	676	21 3/4	966
3 7/8	66	8 3/8	219	12 7/8	429	17 3/8	684	21 7/8	974
4	69	8 1/2	224	13	436	17 1/2	691	22	983
4 1/8	73	8 5/8	230	13 1/8	442	17 5/8	699	22 1/8	991
4 1/4	76	8 3/4	235	13 1/4	449	17 3/4	707	22 1/4	1,000
4 3/8	79	8 7/8	240	13 3/8	455	17 7/8	714	22 3/8	1,008
4 1/2	83	9	245	13 1/2	462	18	722	22 1/2	1,017



Dipstick Calibration Chart

8' x 6K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,026	27 1/8	1,350	31 5/8	1,697	36 1/8	2,062	40 5/8	2,439
22 3/4	1,034	27 1/4	1,359	31 3/4	1,707	36 1/4	2,072	40 3/4	2,449
22 7/8	1,043	27 3/8	1,369	31 7/8	1,717	36 3/8	2,082	40 7/8	2,460
23	1,052	27 1/2	1,378	32	1,727	36 1/2	2,093	41	2,470
23 1/8	1,060	27 5/8	1,387	32 1/8	1,737	36 5/8	2,103	41 1/8	2,481
23 1/4	1,069	27 3/4	1,397	32 1/4	1,747	36 3/4	2,113	41 1/4	2,492
23 3/8	1,078	27 7/8	1,406	32 3/8	1,757	36 7/8	2,124	41 3/8	2,502
23 1/2	1,087	28	1,416	32 1/2	1,767	37	2,134	41 1/2	2,513
23 5/8	1,095	28 1/8	1,425	32 5/8	1,777	37 1/8	2,144	41 5/8	2,524
23 3/4	1,104	28 1/4	1,435	32 3/4	1,787	37 1/4	2,155	41 3/4	2,534
23 7/8	1,113	28 3/8	1,444	32 7/8	1,797	37 3/8	2,165	41 7/8	2,545
24	1,122	28 1/2	1,454	33	1,807	37 1/2	2,176	42	2,555
24 1/8	1,131	28 5/8	1,463	33 1/8	1,817	37 5/8	2,186	42 1/8	2,566
24 1/4	1,140	28 3/4	1,473	33 1/4	1,827	37 3/4	2,196	42 1/4	2,577
24 3/8	1,149	28 7/8	1,483	33 3/8	1,837	37 7/8	2,207	42 3/8	2,587
24 1/2	1,158	29	1,492	33 1/2	1,847	38	2,217	42 1/2	2,598
24 5/8	1,167	29 1/8	1,502	33 5/8	1,857	38 1/8	2,228	42 5/8	2,609
24 3/4	1,176	29 1/4	1,511	33 3/4	1,867	38 1/4	2,238	42 3/4	2,619
24 7/8	1,185	29 3/8	1,521	33 7/8	1,877	38 3/8	2,249	42 7/8	2,630
25	1,194	29 1/2	1,531	34	1,888	38 1/2	2,259	43	2,641
25 1/8	1,203	29 5/8	1,540	34 1/8	1,898	38 5/8	2,270	43 1/8	2,652
25 1/4	1,212	29 3/4	1,550	34 1/4	1,908	38 3/4	2,280	43 1/4	2,662
25 3/8	1,221	29 7/8	1,560	34 3/8	1,918	38 7/8	2,291	43 3/8	2,673
25 1/2	1,230	30	1,569	34 1/2	1,928	39	2,301	43 1/2	2,684
25 5/8	1,239	30 1/8	1,579	34 5/8	1,938	39 1/8	2,312	43 5/8	2,694
25 3/4	1,248	30 1/4	1,589	34 3/4	1,949	39 1/4	2,322	43 3/4	2,705
25 7/8	1,257	30 3/8	1,599	34 7/8	1,959	39 3/8	2,333	43 7/8	2,716
26	1,267	30 1/2	1,608	35	1,969	39 1/2	2,343	44	2,727
26 1/8	1,276	30 5/8	1,618	35 1/8	1,979	39 5/8	2,354	44 1/8	2,737
26 1/4	1,285	30 3/4	1,628	35 1/4	1,990	39 3/4	2,364	44 1/4	2,748
26 3/8	1,294	30 7/8	1,638	35 3/8	2,000	39 7/8	2,375	44 3/8	2,759
26 1/2	1,303	31	1,648	35 1/2	2,010	40	2,386	44 1/2	2,769
26 5/8	1,313	31 1/8	1,658	35 5/8	2,020	40 1/8	2,396	44 5/8	2,780
26 3/4	1,322	31 1/4	1,667	35 3/4	2,031	40 1/4	2,407	44 3/4	2,791
26 7/8	1,331	31 3/8	1,677	35 7/8	2,041	40 3/8	2,417	44 7/8	2,802
27	1,341	31 1/2	1,687	36	2,051	40 1/2	2,428	45	2,812



Dipstick Calibration Chart

8' x 6K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,823	49 5/8	3,211	54 1/8	3,597	58 5/8	3,976	63 1/8	4,345
45 1/4	2,834	49 3/4	3,222	54 1/4	3,607	58 3/4	3,987	63 1/4	4,355
45 3/8	2,845	49 7/8	3,232	54 3/8	3,618	58 7/8	3,997	63 3/8	4,365
45 1/2	2,855	50	3,243	54 1/2	3,629	59	4,008	63 1/2	4,375
45 5/8	2,866	50 1/8	3,254	54 5/8	3,639	59 1/8	4,018	63 5/8	4,385
45 3/4	2,877	50 1/4	3,265	54 3/4	3,650	59 1/4	4,028	63 3/4	4,395
45 7/8	2,888	50 3/8	3,275	54 7/8	3,661	59 3/8	4,039	63 7/8	4,405
46	2,898	50 1/2	3,286	55	3,671	59 1/2	4,049	64	4,415
46 1/8	2,909	50 5/8	3,297	55 1/8	3,682	59 5/8	4,059	64 1/8	4,425
46 1/4	2,920	50 3/4	3,308	55 1/4	3,692	59 3/4	4,070	64 1/4	4,435
46 3/8	2,931	50 7/8	3,318	55 3/8	3,703	59 7/8	4,080	64 3/8	4,445
46 1/2	2,942	51	3,329	55 1/2	3,714	60	4,090	64 1/2	4,454
46 5/8	2,952	51 1/8	3,340	55 5/8	3,724	60 1/8	4,101	64 5/8	4,464
46 3/4	2,963	51 1/4	3,351	55 3/4	3,735	60 1/4	4,111	64 3/4	4,474
46 7/8	2,974	51 3/8	3,361	55 7/8	3,745	60 3/8	4,121	64 7/8	4,484
47	2,985	51 1/2	3,372	56	3,756	60 1/2	4,131	65	4,494
47 1/8	2,995	51 5/8	3,383	56 1/8	3,767	60 5/8	4,142	65 1/8	4,504
47 1/4	3,006	51 3/4	3,394	56 1/4	3,777	60 3/4	4,152	65 1/4	4,514
47 3/8	3,017	51 7/8	3,404	56 3/8	3,788	60 7/8	4,162	65 3/8	4,523
47 1/2	3,028	52	3,415	56 1/2	3,798	61	4,172	65 1/2	4,533
47 5/8	3,038	52 1/8	3,426	56 5/8	3,809	61 1/8	4,183	65 5/8	4,543
47 3/4	3,049	52 1/4	3,436	56 3/4	3,819	61 1/4	4,193	65 3/4	4,553
47 7/8	3,060	52 3/8	3,447	56 7/8	3,830	61 3/8	4,203	65 7/8	4,562
48	3,071	52 1/2	3,458	57	3,840	61 1/2	4,213	66	4,572
48 1/8	3,082	52 5/8	3,469	57 1/8	3,851	61 5/8	4,223	66 1/8	4,582
48 1/4	3,092	52 3/4	3,479	57 1/4	3,861	61 3/4	4,234	66 1/4	4,592
48 3/8	3,103	52 7/8	3,490	57 3/8	3,872	61 7/8	4,244	66 3/8	4,601
48 1/2	3,114	53	3,501	57 1/2	3,882	62	4,254	66 1/2	4,611
48 5/8	3,125	53 1/8	3,511	57 5/8	3,893	62 1/8	4,264	66 5/8	4,621
48 3/4	3,135	53 1/4	3,522	57 3/4	3,903	62 1/4	4,274	66 3/4	4,630
48 7/8	3,146	53 3/8	3,533	57 7/8	3,914	62 3/8	4,284	66 7/8	4,640
49	3,157	53 1/2	3,543	58	3,924	62 1/2	4,294	67	4,649
49 1/8	3,168	53 5/8	3,554	58 1/8	3,935	62 5/8	4,305	67 1/8	4,659
49 1/4	3,178	53 3/4	3,565	58 1/4	3,945	62 3/4	4,315	67 1/4	4,669
49 3/8	3,189	53 7/8	3,575	58 3/8	3,955	62 7/8	4,325	67 3/8	4,678
49 1/2	3,200	54	3,586	58 1/2	3,966	63	4,335	67 1/2	4,688



Dipstick Calibration Chart

8' x 6K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	4,697	72 1/8	5,028	76 5/8	5,333	81 1/8	5,604	85 5/8	5,835
67 3/4	4,707	72 1/4	5,037	76 3/4	5,341	81 1/4	5,611	85 3/4	5,841
67 7/8	4,716	72 3/8	5,046	76 7/8	5,349	81 3/8	5,618	85 7/8	5,847
68	4,726	72 1/2	5,055	77	5,357	81 1/2	5,625	86	5,852
68 1/8	4,735	72 5/8	5,064	77 1/8	5,365	81 5/8	5,632	86 1/8	5,858
68 1/4	4,745	72 3/4	5,072	77 1/4	5,373	81 3/4	5,639	86 1/4	5,863
68 3/8	4,754	72 7/8	5,081	77 3/8	5,381	81 7/8	5,646	86 3/8	5,869
68 1/2	4,763	73	5,090	77 1/2	5,388	82	5,653	86 1/2	5,875
68 5/8	4,773	73 1/8	5,099	77 5/8	5,396	82 1/8	5,659	86 5/8	5,880
68 3/4	4,782	73 1/4	5,107	77 3/4	5,404	82 1/4	5,666	86 3/4	5,885
68 7/8	4,792	73 3/8	5,116	77 7/8	5,412	82 3/8	5,673	86 7/8	5,891
69	4,801	73 1/2	5,125	78	5,420	82 1/2	5,679	87	5,896
69 1/8	4,810	73 5/8	5,133	78 1/8	5,427	82 5/8	5,686	87 1/8	5,901
69 1/4	4,820	73 3/4	5,142	78 1/4	5,435	82 3/4	5,693	87 1/4	5,907
69 3/8	4,829	73 7/8	5,150	78 3/8	5,443	82 7/8	5,699	87 3/8	5,912
69 1/2	4,838	74	5,159	78 1/2	5,450	83	5,706	87 1/2	5,917
69 5/8	4,847	74 1/8	5,167	78 5/8	5,458	83 1/8	5,712	87 5/8	5,922
69 3/4	4,857	74 1/4	5,176	78 3/4	5,466	83 1/4	5,719	87 3/4	5,927
69 7/8	4,866	74 3/8	5,184	78 7/8	5,473	83 3/8	5,725	87 7/8	5,932
70	4,875	74 1/2	5,193	79	5,481	83 1/2	5,732	88	5,937
70 1/8	4,884	74 5/8	5,201	79 1/8	5,488	83 5/8	5,738	88 1/8	5,942
70 1/4	4,893	74 3/4	5,210	79 1/4	5,496	83 3/4	5,744	88 1/4	5,947
70 3/8	4,902	74 7/8	5,218	79 3/8	5,503	83 7/8	5,751	88 3/8	5,952
70 1/2	4,912	75	5,226	79 1/2	5,510	84	5,757	88 1/2	5,957
70 5/8	4,921	75 1/8	5,235	79 5/8	5,518	84 1/8	5,763	88 5/8	5,962
70 3/4	4,930	75 1/4	5,243	79 3/4	5,525	84 1/4	5,769	88 3/4	5,967
70 7/8	4,939	75 3/8	5,251	79 7/8	5,533	84 3/8	5,776	88 7/8	5,971
71	4,948	75 1/2	5,260	80	5,540	84 1/2	5,782	89	5,976
71 1/8	4,957	75 5/8	5,268	80 1/8	5,547	84 5/8	5,788	89 1/8	5,981
71 1/4	4,966	75 3/4	5,276	80 1/4	5,554	84 3/4	5,794	89 1/4	5,985
71 3/8	4,975	75 7/8	5,284	80 3/8	5,562	84 7/8	5,800	89 3/8	5,990
71 1/2	4,984	76	5,292	80 1/2	5,569	85	5,806	89 1/2	5,994
71 5/8	4,993	76 1/8	5,301	80 5/8	5,576	85 1/8	5,812	89 5/8	5,998
71 3/4	5,002	76 1/4	5,309	80 3/4	5,583	85 1/4	5,818	89 3/4	6,003
71 7/8	5,011	76 3/8	5,317	80 7/8	5,590	85 3/8	5,823	89 7/8	6,007
72	5,020	76 1/2	5,325	81	5,597	85 1/2	5,829	90	6,011



Dipstick Calibration Chart

8' x 6K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	6,016	94 5/8	6,128
90 1/4	6,020	94 3/4	6,130
90 3/8	6,024	94 7/8	6,132
90 1/2	6,028	95	6,133
90 5/8	6,032	95 1/8	6,135
90 3/4	6,036	95 1/4	6,136
90 7/8	6,040	95 3/8	6,138
91	6,044	95 1/2	6,139
91 1/8	6,047	95 5/8	6,140
91 1/4	6,051	95 3/4	6,141
91 3/8	6,055	95 7/8	6,141
91 1/2	6,058	96	6,142
91 5/8	6,062		
91 3/4	6,066		
91 7/8	6,069		
92	6,072		
92 1/8	6,076		
92 1/4	6,079		
92 3/8	6,082		
92 1/2	6,085		
92 5/8	6,088		
92 3/4	6,092		
92 7/8	6,094		
93	6,097		
93 1/8	6,100		
93 1/4	6,103		
93 3/8	6,106		
93 1/2	6,108		
93 5/8	6,111		
93 3/4	6,113		
93 7/8	6,116		
94	6,118		
94 1/8	6,120		
94 1/4	6,122		
94 3/8	6,124		
94 1/2	6,126		