



Dipstick Calibration Chart

8' x 7K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	107	9 1/8	305	13 5/8	567	18 1/8	878
1/4	1	4 3/4	111	9 1/4	312	13 3/4	575	18 1/4	887
3/8	2	4 7/8	116	9 3/8	318	13 7/8	583	18 3/8	896
1/2	4	5	120	9 1/2	325	14	591	18 1/2	905
5/8	5	5 1/8	125	9 5/8	331	14 1/8	599	18 5/8	915
3/4	7	5 1/4	130	9 3/4	338	14 1/4	607	18 3/4	924
7/8	8	5 3/8	135	9 7/8	345	14 3/8	615	18 7/8	933
1	10	5 1/2	139	10	352	14 1/2	624	19	943
1 1/8	12	5 5/8	144	10 1/8	358	14 5/8	632	19 1/8	952
1 1/4	14	5 3/4	149	10 1/4	365	14 3/4	640	19 1/4	962
1 3/8	16	5 7/8	154	10 3/8	372	14 7/8	649	19 3/8	971
1 1/2	19	6	160	10 1/2	379	15	657	19 1/2	981
1 5/8	21	6 1/8	165	10 5/8	386	15 1/8	665	19 5/8	990
1 3/4	24	6 1/4	170	10 3/4	393	15 1/4	674	19 3/4	1,000
1 7/8	27	6 3/8	175	10 7/8	400	15 3/8	682	19 7/8	1,010
2	29	6 1/2	181	11	407	15 1/2	691	20	1,019
2 1/8	32	6 5/8	186	11 1/8	415	15 5/8	699	20 1/8	1,029
2 1/4	35	6 3/4	191	11 1/4	422	15 3/4	708	20 1/4	1,039
2 3/8	38	6 7/8	197	11 3/8	429	15 7/8	717	20 3/8	1,049
2 1/2	41	7	202	11 1/2	436	16	725	20 1/2	1,058
2 5/8	44	7 1/8	208	11 5/8	444	16 1/8	734	20 5/8	1,068
2 3/4	48	7 1/4	214	11 3/4	451	16 1/4	743	20 3/4	1,078
2 7/8	51	7 3/8	220	11 7/8	458	16 3/8	751	20 7/8	1,088
3	55	7 1/2	225	12	466	16 1/2	760	21	1,098
3 1/8	58	7 5/8	231	12 1/8	473	16 5/8	769	21 1/8	1,108
3 1/4	62	7 3/4	237	12 1/4	481	16 3/4	778	21 1/4	1,117
3 3/8	66	7 7/8	243	12 3/8	489	16 7/8	787	21 3/8	1,127
3 1/2	69	8	249	12 1/2	496	17	796	21 1/2	1,137
3 5/8	73	8 1/8	255	12 5/8	504	17 1/8	805	21 5/8	1,147
3 3/4	77	8 1/4	261	12 3/4	512	17 1/4	814	21 3/4	1,157
3 7/8	81	8 3/8	267	12 7/8	519	17 3/8	823	21 7/8	1,168
4	85	8 1/2	273	13	527	17 1/2	832	22	1,178
4 1/8	89	8 5/8	280	13 1/8	535	17 5/8	841	22 1/8	1,188
4 1/4	94	8 3/4	286	13 1/4	543	17 3/4	850	22 1/4	1,198
4 3/8	98	8 7/8	292	13 3/8	551	17 7/8	859	22 3/8	1,208
4 1/2	102	9	299	13 1/2	559	18	868	22 1/2	1,218



Dipstick Calibration Chart

8' x 7K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,228	27 1/8	1,612	31 5/8	2,021	36 1/8	2,450	40 5/8	2,893
22 3/4	1,239	27 1/4	1,623	31 3/4	2,033	36 1/4	2,462	40 3/4	2,905
22 7/8	1,249	27 3/8	1,634	31 7/8	2,044	36 3/8	2,474	40 7/8	2,918
23	1,259	27 1/2	1,645	32	2,056	36 1/2	2,486	41	2,930
23 1/8	1,270	27 5/8	1,656	32 1/8	2,068	36 5/8	2,498	41 1/8	2,942
23 1/4	1,280	27 3/4	1,667	32 1/4	2,079	36 3/4	2,511	41 1/4	2,955
23 3/8	1,290	27 7/8	1,678	32 3/8	2,091	36 7/8	2,523	41 3/8	2,967
23 1/2	1,301	28	1,690	32 1/2	2,103	37	2,535	41 1/2	2,980
23 5/8	1,311	28 1/8	1,701	32 5/8	2,115	37 1/8	2,547	41 5/8	2,992
23 3/4	1,322	28 1/4	1,712	32 3/4	2,126	37 1/4	2,559	41 3/4	3,005
23 7/8	1,332	28 3/8	1,723	32 7/8	2,138	37 3/8	2,572	41 7/8	3,017
24	1,342	28 1/2	1,734	33	2,150	37 1/2	2,584	42	3,030
24 1/8	1,353	28 5/8	1,746	33 1/8	2,162	37 5/8	2,596	42 1/8	3,042
24 1/4	1,364	28 3/4	1,757	33 1/4	2,174	37 3/4	2,608	42 1/4	3,055
24 3/8	1,374	28 7/8	1,768	33 3/8	2,186	37 7/8	2,621	42 3/8	3,068
24 1/2	1,385	29	1,779	33 1/2	2,198	38	2,633	42 1/2	3,080
24 5/8	1,395	29 1/8	1,791	33 5/8	2,209	38 1/8	2,645	42 5/8	3,093
24 3/4	1,406	29 1/4	1,802	33 3/4	2,221	38 1/4	2,657	42 3/4	3,105
24 7/8	1,417	29 3/8	1,814	33 7/8	2,233	38 3/8	2,670	42 7/8	3,118
25	1,427	29 1/2	1,825	34	2,245	38 1/2	2,682	43	3,130
25 1/8	1,438	29 5/8	1,836	34 1/8	2,257	38 5/8	2,694	43 1/8	3,143
25 1/4	1,449	29 3/4	1,848	34 1/4	2,269	38 3/4	2,707	43 1/4	3,155
25 3/8	1,459	29 7/8	1,859	34 3/8	2,281	38 7/8	2,719	43 3/8	3,168
25 1/2	1,470	30	1,871	34 1/2	2,293	39	2,731	43 1/2	3,180
25 5/8	1,481	30 1/8	1,882	34 5/8	2,305	39 1/8	2,744	43 5/8	3,193
25 3/4	1,492	30 1/4	1,894	34 3/4	2,317	39 1/4	2,756	43 3/4	3,206
25 7/8	1,502	30 3/8	1,905	34 7/8	2,329	39 3/8	2,769	43 7/8	3,218
26	1,513	30 1/2	1,917	35	2,341	39 1/2	2,781	44	3,231
26 1/8	1,524	30 5/8	1,928	35 1/8	2,353	39 5/8	2,793	44 1/8	3,243
26 1/4	1,535	30 3/4	1,940	35 1/4	2,365	39 3/4	2,806	44 1/4	3,256
26 3/8	1,546	30 7/8	1,951	35 3/8	2,377	39 7/8	2,818	44 3/8	3,269
26 1/2	1,557	31	1,963	35 1/2	2,389	40	2,830	44 1/2	3,281
26 5/8	1,568	31 1/8	1,974	35 5/8	2,401	40 1/8	2,843	44 5/8	3,294
26 3/4	1,579	31 1/4	1,986	35 3/4	2,413	40 1/4	2,855	44 3/4	3,306
26 7/8	1,590	31 3/8	1,998	35 7/8	2,425	40 3/8	2,868	44 7/8	3,319
27	1,601	31 1/2	2,009	36	2,438	40 1/2	2,880	45	3,332



Dipstick Calibration Chart

8' x 7K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,344	49 5/8	3,799	54 1/8	4,252	58 5/8	4,698	63 1/8	5,131
45 1/4	3,357	49 3/4	3,812	54 1/4	4,265	58 3/4	4,710	63 1/4	5,143
45 3/8	3,369	49 7/8	3,824	54 3/8	4,277	58 7/8	4,722	63 3/8	5,155
45 1/2	3,382	50	3,837	54 1/2	4,290	59	4,735	63 1/2	5,167
45 5/8	3,395	50 1/8	3,850	54 5/8	4,302	59 1/8	4,747	63 5/8	5,178
45 3/4	3,407	50 1/4	3,862	54 3/4	4,315	59 1/4	4,759	63 3/4	5,190
45 7/8	3,420	50 3/8	3,875	54 7/8	4,327	59 3/8	4,771	63 7/8	5,202
46	3,433	50 1/2	3,888	55	4,340	59 1/2	4,783	64	5,214
46 1/8	3,445	50 5/8	3,900	55 1/8	4,352	59 5/8	4,796	64 1/8	5,225
46 1/4	3,458	50 3/4	3,913	55 1/4	4,364	59 3/4	4,808	64 1/4	5,237
46 3/8	3,470	50 7/8	3,925	55 3/8	4,377	59 7/8	4,820	64 3/8	5,249
46 1/2	3,483	51	3,938	55 1/2	4,389	60	4,832	64 1/2	5,260
46 5/8	3,496	51 1/8	3,951	55 5/8	4,402	60 1/8	4,844	64 5/8	5,272
46 3/4	3,508	51 1/4	3,963	55 3/4	4,414	60 1/4	4,856	64 3/4	5,284
46 7/8	3,521	51 3/8	3,976	55 7/8	4,427	60 3/8	4,868	64 7/8	5,295
47	3,534	51 1/2	3,988	56	4,439	60 1/2	4,880	65	5,307
47 1/8	3,546	51 5/8	4,001	56 1/8	4,451	60 5/8	4,892	65 1/8	5,318
47 1/4	3,559	51 3/4	4,014	56 1/4	4,464	60 3/4	4,905	65 1/4	5,330
47 3/8	3,572	51 7/8	4,026	56 3/8	4,476	60 7/8	4,917	65 3/8	5,341
47 1/2	3,584	52	4,039	56 1/2	4,489	61	4,929	65 1/2	5,353
47 5/8	3,597	52 1/8	4,051	56 5/8	4,501	61 1/8	4,941	65 5/8	5,365
47 3/4	3,609	52 1/4	4,064	56 3/4	4,513	61 1/4	4,953	65 3/4	5,376
47 7/8	3,622	52 3/8	4,077	56 7/8	4,526	61 3/8	4,965	65 7/8	5,388
48	3,635	52 1/2	4,089	57	4,538	61 1/2	4,977	66	5,399
48 1/8	3,647	52 5/8	4,102	57 1/8	4,550	61 5/8	4,989	66 1/8	5,410
48 1/4	3,660	52 3/4	4,114	57 1/4	4,563	61 3/4	5,001	66 1/4	5,422
48 3/8	3,673	52 7/8	4,127	57 3/8	4,575	61 7/8	5,013	66 3/8	5,433
48 1/2	3,685	53	4,139	57 1/2	4,587	62	5,024	66 1/2	5,445
48 5/8	3,698	53 1/8	4,152	57 5/8	4,600	62 1/8	5,036	66 5/8	5,456
48 3/4	3,711	53 1/4	4,164	57 3/4	4,612	62 1/4	5,048	66 3/4	5,467
48 7/8	3,723	53 3/8	4,177	57 7/8	4,624	62 3/8	5,060	66 7/8	5,479
49	3,736	53 1/2	4,190	58	4,637	62 1/2	5,072	67	5,490
49 1/8	3,749	53 5/8	4,202	58 1/8	4,649	62 5/8	5,084	67 1/8	5,501
49 1/4	3,761	53 3/4	4,215	58 1/4	4,661	62 3/4	5,096	67 1/4	5,513
49 3/8	3,774	53 7/8	4,227	58 3/8	4,673	62 7/8	5,108	67 3/8	5,524
49 1/2	3,786	54	4,240	58 1/2	4,686	63	5,119	67 1/2	5,535



Dipstick Calibration Chart

8' x 7K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	5,546	72 1/8	5,938	76 5/8	6,298	81 1/8	6,621	85 5/8	6,897
67 3/4	5,558	72 1/4	5,948	76 3/4	6,308	81 1/4	6,629	85 3/4	6,904
67 7/8	5,569	72 3/8	5,958	76 7/8	6,317	81 3/8	6,638	85 7/8	6,911
68	5,580	72 1/2	5,969	77	6,327	81 1/2	6,646	86	6,918
68 1/8	5,591	72 5/8	5,979	77 1/8	6,336	81 5/8	6,654	86 1/8	6,925
68 1/4	5,602	72 3/4	5,990	77 1/4	6,345	81 3/4	6,662	86 1/4	6,931
68 3/8	5,613	72 7/8	6,000	77 3/8	6,355	81 7/8	6,671	86 3/8	6,938
68 1/2	5,625	73	6,010	77 1/2	6,364	82	6,679	86 1/2	6,945
68 5/8	5,636	73 1/8	6,021	77 5/8	6,373	82 1/8	6,687	86 5/8	6,951
68 3/4	5,647	73 1/4	6,031	77 3/4	6,383	82 1/4	6,695	86 3/4	6,958
68 7/8	5,658	73 3/8	6,041	77 7/8	6,392	82 3/8	6,703	86 7/8	6,964
69	5,669	73 1/2	6,051	78	6,401	82 1/2	6,711	87	6,971
69 1/8	5,680	73 5/8	6,061	78 1/8	6,410	82 5/8	6,719	87 1/8	6,977
69 1/4	5,691	73 3/4	6,072	78 1/4	6,420	82 3/4	6,727	87 1/4	6,984
69 3/8	5,702	73 7/8	6,082	78 3/8	6,429	82 7/8	6,735	87 3/8	6,990
69 1/2	5,713	74	6,092	78 1/2	6,438	83	6,742	87 1/2	6,996
69 5/8	5,724	74 1/8	6,102	78 5/8	6,447	83 1/8	6,750	87 5/8	7,002
69 3/4	5,735	74 1/4	6,112	78 3/4	6,456	83 1/4	6,758	87 3/4	7,008
69 7/8	5,745	74 3/8	6,122	78 7/8	6,465	83 3/8	6,766	87 7/8	7,015
70	5,756	74 1/2	6,132	79	6,474	83 1/2	6,773	88	7,021
70 1/8	5,767	74 5/8	6,142	79 1/8	6,483	83 5/8	6,781	88 1/8	7,027
70 1/4	5,778	74 3/4	6,152	79 1/4	6,492	83 3/4	6,789	88 1/4	7,033
70 3/8	5,789	74 7/8	6,162	79 3/8	6,501	83 7/8	6,796	88 3/8	7,038
70 1/2	5,799	75	6,172	79 1/2	6,509	84	6,804	88 1/2	7,044
70 5/8	5,810	75 1/8	6,182	79 5/8	6,518	84 1/8	6,811	88 5/8	7,050
70 3/4	5,821	75 1/4	6,192	79 3/4	6,527	84 1/4	6,818	88 3/4	7,056
70 7/8	5,832	75 3/8	6,201	79 7/8	6,536	84 3/8	6,826	88 7/8	7,061
71	5,842	75 1/2	6,211	80	6,544	84 1/2	6,833	89	7,067
71 1/8	5,853	75 5/8	6,221	80 1/8	6,553	84 5/8	6,841	89 1/8	7,073
71 1/4	5,864	75 3/4	6,231	80 1/4	6,562	84 3/4	6,848	89 1/4	7,078
71 3/8	5,874	75 7/8	6,240	80 3/8	6,570	84 7/8	6,855	89 3/8	7,084
71 1/2	5,885	76	6,250	80 1/2	6,579	85	6,862	89 1/2	7,089
71 5/8	5,895	76 1/8	6,260	80 5/8	6,587	85 1/8	6,869	89 5/8	7,094
71 3/4	5,906	76 1/4	6,269	80 3/4	6,596	85 1/4	6,876	89 3/4	7,100
71 7/8	5,917	76 3/8	6,279	80 7/8	6,604	85 3/8	6,883	89 7/8	7,105
72	5,927	76 1/2	6,289	81	6,613	85 1/2	6,890	90	7,110



Dipstick Calibration Chart

8' x 7K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	7,115	94 5/8	7,253
90 1/4	7,120	94 3/4	7,255
90 3/8	7,125	94 7/8	7,257
90 1/2	7,130	95	7,259
90 5/8	7,135	95 1/8	7,261
90 3/4	7,140	95 1/4	7,263
90 7/8	7,145	95 3/8	7,265
91	7,149	95 1/2	7,266
91 1/8	7,154	95 5/8	7,267
91 1/4	7,158	95 3/4	7,268
91 3/8	7,163	95 7/8	7,269
91 1/2	7,167	96	7,270
91 5/8	7,172		
91 3/4	7,176		
91 7/8	7,180		
92	7,184		
92 1/8	7,188		
92 1/4	7,192		
92 3/8	7,196		
92 1/2	7,200		
92 5/8	7,204		
92 3/4	7,208		
92 7/8	7,211		
93	7,215		
93 1/8	7,218		
93 1/4	7,222		
93 3/8	7,225		
93 1/2	7,228		
93 5/8	7,231		
93 3/4	7,234		
93 7/8	7,237		
94	7,240		
94 1/8	7,243		
94 1/4	7,246		
94 3/8	7,248		
94 1/2	7,251		