



Dipstick Calibration Chart

8' x 8K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	120	9 1/8	342	13 5/8	632	18 1/8	976
1/4	1	4 3/4	125	9 1/4	349	13 3/4	641	18 1/4	986
3/8	3	4 7/8	130	9 3/8	356	13 7/8	650	18 3/8	997
1/2	4	5	135	9 1/2	363	14	659	18 1/2	1,007
5/8	6	5 1/8	140	9 5/8	371	14 1/8	668	18 5/8	1,017
3/4	7	5 1/4	146	9 3/4	378	14 1/4	677	18 3/4	1,028
7/8	9	5 3/8	151	9 7/8	386	14 3/8	686	18 7/8	1,038
1	11	5 1/2	157	10	393	14 1/2	695	19	1,048
1 1/8	14	5 5/8	162	10 1/8	401	14 5/8	704	19 1/8	1,059
1 1/4	16	5 3/4	168	10 1/4	408	14 3/4	713	19 1/4	1,069
1 3/8	19	5 7/8	173	10 3/8	416	14 7/8	723	19 3/8	1,080
1 1/2	21	6	179	10 1/2	424	15	732	19 1/2	1,090
1 5/8	24	6 1/8	185	10 5/8	432	15 1/8	741	19 5/8	1,101
1 3/4	27	6 1/4	191	10 3/4	439	15 1/4	751	19 3/4	1,112
1 7/8	30	6 3/8	197	10 7/8	447	15 3/8	760	19 7/8	1,122
2	33	6 1/2	203	11	455	15 1/2	769	20	1,133
2 1/8	36	6 5/8	209	11 1/8	463	15 5/8	779	20 1/8	1,144
2 1/4	40	6 3/4	215	11 1/4	471	15 3/4	788	20 1/4	1,154
2 3/8	43	6 7/8	221	11 3/8	479	15 7/8	798	20 3/8	1,165
2 1/2	47	7	227	11 1/2	487	16	808	20 1/2	1,176
2 5/8	50	7 1/8	233	11 5/8	495	16 1/8	817	20 5/8	1,187
2 3/4	54	7 1/4	240	11 3/4	504	16 1/4	827	20 3/4	1,198
2 7/8	58	7 3/8	246	11 7/8	512	16 3/8	837	20 7/8	1,208
3	62	7 1/2	253	12	520	16 1/2	846	21	1,219
3 1/8	66	7 5/8	259	12 1/8	529	16 5/8	856	21 1/8	1,230
3 1/4	70	7 3/4	266	12 1/4	537	16 3/4	866	21 1/4	1,241
3 3/8	74	7 7/8	272	12 3/8	545	16 7/8	876	21 3/8	1,252
3 1/2	78	8	279	12 1/2	554	17	886	21 1/2	1,263
3 5/8	82	8 1/8	286	12 5/8	562	17 1/8	896	21 5/8	1,274
3 3/4	87	8 1/4	292	12 3/4	571	17 1/4	906	21 3/4	1,285
3 7/8	91	8 3/8	299	12 7/8	579	17 3/8	916	21 7/8	1,297
4	96	8 1/2	306	13	588	17 1/2	926	22	1,308
4 1/8	101	8 5/8	313	13 1/8	597	17 5/8	936	22 1/8	1,319
4 1/4	105	8 3/4	320	13 1/4	606	17 3/4	946	22 1/4	1,330
4 3/8	110	8 7/8	327	13 3/8	614	17 7/8	956	22 3/8	1,341
4 1/2	115	9	334	13 1/2	623	18	966	22 1/2	1,352



Dipstick Calibration Chart

8' x 8K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,364	27 1/8	1,786	31 5/8	2,237	36 1/8	2,709	40 5/8	3,195
22 3/4	1,375	27 1/4	1,799	31 3/4	2,250	36 1/4	2,722	40 3/4	3,209
22 7/8	1,386	27 3/8	1,811	31 7/8	2,263	36 3/8	2,735	40 7/8	3,223
23	1,398	27 1/2	1,823	32	2,275	36 1/2	2,749	41	3,236
23 1/8	1,409	27 5/8	1,835	32 1/8	2,288	36 5/8	2,762	41 1/8	3,250
23 1/4	1,421	27 3/4	1,847	32 1/4	2,301	36 3/4	2,775	41 1/4	3,264
23 3/8	1,432	27 7/8	1,860	32 3/8	2,314	36 7/8	2,789	41 3/8	3,278
23 1/2	1,443	28	1,872	32 1/2	2,327	37	2,802	41 1/2	3,291
23 5/8	1,455	28 1/8	1,884	32 5/8	2,340	37 1/8	2,816	41 5/8	3,305
23 3/4	1,466	28 1/4	1,897	32 3/4	2,353	37 1/4	2,829	41 3/4	3,319
23 7/8	1,478	28 3/8	1,909	32 7/8	2,366	37 3/8	2,842	41 7/8	3,333
24	1,490	28 1/2	1,921	33	2,379	37 1/2	2,856	42	3,346
24 1/8	1,501	28 5/8	1,934	33 1/8	2,392	37 5/8	2,869	42 1/8	3,360
24 1/4	1,513	28 3/4	1,946	33 1/4	2,405	37 3/4	2,883	42 1/4	3,374
24 3/8	1,524	28 7/8	1,959	33 3/8	2,418	37 7/8	2,896	42 3/8	3,388
24 1/2	1,536	29	1,971	33 1/2	2,431	38	2,910	42 1/2	3,401
24 5/8	1,548	29 1/8	1,984	33 5/8	2,444	38 1/8	2,923	42 5/8	3,415
24 3/4	1,559	29 1/4	1,996	33 3/4	2,457	38 1/4	2,937	42 3/4	3,429
24 7/8	1,571	29 3/8	2,009	33 7/8	2,470	38 3/8	2,950	42 7/8	3,443
25	1,583	29 1/2	2,021	34	2,484	38 1/2	2,964	43	3,456
25 1/8	1,595	29 5/8	2,034	34 1/8	2,497	38 5/8	2,978	43 1/8	3,470
25 1/4	1,607	29 3/4	2,046	34 1/4	2,510	38 3/4	2,991	43 1/4	3,484
25 3/8	1,618	29 7/8	2,059	34 3/8	2,523	38 7/8	3,005	43 3/8	3,498
25 1/2	1,630	30	2,071	34 1/2	2,536	39	3,018	43 1/2	3,512
25 5/8	1,642	30 1/8	2,084	34 5/8	2,549	39 1/8	3,032	43 5/8	3,525
25 3/4	1,654	30 1/4	2,097	34 3/4	2,562	39 1/4	3,045	43 3/4	3,539
25 7/8	1,666	30 3/8	2,109	34 7/8	2,576	39 3/8	3,059	43 7/8	3,553
26	1,678	30 1/2	2,122	35	2,589	39 1/2	3,073	44	3,567
26 1/8	1,690	30 5/8	2,135	35 1/8	2,602	39 5/8	3,086	44 1/8	3,581
26 1/4	1,702	30 3/4	2,147	35 1/4	2,615	39 3/4	3,100	44 1/4	3,595
26 3/8	1,714	30 7/8	2,160	35 3/8	2,629	39 7/8	3,113	44 3/8	3,608
26 1/2	1,726	31	2,173	35 1/2	2,642	40	3,127	44 1/2	3,622
26 5/8	1,738	31 1/8	2,186	35 5/8	2,655	40 1/8	3,141	44 5/8	3,636
26 3/4	1,750	31 1/4	2,198	35 3/4	2,669	40 1/4	3,154	44 3/4	3,650
26 7/8	1,762	31 3/8	2,211	35 7/8	2,682	40 3/8	3,168	44 7/8	3,664
27	1,774	31 1/2	2,224	36	2,695	40 1/2	3,182	45	3,678



Dipstick Calibration Chart

8' x 8K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,692	49 5/8	4,191	54 1/8	4,689	58 5/8	5,179	63 1/8	5,656
45 1/4	3,705	49 3/4	4,205	54 1/4	4,703	58 3/4	5,193	63 1/4	5,669
45 3/8	3,719	49 7/8	4,219	54 3/8	4,717	58 7/8	5,206	63 3/8	5,682
45 1/2	3,733	50	4,233	54 1/2	4,730	59	5,219	63 1/2	5,695
45 5/8	3,747	50 1/8	4,247	54 5/8	4,744	59 1/8	5,233	63 5/8	5,707
45 3/4	3,761	50 1/4	4,261	54 3/4	4,758	59 1/4	5,246	63 3/4	5,720
45 7/8	3,775	50 3/8	4,275	54 7/8	4,771	59 3/8	5,260	63 7/8	5,733
46	3,789	50 1/2	4,288	55	4,785	59 1/2	5,273	64	5,746
46 1/8	3,803	50 5/8	4,302	55 1/8	4,799	59 5/8	5,286	64 1/8	5,759
46 1/4	3,816	50 3/4	4,316	55 1/4	4,813	59 3/4	5,300	64 1/4	5,772
46 3/8	3,830	50 7/8	4,330	55 3/8	4,826	59 7/8	5,313	64 3/8	5,785
46 1/2	3,844	51	4,344	55 1/2	4,840	60	5,326	64 1/2	5,798
46 5/8	3,858	51 1/8	4,358	55 5/8	4,854	60 1/8	5,340	64 5/8	5,810
46 3/4	3,872	51 1/4	4,372	55 3/4	4,867	60 1/4	5,353	64 3/4	5,823
46 7/8	3,886	51 3/8	4,385	55 7/8	4,881	60 3/8	5,366	64 7/8	5,836
47	3,900	51 1/2	4,399	56	4,895	60 1/2	5,380	65	5,849
47 1/8	3,914	51 5/8	4,413	56 1/8	4,908	60 5/8	5,393	65 1/8	5,862
47 1/4	3,927	51 3/4	4,427	56 1/4	4,922	60 3/4	5,406	65 1/4	5,874
47 3/8	3,941	51 7/8	4,441	56 3/8	4,935	60 7/8	5,419	65 3/8	5,887
47 1/2	3,955	52	4,455	56 1/2	4,949	61	5,433	65 1/2	5,900
47 5/8	3,969	52 1/8	4,468	56 5/8	4,963	61 1/8	5,446	65 5/8	5,912
47 3/4	3,983	52 1/4	4,482	56 3/4	4,976	61 1/4	5,459	65 3/4	5,925
47 7/8	3,997	52 3/8	4,496	56 7/8	4,990	61 3/8	5,472	65 7/8	5,938
48	4,011	52 1/2	4,510	57	5,003	61 1/2	5,485	66	5,950
48 1/8	4,025	52 5/8	4,524	57 1/8	5,017	61 5/8	5,499	66 1/8	5,963
48 1/4	4,039	52 3/4	4,538	57 1/4	5,031	61 3/4	5,512	66 1/4	5,975
48 3/8	4,052	52 7/8	4,551	57 3/8	5,044	61 7/8	5,525	66 3/8	5,988
48 1/2	4,066	53	4,565	57 1/2	5,058	62	5,538	66 1/2	6,001
48 5/8	4,080	53 1/8	4,579	57 5/8	5,071	62 1/8	5,551	66 5/8	6,013
48 3/4	4,094	53 1/4	4,593	57 3/4	5,085	62 1/4	5,564	66 3/4	6,026
48 7/8	4,108	53 3/8	4,606	57 7/8	5,098	62 3/8	5,577	66 7/8	6,038
49	4,122	53 1/2	4,620	58	5,112	62 1/2	5,590	67	6,051
49 1/8	4,136	53 5/8	4,634	58 1/8	5,125	62 5/8	5,604	67 1/8	6,063
49 1/4	4,150	53 3/4	4,648	58 1/4	5,139	62 3/4	5,617	67 1/4	6,075
49 3/8	4,164	53 7/8	4,662	58 3/8	5,152	62 7/8	5,630	67 3/8	6,088
49 1/2	4,177	54	4,675	58 1/2	5,166	63	5,643	67 1/2	6,100



Dipstick Calibration Chart

8' x 8K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,113	72 1/8	6,544	76 5/8	6,942	81 1/8	7,299	85 5/8	7,606
67 3/4	6,125	72 1/4	6,555	76 3/4	6,952	81 1/4	7,308	85 3/4	7,613
67 7/8	6,137	72 3/8	6,567	76 7/8	6,963	81 3/8	7,317	85 7/8	7,621
68	6,150	72 1/2	6,578	77	6,973	81 1/2	7,327	86	7,628
68 1/8	6,162	72 5/8	6,590	77 1/8	6,984	81 5/8	7,336	86 1/8	7,636
68 1/4	6,174	72 3/4	6,601	77 1/4	6,994	81 3/4	7,345	86 1/4	7,643
68 3/8	6,186	72 7/8	6,612	77 3/8	7,004	81 7/8	7,354	86 3/8	7,651
68 1/2	6,199	73	6,624	77 1/2	7,015	82	7,363	86 1/2	7,658
68 5/8	6,211	73 1/8	6,635	77 5/8	7,025	82 1/8	7,372	86 5/8	7,666
68 3/4	6,223	73 1/4	6,647	77 3/4	7,035	82 1/4	7,381	86 3/4	7,673
68 7/8	6,235	73 3/8	6,658	77 7/8	7,045	82 3/8	7,390	86 7/8	7,680
69	6,247	73 1/2	6,669	78	7,056	82 1/2	7,399	87	7,687
69 1/8	6,259	73 5/8	6,680	78 1/8	7,066	82 5/8	7,407	87 1/8	7,694
69 1/4	6,272	73 3/4	6,692	78 1/4	7,076	82 3/4	7,416	87 1/4	7,701
69 3/8	6,284	73 7/8	6,703	78 3/8	7,086	82 7/8	7,425	87 3/8	7,708
69 1/2	6,296	74	6,714	78 1/2	7,096	83	7,433	87 1/2	7,715
69 5/8	6,308	74 1/8	6,725	78 5/8	7,106	83 1/8	7,442	87 5/8	7,722
69 3/4	6,320	74 1/4	6,736	78 3/4	7,116	83 1/4	7,451	87 3/4	7,729
69 7/8	6,332	74 3/8	6,747	78 7/8	7,126	83 3/8	7,459	87 7/8	7,736
70	6,344	74 1/2	6,758	79	7,136	83 1/2	7,468	88	7,743
70 1/8	6,356	74 5/8	6,769	79 1/8	7,146	83 5/8	7,476	88 1/8	7,749
70 1/4	6,368	74 3/4	6,780	79 1/4	7,156	83 3/4	7,485	88 1/4	7,756
70 3/8	6,380	74 7/8	6,791	79 3/8	7,165	83 7/8	7,493	88 3/8	7,763
70 1/2	6,391	75	6,802	79 1/2	7,175	84	7,501	88 1/2	7,769
70 5/8	6,403	75 1/8	6,813	79 5/8	7,185	84 1/8	7,510	88 5/8	7,776
70 3/4	6,415	75 1/4	6,824	79 3/4	7,195	84 1/4	7,518	88 3/4	7,782
70 7/8	6,427	75 3/8	6,835	79 7/8	7,204	84 3/8	7,526	88 7/8	7,788
71	6,439	75 1/2	6,846	80	7,214	84 1/2	7,534	89	7,795
71 1/8	6,450	75 5/8	6,857	80 1/8	7,224	84 5/8	7,542	89 1/8	7,801
71 1/4	6,462	75 3/4	6,867	80 1/4	7,233	84 3/4	7,550	89 1/4	7,807
71 3/8	6,474	75 7/8	6,878	80 3/8	7,243	84 7/8	7,558	89 3/8	7,813
71 1/2	6,486	76	6,889	80 1/2	7,252	85	7,566	89 1/2	7,819
71 5/8	6,497	76 1/8	6,899	80 5/8	7,262	85 1/8	7,574	89 5/8	7,825
71 3/4	6,509	76 1/4	6,910	80 3/4	7,271	85 1/4	7,582	89 3/4	7,831
71 7/8	6,520	76 3/8	6,921	80 7/8	7,280	85 3/8	7,590	89 7/8	7,837
72	6,532	76 1/2	6,931	81	7,290	85 1/2	7,598	90	7,843



Dipstick Calibration Chart

8' x 8K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	7,848	94 5/8	8,003
90 1/4	7,854	94 3/4	8,005
90 3/8	7,859	94 7/8	8,008
90 1/2	7,865	95	8,010
90 5/8	7,870	95 1/8	8,012
90 3/4	7,876	95 1/4	8,014
90 7/8	7,881	95 3/8	8,016
91	7,886	95 1/2	8,018
91 1/8	7,892	95 5/8	8,019
91 1/4	7,897	95 3/4	8,020
91 3/8	7,902	95 7/8	8,021
91 1/2	7,907	96	8,022
91 5/8	7,911		
91 3/4	7,916		
91 7/8	7,921		
92	7,926		
92 1/8	7,930		
92 1/4	7,935		
92 3/8	7,939		
92 1/2	7,943		
92 5/8	7,948		
92 3/4	7,952		
92 7/8	7,956		
93	7,960		
93 1/8	7,964		
93 1/4	7,968		
93 3/8	7,971		
93 1/2	7,975		
93 5/8	7,979		
93 3/4	7,982		
93 7/8	7,985		
94	7,988		
94 1/8	7,992		
94 1/4	7,995		
94 3/8	7,998		
94 1/2	8,000		