



Dipstick Calibration Chart

8' x 9K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	140	9 1/8	396	13 5/8	730	18 1/8	1,124
1/4	2	4 3/4	146	9 1/4	404	13 3/4	740	18 1/4	1,136
3/8	3	4 7/8	152	9 3/8	413	13 7/8	750	18 3/8	1,147
1/2	5	5	158	9 1/2	421	14	761	18 1/2	1,159
5/8	7	5 1/8	164	9 5/8	430	14 1/8	771	18 5/8	1,171
3/4	9	5 1/4	170	9 3/4	438	14 1/4	781	18 3/4	1,183
7/8	11	5 3/8	176	9 7/8	447	14 3/8	792	18 7/8	1,195
1	14	5 1/2	182	10	456	14 1/2	802	19	1,207
1 1/8	16	5 5/8	189	10 1/8	464	14 5/8	813	19 1/8	1,219
1 1/4	19	5 3/4	195	10 1/4	473	14 3/4	823	19 1/4	1,231
1 3/8	22	5 7/8	202	10 3/8	482	14 7/8	834	19 3/8	1,243
1 1/2	25	6	208	10 1/2	491	15	845	19 1/2	1,255
1 5/8	28	6 1/8	215	10 5/8	500	15 1/8	855	19 5/8	1,267
1 3/4	32	6 1/4	222	10 3/4	509	15 1/4	866	19 3/4	1,279
1 7/8	35	6 3/8	229	10 7/8	518	15 3/8	877	19 7/8	1,291
2	39	6 1/2	236	11	527	15 1/2	888	20	1,303
2 1/8	43	6 5/8	243	11 1/8	536	15 5/8	898	20 1/8	1,315
2 1/4	46	6 3/4	250	11 1/4	545	15 3/4	909	20 1/4	1,328
2 3/8	50	6 7/8	257	11 3/8	554	15 7/8	920	20 3/8	1,340
2 1/2	55	7	264	11 1/2	564	16	931	20 1/2	1,352
2 5/8	59	7 1/8	271	11 5/8	573	16 1/8	942	20 5/8	1,365
2 3/4	63	7 1/4	279	11 3/4	583	16 1/4	953	20 3/4	1,377
2 7/8	68	7 3/8	286	11 7/8	592	16 3/8	964	20 7/8	1,389
3	72	7 1/2	293	12	602	16 1/2	976	21	1,402
3 1/8	77	7 5/8	301	12 1/8	611	16 5/8	987	21 1/8	1,414
3 1/4	82	7 3/4	308	12 1/4	621	16 3/4	998	21 1/4	1,427
3 3/8	86	7 7/8	316	12 3/8	630	16 7/8	1,009	21 3/8	1,439
3 1/2	91	8	324	12 1/2	640	17	1,021	21 1/2	1,452
3 5/8	96	8 1/8	332	12 5/8	650	17 1/8	1,032	21 5/8	1,465
3 3/4	101	8 1/4	339	12 3/4	660	17 1/4	1,043	21 3/4	1,477
3 7/8	107	8 3/8	347	12 7/8	670	17 3/8	1,055	21 7/8	1,490
4	112	8 1/2	355	13	680	17 1/2	1,066	22	1,503
4 1/8	117	8 5/8	363	13 1/8	690	17 5/8	1,078	22 1/8	1,515
4 1/4	123	8 3/4	371	13 1/4	700	17 3/4	1,089	22 1/4	1,528
4 3/8	128	8 7/8	380	13 3/8	710	17 7/8	1,101	22 3/8	1,541
4 1/2	134	9	388	13 1/2	720	18	1,112	22 1/2	1,554



Dipstick Calibration Chart

8' x 9K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,567	27 1/8	2,048	31 5/8	2,561	36 1/8	3,097	40 5/8	3,649
22 3/4	1,580	27 1/4	2,062	31 3/4	2,575	36 1/4	3,112	40 3/4	3,665
22 7/8	1,592	27 3/8	2,076	31 7/8	2,590	36 3/8	3,127	40 7/8	3,681
23	1,605	27 1/2	2,090	32	2,605	36 1/2	3,142	41	3,696
23 1/8	1,618	27 5/8	2,104	32 1/8	2,619	36 5/8	3,157	41 1/8	3,712
23 1/4	1,631	27 3/4	2,118	32 1/4	2,634	36 3/4	3,173	41 1/4	3,727
23 3/8	1,644	27 7/8	2,132	32 3/8	2,649	36 7/8	3,188	41 3/8	3,743
23 1/2	1,657	28	2,146	32 1/2	2,663	37	3,203	41 1/2	3,758
23 5/8	1,671	28 1/8	2,160	32 5/8	2,678	37 1/8	3,218	41 5/8	3,774
23 3/4	1,684	28 1/4	2,174	32 3/4	2,693	37 1/4	3,234	41 3/4	3,790
23 7/8	1,697	28 3/8	2,188	32 7/8	2,708	37 3/8	3,249	41 7/8	3,805
24	1,710	28 1/2	2,202	33	2,722	37 1/2	3,264	42	3,821
24 1/8	1,723	28 5/8	2,216	33 1/8	2,737	37 5/8	3,279	42 1/8	3,836
24 1/4	1,736	28 3/4	2,230	33 1/4	2,752	37 3/4	3,295	42 1/4	3,852
24 3/8	1,750	28 7/8	2,244	33 3/8	2,767	37 7/8	3,310	42 3/8	3,868
24 1/2	1,763	29	2,258	33 1/2	2,782	38	3,325	42 1/2	3,883
24 5/8	1,776	29 1/8	2,273	33 5/8	2,796	38 1/8	3,341	42 5/8	3,899
24 3/4	1,790	29 1/4	2,287	33 3/4	2,811	38 1/4	3,356	42 3/4	3,915
24 7/8	1,803	29 3/8	2,301	33 7/8	2,826	38 3/8	3,371	42 7/8	3,930
25	1,816	29 1/2	2,315	34	2,841	38 1/2	3,387	43	3,946
25 1/8	1,830	29 5/8	2,330	34 1/8	2,856	38 5/8	3,402	43 1/8	3,961
25 1/4	1,843	29 3/4	2,344	34 1/4	2,871	38 3/4	3,418	43 1/4	3,977
25 3/8	1,857	29 7/8	2,358	34 3/8	2,886	38 7/8	3,433	43 3/8	3,993
25 1/2	1,870	30	2,373	34 1/2	2,901	39	3,448	43 1/2	4,008
25 5/8	1,884	30 1/8	2,387	34 5/8	2,916	39 1/8	3,464	43 5/8	4,024
25 3/4	1,897	30 1/4	2,401	34 3/4	2,931	39 1/4	3,479	43 3/4	4,040
25 7/8	1,911	30 3/8	2,416	34 7/8	2,946	39 3/8	3,495	43 7/8	4,056
26	1,925	30 1/2	2,430	35	2,961	39 1/2	3,510	44	4,071
26 1/8	1,938	30 5/8	2,445	35 1/8	2,976	39 5/8	3,526	44 1/8	4,087
26 1/4	1,952	30 3/4	2,459	35 1/4	2,991	39 3/4	3,541	44 1/4	4,103
26 3/8	1,966	30 7/8	2,473	35 3/8	3,006	39 7/8	3,556	44 3/8	4,118
26 1/2	1,979	31	2,488	35 1/2	3,021	40	3,572	44 1/2	4,134
26 5/8	1,993	31 1/8	2,502	35 5/8	3,036	40 1/8	3,587	44 5/8	4,150
26 3/4	2,007	31 1/4	2,517	35 3/4	3,051	40 1/4	3,603	44 3/4	4,165
26 7/8	2,021	31 3/8	2,532	35 7/8	3,066	40 3/8	3,618	44 7/8	4,181
27	2,034	31 1/2	2,546	36	3,082	40 1/2	3,634	45	4,197



Dipstick Calibration Chart

8' x 9K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,213	49 5/8	4,780	54 1/8	5,344	58 5/8	5,901	63 1/8	6,442
45 1/4	4,228	49 3/4	4,795	54 1/4	5,360	58 3/4	5,916	63 1/4	6,457
45 3/8	4,244	49 7/8	4,811	54 3/8	5,376	58 7/8	5,931	63 3/8	6,472
45 1/2	4,260	50	4,827	54 1/2	5,391	59	5,947	63 1/2	6,486
45 5/8	4,276	50 1/8	4,843	54 5/8	5,407	59 1/8	5,962	63 5/8	6,501
45 3/4	4,291	50 1/4	4,858	54 3/4	5,422	59 1/4	5,977	63 3/4	6,516
45 7/8	4,307	50 3/8	4,874	54 7/8	5,438	59 3/8	5,992	63 7/8	6,530
46	4,323	50 1/2	4,890	55	5,454	59 1/2	6,007	64	6,545
46 1/8	4,338	50 5/8	4,906	55 1/8	5,469	59 5/8	6,023	64 1/8	6,560
46 1/4	4,354	50 3/4	4,921	55 1/4	5,485	59 3/4	6,038	64 1/4	6,574
46 3/8	4,370	50 7/8	4,937	55 3/8	5,500	59 7/8	6,053	64 3/8	6,589
46 1/2	4,386	51	4,953	55 1/2	5,516	60	6,068	64 1/2	6,604
46 5/8	4,401	51 1/8	4,968	55 5/8	5,531	60 1/8	6,083	64 5/8	6,618
46 3/4	4,417	51 1/4	4,984	55 3/4	5,547	60 1/4	6,098	64 3/4	6,633
46 7/8	4,433	51 3/8	5,000	55 7/8	5,562	60 3/8	6,113	64 7/8	6,647
47	4,449	51 1/2	5,016	56	5,578	60 1/2	6,129	65	6,662
47 1/8	4,464	51 5/8	5,031	56 1/8	5,593	60 5/8	6,144	65 1/8	6,676
47 1/4	4,480	51 3/4	5,047	56 1/4	5,609	60 3/4	6,159	65 1/4	6,691
47 3/8	4,496	51 7/8	5,063	56 3/8	5,624	60 7/8	6,174	65 3/8	6,705
47 1/2	4,512	52	5,078	56 1/2	5,640	61	6,189	65 1/2	6,720
47 5/8	4,528	52 1/8	5,094	56 5/8	5,655	61 1/8	6,204	65 5/8	6,734
47 3/4	4,543	52 1/4	5,110	56 3/4	5,670	61 1/4	6,219	65 3/4	6,748
47 7/8	4,559	52 3/8	5,125	56 7/8	5,686	61 3/8	6,234	65 7/8	6,763
48	4,575	52 1/2	5,141	57	5,701	61 1/2	6,249	66	6,777
48 1/8	4,591	52 5/8	5,157	57 1/8	5,717	61 5/8	6,264	66 1/8	6,791
48 1/4	4,606	52 3/4	5,173	57 1/4	5,732	61 3/4	6,279	66 1/4	6,806
48 3/8	4,622	52 7/8	5,188	57 3/8	5,747	61 7/8	6,294	66 3/8	6,820
48 1/2	4,638	53	5,204	57 1/2	5,763	62	6,309	66 1/2	6,834
48 5/8	4,654	53 1/8	5,219	57 5/8	5,778	62 1/8	6,323	66 5/8	6,849
48 3/4	4,669	53 1/4	5,235	57 3/4	5,794	62 1/4	6,338	66 3/4	6,863
48 7/8	4,685	53 3/8	5,251	57 7/8	5,809	62 3/8	6,353	66 7/8	6,877
49	4,701	53 1/2	5,266	58	5,824	62 1/2	6,368	67	6,891
49 1/8	4,717	53 5/8	5,282	58 1/8	5,840	62 5/8	6,383	67 1/8	6,905
49 1/4	4,732	53 3/4	5,298	58 1/4	5,855	62 3/4	6,398	67 1/4	6,920
49 3/8	4,748	53 7/8	5,313	58 3/8	5,870	62 7/8	6,413	67 3/8	6,934
49 1/2	4,764	54	5,329	58 1/2	5,885	63	6,427	67 1/2	6,948



Dipstick Calibration Chart

8' x 9K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,962	72 1/8	7,453	76 5/8	7,907	81 1/8	8,316	85 5/8	8,668
67 3/4	6,976	72 1/4	7,466	76 3/4	7,919	81 1/4	8,326	85 3/4	8,677
67 7/8	6,990	72 3/8	7,479	76 7/8	7,931	81 3/8	8,337	85 7/8	8,685
68	7,004	72 1/2	7,492	77	7,943	81 1/2	8,347	86	8,694
68 1/8	7,018	72 5/8	7,505	77 1/8	7,955	81 5/8	8,358	86 1/8	8,703
68 1/4	7,032	72 3/4	7,518	77 1/4	7,967	81 3/4	8,368	86 1/4	8,711
68 3/8	7,046	72 7/8	7,531	77 3/8	7,979	81 7/8	8,379	86 3/8	8,720
68 1/2	7,060	73	7,544	77 1/2	7,990	82	8,389	86 1/2	8,728
68 5/8	7,074	73 1/8	7,557	77 5/8	8,002	82 1/8	8,399	86 5/8	8,737
68 3/4	7,088	73 1/4	7,570	77 3/4	8,014	82 1/4	8,410	86 3/4	8,745
68 7/8	7,101	73 3/8	7,583	77 7/8	8,026	82 3/8	8,420	86 7/8	8,754
69	7,115	73 1/2	7,596	78	8,037	82 1/2	8,430	87	8,762
69 1/8	7,129	73 5/8	7,609	78 1/8	8,049	82 5/8	8,440	87 1/8	8,770
69 1/4	7,143	73 3/4	7,621	78 1/4	8,060	82 3/4	8,450	87 1/4	8,778
69 3/8	7,157	73 7/8	7,634	78 3/8	8,072	82 7/8	8,460	87 3/8	8,786
69 1/2	7,170	74	7,647	78 1/2	8,083	83	8,470	87 1/2	8,794
69 5/8	7,184	74 1/8	7,660	78 5/8	8,095	83 1/8	8,480	87 5/8	8,802
69 3/4	7,198	74 1/4	7,672	78 3/4	8,106	83 1/4	8,490	87 3/4	8,810
69 7/8	7,211	74 3/8	7,685	78 7/8	8,118	83 3/8	8,500	87 7/8	8,818
70	7,225	74 1/2	7,698	79	8,129	83 1/2	8,509	88	8,826
70 1/8	7,239	74 5/8	7,710	79 1/8	8,140	83 5/8	8,519	88 1/8	8,834
70 1/4	7,252	74 3/4	7,723	79 1/4	8,152	83 3/4	8,529	88 1/4	8,841
70 3/8	7,266	74 7/8	7,735	79 3/8	8,163	83 7/8	8,538	88 3/8	8,849
70 1/2	7,279	75	7,748	79 1/2	8,174	84	8,548	88 1/2	8,856
70 5/8	7,293	75 1/8	7,760	79 5/8	8,185	84 1/8	8,558	88 5/8	8,864
70 3/4	7,306	75 1/4	7,773	79 3/4	8,196	84 1/4	8,567	88 3/4	8,871
70 7/8	7,320	75 3/8	7,785	79 7/8	8,207	84 3/8	8,576	88 7/8	8,878
71	7,333	75 1/2	7,797	80	8,218	84 1/2	8,586	89	8,886
71 1/8	7,347	75 5/8	7,810	80 1/8	8,229	84 5/8	8,595	89 1/8	8,893
71 1/4	7,360	75 3/4	7,822	80 1/4	8,240	84 3/4	8,604	89 1/4	8,900
71 3/8	7,373	75 7/8	7,834	80 3/8	8,251	84 7/8	8,614	89 3/8	8,907
71 1/2	7,387	76	7,846	80 1/2	8,262	85	8,623	89 1/2	8,914
71 5/8	7,400	76 1/8	7,859	80 5/8	8,273	85 1/8	8,632	89 5/8	8,921
71 3/4	7,413	76 1/4	7,871	80 3/4	8,284	85 1/4	8,641	89 3/4	8,928
71 7/8	7,426	76 3/8	7,883	80 7/8	8,294	85 3/8	8,650	89 7/8	8,935
72	7,440	76 1/2	7,895	81	8,305	85 1/2	8,659	90	8,941



Dipstick Calibration Chart

8' x 9K Main Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	8,948	94 5/8	9,128
90 1/4	8,954	94 3/4	9,131
90 3/8	8,961	94 7/8	9,133
90 1/2	8,967	95	9,136
90 5/8	8,974	95 1/8	9,139
90 3/4	8,980	95 1/4	9,141
90 7/8	8,986	95 3/8	9,143
91	8,992	95 1/2	9,145
91 1/8	8,998	95 5/8	9,147
91 1/4	9,004	95 3/4	9,148
91 3/8	9,010	95 7/8	9,149
91 1/2	9,015	96	9,150
91 5/8	9,021		
91 3/4	9,027		
91 7/8	9,032		
92	9,038		
92 1/8	9,043		
92 1/4	9,048		
92 3/8	9,053		
92 1/2	9,058		
92 5/8	9,063		
92 3/4	9,068		
92 7/8	9,073		
93	9,078		
93 1/8	9,082		
93 1/4	9,086		
93 3/8	9,091		
93 1/2	9,095		
93 5/8	9,099		
93 3/4	9,103		
93 7/8	9,107		
94	9,111		
94 1/8	9,114		
94 1/4	9,118		
94 3/8	9,121		
94 1/2	9,125		