



Dipstick Calibration Chart

10' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
1/8	1	4 5/8	129	9 1/8	352	13 5/8	635	18 1/8	963
1/4	2	4 3/4	134	9 1/4	360	13 3/4	644	18 1/4	973
3/8	3	4 7/8	139	9 3/8	367	13 7/8	652	18 3/8	982
1/2	5	5	144	9 1/2	374	14	661	18 1/2	992
5/8	6	5 1/8	150	9 5/8	381	14 1/8	670	18 5/8	1,002
3/4	8	5 1/4	155	9 3/4	389	14 1/4	678	18 3/4	1,011
7/8	11	5 3/8	161	9 7/8	396	14 3/8	687	18 7/8	1,021
1	13	5 1/2	166	10	403	14 1/2	696	19	1,031
1 1/8	16	5 5/8	172	10 1/8	411	14 5/8	705	19 1/8	1,041
1 1/4	18	5 3/4	178	10 1/4	418	14 3/4	713	19 1/4	1,051
1 3/8	21	5 7/8	184	10 3/8	426	14 7/8	722	19 3/8	1,060
1 1/2	24	6	189	10 1/2	433	15	731	19 1/2	1,070
1 5/8	27	6 1/8	195	10 5/8	441	15 1/8	740	19 5/8	1,080
1 3/4	30	6 1/4	201	10 3/4	449	15 1/4	749	19 3/4	1,090
1 7/8	33	6 3/8	207	10 7/8	456	15 3/8	758	19 7/8	1,100
2	37	6 1/2	213	11	464	15 1/2	767	20	1,110
2 1/8	40	6 5/8	219	11 1/8	472	15 5/8	776	20 1/8	1,120
2 1/4	44	6 3/4	226	11 1/4	480	15 3/4	785	20 1/4	1,130
2 3/8	48	6 7/8	232	11 3/8	488	15 7/8	794	20 3/8	1,140
2 1/2	51	7	238	11 1/2	495	16	803	20 1/2	1,151
2 5/8	55	7 1/8	244	11 5/8	503	16 1/8	812	20 5/8	1,161
2 3/4	59	7 1/4	251	11 3/4	511	16 1/4	822	20 3/4	1,171
2 7/8	63	7 3/8	257	11 7/8	519	16 3/8	831	20 7/8	1,181
3	67	7 1/2	264	12	527	16 1/2	840	21	1,191
3 1/8	72	7 5/8	270	12 1/8	536	16 5/8	849	21 1/8	1,201
3 1/4	76	7 3/4	277	12 1/4	544	16 3/4	859	21 1/4	1,212
3 3/8	80	7 7/8	283	12 3/8	552	16 7/8	868	21 3/8	1,222
3 1/2	85	8	290	12 1/2	560	17	877	21 1/2	1,232
3 5/8	90	8 1/8	297	12 5/8	568	17 1/8	887	21 5/8	1,243
3 3/4	94	8 1/4	304	12 3/4	577	17 1/4	896	21 3/4	1,253
3 7/8	99	8 3/8	310	12 7/8	585	17 3/8	906	21 7/8	1,263
4	104	8 1/2	317	13	593	17 1/2	915	22	1,274
4 1/8	109	8 5/8	324	13 1/8	602	17 5/8	925	22 1/8	1,284
4 1/4	113	8 3/4	331	13 1/4	610	17 3/4	934	22 1/4	1,295
4 3/8	118	8 7/8	338	13 3/8	618	17 7/8	944	22 3/8	1,305
4 1/2	124	9	345	13 1/2	627	18	953	22 1/2	1,315



Dipstick Calibration Chart

10' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
22 5/8	1,326	27 1/8	1,718	31 5/8	2,134	36 1/8	2,569	40 5/8	3,021
22 3/4	1,336	27 1/4	1,729	31 3/4	2,146	36 1/4	2,582	40 3/4	3,033
22 7/8	1,347	27 3/8	1,741	31 7/8	2,158	36 3/8	2,594	40 7/8	3,046
23	1,358	27 1/2	1,752	32	2,170	36 1/2	2,607	41	3,059
23 1/8	1,368	27 5/8	1,763	32 1/8	2,182	36 5/8	2,619	41 1/8	3,072
23 1/4	1,379	27 3/4	1,775	32 1/4	2,193	36 3/4	2,631	41 1/4	3,084
23 3/8	1,389	27 7/8	1,786	32 3/8	2,205	36 7/8	2,644	41 3/8	3,097
23 1/2	1,400	28	1,797	32 1/2	2,217	37	2,656	41 1/2	3,110
23 5/8	1,411	28 1/8	1,809	32 5/8	2,229	37 1/8	2,669	41 5/8	3,123
23 3/4	1,421	28 1/4	1,820	32 3/4	2,241	37 1/4	2,681	41 3/4	3,136
23 7/8	1,432	28 3/8	1,831	32 7/8	2,253	37 3/8	2,693	41 7/8	3,148
24	1,443	28 1/2	1,843	33	2,265	37 1/2	2,706	42	3,161
24 1/8	1,454	28 5/8	1,854	33 1/8	2,277	37 5/8	2,718	42 1/8	3,174
24 1/4	1,465	28 3/4	1,866	33 1/4	2,289	37 3/4	2,731	42 1/4	3,187
24 3/8	1,475	28 7/8	1,877	33 3/8	2,301	37 7/8	2,743	42 3/8	3,200
24 1/2	1,486	29	1,889	33 1/2	2,313	38	2,756	42 1/2	3,213
24 5/8	1,497	29 1/8	1,900	33 5/8	2,325	38 1/8	2,768	42 5/8	3,225
24 3/4	1,508	29 1/4	1,912	33 3/4	2,337	38 1/4	2,781	42 3/4	3,238
24 7/8	1,519	29 3/8	1,923	33 7/8	2,350	38 3/8	2,793	42 7/8	3,251
25	1,530	29 1/2	1,935	34	2,362	38 1/2	2,806	43	3,264
25 1/8	1,541	29 5/8	1,946	34 1/8	2,374	38 5/8	2,818	43 1/8	3,277
25 1/4	1,552	29 3/4	1,958	34 1/4	2,386	38 3/4	2,831	43 1/4	3,290
25 3/8	1,562	29 7/8	1,970	34 3/8	2,398	38 7/8	2,844	43 3/8	3,303
25 1/2	1,573	30	1,981	34 1/2	2,410	39	2,856	43 1/2	3,316
25 5/8	1,584	30 1/8	1,993	34 5/8	2,422	39 1/8	2,869	43 5/8	3,329
25 3/4	1,596	30 1/4	2,005	34 3/4	2,435	39 1/4	2,881	43 3/4	3,342
25 7/8	1,607	30 3/8	2,016	34 7/8	2,447	39 3/8	2,894	43 7/8	3,354
26	1,618	30 1/2	2,028	35	2,459	39 1/2	2,907	44	3,367
26 1/8	1,629	30 5/8	2,040	35 1/8	2,471	39 5/8	2,919	44 1/8	3,380
26 1/4	1,640	30 3/4	2,051	35 1/4	2,483	39 3/4	2,932	44 1/4	3,393
26 3/8	1,651	30 7/8	2,063	35 3/8	2,496	39 7/8	2,945	44 3/8	3,406
26 1/2	1,662	31	2,075	35 1/2	2,508	40	2,957	44 1/2	3,419
26 5/8	1,673	31 1/8	2,087	35 5/8	2,520	40 1/8	2,970	44 5/8	3,432
26 3/4	1,684	31 1/4	2,099	35 3/4	2,533	40 1/4	2,983	44 3/4	3,445
26 7/8	1,696	31 3/8	2,110	35 7/8	2,545	40 3/8	2,995	44 7/8	3,458
27	1,707	31 1/2	2,122	36	2,557	40 1/2	3,008	45	3,471



Dipstick Calibration Chart

10' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
45 1/8	3,484	49 5/8	3,957	54 1/8	4,437	58 5/8	4,920	63 1/8	5,403
45 1/4	3,497	49 3/4	3,971	54 1/4	4,450	58 3/4	4,933	63 1/4	5,417
45 3/8	3,510	49 7/8	3,984	54 3/8	4,463	58 7/8	4,946	63 3/8	5,430
45 1/2	3,523	50	3,997	54 1/2	4,477	59	4,960	63 1/2	5,443
45 5/8	3,536	50 1/8	4,010	54 5/8	4,490	59 1/8	4,973	63 5/8	5,457
45 3/4	3,550	50 1/4	4,024	54 3/4	4,504	59 1/4	4,987	63 3/4	5,470
45 7/8	3,563	50 3/8	4,037	54 7/8	4,517	59 3/8	5,000	63 7/8	5,484
46	3,576	50 1/2	4,050	55	4,530	59 1/2	5,014	64	5,497
46 1/8	3,589	50 5/8	4,063	55 1/8	4,544	59 5/8	5,027	64 1/8	5,511
46 1/4	3,602	50 3/4	4,077	55 1/4	4,557	59 3/4	5,040	64 1/4	5,524
46 3/8	3,615	50 7/8	4,090	55 3/8	4,571	59 7/8	5,054	64 3/8	5,537
46 1/2	3,628	51	4,103	55 1/2	4,584	60	5,067	64 1/2	5,551
46 5/8	3,641	51 1/8	4,116	55 5/8	4,597	60 1/8	5,081	64 5/8	5,564
46 3/4	3,654	51 1/4	4,130	55 3/4	4,611	60 1/4	5,094	64 3/4	5,578
46 7/8	3,667	51 3/8	4,143	55 7/8	4,624	60 3/8	5,108	64 7/8	5,591
47	3,680	51 1/2	4,156	56	4,638	60 1/2	5,121	65	5,604
47 1/8	3,694	51 5/8	4,170	56 1/8	4,651	60 5/8	5,135	65 1/8	5,618
47 1/4	3,707	51 3/4	4,183	56 1/4	4,664	60 3/4	5,148	65 1/4	5,631
47 3/8	3,720	51 7/8	4,196	56 3/8	4,678	60 7/8	5,161	65 3/8	5,645
47 1/2	3,733	52	4,210	56 1/2	4,691	61	5,175	65 1/2	5,658
47 5/8	3,746	52 1/8	4,223	56 5/8	4,705	61 1/8	5,188	65 5/8	5,671
47 3/4	3,759	52 1/4	4,236	56 3/4	4,718	61 1/4	5,202	65 3/4	5,685
47 7/8	3,772	52 3/8	4,250	56 7/8	4,731	61 3/8	5,215	65 7/8	5,698
48	3,786	52 1/2	4,263	57	4,745	61 1/2	5,229	66	5,711
48 1/8	3,799	52 5/8	4,276	57 1/8	4,758	61 5/8	5,242	66 1/8	5,725
48 1/4	3,812	52 3/4	4,290	57 1/4	4,772	61 3/4	5,256	66 1/4	5,738
48 3/8	3,825	52 7/8	4,303	57 3/8	4,785	61 7/8	5,269	66 3/8	5,752
48 1/2	3,838	53	4,316	57 1/2	4,799	62	5,282	66 1/2	5,765
48 5/8	3,852	53 1/8	4,330	57 5/8	4,812	62 1/8	5,296	66 5/8	5,778
48 3/4	3,865	53 1/4	4,343	57 3/4	4,825	62 1/4	5,309	66 3/4	5,792
48 7/8	3,878	53 3/8	4,356	57 7/8	4,839	62 3/8	5,323	66 7/8	5,805
49	3,891	53 1/2	4,370	58	4,852	62 1/2	5,336	67	5,818
49 1/8	3,904	53 5/8	4,383	58 1/8	4,866	62 5/8	5,350	67 1/8	5,832
49 1/4	3,918	53 3/4	4,396	58 1/4	4,879	62 3/4	5,363	67 1/4	5,845
49 3/8	3,931	53 7/8	4,410	58 3/8	4,893	62 7/8	5,376	67 3/8	5,858
49 1/2	3,944	54	4,423	58 1/2	4,906	63	5,390	67 1/2	5,872



Dipstick Calibration Chart

10' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
67 5/8	5,885	72 1/8	6,362	76 5/8	6,832	81 1/8	7,291	85 5/8	7,737
67 3/4	5,898	72 1/4	6,375	76 3/4	6,845	81 1/4	7,304	85 3/4	7,749
67 7/8	5,912	72 3/8	6,389	76 7/8	6,858	81 3/8	7,316	85 7/8	7,761
68	5,925	72 1/2	6,402	77	6,871	81 1/2	7,329	86	7,773
68 1/8	5,938	72 5/8	6,415	77 1/8	6,884	81 5/8	7,341	86 1/8	7,785
68 1/4	5,952	72 3/4	6,428	77 1/4	6,896	81 3/4	7,354	86 1/4	7,797
68 3/8	5,965	72 7/8	6,441	77 3/8	6,909	81 7/8	7,366	86 3/8	7,809
68 1/2	5,978	73	6,454	77 1/2	6,922	82	7,379	86 1/2	7,821
68 5/8	5,992	73 1/8	6,467	77 5/8	6,935	82 1/8	7,391	86 5/8	7,833
68 3/4	6,005	73 1/4	6,480	77 3/4	6,948	82 1/4	7,404	86 3/4	7,845
68 7/8	6,018	73 3/8	6,494	77 7/8	6,961	82 3/8	7,416	86 7/8	7,858
69	6,031	73 1/2	6,507	78	6,973	82 1/2	7,429	87	7,870
69 1/8	6,045	73 5/8	6,520	78 1/8	6,986	82 5/8	7,441	87 1/8	7,882
69 1/4	6,058	73 3/4	6,533	78 1/4	6,999	82 3/4	7,454	87 1/4	7,893
69 3/8	6,071	73 7/8	6,546	78 3/8	7,012	82 7/8	7,466	87 3/8	7,905
69 1/2	6,085	74	6,559	78 1/2	7,025	83	7,479	87 1/2	7,917
69 5/8	6,098	74 1/8	6,572	78 5/8	7,037	83 1/8	7,491	87 5/8	7,929
69 3/4	6,111	74 1/4	6,585	78 3/4	7,050	83 1/4	7,503	87 3/4	7,941
69 7/8	6,124	74 3/8	6,598	78 7/8	7,063	83 3/8	7,516	87 7/8	7,953
70	6,138	74 1/2	6,611	79	7,076	83 1/2	7,528	88	7,965
70 1/8	6,151	74 5/8	6,624	79 1/8	7,089	83 5/8	7,541	88 1/8	7,977
70 1/4	6,164	74 3/4	6,637	79 1/4	7,101	83 3/4	7,553	88 1/4	7,989
70 3/8	6,177	74 7/8	6,650	79 3/8	7,114	83 7/8	7,565	88 3/8	8,001
70 1/2	6,191	75	6,663	79 1/2	7,127	84	7,578	88 1/2	8,013
70 5/8	6,204	75 1/8	6,676	79 5/8	7,139	84 1/8	7,590	88 5/8	8,024
70 3/4	6,217	75 1/4	6,689	79 3/4	7,152	84 1/4	7,602	88 3/4	8,036
70 7/8	6,230	75 3/8	6,702	79 7/8	7,165	84 3/8	7,614	88 7/8	8,048
71	6,244	75 1/2	6,715	80	7,177	84 1/2	7,627	89	8,060
71 1/8	6,257	75 5/8	6,728	80 1/8	7,190	84 5/8	7,639	89 1/8	8,071
71 1/4	6,270	75 3/4	6,741	80 1/4	7,203	84 3/4	7,651	89 1/4	8,083
71 3/8	6,283	75 7/8	6,754	80 3/8	7,215	84 7/8	7,663	89 3/8	8,095
71 1/2	6,296	76	6,767	80 1/2	7,228	85	7,676	89 1/2	8,107
71 5/8	6,310	76 1/8	6,780	80 5/8	7,241	85 1/8	7,688	89 5/8	8,118
71 3/4	6,323	76 1/4	6,793	80 3/4	7,253	85 1/4	7,700	89 3/4	8,130
71 7/8	6,336	76 3/8	6,806	80 7/8	7,266	85 3/8	7,712	89 7/8	8,142
72	6,349	76 1/2	6,819	81	7,279	85 1/2	7,724	90	8,153



Dipstick Calibration Chart

10' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
90 1/8	8,165	94 5/8	8,572	99 1/8	8,954	103 5/8	9,304	108 1/8	9,615
90 1/4	8,177	94 3/4	8,583	99 1/4	8,964	103 3/4	9,313	108 1/4	9,623
90 3/8	8,188	94 7/8	8,594	99 3/8	8,974	103 7/8	9,322	108 3/8	9,631
90 1/2	8,200	95	8,605	99 1/2	8,984	104	9,331	108 1/2	9,639
90 5/8	8,211	95 1/8	8,616	99 5/8	8,994	104 1/8	9,341	108 5/8	9,647
90 3/4	8,223	95 1/4	8,627	99 3/4	9,004	104 1/4	9,350	108 3/4	9,655
90 7/8	8,234	95 3/8	8,638	99 7/8	9,014	104 3/8	9,359	108 7/8	9,663
91	8,246	95 1/2	8,649	100	9,024	104 1/2	9,368	109	9,671
91 1/8	8,257	95 5/8	8,659	100 1/8	9,034	104 5/8	9,377	109 1/8	9,678
91 1/4	8,269	95 3/4	8,670	100 1/4	9,044	104 3/4	9,386	109 1/4	9,686
91 3/8	8,280	95 7/8	8,681	100 3/8	9,054	104 7/8	9,395	109 3/8	9,694
91 1/2	8,292	96	8,692	100 1/2	9,064	105	9,404	109 1/2	9,701
91 5/8	8,303	96 1/8	8,702	100 5/8	9,074	105 1/8	9,412	109 5/8	9,709
91 3/4	8,315	96 1/4	8,713	100 3/4	9,084	105 1/4	9,421	109 3/4	9,716
91 7/8	8,326	96 3/8	8,724	100 7/8	9,094	105 3/8	9,430	109 7/8	9,724
92	8,337	96 1/2	8,735	101	9,104	105 1/2	9,439	110	9,731
92 1/8	8,349	96 5/8	8,745	101 1/8	9,114	105 5/8	9,448	110 1/8	9,739
92 1/4	8,360	96 3/4	8,756	101 1/4	9,123	105 3/4	9,456	110 1/4	9,746
92 3/8	8,372	96 7/8	8,766	101 3/8	9,133	105 7/8	9,465	110 3/8	9,753
92 1/2	8,383	97	8,777	101 1/2	9,143	106	9,474	110 1/2	9,761
92 5/8	8,394	97 1/8	8,788	101 5/8	9,153	106 1/8	9,482	110 5/8	9,768
92 3/4	8,405	97 1/4	8,798	101 3/4	9,162	106 1/4	9,491	110 3/4	9,775
92 7/8	8,417	97 3/8	8,809	101 7/8	9,172	106 3/8	9,499	110 7/8	9,782
93	8,428	97 1/2	8,819	102	9,181	106 1/2	9,508	111	9,789
93 1/8	8,439	97 5/8	8,830	102 1/8	9,191	106 5/8	9,516	111 1/8	9,796
93 1/4	8,450	97 3/4	8,840	102 1/4	9,201	106 3/4	9,525	111 1/4	9,803
93 3/8	8,461	97 7/8	8,851	102 3/8	9,210	106 7/8	9,533	111 3/8	9,810
93 1/2	8,473	98	8,861	102 1/2	9,220	107	9,542	111 1/2	9,817
93 5/8	8,484	98 1/8	8,871	102 5/8	9,229	107 1/8	9,550	111 5/8	9,824
93 3/4	8,495	98 1/4	8,882	102 3/4	9,239	107 1/4	9,558	111 3/4	9,831
93 7/8	8,506	98 3/8	8,892	102 7/8	9,248	107 3/8	9,566	111 7/8	9,838
94	8,517	98 1/2	8,902	103	9,257	107 1/2	9,575	112	9,845
94 1/8	8,528	98 5/8	8,913	103 1/8	9,267	107 5/8	9,583	112 1/8	9,851
94 1/4	8,539	98 3/4	8,923	103 1/4	9,276	107 3/4	9,591	112 1/4	9,858
94 3/8	8,550	98 7/8	8,933	103 3/8	9,285	107 7/8	9,599	112 3/8	9,864
94 1/2	8,561	99	8,943	103 1/2	9,295	108	9,607	112 1/2	9,871



Dipstick Calibration Chart

10' x 10K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	9,877	117 1/8	10,071
112 3/4	9,884	117 1/4	10,075
112 7/8	9,890	117 3/8	10,079
113	9,897	117 1/2	10,083
113 1/8	9,903	117 5/8	10,087
113 1/4	9,909	117 3/4	10,091
113 3/8	9,915	117 7/8	10,094
113 1/2	9,921	118	10,098
113 5/8	9,927	118 1/8	10,101
113 3/4	9,933	118 1/4	10,105
113 7/8	9,939	118 3/8	10,108
114	9,945	118 1/2	10,111
114 1/8	9,951	118 5/8	10,114
114 1/4	9,957	118 3/4	10,116
114 3/8	9,963	118 7/8	10,119
114 1/2	9,968	119	10,122
114 5/8	9,974	119 1/8	10,124
114 3/4	9,979	119 1/4	10,126
114 7/8	9,985	119 3/8	10,128
115	9,990	119 1/2	10,130
115 1/8	9,996	119 5/8	10,132
115 1/4	10,001	119 3/4	10,133
115 3/8	10,006	119 7/8	10,134
115 1/2	10,011	120	10,135
115 5/8	10,016		
115 3/4	10,021		
115 7/8	10,026		
116	10,031		
116 1/8	10,036		
116 1/4	10,041		
116 3/8	10,045		
116 1/2	10,050		
116 5/8	10,054		
116 3/4	10,059		
116 7/8	10,063		
117	10,067		