



Dipstick Calibration Chart

10' x 11K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	142	9 1/8	388	13 5/8	700	18 1/8	1,061
1/4	2	4 3/4	147	9 1/4	396	13 3/4	709	18 1/4	1,071
3/8	3	4 7/8	153	9 3/8	404	13 7/8	719	18 3/8	1,082
1/2	5	5	159	9 1/2	412	14	728	18 1/2	1,093
5/8	7	5 1/8	165	9 5/8	420	14 1/8	738	18 5/8	1,103
3/4	9	5 1/4	171	9 3/4	428	14 1/4	747	18 3/4	1,114
7/8	12	5 3/8	177	9 7/8	436	14 3/8	757	18 7/8	1,125
1	14	5 1/2	183	10	444	14 1/2	766	19	1,136
1 1/8	17	5 5/8	190	10 1/8	453	14 5/8	776	19 1/8	1,146
1 1/4	20	5 3/4	196	10 1/4	461	14 3/4	786	19 1/4	1,157
1 3/8	23	5 7/8	202	10 3/8	469	14 7/8	796	19 3/8	1,168
1 1/2	26	6	209	10 1/2	477	15	805	19 1/2	1,179
1 5/8	30	6 1/8	215	10 5/8	486	15 1/8	815	19 5/8	1,190
1 3/4	33	6 1/4	222	10 3/4	494	15 1/4	825	19 3/4	1,201
1 7/8	37	6 3/8	228	10 7/8	503	15 3/8	835	19 7/8	1,212
2	41	6 1/2	235	11	511	15 1/2	845	20	1,223
2 1/8	44	6 5/8	242	11 1/8	520	15 5/8	855	20 1/8	1,234
2 1/4	48	6 3/4	249	11 1/4	528	15 3/4	865	20 1/4	1,245
2 3/8	52	6 7/8	255	11 3/8	537	15 7/8	875	20 3/8	1,256
2 1/2	57	7	262	11 1/2	546	16	885	20 1/2	1,267
2 5/8	61	7 1/8	269	11 5/8	554	16 1/8	895	20 5/8	1,278
2 3/4	65	7 1/4	276	11 3/4	563	16 1/4	905	20 3/4	1,290
2 7/8	70	7 3/8	283	11 7/8	572	16 3/8	915	20 7/8	1,301
3	74	7 1/2	290	12	581	16 1/2	925	21	1,312
3 1/8	79	7 5/8	298	12 1/8	590	16 5/8	936	21 1/8	1,323
3 1/4	84	7 3/4	305	12 1/4	599	16 3/4	946	21 1/4	1,335
3 3/8	89	7 7/8	312	12 3/8	608	16 7/8	956	21 3/8	1,346
3 1/2	94	8	320	12 1/2	617	17	966	21 1/2	1,357
3 5/8	99	8 1/8	327	12 5/8	626	17 1/8	977	21 5/8	1,369
3 3/4	104	8 1/4	334	12 3/4	635	17 1/4	987	21 3/4	1,380
3 7/8	109	8 3/8	342	12 7/8	644	17 3/8	997	21 7/8	1,391
4	114	8 1/2	350	13	653	17 1/2	1,008	22	1,403
4 1/8	120	8 5/8	357	13 1/8	663	17 5/8	1,018	22 1/8	1,414
4 1/4	125	8 3/4	365	13 1/4	672	17 3/4	1,029	22 1/4	1,426
4 3/8	130	8 7/8	373	13 3/8	681	17 7/8	1,039	22 3/8	1,437
4 1/2	136	9	380	13 1/2	690	18	1,050	22 1/2	1,449



Dipstick Calibration Chart

10' x 11K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,460	27 1/8	1,892	31 5/8	2,351	36 1/8	2,830	40 5/8	3,327
22 3/4	1,472	27 1/4	1,905	31 3/4	2,364	36 1/4	2,844	40 3/4	3,341
22 7/8	1,484	27 3/8	1,917	31 7/8	2,377	36 3/8	2,857	40 7/8	3,355
23	1,495	27 1/2	1,930	32	2,390	36 1/2	2,871	41	3,369
23 1/8	1,507	27 5/8	1,942	32 1/8	2,403	36 5/8	2,885	41 1/8	3,383
23 1/4	1,519	27 3/4	1,955	32 1/4	2,416	36 3/4	2,898	41 1/4	3,397
23 3/8	1,530	27 7/8	1,967	32 3/8	2,429	36 7/8	2,912	41 3/8	3,411
23 1/2	1,542	28	1,980	32 1/2	2,442	37	2,926	41 1/2	3,425
23 5/8	1,554	28 1/8	1,992	32 5/8	2,455	37 1/8	2,939	41 5/8	3,440
23 3/4	1,566	28 1/4	2,005	32 3/4	2,469	37 1/4	2,953	41 3/4	3,454
23 7/8	1,578	28 3/8	2,017	32 7/8	2,482	37 3/8	2,967	41 7/8	3,468
24	1,589	28 1/2	2,030	33	2,495	37 1/2	2,980	42	3,482
24 1/8	1,601	28 5/8	2,042	33 1/8	2,508	37 5/8	2,994	42 1/8	3,496
24 1/4	1,613	28 3/4	2,055	33 1/4	2,521	37 3/4	3,008	42 1/4	3,510
24 3/8	1,625	28 7/8	2,068	33 3/8	2,535	37 7/8	3,022	42 3/8	3,524
24 1/2	1,637	29	2,080	33 1/2	2,548	38	3,035	42 1/2	3,538
24 5/8	1,649	29 1/8	2,093	33 5/8	2,561	38 1/8	3,049	42 5/8	3,553
24 3/4	1,661	29 1/4	2,106	33 3/4	2,575	38 1/4	3,063	42 3/4	3,567
24 7/8	1,673	29 3/8	2,118	33 7/8	2,588	38 3/8	3,077	42 7/8	3,581
25	1,685	29 1/2	2,131	34	2,601	38 1/2	3,091	43	3,595
25 1/8	1,697	29 5/8	2,144	34 1/8	2,615	38 5/8	3,104	43 1/8	3,609
25 1/4	1,709	29 3/4	2,157	34 1/4	2,628	38 3/4	3,118	43 1/4	3,624
25 3/8	1,721	29 7/8	2,170	34 3/8	2,641	38 7/8	3,132	43 3/8	3,638
25 1/2	1,733	30	2,182	34 1/2	2,655	39	3,146	43 1/2	3,652
25 5/8	1,745	30 1/8	2,195	34 5/8	2,668	39 1/8	3,160	43 5/8	3,666
25 3/4	1,757	30 1/4	2,208	34 3/4	2,682	39 1/4	3,174	43 3/4	3,681
25 7/8	1,770	30 3/8	2,221	34 7/8	2,695	39 3/8	3,188	43 7/8	3,695
26	1,782	30 1/2	2,234	35	2,708	39 1/2	3,201	44	3,709
26 1/8	1,794	30 5/8	2,247	35 1/8	2,722	39 5/8	3,215	44 1/8	3,723
26 1/4	1,806	30 3/4	2,260	35 1/4	2,735	39 3/4	3,229	44 1/4	3,738
26 3/8	1,818	30 7/8	2,273	35 3/8	2,749	39 7/8	3,243	44 3/8	3,752
26 1/2	1,831	31	2,285	35 1/2	2,762	40	3,257	44 1/2	3,766
26 5/8	1,843	31 1/8	2,298	35 5/8	2,776	40 1/8	3,271	44 5/8	3,781
26 3/4	1,855	31 1/4	2,311	35 3/4	2,789	40 1/4	3,285	44 3/4	3,795
26 7/8	1,868	31 3/8	2,324	35 7/8	2,803	40 3/8	3,299	44 7/8	3,809
27	1,880	31 1/2	2,337	36	2,817	40 1/2	3,313	45	3,823



Dipstick Calibration Chart

10' x 11K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,838	49 5/8	4,359	54 1/8	4,887	58 5/8	5,419	63 1/8	5,951
45 1/4	3,852	49 3/4	4,373	54 1/4	4,901	58 3/4	5,433	63 1/4	5,966
45 3/8	3,867	49 7/8	4,388	54 3/8	4,916	58 7/8	5,448	63 3/8	5,981
45 1/2	3,881	50	4,403	54 1/2	4,931	59	5,463	63 1/2	5,996
45 5/8	3,895	50 1/8	4,417	54 5/8	4,946	59 1/8	5,478	63 5/8	6,011
45 3/4	3,910	50 1/4	4,432	54 3/4	4,960	59 1/4	5,493	63 3/4	6,025
45 7/8	3,924	50 3/8	4,446	54 7/8	4,975	59 3/8	5,507	63 7/8	6,040
46	3,938	50 1/2	4,461	55	4,990	59 1/2	5,522	64	6,055
46 1/8	3,953	50 5/8	4,476	55 1/8	5,005	59 5/8	5,537	64 1/8	6,070
46 1/4	3,967	50 3/4	4,490	55 1/4	5,019	59 3/4	5,552	64 1/4	6,084
46 3/8	3,982	50 7/8	4,505	55 3/8	5,034	59 7/8	5,567	64 3/8	6,099
46 1/2	3,996	51	4,519	55 1/2	5,049	60	5,581	64 1/2	6,114
46 5/8	4,010	51 1/8	4,534	55 5/8	5,064	60 1/8	5,596	64 5/8	6,129
46 3/4	4,025	51 1/4	4,549	55 3/4	5,078	60 1/4	5,611	64 3/4	6,143
46 7/8	4,039	51 3/8	4,563	55 7/8	5,093	60 3/8	5,626	64 7/8	6,158
47	4,054	51 1/2	4,578	56	5,108	60 1/2	5,641	65	6,173
47 1/8	4,068	51 5/8	4,593	56 1/8	5,123	60 5/8	5,655	65 1/8	6,188
47 1/4	4,083	51 3/4	4,607	56 1/4	5,138	60 3/4	5,670	65 1/4	6,202
47 3/8	4,097	51 7/8	4,622	56 3/8	5,152	60 7/8	5,685	65 3/8	6,217
47 1/2	4,112	52	4,637	56 1/2	5,167	61	5,700	65 1/2	6,232
47 5/8	4,126	52 1/8	4,651	56 5/8	5,182	61 1/8	5,715	65 5/8	6,247
47 3/4	4,141	52 1/4	4,666	56 3/4	5,197	61 1/4	5,729	65 3/4	6,261
47 7/8	4,155	52 3/8	4,681	56 7/8	5,211	61 3/8	5,744	65 7/8	6,276
48	4,170	52 1/2	4,695	57	5,226	61 1/2	5,759	66	6,291
48 1/8	4,184	52 5/8	4,710	57 1/8	5,241	61 5/8	5,774	66 1/8	6,306
48 1/4	4,199	52 3/4	4,725	57 1/4	5,256	61 3/4	5,789	66 1/4	6,320
48 3/8	4,213	52 7/8	4,740	57 3/8	5,271	61 7/8	5,803	66 3/8	6,335
48 1/2	4,228	53	4,754	57 1/2	5,285	62	5,818	66 1/2	6,350
48 5/8	4,242	53 1/8	4,769	57 5/8	5,300	62 1/8	5,833	66 5/8	6,365
48 3/4	4,257	53 1/4	4,784	57 3/4	5,315	62 1/4	5,848	66 3/4	6,379
48 7/8	4,271	53 3/8	4,798	57 7/8	5,330	62 3/8	5,863	66 7/8	6,394
49	4,286	53 1/2	4,813	58	5,345	62 1/2	5,877	67	6,409
49 1/8	4,300	53 5/8	4,828	58 1/8	5,359	62 5/8	5,892	67 1/8	6,423
49 1/4	4,315	53 3/4	4,843	58 1/4	5,374	62 3/4	5,907	67 1/4	6,438
49 3/8	4,330	53 7/8	4,857	58 3/8	5,389	62 7/8	5,922	67 3/8	6,453
49 1/2	4,344	54	4,872	58 1/2	5,404	63	5,937	67 1/2	6,467



Dipstick Calibration Chart

10' x 11K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,482	72 1/8	7,008	76 5/8	7,525	81 1/8	8,031	85 5/8	8,522
67 3/4	6,497	72 1/4	7,022	76 3/4	7,539	81 1/4	8,045	85 3/4	8,535
67 7/8	6,511	72 3/8	7,037	76 7/8	7,553	81 3/8	8,058	85 7/8	8,548
68	6,526	72 1/2	7,051	77	7,568	81 1/2	8,072	86	8,562
68 1/8	6,541	72 5/8	7,066	77 1/8	7,582	81 5/8	8,086	86 1/8	8,575
68 1/4	6,555	72 3/4	7,080	77 1/4	7,596	81 3/4	8,100	86 1/4	8,588
68 3/8	6,570	72 7/8	7,095	77 3/8	7,610	81 7/8	8,114	86 3/8	8,602
68 1/2	6,585	73	7,109	77 1/2	7,624	82	8,128	86 1/2	8,615
68 5/8	6,599	73 1/8	7,123	77 5/8	7,639	82 1/8	8,141	86 5/8	8,628
68 3/4	6,614	73 1/4	7,138	77 3/4	7,653	82 1/4	8,155	86 3/4	8,641
68 7/8	6,629	73 3/8	7,152	77 7/8	7,667	82 3/8	8,169	86 7/8	8,655
69	6,643	73 1/2	7,167	78	7,681	82 1/2	8,183	87	8,668
69 1/8	6,658	73 5/8	7,181	78 1/8	7,695	82 5/8	8,196	87 1/8	8,681
69 1/4	6,673	73 3/4	7,196	78 1/4	7,709	82 3/4	8,210	87 1/4	8,694
69 3/8	6,687	73 7/8	7,210	78 3/8	7,723	82 7/8	8,224	87 3/8	8,707
69 1/2	6,702	74	7,224	78 1/2	7,737	83	8,237	87 1/2	8,721
69 5/8	6,717	74 1/8	7,239	78 5/8	7,751	83 1/8	8,251	87 5/8	8,734
69 3/4	6,731	74 1/4	7,253	78 3/4	7,766	83 1/4	8,265	87 3/4	8,747
69 7/8	6,746	74 3/8	7,268	78 7/8	7,780	83 3/8	8,278	87 7/8	8,760
70	6,760	74 1/2	7,282	79	7,794	83 1/2	8,292	88	8,773
70 1/8	6,775	74 5/8	7,296	79 1/8	7,808	83 5/8	8,306	88 1/8	8,786
70 1/4	6,790	74 3/4	7,311	79 1/4	7,822	83 3/4	8,319	88 1/4	8,799
70 3/8	6,804	74 7/8	7,325	79 3/8	7,836	83 7/8	8,333	88 3/8	8,812
70 1/2	6,819	75	7,339	79 1/2	7,850	84	8,346	88 1/2	8,825
70 5/8	6,833	75 1/8	7,354	79 5/8	7,864	84 1/8	8,360	88 5/8	8,838
70 3/4	6,848	75 1/4	7,368	79 3/4	7,878	84 1/4	8,373	88 3/4	8,851
70 7/8	6,862	75 3/8	7,382	79 7/8	7,892	84 3/8	8,387	88 7/8	8,864
71	6,877	75 1/2	7,397	80	7,906	84 1/2	8,400	89	8,877
71 1/8	6,891	75 5/8	7,411	80 1/8	7,920	84 5/8	8,414	89 1/8	8,890
71 1/4	6,906	75 3/4	7,425	80 1/4	7,934	84 3/4	8,427	89 1/4	8,903
71 3/8	6,921	75 7/8	7,440	80 3/8	7,947	84 7/8	8,441	89 3/8	8,916
71 1/2	6,935	76	7,454	80 1/2	7,961	85	8,454	89 1/2	8,929
71 5/8	6,950	76 1/8	7,468	80 5/8	7,975	85 1/8	8,468	89 5/8	8,942
71 3/4	6,964	76 1/4	7,482	80 3/4	7,989	85 1/4	8,481	89 3/4	8,955
71 7/8	6,979	76 3/8	7,497	80 7/8	8,003	85 3/8	8,495	89 7/8	8,968
72	6,993	76 1/2	7,511	81	8,017	85 1/2	8,508	90	8,981



Dipstick Calibration Chart

10' x 11K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	8,993	94 5/8	9,442	99 1/8	9,862	103 5/8	10,248	108 1/8	10,591
90 1/4	9,006	94 3/4	9,454	99 1/4	9,873	103 3/4	10,258	108 1/4	10,600
90 3/8	9,019	94 7/8	9,466	99 3/8	9,884	103 7/8	10,268	108 3/8	10,608
90 1/2	9,032	95	9,478	99 1/2	9,896	104	10,278	108 1/2	10,617
90 5/8	9,044	95 1/8	9,490	99 5/8	9,907	104 1/8	10,288	108 5/8	10,626
90 3/4	9,057	95 1/4	9,502	99 3/4	9,918	104 1/4	10,298	108 3/4	10,634
90 7/8	9,070	95 3/8	9,514	99 7/8	9,929	104 3/8	10,308	108 7/8	10,643
91	9,082	95 1/2	9,526	100	9,940	104 1/2	10,318	109	10,652
91 1/8	9,095	95 5/8	9,538	100 1/8	9,951	104 5/8	10,328	109 1/8	10,660
91 1/4	9,108	95 3/4	9,550	100 1/4	9,962	104 3/4	10,338	109 1/4	10,669
91 3/8	9,120	95 7/8	9,562	100 3/8	9,973	104 7/8	10,348	109 3/8	10,677
91 1/2	9,133	96	9,574	100 1/2	9,984	105	10,357	109 1/2	10,685
91 5/8	9,146	96 1/8	9,585	100 5/8	9,995	105 1/8	10,367	109 5/8	10,694
91 3/4	9,158	96 1/4	9,597	100 3/4	10,006	105 1/4	10,377	109 3/4	10,702
91 7/8	9,171	96 3/8	9,609	100 7/8	10,017	105 3/8	10,387	109 7/8	10,710
92	9,183	96 1/2	9,621	101	10,027	105 1/2	10,396	110	10,719
92 1/8	9,196	96 5/8	9,632	101 1/8	10,038	105 5/8	10,406	110 1/8	10,727
92 1/4	9,208	96 3/4	9,644	101 1/4	10,049	105 3/4	10,416	110 1/4	10,735
92 3/8	9,221	96 7/8	9,656	101 3/8	10,060	105 7/8	10,425	110 3/8	10,743
92 1/2	9,233	97	9,668	101 1/2	10,070	106	10,435	110 1/2	10,751
92 5/8	9,246	97 1/8	9,679	101 5/8	10,081	106 1/8	10,444	110 5/8	10,759
92 3/4	9,258	97 1/4	9,691	101 3/4	10,092	106 1/4	10,454	110 3/4	10,767
92 7/8	9,270	97 3/8	9,702	101 7/8	10,102	106 3/8	10,463	110 7/8	10,775
93	9,283	97 1/2	9,714	102	10,113	106 1/2	10,472	111	10,782
93 1/8	9,295	97 5/8	9,725	102 1/8	10,123	106 5/8	10,482	111 1/8	10,790
93 1/4	9,308	97 3/4	9,737	102 1/4	10,134	106 3/4	10,491	111 1/4	10,798
93 3/8	9,320	97 7/8	9,748	102 3/8	10,144	106 7/8	10,500	111 3/8	10,806
93 1/2	9,332	98	9,760	102 1/2	10,155	107	10,510	111 1/2	10,813
93 5/8	9,344	98 1/8	9,771	102 5/8	10,165	107 1/8	10,519	111 5/8	10,821
93 3/4	9,357	98 1/4	9,783	102 3/4	10,176	107 1/4	10,528	111 3/4	10,828
93 7/8	9,369	98 3/8	9,794	102 7/8	10,186	107 3/8	10,537	111 7/8	10,836
94	9,381	98 1/2	9,806	103	10,196	107 1/2	10,546	112	10,843
94 1/8	9,393	98 5/8	9,817	103 1/8	10,207	107 5/8	10,555	112 1/8	10,851
94 1/4	9,405	98 3/4	9,828	103 1/4	10,217	107 3/4	10,564	112 1/4	10,858
94 3/8	9,418	98 7/8	9,840	103 3/8	10,227	107 7/8	10,573	112 3/8	10,865
94 1/2	9,430	99	9,851	103 1/2	10,238	108	10,582	112 1/2	10,872



Dipstick Calibration Chart

10' x 11K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	10,880	117 1/8	11,093
112 3/4	10,887	117 1/4	11,098
112 7/8	10,894	117 3/8	11,102
113	10,901	117 1/2	11,106
113 1/8	10,907	117 5/8	11,110
113 1/4	10,914	117 3/4	11,114
113 3/8	10,921	117 7/8	11,118
113 1/2	10,928	118	11,122
113 5/8	10,935	118 1/8	11,126
113 3/4	10,941	118 1/4	11,130
113 7/8	10,948	118 3/8	11,133
114	10,954	118 1/2	11,136
114 1/8	10,961	118 5/8	11,140
114 1/4	10,967	118 3/4	11,143
114 3/8	10,973	118 7/8	11,146
114 1/2	10,979	119	11,148
114 5/8	10,986	119 1/8	11,151
114 3/4	10,992	119 1/4	11,154
114 7/8	10,998	119 3/8	11,156
115	11,004	119 1/2	11,158
115 1/8	11,010	119 5/8	11,160
115 1/4	11,015	119 3/4	11,161
115 3/8	11,021	119 7/8	11,162
115 1/2	11,027	120	11,163
115 5/8	11,032		
115 3/4	11,038		
115 7/8	11,043		
116	11,049		
116 1/8	11,054		
116 1/4	11,059		
116 3/8	11,064		
116 1/2	11,069		
116 5/8	11,074		
116 3/4	11,079		
116 7/8	11,084		
117	11,089		